

The MINOR PLANET CIRCULARS/MINOR PLANETS AND COMETS are published, on behalf of
Commission 20 of the International Astronomical Union, usually in batches
on the date of each full moon, by:

Minor Planet Center, Smithsonian Astrophysical Observatory, Cambridge, MA 02138, U.S.A.
IAUSUBS@CFA.HARVARD.EDU or FAX 617-495-7231 (subscriptions)
Phone 617-495-7244/7440/7444 TWX 710-320-6842 ASTROGRAM CAM
MARSDEN@CFA.HARVARD.EDU or WILLIAMS@CFA.HARVARD.EDU (science)
Brian G. Marsden, Director Gareth V. Williams, Associate Director

EDITORIAL NOTICE

As noted on MPC 22609, the Minor Planet Center no longer distributes the *Efemeridy Malykh Planet (EMP)*. Distribution of the *EMP* volume for 1995 (and subsequent years) is handled either by the Institute of Theoretical Astronomy (ITA), Naberezhnaya Kutuzova 10, St. Petersburg, Russia, or by the White Nights Trading Company, 520 N.E. Street, Seattle, WA 98115, U.S.A. (fax 206-523-0851, e-mail 71023.2454@compuserve.com). Because of the high mailing costs in Russia, all those who receive *EMP 1995* from the ITA are requested to send \$13.00 to the ITA (not to the Minor Planet Center) to cover the postage, as directed on the invoice. Those *EMP 1995* recipients who do not wish to receive future volumes should so inform the ITA.

The Minor Planet Center is issuing a new edition—the third—of the *Catalogue of High-Precision Orbits of Unnumbered Minor Planets*. The orbits are given for the epoch 1995 Oct. 10.0 TT, and the catalogue is complete through the current batch of MPCs. Opposition positions and motions are given for objects that reach opposition between 1994 Dec. 1 and 1996 Jan. 31; more extensive ephemerides are given for unusual minor planets. The new catalogue, intended as a companion to the *EMP*, costs \$30.00 (\$40.00 for airmail delivery). The orbits are also being issued on an MS-DOS diskette for \$120.00; the ephemerides are not included, but there is a PC-computer program for generating them.

ERRATUM

MPC Line
24094 39 For European Southern Observatory read Haute Provence

CORRECTED OBSERVATIONS

The following observations correct those previously published.

Object	Date	UT	α_{2000}	δ_{2000}	Reference	Mag.	N Obs.
1931 EQ	1931 03 19.86229	00 03 52.43	+09 15 08.6	MPC 5137	15		1 024
1958 UB	1958 10 16.15825	23 51 00.89	+06 28 58.9	MPC10504			2 760
1958 UB	1958 10 16.20000	23 50 59.46	+06 28 38.6	MPC10504			2 760
1973 SR	* 1973 09 19.23785	00 11 33.26	-00 11 03.0	MPC15029			3 675
1973 SR	1973 09 20.22847	00 11 02.20	-00 13 07.1	MPC15029			3 675
1973 SR	1973 09 20.27795	00 11 00.73	-00 13 13.3	MPC15029			3 675
1973 SR	1973 09 24.41597	00 08 50.34	-00 21 56.1	MPC15029			3 675
1973 SR	1973 09 24.44167	00 08 49.37	-00 21 54.6	MPC15029			3 675
1973 SR	1973 09 25.30729	00 08 22.13	-00 23 46.4	MPC15030			3 675
1973 SR	1973 09 25.33299	00 08 21.31	-00 23 46.2	MPC15030			3 675
1973 SR	1973 09 29.31806	00 06 15.62	-00 32 05.1	MPC15030			3 675

1973 SR	1973 09 29.34375	00 06 14.94	-00 32 06.4	MPC15030			3 675
1973 SR	1973 09 30.27431	00 05 45.70	-00 34 01.3	MPC15030			3 675
1973 SR	1973 09 30.30174	00 05 44.78	-00 34 03.2	MPC15030			3 675
1973 SR	1973 10 04.35208	00 03 39.21	-00 42 10.6	MPC15030			3 675
1973 SR	1973 10 04.37674	00 03 38.47	-00 42 10.0	MPC15030			3 675
1973 SR	1973 10 05.37917	00 03 07.78	-00 44 07.9	MPC15030			3 675
1973 SR	1973 10 05.40347	00 03 07.09	-00 44 10.0	MPC15030			3 675
1979 WM	* 1979 11 22.40521	04 40 23.81	+28 32 19.1	MPC10485	16		4 675
1979 WM	1979 11 24.40590	04 39 15.15	+28 27 43.1	MPC10485			4 675
1979 WM	1979 11 25.42118	04 38 40.02	+28 25 19.7	MPC10485			4 675
1988 CG ₃	* 1988 02 13.16146	10 13 26.41	-04 40 34.0	MPC12920	17.5		5 809
1988 CG ₃	1988 02 13.17431	10 13 25.82	-04 40 29.6	MPC12920			5 809
1988 CG ₃	1988 02 13.18472	10 13 25.28	-04 40 26.1	MPC12920			5 809
1988 CH ₃	* 1988 02 13.16146	10 17 20.69	-04 20 32.7	MPC12920	17.8		809
1988 CH ₃	1988 02 13.17431	10 17 20.05	-04 20 34.1	MPC12920			809
1988 CH ₃	1988 02 13.18472	10 17 19.40	-04 20 35.2	MPC12920			809
(3312)	1958 10 16.15825	23 50 37.14	+06 24 11.4	MPC10503			760
(3312)	1958 10 16.20000	23 50 36.12	+06 23 51.5	MPC10503			760

Note 1: 1931 EQ = (2479). 2: 1958 UB = (3704). 3: 1973 SR = (4007).
4: 1979 WM = (2241). 5: 1988 CG₃ = (3870).

DELETED OBSERVATION

The following observation is to be deleted.

Object	Date	UT	α_{2000}	δ_{2000}	Reference	N Obs.
1930 SQ	1930 09 19.59791	00 02 18.34	-03 39 57.4	RI 375		1 377

Note 1: 1930 SQ = (1170).

IDENTIFICATION CHANGES

Continuation to MPC 24003.

Object	Date	UT	α_{2000}	δ_{2000}	Originally	Mag.	Obs.
1989 CN ₉	* 1989 02 02.57187	05 55 37.61	+23 46 57.4	1989 AB ₁	18.0		402
1989 CN ₉	1989 02 05.44653	05 55 11.27	+23 47 12.5	1989 AB ₁	18.0		402
1990 SQ ₂₉	* 1990 09 20.33009	23 18 14.22	-01 48 15.0	1990 RY	17.2		675
1990 SQ ₂₉	1990 09 20.36094	23 18 12.70	-01 48 27.2	1990 RY			675
1992 JH ₄	* 1992 05 01.01388	12 58 07.78	-11 16 29.1	1992 HB ₅			809
1992 JH ₄	1992 05 01.02465	12 58 07.24	-11 16 26.8	1992 HB ₅			809
1992 JH ₄	1992 05 01.03507	12 58 06.72	-11 16 24.9	1992 HB ₅			809
1992 US ₉	* 1992 10 24.60868	01 49 51.24	+10 39 47.9	1992 UC ₅	17		372
1992 US ₉	1992 10 24.62050	01 49 50.21	+10 39 53.5	1992 UC ₅			372

/1993g	1994 10 09.79405	01 50 32.38	+25 19 35.0		046	/1994j	1994 10 12.06975	03 20 09.79	+11 33 16.4		046
/1993g	1994 10 10.77128	01 49 49.20	+25 16 50.8	13.6 T	046	/1994j	1994 10 12.07322	03 20 09.75	+11 33 14.7		046
/1993g	1994 10 10.77244	01 49 49.18	+25 16 50.3		046	/1994j	1994 10 12.07661	03 20 09.74	+11 33 13.5		046
/1993g	1994 10 10.77455	01 49 49.06	+25 16 50.0		046	/1994j	1994 10 14.75382	03 19 52.55	+11 16 23.9	15.1 T	360
/1993g	1994 10 14.70903	01 46 49.93	+25 03 23.1	13.6 T	360	/1994j	1994 10 14.75729	03 19 52.53	+11 16 22.5		360
/1993g	1994 10 14.71372	01 46 49.70	+25 03 22.0		360	/1994j	1994 10 30.54253	03 14 12.09	+09 34 05.2	14.7 T	3 360
/1993g	1994 10 30.52135	01 35 05.14	+23 37 39.9	13.8 T	3 360	/1994j	1994 10 30.55052	03 14 11.82	+09 34 02.2		3 360
/1993g	1994 10 30.52569	01 35 04.98	+23 37 38.7		3 360	/1994j	1994 11 02.02551	03 12 51.00	+09 18 53.0	14.0 T	046
/1993g	1994 10 30.52796	01 35 04.76	+23 37 37.2	13.8 T	410	/1994j	1994 11 02.03002	03 12 50.78	+09 18 51.3		046
/1993g	1994 10 30.53460	01 35 04.58	+23 37 33.8		410	/1994j	1994 11 02.03367	03 12 50.67	+09 18 49.7		046
/1993g	1994 11 04.55216	01 31 59.94	+23 03 59.4	14.2 T	410	/1994j	1994 11 02.92986	03 12 20.80	+09 13 29.8	14.7 T	557
/1993g	1994 11 04.55471	01 31 59.86	+23 03 58.5		410	/1994j	1994 11 02.93207	03 12 20.73	+09 13 29.0	16.5 N	557
/1993g	1994 11 04.55724	01 31 59.77	+23 03 57.1		410	/1994j	1994 11 02.93473	03 12 20.62	+09 13 28.1		557
Periodic Comet Helin-Lawrence						/1994j	1994 11 04.58553	03 11 24.05	+09 03 55.8	14.6 T	410
/1993l	1994 10 24.43872	22 08 18.65	-22 45 32.8	17.2 T	3 360	/1994j	1994 11 04.58846	03 11 23.91	+09 03 55.1		410
/1993l	1994 10 24.45174	22 08 18.74	-22 45 30.4		3 360	/1994j	1994 11 04.59114	03 11 23.88	+09 03 54.6		410
/1993l	1994 10 25.49670	22 08 24.84	-22 42 44.1	17.3 T	360	/1994j	1994 11 09.35736	03 08 35.96	+08 38 21.2	18.5 N	691
/1993l	1994 10 25.52847	22 08 24.99	-22 42 38.5		360	/1994j	1994 11 09.38065	03 08 35.06	+08 38 14.7	14.8 T	691
/1993l	1994 11 06.41962	22 10 49.90	-22 04 09.9	17.1 T	360	/1994j	1994 11 09.40298	03 08 34.21	+08 38 07.7	14.7 T	691
/1993l	1994 11 06.42917	22 10 50.07	-22 04 07.6		360	Periodic Comet Borrelly					
Periodic Comet Whipple						/1994l	1994 10 04.16330	06 27 34.97	+01 59 10.2		978
/1993n	1994 10 06.29197	00 27 08.05	+01 12 12.2		691	/1994l	1994 10 04.18020	06 27 37.51	+01 59 29.7		978
/1993n	1994 10 06.31383	00 27 07.53	+01 12 02.6		658	/1994l	1994 10 07.16402	06 35 19.52	+03 02 24.0	12.1 T	116
/1993n	1994 10 06.31537	00 27 07.24	+01 12 03.2	17.2 T	691	/1994l	1994 10 09.15640	06 40 28.61	+03 46 32.6		978
/1993n	1994 10 06.32125	00 27 07.28	+01 11 59.6		658	/1994l	1994 10 09.17060	06 40 30.87	+03 46 52.2		978
/1993n	1994 10 06.32553	00 27 07.13	+01 11 57.9		658	/1994l	1994 10 10.07332	06 42 51.17	+04 07 29.9	11.7 T	116
/1993n	1994 10 06.33875	00 27 06.36	+01 11 52.7		691	/1994l	1994 10 10.07808	06 42 52.02	+04 07 35.7	11.5 T	116
/1993n	1994 10 25.53472	00 17 52.42	-00 44 56.4	17.8 T	360	/1994l	1994 10 10.08328	06 42 52.75	+04 07 44.3	11.5 T	116
/1993n	1994 10 25.54479	00 17 52.17	-00 44 59.2		360	/1994l	1994 10 10.08742	06 42 53.32	+04 07 49.0	11.5 T	116
/1993n	1994 11 06.51580	00 14 34.78	-01 35 49.0	17.9 T	360	/1994l	1994 10 10.09103	06 42 54.02	+04 07 55.9	11.6 T	116
/1993n	1994 11 06.52066	00 14 34.76	-01 35 50.0		360	/1994l	1994 10 10.10338	06 42 55.92	+04 08 11.9	11.6 T	116
Periodic Comet Harrington						/1994l	1994 10 10.11631	06 42 57.86	+04 08 29.7	11.5 T	116
/1994g	1994 10 14.73125	02 17 17.05	-08 34 54.8	12.8 T	360	/1994l	1994 10 10.12470	06 42 59.19	+04 08 41.1	11.5 T	116
/1994g	1994 10 14.73750	02 17 16.87	-08 34 55.2		360	/1994l	1994 10 10.13336	06 43 00.57	+04 08 53.9	11.5 T	116
/1994g	1994 10 30.53142	02 09 57.16	-08 07 21.5	13.3 T	3 360	/1994l	1994 10 10.72982	06 44 33.07	+04 22 42.6		397
/1994g	1994 10 30.53507	02 09 57.01	-08 07 20.7		3 360	/1994l	1994 10 10.73424	06 44 33.74	+04 22 48.0		397
/1994g	1994 11 04.56790	02 07 46.99	-07 40 01.5	14.4 T	410	/1994l	1994 10 10.74466	06 44 35.34	+04 23 02.8		397
/1994g	1994 11 04.57015	02 07 46.94	-07 40 00.0		410	/1994l	1994 10 12.10963	06 48 07.58	+04 55 24.4	11.9 T	116
/1994g	1994 11 07.30432	02 06 45.61	-07 21 43.6		691	/1994l	1994 10 12.12279	06 48 09.53	+04 55 42.7	11.9 T	116
/1994g	1994 11 07.35868	02 06 44.30	-07 21 20.1		691	/1994l	1994 10 12.14800	06 48 13.25	+04 56 18.5		978
/1994g	1994 11 09.27740	02 06 06.85	-07 07 05.7	18.3 N	691	/1994l	1994 10 12.15980	06 48 15.13	+04 56 33.8		978
/1994g	1994 11 09.29428	02 06 06.49	-07 06 57.9	13.8 T	691	/1994l	1994 10 14.13585	06 53 22.49	+05 45 05.0	10.9 T	116
/1994g	1994 11 09.33152	02 06 05.66	-07 06 40.7	14.1 T	691	/1994l	1994 10 14.14545	06 53 23.81	+05 45 18.2	9 T	046
Periodic Comet Maury						/1994l	1994 10 14.14608	06 53 23.99	+05 45 20.4	10.8 T	116
/1994h	1994 10 25.45816	00 09 27.02	-03 52 49.2	18.2 T	360	/1994l	1994 10 14.14694	06 53 24.04	+05 45 20.4		046
/1994h	1994 10 25.46404	00 09 26.90	-03 52 50.8		360	/1994l	1994 10 14.14786	06 53 24.19	+05 45 21.7		046
Periodic Comet Brooks 2						/1994l	1994 10 14.14880	06 53 24.32	+05 45 23.1		046
/1994j	1994 10 10.81382	03 20 13.56	+11 40 58.0		046	/1994l	1994 10 14.15243	06 53 24.88	+05 45 28.3		046
/1994j	1994 10 10.81899	03 20 13.32	+11 40 57.6		046	/1994l	1994 10 14.73266	06 54 55.57	+06 00 07.2		410
/1994j	1994 10 10.82035	03 20 13.47	+11 40 56.9		046	/1994l	1994 10 14.73689	06 54 56.29	+06 00 14.4		410
						/1994l	1994 10 15.11572	06 55 54.95	+06 09 49.4	10 T	046
						/1994l	1994 10 15.11736	06 55 55.18	+06 09 52.1		046

/1994l	1994 10 15.11914	06 55 55.46	+06 09 54.8		046	/1994o	1994 09 16.81719	08 42 35.52	+27 09 05.3		A 372	
/1994l	1994 10 16.03420	06 58 18.21	+06 33 29.3		046	/1994o	1994 09 16.81719	08 43 13.77	+27 26 50.7	14.5 T	D 372	
/1994l	1994 10 16.03655	06 58 18.58	+06 33 33.0		046	/1994o	1994 09 16.81944	08 43 14.44	+27 26 44.4		D 372	
/1994l	1994 10 16.03767	06 58 18.75	+06 33 34.8		046	/1994o	1994 09 16.82118	08 42 36.11	+27 08 53.8		A 372	
/1994l	1994 10 16.03855	06 58 18.89	+06 33 36.1		046	/1994o	1994 09 24.78576	09 06 27.80	+21 17 49.3	10 T	D 372	
/1994l	1994 11 01.00069	07 39 57.90	+14 41 57.5		970	/1994o	1994 09 24.79236	09 06 28.97	+21 17 30.9		D 372	
/1994l	1994 11 01.01433	07 40 00.00	+14 42 26.3		970	/1994o	1994 09 24.79931	09 06 30.05	+21 17 14.3		D 372	
/1994l	1994 11 02.17557	07 43 01.52	+15 24 06.7	9.5 T	046	/1994o	1994 09 25.83333	09 09 22.12	+20 33 17.8		D 372	
/1994l	1994 11 02.17799	07 43 01.88	+15 24 12.0		046	/1994o	1994 10 02.83368	09 27 55.82	+15 45 32.3	11.5 T	A 372	
/1994l	1994 11 02.17975	07 43 02.15	+15 24 15.9		046	/1994o	1994 10 02.83368	09 28 05.2	+15 55 15	12 T	D 372	
/1994l	1994 11 04.72791	07 49 41.86	+16 58 47.0		410	/1994o	1994 10 05.13947	09 33 53.11	+14 21 32.2		A 557	
/1994l	1994 11 04.72951	07 49 42.13	+16 58 50.3		410	/1994o	1994 10 05.14216	09 34 00.08	+14 30 25.7		D 557	
/1994l	1994 11 04.73143	07 49 42.42	+16 58 55.1		410	/1994o	1994 10 05.15668	09 33 55.73	+14 20 55.4		A 557	
/1994l	1994 11 06.15420	07 53 24.44	+17 53 25.4		557	/1994o	1994 10 05.16038	09 33 56.30	+14 20 47.5		A 557	
/1994l	1994 11 06.15774	07 53 24.99	+17 53 33.7		557	/1994o	1994 10 07.13936	09 39 01.19	+13 19 32.8		D 557	
/1994l	1994 11 06.16160	07 53 25.59	+17 53 42.7		557	/1994o	1994 10 07.14177	09 39 01.58	+13 19 27.9		D 557	
/1994l	1994 11 06.48119	07 54 15.63	+18 06 11.9	15.3 N	691	/1994o	1994 10 07.14723	09 39 02.32	+13 19 16.8		D 557	
/1994l	1994 11 07.47180	07 56 50.26	+18 45 08.2		691	/1994o	1994 10 07.16007	09 39 04.35	+13 18 49.7	15 T	D 046	
/1994l	1994 11 09.46260	08 02 00.85	+20 05 16.1	15.3 N	691	/1994o	1994 10 07.16480	09 39 04.86	+13 18 40.0		D 046	
	Comet Nakamura-Nishimura-Machholz (1994m)						/1994o	1994 10 07.16624	09 39 04.97	+13 18 36.9		D 046
/1994m	1994 08 28.90914	22 35 41.16	+26 39 58.8		967	/1994o	1994 10 07.16911	09 39 05.56	+13 18 28.8		D 046	
/1994m	1994 09 30.53160	20 57 18.01	-39 08 52.3	12 T	372	/1994o	1994 10 07.45729	09 39 44.71	+13 00 15.3	12 T	A 675	
/1994m	1994 09 30.53646	20 57 17.68	-39 09 02.6	12 T	372	/1994o	1994 10 07.45729	09 39 48.65	+13 08 31.4	13 T	D 675	
/1994m	1994 09 30.54370	20 57 17.20	-39 09 06.2		474	/1994o	1994 10 07.48872	09 39 49.40	+12 59 08.5		A 675	
/1994m	1994 09 30.55973	20 57 16.33	-39 09 36.3	18.1 N	474	/1994o	1994 10 07.48872	09 39 53.42	+13 07 24.8		D 675	
/1994m	1994 10 02.58590	20 55 59.68	-40 12 26.6		4 474	/1994o	1994 10 10.47604	09 47 10.19	+11 18 35.1		A 675	
/1994m	1994 10 02.60361	20 55 59.11	-40 12 57.6	18.0 N	4 474	/1994o	1994 10 10.47604	09 47 11.30	+11 26 00.8		D 675	
/1994m	1994 10 28.54289	21 00 31.74	-46 33 02.0	18.6 N	474	/1994o	1994 10 10.51719	09 47 15.77	+11 17 15.2		A 675	
/1994m	1994 10 28.56494	21 00 32.50	-46 33 14.1		474	/1994o	1994 10 10.51719	09 47 17.21	+11 24 41.2		D 675	
	Periodic Comet McNaught-Hartley						/1994o	1994 10 10.78003	09 47 53.67	+11 08 37.0		A 397
/1994n	1994 07 20.82793	21 32 03.59	-43 19 53.3		413	/1994o	1994 10 10.79376	09 47 55.98	+11 08 09.9		A 397	
/1994n	1994 10 24.41875	21 18 21.91	-34 56 37.4	16.0 T	3 360	/1994o	1994 10 10.80126	09 47 56.80	+11 07 57.2		A 397	
/1994n	1994 10 24.42170	21 18 22.12	-34 56 34.9		3 360	/1994o	1994 10 11.14483	09 48 47.60	+11 03 56.0		D 557	
/1994n	1994 10 25.46997	21 19 21.28	-34 42 34.6	16.3 T	360	/1994o	1994 10 11.15009	09 48 48.40	+11 03 44.9		D 557	
/1994n	1994 10 25.47292	21 19 21.46	-34 42 32.4		360	/1994o	1994 10 11.16598	09 48 50.70	+11 03 14.1		D 557	
/1994n	1994 11 06.40764	21 32 02.82	-31 57 49.7	15.7 T	360	/1994o	1994 10 12.14315	09 51 09.57	+10 24 24.6		A 046	
/1994n	1994 11 06.41094	21 32 03.04	-31 57 46.7		360	/1994o	1994 10 12.14943	09 51 10.10	+10 24 13.0		A 046	
	Periodic Comet Machholz 2						/1994o	1994 10 12.15098	09 51 10.72	+10 24 10.3		A 046
/1994o	1994 08 15.80740	04 59 20.12	+61 18 43.8	10.5 T	A 372	/1994o	1994 10 12.15233	09 51 10.86	+10 24 06.5		A 046	
/1994o	1994 08 18.76597	05 47 05.97	+58 27 52.2	8.2 T	A 372	/1994o	1994 10 13.80354	09 55 04.29	+09 31 48.8	12 T	A 372	
/1994o	1994 08 28.72778	07 22 37.46	+46 20 50.0		A 372	/1994o	1994 10 13.80660	09 55 04.61	+09 31 42.7		A 372	
/1994o	1994 08 28.74132	07 22 42.68	+46 19 52.4		A 372	/1994o	1994 10 14.78095	09 57 20.43	+09 01 26.9	11.5 T	A 410	
/1994o	1994 08 28.74460	07 22 43.73	+46 19 41.0		A 372	/1994o	1994 10 14.78323	09 57 20.82	+09 01 21.8		A 410	
/1994o	1994 09 01.78854	07 45 26.70	+41 36 59.7		A 372	/1994o	1994 10 14.78742	09 57 21.31	+09 01 14.8		A 410	
/1994o	1994 09 08.79688	08 15 28.18	+34 18 00.9		A 372	/1994o	1994 10 14.81944	09 57 25.75	+09 00 15.8	11.7 T	A 360	
/1994o	1994 09 11.80278	08 26 14.24	+31 28 52.3		A 372	/1994o	1994 10 14.82188	09 57 26.08	+09 00 11.3		A 360	
/1994o	1994 09 11.80549	08 26 14.82	+31 28 41.7		A 372	/1994o	1994 10 15.12650	09 58 08.06	+08 50 47.2	12.8 T	A 046	
/1994o	1994 09 11.80806	08 26 15.30	+31 28 34.8		A 372	/1994o	1994 10 15.12795	09 58 08.28	+08 50 44.0		A 046	
/1994o	1994 09 12.40052	08 28 16.59	+30 56 28.2		A 292	/1994o	1994 10 15.12929	09 58 08.49	+08 50 41.6		A 046	
/1994o	1994 09 12.40613	08 28 17.72	+30 56 10.5		A 292	/1994o	1994 10 16.16269	10 00 30.03	+08 19 12.5	12.8 T	A 540	
/1994o	1994 09 13.81458	08 32 59.78	+29 41 27.8		A 372	/1994o	1994 10 16.16269	10 00 27.36	+08 25 26.8	14.3 T	D 540	
						/1994o	1994 10 16.16759	10 00 30.73	+08 19 03.0	12.7 T	A 540	

OBSERVATIONS OF MINOR PLANETS

The observations are listed separately for each observatory code. Alphabetic note codes shown with some of the observations are defined according to the scheme below. Numeric codes are defined in the headings for the individual observatories.

A	earlier approximate position inferior						
a	sense of motion ambiguous						
B	black or dark plate						
b	bad seeing						
C	correction to earlier position						
c	crowded star field						
D	declination uncertain						
d	diffuse image						
E	at or near edge of plate						
F	faint image						
f	involved with emulsion or plate flaw						
G	poor guiding						
g	no guiding						
I	involved with star						
i	inkdot measured						
J	J2000.0 rereduction of previously-reported position						
M	measurement difficult						
N	near edge of plate, measurement uncertain						
O	image out of focus						
o	plate measured in one direction only						
P	position uncertain						
p	poor image						
R	right ascension uncertain						
r	poor distribution of reference stars						
S	poor sky						
s	streaked image						
T	time uncertain						
t	trailed image						
U	uncertain image						
u	unconfirmed image						
V	very faint image						
W	weak image						
w	weak solution						
Object	Date	UT	α_{2000}	δ_{2000}	Mag.	N	Obs.
010 Caussols							
E. W. Elst, Royal Observatory, B-1180 Brussels, Belgium [elst@atmos.oma.be]							
Observer C. Pollas							
Measurer E. W. Elst							
0.9-m Schmidt telescope							
1992 SL ₂₃	1992 10 23.00139		01 51 40.40	+10 36 29.9	18.2		010
1992 SL ₂₃	1992 10 23.02222		01 51 38.97	+10 36 32.4			010
033 Tautenburg							
F. Börngen, Thüringer Landessternwarte, Sternwarte 5, D-07778 Tautenburg,							
Germany [vib@rz.uni-jena.de]							

1.3-m Schmidt telescope
PPM

1985 CA ₂	1992 04 29.90972	13 34 45.36	-00 36 32.2				033
1985 CA ₂	1992 04 29.95139	13 34 43.06	-00 36 22.5				033
1985 CA ₂	1992 04 30.94375	13 33 51.15	-00 32 30.9	17.8			033
1985 CA ₂	1992 05 03.93056	13 31 20.92	-00 22 04.0				033
1985 CA ₂	1992 05 04.92778	13 30 33.03	-00 18 58.3				033
1985 CA ₂	1992 05 05.92500	13 29 46.26	-00 16 04.4				033
1991 AO ₃	1992 02 28.12847	14 18 06.69	-03 39 42.9	18.9			033
1991 AO ₃	1992 02 29.13819	14 18 09.55	-03 37 01.2				V 033
1991 AO ₃	1992 03 02.12917	14 18 10.19	-03 31 22.3				p 033
1991 AO ₃	1992 04 02.08194	14 04 44.46	-01 16 07.6	18.3			033
1991 AO ₃	1992 04 04.02431	14 03 09.23	-01 06 12.8				033
1991 AO ₃	1992 04 04.07292	14 03 06.68	-01 05 57.4				033
1991 AO ₃	1992 04 29.90972	13 39 04.60	+00 40 12.4				033
1991 AO ₃	1992 04 29.95139	13 39 02.27	+00 40 17.6				033
1991 AO ₃	1992 04 30.94375	13 38 08.73	+00 42 41.7	18.4			033
1991 AO ₃	1992 05 03.93056	13 35 32.19	+00 48 50.2				033
1991 AO ₃	1992 05 04.92778	13 34 41.65	+00 50 32.1				033
1991 AO ₃	1992 05 05.92500	13 33 52.10	+00 52 03.2				033
1991 RX ₂	1992 12 30.11146	10 10 17.69	+08 04 39.8	18.3			033
1991 RX ₂	1992 12 30.15382	10 10 17.70	+08 04 31.4				033
1991 RX ₂	1993 01 01.09201	10 10 18.61	+07 58 31.2				033
1991 RX ₂	1993 02 23.91319	09 33 00.33	+08 59 59.8	17.4			033
(17)	1992 04 02.08194	14 07 42.23	-02 48 00.0	11.6			E 033
(17)	1992 04 04.02431	14 06 22.25	-02 35 25.7				E 033
(17)	1992 04 04.07292	14 06 20.07	-02 35 06.8				E 033
(17)	1992 04 29.90972	13 44 41.78	-00 09 38.3				033
(17)	1992 04 29.95139	13 44 39.59	-00 09 28.6				033
(17)	1992 04 30.94375	13 43 50.54	-00 05 42.5	11.5			033
(17)	1992 05 03.93056	13 41 27.54	+00 04 23.8				033
(17)	1992 05 04.92778	13 40 41.64	+00 07 21.2				033
(17)	1992 05 05.92500	13 39 56.69	+00 10 06.0				033
(903)	1992 02 28.12847	14 14 52.67	-03 40 23.3	16.9			033
(903)	1992 02 29.13819	14 14 52.44	-03 35 40.6				033
(903)	1992 03 02.12917	14 14 48.42	-03 26 00.7				033
(903)	1992 04 02.08194	14 04 14.44	-00 16 58.0	15.7			033
(903)	1992 04 04.02431	14 03 05.28	-00 04 03.5				033
(903)	1992 04 04.07292	14 03 03.45	-00 03 44.0				033
(2567)	1992 02 28.12847	14 19 48.05	-03 54 59.7	18.2			033
(2567)	1992 02 29.13819	14 19 50.71	-03 50 45.4				033
(2567)	1992 03 02.12917	14 19 51.91	-03 42 03.0				033
(2567)	1992 04 02.08194	14 08 51.55	-00 38 59.5	17.4			033
(2567)	1992 04 04.02431	14 07 33.22	-00 25 57.1				033
(2567)	1992 04 04.07292	14 07 31.12	-00 25 38.0				033
(3476)	1992 04 02.08194	14 00 10.41	-00 43 59.0	17.6			033
(3476)	1992 04 04.02431	13 58 35.86	-00 41 39.3				033
(3476)	1992 04 04.07292	13 58 33.44	-00 41 36.7				033
(3476)	1992 04 29.90972	13 36 26.50	-00 30 22.2				033
(3476)	1992 04 29.95139	13 36 24.42	-00 30 23.4				V 033
(3476)	1992 04 30.94375	13 35 36.27	-00 30 58.4	17.8			033
(3476)	1992 05 03.93056	13 33 15.06	-00 33 19.6				033

(3476)	1992 05 04.92778	13 32 29.23	-00 34 18.6		033	1979 SS	1994 10 29.87778	02 56 57.59	+28 23 34.2		046
(3476)	1992 05 05.92500	13 31 44.11	-00 35 22.9		033	1980 PB ₁	1994 10 11.76255	21 38 12.28	-13 36 41.7	18.1 R	046
(4717)	1992 02 28.12847	14 21 34.24	-02 11 10.3	17.5	033	1980 PB ₁	1994 10 11.76627	21 38 12.38	-13 36 42.5		046
(4717)	1992 02 29.13819	14 21 33.22	-02 09 07.6		033	1980 PB ₁	1994 10 11.76850	21 38 12.49	-13 36 43.5		046
(4717)	1992 03 02.12917	14 21 27.29	-02 04 48.8		033	1980 PB ₁	1994 10 12.80367	21 38 49.60	-13 40 13.2	17.5 R	046
(4717)	1992 04 02.08194	14 09 05.44	-00 28 38.8	16.8	033	1980 PB ₁	1994 10 12.80735	21 38 49.76	-13 40 13.8		046
(4717)	1992 04 04.02431	14 07 44.00	-00 21 59.0		033	1980 PB ₁	1994 10 12.80862	21 38 49.81	-13 40 14.1		046
(4717)	1992 04 04.07292	14 07 41.83	-00 21 48.6		033	1982 BA	1994 10 12.09174	06 16 57.18	+06 41 27.5	17.4 R	046
(4870)	1992 02 28.12847	14 21 00.73	-02 24 14.5	18.4	033	1982 BA	1994 10 12.09475	06 16 57.31	+06 41 26.8		046
(4870)	1992 02 29.13819	14 20 57.81	-02 21 47.4		033	1982 BA	1994 10 12.09700	06 16 57.44	+06 41 26.4		046
(4870)	1992 03 02.12917	14 20 48.28	-02 16 42.4		033	1982 BA	1994 10 13.15277	06 17 39.22	+06 36 26.3	17.4 R	046
(4870)	1992 04 02.08194	14 08 27.90	-00 30 14.0	17.2	033	1982 BA	1994 10 13.15615	06 17 39.35	+06 36 25.3		046
(4870)	1992 04 04.02431	14 07 10.78	-00 23 01.7		033	1982 BA	1994 10 13.16140	06 17 39.56	+06 36 23.4		046
(4870)	1992 04 04.07292	14 07 08.69	-00 22 50.7		033	1982 UM ₂	1994 10 12.00447	02 44 28.95	+12 33 43.4	16.5 R	r 046
(6120)	1994 06 14.99653	19 42 11.98	-15 42 38.1	18.1	033	1982 UM ₂	1994 10 12.01122	02 44 28.71	+12 33 41.4		r 046
(6120)	1994 08 09.87083	18 59 12.02	-17 11 37.0		V 033	1982 UM ₂	1994 10 12.01346	02 44 28.62	+12 33 40.8		r 046
(6120)	1994 08 09.90556	18 59 10.87	-17 11 43.3		V 033	1982 UM ₂	1994 10 19.00525	02 39 34.90	+12 00 20.0	16.3 R	046
						1982 UM ₂	1994 10 19.00653	02 39 34.87	+12 00 19.8		046
						1982 UM ₂	1994 10 19.00958	02 39 34.69	+12 00 19.0		046
						1983 XG	1994 10 11.99444	02 04 12.23	+12 45 39.0	16.5	046
						1983 XG	1994 10 12.01806	02 04 11.30	+12 45 31.1		046
						1983 XG	1994 10 14.10784	02 02 44.51	+12 33 38.4	16.8 R	046
						1983 XG	1994 10 14.10992	02 02 44.43	+12 33 37.7		046
						1983 XG	1994 10 14.11194	02 02 44.34	+12 33 37.1		046
						1983 XG	1994 10 14.11679	02 02 44.12	+12 33 34.6		046
						1983 XW	1994 10 11.95417	01 45 06.03	+10 43 48.5		046
						1983 XW	1994 10 11.97153	01 45 05.24	+10 43 42.9		046
						1984 SB ₁	1994 10 18.98341	02 38 56.55	+23 44 36.7	16.4 R	046
						1984 SB ₁	1994 10 18.98640	02 38 56.29	+23 44 37.5		046
						1984 SB ₁	1994 10 18.98769	02 38 56.16	+23 44 36.2		046
						1984 SB ₁	1994 10 27.92235	02 28 31.64	+23 30 47.4	16.6 R	046
						1984 SB ₁	1994 10 27.92490	02 28 31.45	+23 30 46.5		046
						1985 BH	1994 10 12.11677	07 04 35.62	+18 41 09.2	16.8 R	046
						1985 BH	1994 10 12.11980	07 04 35.83	+18 41 08.8		046
						1985 BH	1994 10 12.12252	07 04 36.06	+18 41 08.2		046
						1985 BH	1994 10 19.15109	07 12 32.90	+18 31 32.9	16.7 R	046
						1985 BH	1994 10 19.15314	07 12 33.08	+18 31 32.3		046
						1985 BH	1994 10 19.15480	07 12 33.19	+18 31 32.4		046
						1985 CH ₁	1994 10 19.10581	04 10 22.92	+24 17 23.4	17.6 R	046
						1985 CH ₁	1994 10 19.10718	04 10 22.85	+24 17 23.4		046
						1985 CH ₁	1994 10 19.11853	04 10 22.63	+24 17 25.1		046
						1985 CH ₁	1994 11 02.04118	04 01 27.99	+24 31 29.1	17.3 R	046
						1985 CH ₁	1994 11 02.04279	04 01 27.92	+24 31 29.0		046
						1985 CH ₁	1994 11 02.04691	04 01 27.66	+24 31 29.3		046
						1985 QH ₅	1994 10 12.03819	02 26 38.13	+12 31 47.7	16.0	E 046
						1985 QH ₅	1994 10 12.06250	02 26 37.27	+12 31 41.2		E 046
						1985 QH ₅	1994 10 13.13764	02 25 57.07	+12 26 41.5	16.0 R	046
						1985 QH ₅	1994 10 13.13963	02 25 57.00	+12 26 40.8		046
						1985 QH ₅	1994 10 13.14067	02 25 56.95	+12 26 40.9		046
						1985 QH ₅	1994 10 13.14157	02 25 56.93	+12 26 40.6		046
						1985 QH ₅	1994 10 14.13985	02 25 18.34	+12 21 55.8	16.0 R	046
						1985 QH ₅	1994 10 14.14079	02 25 18.30	+12 21 55.8		046

046 Kleť

J. Tichá, Hvězdárna Kleť, CZ-37001 České Budějovice, Czech Republic

[klet@virgo.jcu.cz]

Observers J. Tichá, Z. Moravec, M. Tichý, V. Vanýsek

Measurers Z. Moravec, M. Tichý, J. Tichá

0.57-m reflector + CCD, 0.63-m reflector

GSC, PPM

1985 QH ₅	1994 10 14.14219	02 25 18.24	+12 21 55.0		046	1992 EX ₁₇	1994 10 13.10461	02 17 20.27	+10 41 02.4	16.0 R	I	046
1985 QH ₅	1994 10 14.14347	02 25 18.17	+12 21 54.6		046	1992 EX ₁₇	1994 10 13.10538	02 17 20.24	+10 41 01.9		I	046
1987 HM ₁	1994 10 11.77456	21 27 38.66	-28 27 21.5	17.6 R	046	1992 EX ₁₇	1994 10 13.10672	02 17 20.17	+10 41 01.0			046
1987 HM ₁	1994 10 11.77850	21 27 38.66	-28 27 20.5		046	1992 EX ₁₇	1994 10 13.10810	02 17 20.12	+10 41 00.2			046
1987 HM ₁	1994 10 11.78347	21 27 38.71	-28 27 18.5		046	1992 EX ₁₇	1994 10 13.10990	02 17 20.04	+10 40 59.1		I	046
1987 HM ₁	1994 10 12.81066	21 27 45.30	-28 21 18.3	17.4 R	046	1992 EX ₁₇	1994 10 14.12647	02 16 38.82	+10 30 40.8	16.2 R		046
1987 HM ₁	1994 10 12.81355	21 27 45.28	-28 21 16.0		046	1992 EX ₁₇	1994 10 14.12900	02 16 38.70	+10 30 38.9			046
1987 HM ₁	1994 10 12.81649	21 27 45.25	-28 21 15.2		046	1992 EX ₁₇	1994 10 14.13071	02 16 38.67	+10 30 37.8			046
1988 AW ₁	1994 10 18.79167	19 32 57.77	-20 16 07.6	17.0 R	b 046	1994 TO ₁	1994 10 11.91597	01 48 13.52	+05 09 17.0	15.5		046
1988 AW ₁	1994 10 18.79392	19 32 57.97	-20 16 07.7		b 046	1994 TO ₁	1994 10 11.93472	01 48 12.33	+05 09 18.8			046
1988 AW ₁	1994 10 18.79954	19 32 58.29	-20 16 05.3		b 046	1994 TO ₁	1994 10 12.90017	01 47 15.60	+05 10 34.8	14.9 R		046
1988 RE ₂	1994 10 19.04782	03 08 40.77	+14 22 15.1	16.3 R	046	1994 TO ₁	1994 10 12.90118	01 47 15.54	+05 10 34.9			046
1988 RE ₂	1994 10 19.05448	03 08 40.48	+14 22 14.0		046	1994 TO ₁	1994 10 12.90213	01 47 15.49	+05 10 34.9			046
1988 RE ₂	1994 10 19.05825	03 08 40.37	+14 22 12.9		046	1994 TO ₁	1994 10 13.98321	01 46 10.31	+05 12 03.8	15.0 R	r	046
1988 RE ₂	1994 10 29.88025	03 01 05.06	+13 48 10.8	16.9 R	046	1994 TO ₁	1994 10 13.98427	01 46 10.25	+05 12 03.9		r	046
1988 RE ₂	1994 10 29.88363	03 01 04.92	+13 48 10.0		046	1994 TO ₁	1994 10 13.98593	01 46 10.12	+05 12 03.9		r	046
1988 RE ₂	1994 10 29.88769	03 01 04.72	+13 48 09.5		r 046	1994 TO ₁	1994 10 13.98731	01 46 10.04	+05 12 04.1		r	046
1988 RD ₅	1994 10 11.95417	01 45 58.48	+09 19 03.0	15.5	046	1994 TW ₁	1994 10 11.78833	21 40 52.45	-29 50 59.8	16.9 R		046
1988 RD ₅	1994 10 11.97153	01 45 57.54	+09 18 59.5		046	1994 TW ₁	1994 10 11.78962	21 40 52.31	-29 50 56.4			046
1988 RD ₅	1994 10 12.83255	01 45 18.47	+09 15 52.9	16.0 R	r 046	1994 TM ₃	* 1994 10 11.99444	02 01 00.53	+13 37 07.0	16.0		046
1988 RD ₅	1994 10 12.83493	01 45 18.34	+09 15 52.3		r 046	1994 TM ₃	1994 10 12.01806	02 00 59.61	+13 36 55.3			046
1988 RD ₅	1994 10 12.83618	01 45 18.29	+09 15 51.9		r 046	1994 TM ₃	1994 10 13.00435	02 00 21.71	+13 28 45.6	16.0 R		046
1988 RD ₅	1994 10 13.97543	01 44 25.46	+09 11 43.6	15.9 R	046	1994 TM ₃	1994 10 13.00800	02 00 21.56	+13 28 43.7			046
1988 RD ₅	1994 10 13.97679	01 44 25.41	+09 11 43.0		046	1994 TM ₃	1994 10 13.00941	02 00 21.51	+13 28 42.9			046
1988 RD ₅	1994 10 13.97894	01 44 25.29	+09 11 42.6		046	1994 TM ₃	1994 10 13.01051	02 00 21.46	+13 28 42.5			046
1988 VO ₅	1994 04 21.06031	16 46 09.15	-22 45 45.0	19.2 R	V 046	1994 TM ₃	1994 10 14.05035	01 59 40.54	+13 19 59.1	15.9 R		046
1988 VO ₅	1994 04 21.06479	16 46 08.97	-22 45 45.0		V 046	1994 TM ₃	1994 10 14.05152	01 59 40.47	+13 19 58.3			046
1988 VO ₅	1994 04 21.06799	16 46 08.83	-22 45 44.8		V 046	1994 TM ₃	1994 10 14.05243	01 59 40.43	+13 19 57.7			046
1990 QP ₁	1994 10 15.00264	01 20 59.94	+12 09 15.1	17.1 R	046	1994 TN ₃	* 1994 10 12.98260	01 59 37.29	+12 14 07.4	18.3 R		046
1990 QP ₁	1994 10 15.00356	01 20 59.88	+12 09 14.2		046	1994 TN ₃	1994 10 12.98553	01 59 37.13	+12 14 05.8			046
1990 QP ₁	1994 10 15.00454	01 20 59.81	+12 09 14.0		046	1994 TN ₃	1994 10 12.99177	01 59 36.80	+12 14 04.0			046
1990 RE ₂	1994 10 11.99444	02 03 07.72	+11 10 42.3	16.5	046	1994 TN ₃	1994 10 14.03484	01 58 38.99	+12 10 03.8	17.8 R		046
1990 RE ₂	1994 10 12.01806	02 03 06.59	+11 10 30.6		046	1994 TN ₃	1994 10 14.03647	01 58 38.85	+12 10 03.4			046
1990 RE ₂	1994 10 13.01913	02 02 23.66	+11 03 31.1	16.4 R	046	1994 TN ₃	1994 10 14.03902	01 58 38.78	+12 10 03.2			046
1990 RE ₂	1994 10 13.02050	02 02 23.63	+11 03 30.3		046	1994 TN ₃	1994 10 14.04193	01 58 38.56	+12 10 02.3			046
1990 RE ₂	1994 10 13.02141	02 02 23.56	+11 03 30.2		046	1994 TO ₃	* 1994 10 15.09006	02 47 29.85	+31 42 03.4	17.0 R		046
1990 RE ₂	1994 10 14.08420	02 01 36.83	+10 55 55.9	16.3 R	046	1994 TO ₃	1994 10 15.09722	02 47 29.43	+31 42 04.3			046
1990 RE ₂	1994 10 14.08606	02 01 36.74	+10 55 55.0		046	1994 TO ₃	1994 10 15.10057	02 47 29.22	+31 42 04.9			046
1990 RE ₂	1994 10 14.08975	02 01 36.61	+10 55 53.8		046	1994 TO ₃	1994 10 16.00733	02 46 35.45	+31 44 41.6	17.1 R		046
1990 RE ₂	1994 10 14.09126	02 01 36.52	+10 55 53.3		046	1994 TO ₃	1994 10 16.00988	02 46 35.30	+31 44 42.0			046
1990 RE ₂	1994 10 14.09388	02 01 36.37	+10 55 51.6		046	1994 TO ₃	1994 10 16.01581	02 46 34.95	+31 44 43.1			046
1990 TM ₇	1994 10 11.95417	01 50 37.31	+10 13 20.9	16.0	046	(102)	1994 10 11.99444	02 02 01.58	+13 21 33.5			046
1990 TM ₇	1994 10 11.97153	01 50 36.09	+10 13 18.6		046	(102)	1994 10 12.01806	02 02 00.59	+13 21 22.6			046
1990 TM ₇	1994 10 12.86436	01 49 41.98	+10 11 44.8	15.8 R	046	(154)	1994 10 11.91597	01 44 06.14	+02 46 49.2		E	046
1990 TM ₇	1994 10 12.86530	01 49 41.94	+10 11 44.7		046	(154)	1994 10 11.93472	01 44 05.13	+02 46 47.2		E	046
1990 TM ₇	1994 10 12.86619	01 49 41.88	+10 11 44.9		046	(291)	1994 10 12.03819	02 21 09.92	+11 32 50.4			046
1990 TM ₇	1994 10 13.99182	01 48 32.64	+10 09 44.3	16.0 R	046	(291)	1994 10 12.06250	02 21 08.67	+11 32 43.2			046
1990 TM ₇	1994 10 13.99295	01 48 32.56	+10 09 44.2		046	(623)	1994 10 11.79771	00 07 21.66	+25 40 43.0	13.8 R		046
1990 TM ₇	1994 10 13.99420	01 48 32.48	+10 09 44.0		046	(623)	1994 10 11.79872	00 07 21.60	+25 40 42.8			046
1990 TM ₇	1994 10 13.99635	01 48 32.34	+10 09 43.8		046	(623)	1994 10 11.79961	00 07 21.54	+25 40 42.5			046
1992 EX ₁₇	1994 10 12.03819	02 18 02.44	+10 51 43.4	16.5	046	(623)	1994 10 14.91729	00 04 18.09	+25 25 45.7	14.0 R		046
1992 EX ₁₇	1994 10 12.06250	02 18 01.56	+10 51 28.6		046	(623)	1994 10 14.91819	00 04 18.02	+25 25 45.2			046

(623)	1994 10 14.92042	00 04 17.89	+25 25 44.6		046	(1984)	1994 10 11.97153	01 44 03.20	+08 20 40.2		E 046
(636)	1994 10 12.03819	02 13 09.00	+11 55 50.6		E 046	(2053)	1994 10 11.95417	01 46 13.87	+08 13 23.0		046
(636)	1994 10 12.06250	02 13 07.61	+11 55 48.8		E 046	(2053)	1994 10 11.97153	01 46 13.01	+08 13 13.4		046
(680)	1994 10 11.87175	01 48 02.51	+02 59 41.2	14.2 R	046	(2182)	1994 10 12.03819	02 23 20.70	+13 08 20.7		046
(680)	1994 10 11.87297	01 48 02.45	+02 59 41.1		046	(2182)	1994 10 12.06250	02 23 19.59	+13 08 17.4		046
(680)	1994 10 11.87531	01 48 02.31	+02 59 41.1		046	(2195)	1994 10 11.91597	01 54 02.46	+02 11 00.1		046
(680)	1994 10 11.91597	01 47 59.99	+02 59 37.4		046	(2195)	1994 10 11.93472	01 54 01.41	+02 10 54.7		046
(680)	1994 10 11.93472	01 47 59.00	+02 59 37.3		046	(2225)	1994 10 11.91597	01 47 29.05	+06 14 24.5		046
(680)	1994 10 15.01701	01 45 03.86	+02 57 45.3	14.2 R	046	(2225)	1994 10 11.93472	01 47 28.01	+06 14 17.8		046
(680)	1994 10 15.01890	01 45 03.75	+02 57 45.3		046	(2400)	1994 10 11.91597	01 54 33.70	+02 40 49.2		046
(680)	1994 10 15.01979	01 45 03.70	+02 57 45.3		046	(2400)	1994 10 11.93472	01 54 33.02	+02 40 42.4		046
(1008)	1994 10 11.99444	01 57 40.87	+13 41 47.4		E 046	(2439)	1994 10 12.03819	02 12 46.91	+12 54 17.2		E 046
(1008)	1994 10 12.01806	01 57 39.59	+13 41 44.9		E 046	(2439)	1994 10 12.06250	02 12 45.84	+12 54 10.7		E 046
(1038)	1994 10 11.96774	02 21 49.68	+07 22 11.1	14.9 R	046	(2546)	1994 10 12.05385	02 49 49.91	+31 42 37.7	16.4 R	046
(1038)	1994 10 11.96985	02 21 49.60	+07 22 11.0		046	(2546)	1994 10 12.05491	02 49 49.85	+31 42 37.9		046
(1038)	1994 10 11.97096	02 21 49.55	+07 22 10.9		046	(2546)	1994 10 12.05598	02 49 49.79	+31 42 38.0		046
(1038)	1994 10 15.06269	02 19 44.10	+07 17 38.5	14.7 R	046	(2546)	1994 10 15.09006	02 47 22.04	+31 42 44.0	16.5 R	046
(1038)	1994 10 15.06469	02 19 44.02	+07 17 38.5		046	(2546)	1994 10 15.09387	02 47 21.87	+31 42 43.7		046
(1038)	1994 10 15.06581	02 19 43.96	+07 17 38.3		046	(2546)	1994 10 15.10057	02 47 21.51	+31 42 43.5		046
(1039)	1994 10 11.99444	02 08 48.82	+14 38 39.8		046	(2546)	1994 10 16.00733	02 46 35.38	+31 42 24.7	16.4 R	046
(1039)	1994 10 12.01806	02 08 47.63	+14 38 31.4		046	(2546)	1994 10 16.00988	02 46 35.24	+31 42 24.7		046
(1150)	1994 10 12.03819	02 21 02.90	+14 00 30.0		046	(2546)	1994 10 16.01581	02 46 34.91	+31 42 24.5		046
(1150)	1994 10 12.06250	02 21 01.67	+14 00 21.7		046	(2558)	1994 10 18.82536	21 57 04.90	-19 33 57.0	17.5 R	046
(1167)	1994 10 11.99444	02 06 33.33	+15 00 28.1		046	(2558)	1994 10 18.82883	21 57 05.03	-19 33 55.7		046
(1167)	1994 10 12.01806	02 06 32.39	+15 00 21.0		046	(2558)	1994 10 18.83086	21 57 05.09	-19 33 54.6		046
(1183)	1994 10 11.99444	02 03 09.66	+13 31 29.5		046	(2558)	1994 10 27.83438	22 03 58.86	-18 10 34.7	17.1 R	046
(1183)	1994 10 12.01806	02 03 08.25	+13 31 20.8		M 046	(2558)	1994 10 27.83565	22 03 58.92	-18 10 34.1		046
(1393)	1994 10 11.91597	01 50 09.81	+05 53 37.4		F 046	(2558)	1994 10 27.83850	22 03 59.10	-18 10 31.5		046
(1393)	1994 10 11.93472	01 50 08.69	+05 53 31.4		F 046	(2624)	1994 10 12.03819	02 23 56.01	+11 17 27.9		046
(1608)	1994 10 11.85302	01 24 35.49	+12 18 19.6	14.6 R	046	(2624)	1994 10 12.06250	02 23 55.22	+11 17 23.7		046
(1608)	1994 10 11.85399	01 24 35.42	+12 18 19.4		046	(2678)	1994 10 12.03819	02 21 54.23	+11 17 05.5		046
(1608)	1994 10 11.85485	01 24 35.36	+12 18 19.2		046	(2678)	1994 10 12.06250	02 21 53.01	+11 17 00.3		046
(1608)	1994 10 15.00264	01 21 09.30	+12 06 38.4	14.5 R	046	(2725)	1994 10 19.12856	06 27 54.74	+27 36 02.3	15.1 R	046
(1608)	1994 10 15.00356	01 21 09.24	+12 06 38.2		046	(2725)	1994 10 19.13087	06 27 54.81	+27 36 03.2		046
(1608)	1994 10 15.00454	01 21 09.17	+12 06 38.1		046	(2725)	1994 10 19.13481	06 27 54.95	+27 36 04.7		046
(1654)	1994 10 11.99444	02 02 19.97	+13 06 47.6		046	(2725)	1994 11 02.12904	06 33 33.49	+29 10 24.3	15.3 R	046
(1654)	1994 10 12.01806	02 02 18.69	+13 06 46.8		046	(2725)	1994 11 02.13238	06 33 33.52	+29 10 25.8		046
(1766)	1994 10 11.84240	01 16 15.40	+06 22 44.5	15.5 R	r 046	(2725)	1994 11 02.13587	06 33 33.56	+29 10 27.3		046
(1766)	1994 10 11.84625	01 16 15.22	+06 22 43.3		r 046	(2805)	1994 10 11.88181	01 49 38.14	+05 41 26.4	15.2 R	046
(1766)	1994 10 11.84796	01 16 15.13	+06 22 42.7		r 046	(2805)	1994 10 11.88406	01 49 38.01	+05 41 26.1		046
(1766)	1994 10 14.98814	01 13 46.98	+06 00 10.0	15.4 R	r 046	(2805)	1994 10 11.88598	01 49 37.90	+05 41 25.9		046
(1766)	1994 10 14.98905	01 13 46.93	+06 00 09.6		r 046	(2805)	1994 10 11.91597	01 49 36.22	+05 41 22.7		046
(1766)	1994 10 14.99019	01 13 46.88	+06 00 09.1		r 046	(2805)	1994 10 11.93472	01 49 35.20	+05 41 20.2		046
(1838)	1994 10 11.99765	02 37 29.94	+08 38 18.3	15.4 R	046	(2805)	1994 10 15.02374	01 46 44.20	+05 35 29.8	15.4 R	046
(1838)	1994 10 11.99947	02 37 29.85	+08 38 18.5		046	(2805)	1994 10 15.02464	01 46 44.14	+05 35 29.6		046
(1838)	1994 10 12.00189	02 37 29.74	+08 38 18.5		046	(2805)	1994 10 15.02565	01 46 44.09	+05 35 29.5		046
(1838)	1994 10 15.07932	02 34 56.88	+08 40 53.8	15.3 R	046	(2822)	1994 10 11.92012	00 08 51.78	-23 32 45.3	17.2 R	r 046
(1838)	1994 10 15.08145	02 34 56.78	+08 40 54.0		046	(2822)	1994 10 11.92159	00 08 51.70	-23 32 45.6		r 046
(1838)	1994 10 15.08244	02 34 56.72	+08 40 54.0		046	(2822)	1994 10 11.92292	00 08 51.62	-23 32 45.4		r 046
(1842)	1994 10 11.91597	01 51 57.23	+03 49 46.1		046	(2822)	1994 10 14.92632	00 06 29.27	-23 33 56.2	17.3 R	r 046
(1842)	1994 10 11.93472	01 51 56.15	+03 49 37.1		046	(2822)	1994 10 14.92743	00 06 29.24	-23 33 56.3		r 046
(1984)	1994 10 11.95417	01 44 04.04	+08 20 46.1		E 046	(2822)	1994 10 14.93000	00 06 29.14	-23 33 56.1		r 046

(2876)	1994 10 12.05892	03 17 05.45	+33 09 19.5	16.1 R	046	(3926)	1994 10 11.86505	01 29 33.55	+18 53 26.5		046
(2876)	1994 10 12.06384	03 17 05.27	+33 09 21.5		046	(3926)	1994 10 15.00855	01 26 50.52	+18 29 26.6	17.0 R	046
(2876)	1994 10 12.06557	03 17 05.20	+33 09 22.4		046	(3926)	1994 10 15.01097	01 26 50.38	+18 29 25.5		046
(2876)	1994 10 15.10588	03 14 54.97	+33 31 04.2	16.0 R	046	(3926)	1994 10 15.01274	01 26 50.28	+18 29 25.2		046
(2876)	1994 10 15.10873	03 14 54.85	+33 31 05.5		046	(4045)	1994 10 19.02317	02 58 18.29	+19 12 10.3	16.1 R	046
(2876)	1994 10 15.11027	03 14 54.77	+33 31 05.8		046	(4045)	1994 10 19.02454	02 58 18.22	+19 12 09.9		046
(2932)	1994 10 11.95417	01 52 06.98	+09 29 11.4		046	(4045)	1994 10 19.02581	02 58 18.19	+19 12 09.8		046
(2932)	1994 10 11.97153	01 52 06.28	+09 29 08.4		046	(4045)	1994 10 29.85362	02 50 50.23	+17 35 38.3	15.4 R	046
(2967)	1994 10 11.80487	00 38 04.12	-07 45 26.7	15.5 R	r 046	(4045)	1994 10 29.85676	02 50 50.13	+17 35 36.6		046
(2967)	1994 10 11.80598	00 38 04.08	-07 45 26.8		r 046	(4045)	1994 10 29.85928	02 50 50.01	+17 35 35.0		046
(2967)	1994 10 11.80688	00 38 04.02	-07 45 26.7		r 046	(4277)	1994 10 19.06307	03 10 50.14	+35 26 33.1	16.0 R	046
(2967)	1994 10 14.93609	00 35 13.91	-07 40 13.1	15.4 R	r 046	(4277)	1994 10 19.06595	03 10 50.03	+35 26 32.9		046
(2967)	1994 10 14.93707	00 35 13.82	-07 40 13.0		r 046	(4277)	1994 10 19.06828	03 10 49.85	+35 26 32.9		046
(2967)	1994 10 14.93799	00 35 13.77	-07 40 13.0		r 046	(4277)	1994 10 29.89227	03 01 42.68	+35 14 33.7	15.9 R	046
(3145)	1994 10 11.82455	00 46 15.04	+17 03 56.3	15.6 R	046	(4277)	1994 10 29.89420	03 01 42.61	+35 14 33.3		046
(3145)	1994 10 11.82551	00 46 14.97	+17 03 55.9		046	(4277)	1994 10 29.89546	03 01 42.50	+35 14 32.4		046
(3145)	1994 10 11.82638	00 46 14.95	+17 03 55.4		046	(4317)	1994 10 19.15940	07 16 25.03	+30 44 19.0	16.5 R	046
(3145)	1994 10 14.96146	00 43 30.09	+16 39 57.4	15.7 R	046	(4317)	1994 10 19.16144	07 16 25.07	+30 44 19.4		046
(3145)	1994 10 14.96240	00 43 30.04	+16 39 56.7		046	(4317)	1994 10 19.16850	07 16 25.40	+30 44 19.9		046
(3145)	1994 10 14.96351	00 43 29.98	+16 39 56.2		046	(4317)	1994 11 02.15269	07 22 34.39	+31 22 32.3	16.7 R	046
(3239)	1994 10 11.81381	00 42 02.14	-02 45 30.6	16.3 R	r 046	(4317)	1994 11 02.15605	07 22 34.46	+31 22 33.0		046
(3239)	1994 10 11.81471	00 42 02.09	-02 45 30.7		r 046	(4317)	1994 11 02.16156	07 22 34.55	+31 22 33.8		046
(3239)	1994 10 11.81558	00 42 02.05	-02 45 30.9		r 046	(4340)	1994 10 11.95950	01 59 48.32	-26 56 42.6	17.0 R	r 046
(3239)	1994 10 14.94795	00 39 31.26	-02 54 15.6	15.9 R	046	(4340)	1994 10 11.96083	01 59 48.21	-26 56 42.2		r 046
(3239)	1994 10 14.94970	00 39 31.14	-02 54 15.7		046	(4340)	1994 10 11.96258	01 59 48.07	-26 56 42.6		r 046
(3239)	1994 10 14.95117	00 39 31.10	-02 54 16.2		046	(4340)	1994 11 01.97052	01 35 33.15	-25 57 54.2	17.0 R	046
(3292)	1994 10 12.03819	02 18 31.28	+13 31 13.1		046	(4340)	1994 11 01.97410	01 35 32.95	-25 57 52.5		046
(3292)	1994 10 12.06250	02 18 30.29	+13 31 10.4		046	(4340)	1994 11 01.97688	01 35 32.69	-25 57 51.5		046
(3686)	1994 10 19.08631	03 32 51.66	+10 50 10.3	15.8 R	046	(4410)	1994 10 11.92770	02 00 06.88	+06 12 56.1	16.0 R	r 046
(3686)	1994 10 19.09347	03 32 51.30	+10 50 08.9		046	(4410)	1994 10 11.93778	02 00 06.35	+06 12 55.2		r 046
(3686)	1994 10 19.10072	03 32 51.04	+10 50 06.1		046	(4410)	1994 10 11.93905	02 00 06.27	+06 12 55.1		r 046
(3686)	1994 10 29.91228	03 25 04.65	+10 08 24.7	17.0 R	046	(4410)	1994 10 15.03119	01 57 26.40	+06 09 30.7	15.7 R	046
(3698)	1994 10 11.91597	01 48 43.07	+04 17 08.3		046	(4410)	1994 10 15.03322	01 57 26.28	+06 09 30.6		046
(3698)	1994 10 11.93472	01 48 41.91	+04 17 00.7		046	(4410)	1994 10 15.03471	01 57 26.21	+06 09 30.5		046
(3720)	1994 10 11.97756	02 33 19.31	+17 38 11.0	16.3 R	046	(4739)	1994 10 11.83229	00 58 36.20	+05 02 32.4	16.3 R	046
(3720)	1994 10 11.97844	02 33 19.24	+17 38 10.8		046	(4739)	1994 10 11.83448	00 58 36.07	+05 02 31.6		046
(3720)	1994 10 11.97932	02 33 19.19	+17 38 10.8		046	(4739)	1994 10 11.83628	00 58 35.97	+05 02 31.1		046
(3720)	1994 10 15.06970	02 30 16.33	+17 36 24.6	16.3 R	046	(4749)	1994 10 19.07571	03 18 58.92	+04 34 21.0	15.7 R	046
(3720)	1994 10 15.07228	02 30 16.17	+17 36 24.3		046	(4749)	1994 10 19.07990	03 18 58.71	+04 34 20.6		046
(3720)	1994 10 15.07331	02 30 16.10	+17 36 24.1		046	(4749)	1994 10 19.08141	03 18 58.67	+04 34 20.1		046
(3792)	1994 10 19.13728	06 28 12.75	+25 16 25.2	16.3 R	046	(4749)	1994 10 29.90354	03 10 49.37	+04 10 57.4	15.7 R	046
(3792)	1994 10 19.14331	06 28 13.17	+25 16 29.9		046	(4749)	1994 10 29.90458	03 10 49.36	+04 10 57.0		046
(3792)	1994 10 19.14515	06 28 13.32	+25 16 31.1		046	(4749)	1994 10 29.90557	03 10 49.27	+04 10 57.0		046
(3792)	1994 11 02.14226	06 41 50.03	+29 01 06.5	16.1 R	046	(5945)	1994 10 11.99444	02 03 12.20	+13 13 46.4	16.0	046
(3792)	1994 11 02.14359	06 41 50.10	+29 01 08.0		046	(5945)	1994 10 12.01806	02 03 10.69	+13 13 44.3		046
(3792)	1994 11 02.14650	06 41 50.23	+29 01 11.2		046	(5945)	1994 10 13.02638	02 02 06.59	+13 11 41.5	15.6 R	r 046
(3870)	1994 10 12.03819	02 16 55.63	+11 05 05.2		046	(5945)	1994 10 13.02906	02 02 06.40	+13 11 41.1		r 046
(3870)	1994 10 12.06250	02 16 54.45	+11 04 52.9		046	(5945)	1994 10 13.03029	02 02 06.32	+13 11 41.0		r 046
(3889)	1994 10 11.91597	01 48 27.09	+04 12 39.2		046	(5945)	1994 10 14.05963	02 01 00.01	+13 09 31.4	15.5 R	046
(3889)	1994 10 11.93472	01 48 26.18	+04 12 33.7		046	(5945)	1994 10 14.06060	02 00 59.95	+13 09 31.2		046
(3926)	1994 10 11.85929	01 29 33.87	+18 53 28.9	16.8 R	046	(5945)	1994 10 14.06148	02 00 59.88	+13 09 31.1		046
(3926)	1994 10 11.86307	01 29 33.67	+18 53 27.3		046						

072 Scheuren Observatory

N. Ehring, Berliner Ring 30, D-50321 Brühl, Federal Republic of Germany

(31)	1994 10 09.89299	01 18 03.50	-03 38 41.8	072
(31)	1994 10 09.89931	01 18 03.12	-03 38 41.4	072
(51)	1994 10 10.91742	23 56 13.17	-03 15 07.1	072
(51)	1994 10 10.92895	23 56 12.67	-03 15 12.9	072
(605)	1994 10 05.97444	01 14 17.05	+29 43 26.8	072
(605)	1994 10 05.98317	01 14 16.46	+29 43 28.8	072
(696)	1994 10 09.91530	02 29 54.02	+36 48 13.5	072
(696)	1994 10 09.92669	02 29 53.59	+36 48 15.1	072
(789)	1994 10 05.94072	00 43 56.47	+16 13 43.7	072
(789)	1994 10 05.94505	00 43 56.32	+16 13 41.6	072
(1620)	1994 09 13.96377	21 31 55.75	+06 44 59.5	072
(1620)	1994 09 13.97088	21 31 55.84	+06 45 15.3	072

104 San Marcello Pistoiese

L. Tesi, Osservatorio di Pian dei Termini, Viale Panoramico 45, I-51028 San Marcello Pistoiese (PT), Italy [iau@arcetri.astro.it]

Observers A. Boattini, M. Tombelli, S. Giovanardi

0.4-m *f*/5 reflector + CCD

GSC

1993 FR ₂	1994 10 04.89757	23 34 35.29	-04 18 55.9	104
1993 FR ₂	1994 10 04.90451	23 34 34.95	-04 18 59.4	104
1993 FR ₂	1994 10 04.92153	23 34 34.12	-04 19 06.1	104
1993 FR ₂	1994 10 04.92986	23 34 33.75	-04 19 08.6	104
1993 FR ₂	1994 10 04.94306	23 34 33.04	-04 19 14.1	104
1993 FR ₂	1994 10 07.86563	23 32 18.68	-04 37 56.7	104
1993 FR ₂	1994 10 07.87269	23 32 18.40	-04 37 59.5	104
1993 FR ₂	1994 10 07.87650	23 32 18.26	-04 38 00.3	104
1993 FS ₅₀	1994 09 28.88611	23 27 50.89	-02 06 19.1	104
1993 FS ₅₀	1994 09 28.89306	23 27 50.51	-02 06 20.7	104
1993 FS ₅₀	1994 09 28.90694	23 27 49.72	-02 06 24.7	104
1994 LC ₁	1994 10 06.87257	23 09 36.48	-13 56 47.3	104
1994 LC ₁	1994 10 06.87465	23 09 36.48	-13 56 44.5	104
1994 LC ₁	1994 10 06.87674	23 09 36.47	-13 56 42.1	104
1994 LC ₁	1994 10 06.87951	23 09 36.47	-13 56 37.4	104
1994 TE	1994 10 07.86563	23 32 59.66	-04 37 23.4	104
1994 TE	1994 10 07.87269	23 32 59.35	-04 37 24.0	104
1994 TE	1994 10 07.87650	23 32 59.16	-04 37 25.5	104
1994 TE	1994 10 10.78125	23 31 04.97	-04 53 43.3	104
1994 TE	1994 10 10.78472	23 31 04.82	-04 53 44.4	104
1994 TE	1994 10 10.78831	23 31 04.67	-04 53 45.8	104
1994 TE	1994 10 10.79167	23 31 04.50	-04 53 47.2	104
1994 TE	1994 10 11.85139	23 30 25.54	-04 59 20.4	104
1994 TE	1994 10 11.85486	23 30 25.39	-04 59 21.6	104
1994 TE	1994 10 11.86181	23 30 25.10	-04 59 24.2	104
1994 TE	1994 10 12.83750	23 29 50.80	-05 04 21.2	104
1994 TE	1994 10 12.85174	23 29 50.35	-05 04 28.1	104
1994 TE	1994 10 12.85660	23 29 50.12	-05 04 31.4	104
1994 TF	1994 10 07.82118	23 33 51.92	-04 28 19.3	104
1994 TF	1994 10 07.82569	23 33 51.81	-04 28 19.8	104
1994 TF	1994 10 07.82882	23 33 51.73	-04 28 20.1	104

1994 TF	1994 10 07.83160	23 33 51.65	-04 28 20.4	104
1994 TF	1994 10 07.84028	23 33 51.34	-04 28 21.3	104
1994 TF	1994 10 10.87917	23 32 45.57	-04 32 41.6	104
1994 TF	1994 10 10.88611	23 32 45.42	-04 32 41.9	104
1994 TF	1994 10 10.88958	23 32 45.36	-04 32 42.3	104
1994 TF	1994 10 10.89479	23 32 45.25	-04 32 42.6	104
1994 TF	1994 10 11.91563	23 32 26.98	-04 33 44.6	104
1994 TF	1994 10 11.91910	23 32 26.95	-04 33 45.2	104
1994 TF	1994 10 11.92604	23 32 26.88	-04 33 46.5	104
1994 TF	1994 10 12.87535	23 32 11.80	-04 34 28.3	104
1994 TF	1994 10 12.88380	23 32 11.69	-04 34 28.6	104
1994 TF	1994 10 12.89965	23 32 11.39	-04 34 29.4	104
(6101)	1994 10 04.86042	00 20 26.61	+03 22 43.3	104
(6101)	1994 10 04.86736	00 20 26.18	+03 22 40.0	104
(6101)	1994 10 04.87083	00 20 26.01	+03 22 37.8	104
(6142)	1994 09 28.83958	22 59 23.85	-05 07 13.8	104
(6142)	1994 09 28.84792	22 59 23.50	-05 07 16.8	104
(6142)	1994 09 28.85625	22 59 23.18	-05 07 19.6	104

108 Montelupo

M. Tombelli, Via Bozzeto 26, I-50056 Montelupo (Fi), Italy [iau@arcetri.astro.it]

Observers M. Tombelli, A. Boattini

0.20-m *f*/10 reflector + CCD

GSC

(623)	1994 10 10.01459	00 09 10.33	+25 48 16.8	108
(623)	1994 10 10.01955	00 09 09.98	+25 48 14.3	108
(623)	1994 10 10.02492	00 09 09.55	+25 48 13.7	108
(623)	1994 10 10.03135	00 09 09.28	+25 48 13.4	108
(1474)	1994 10 10.11228	03 31 01.34	+76 02 44.7	108
(1474)	1994 10 10.11573	03 31 02.21	+76 02 50.7	108
(1474)	1994 10 10.12333	03 31 03.62	+76 03 06.3	108
(1474)	1994 10 10.12769	03 31 04.55	+76 03 12.2	108
(1474)	1994 10 10.12997	03 31 04.97	+76 03 16.5	108
(1608)	1994 10 10.07851	01 26 30.81	+12 24 37.0	108
(1608)	1994 10 10.09000	01 26 30.06	+12 24 33.3	108
(1608)	1994 10 10.09760	01 26 29.59	+12 24 29.1	108
(3873)	1994 10 14.95174	22 30 37.00	+30 11 44.7	108
(3873)	1994 10 14.95559	22 30 36.80	+30 11 41.7	108
(3873)	1994 10 14.96677	22 30 36.67	+30 11 29.0	108
(4379)	1994 10 15.00112	00 13 21.72	+13 23 55.0	108
(4379)	1994 10 15.00677	00 13 21.50	+13 23 50.8	108
(4379)	1994 10 15.01516	00 13 21.30	+13 23 45.5	108

111 Piazzano Observatory, Florence

R. Bettarini, Via Piazzano 5, I-50053 Empoli, Florence, Italy [iau@arcetri.astro.it]

Observers S. Bartolini, M. Tombelli

0.20-m *f*/10 Schmidt Cassegrain + CCD

GSC

(1620)	1994 09 06.86499	21 29 09.43	-00 04 02.6	111
(1620)	1994 09 06.86678	21 29 09.40	-00 03 54.3	111

112 Pleiade Observatory, Verona

P. Antolini, Via Bertoldi 84, I-37026 Settimo di Pescantina, Verona, Italy

Observers F. Castellani, P. Antolini, G. Pinazzi, I. Anzolin

0.6-m $f/4.6$ reflector + CCD

GSC					
(3138)	1994 10 04.89768	22 22 02.91	-03 42 12.9	112	
(3138)	1994 10 04.90880	22 22 02.63	-03 42 18.6	112	
(3138)	1994 10 04.92018	22 22 02.40	-03 42 22.5	112	
(6085)	1994 10 04.89888	22 23 01.24	-03 48 46.8	112	
(6085)	1994 10 04.90999	22 23 01.16	-03 48 52.9	112	

114 Engelhardt Observatory, Zelenchukskaya StationT. V. Kryachko, University Astronomical Station, Lenina 41, Zelenchukskaja,
357140 Karachaevo-Cherkessia Republic, Russia [timur@sao.stavropol.su]0.40-m $f/1.5$ camera

1989 TT ₁₁	1994 10 04.88023	01 33 33.03	+09 52 31.1	114	
1989 TT ₁₁	1994 10 06.78022	01 32 07.17	+09 43 01.4	114	
1989 TT ₁₁	1994 10 07.81979	01 31 19.45	+09 37 44.0	114	
1989 TT ₁₁	1994 10 08.81842	01 30 33.06	+09 32 36.1	114	
1989 TT ₁₁	1994 10 09.79268	01 29 47.43	+09 27 30.5	114	
1989 TT ₁₁	1994 10 10.82948	01 28 58.60	+09 22 05.7	114	
1990 SK ₂₈	1994 10 03.77885	01 22 02.26	+11 10 07.7	114	16.8
1990 SK ₂₈	1994 10 03.83440	01 21 59.40	+11 09 58.0	114	
1990 SK ₂₈	1994 10 04.81565	01 21 08.61	+11 06 41.6	114	
1990 SK ₂₈	1994 10 04.88023	01 21 05.18	+11 06 30.0	114	
1990 SK ₂₈	1994 10 05.79690	01 20 17.20	+11 03 21.1	114	
1990 SK ₂₈	1994 10 06.78022	01 19 25.02	+10 59 56.6	114	
1990 SK ₂₈	1994 10 07.81979	01 18 29.25	+10 56 11.7	114	
1990 SK ₂₈	1994 10 08.81842	01 17 35.76	+10 52 27.9	114	
1990 SK ₂₈	1994 10 09.79268	01 16 42.86	+10 48 47.1	114	
1991 VW ₃	1994 10 03.77885	01 32 22.60	+11 23 31.6	114	16.2
1991 VW ₃	1994 10 03.83440	01 32 19.84	+11 23 15.2	114	
1991 VW ₃	1994 10 04.81565	01 31 29.07	+11 17 38.5	114	
1991 VW ₃	1994 10 04.88023	01 31 25.54	+11 17 17.4	114	
1991 VW ₃	1994 10 05.79690	01 30 37.46	+11 11 55.8	114	
1991 VW ₃	1994 10 06.78022	01 29 44.99	+11 06 03.3	114	
1991 VW ₃	1994 10 07.81979	01 28 48.77	+10 59 45.8	114	
1991 VW ₃	1994 10 08.81842	01 27 53.97	+10 53 35.1	114	
1991 VW ₃	1994 10 09.79268	01 27 00.11	+10 47 29.2	114	
1991 VW ₃	1994 10 10.82948	01 26 02.26	+10 40 55.6	114	
1994 TZ ₁	1994 10 04.88023	01 31 17.51	+08 30 52.6	114	
1994 TZ ₁	1994 10 07.81979	01 28 48.65	+08 19 25.1	114	
1994 TZ ₁	1994 10 08.81842	01 27 57.01	+08 15 23.6	114	
1994 TZ ₁	1994 10 09.79268	01 27 05.93	+08 11 25.4	114	
1994 TZ ₁	1994 10 10.82948	01 26 11.34	+08 07 11.1	114	
1994 TW ₁₄	* 1994 10 04.81565	01 29 06.76	+10 52 02.5	114	17.5
1994 TW ₁₄	1994 10 07.81979	01 26 44.65	+10 38 41.2	114	
1994 TW ₁₄	1994 10 08.81842	01 25 55.77	+10 34 01.9	114	

292 Burlington

T. Handley, 13 Linden Avenue, Burlington, NJ 08016, U.S.A.

0.20-m $f/6.3$ Schmidt-Cassegrain + CCD

GSC					
1979 MX ₆	1994 09 12.33149	23 55 25.34	+11 02 28.5	292	
1979 MX ₆	1994 09 12.34460	23 55 24.47	+11 02 26.6	292	
1987 VQ	1994 09 12.20218	23 12 39.00	-03 54 07.8	292	

1992 ED ₁₁	1994 09 12.37012	00 17 19.15	+04 20 55.8	292	
1992 ED ₁₁	1994 09 12.38239	00 17 18.23	+04 20 54.1	292	
2563 P-L	1994 09 12.26214	23 29 40.66	-04 13 51.4	292	
2563 P-L	1994 09 12.27529	23 29 39.94	-04 13 58.1	292	
(6116)	1994 09 12.29850	23 47 40.59	+00 04 19.1	292	
(6116)	1994 09 12.31141	23 47 40.05	+00 04 14.3	292	
(6142)	1994 09 12.23468	23 12 37.50	-03 21 23.3	292	
(6142)	1994 09 12.24546	23 12 36.80	-03 21 31.3	292	

360 Kuma Kogen Astronomical Observatory

A. Nakamura, Shimo-Hatanokawa, Kuma-cho, Ehime-Ken, 791-12 Japan

[gcc00404@niftyserve.or.jp]

0.60-m $f/6.0$ Ritchey-Chrétien + CCD

GSC					
1973 QG ₂	1994 10 25.47813	20 39 03.30	-21 39 21.8	18.1 V	360
1973 QG ₂	1994 10 25.49063	20 39 03.96	-21 39 18.4		360
1989 VA	1994 10 02.75503	06 51 25.88	+38 40 36.3	18.6 V	360
1989 VA	1994 10 02.75747	06 51 25.82	+38 40 33.8		360
1989 VA	1994 10 30.69688	05 51 40.13	+21 22 08.1	16.7 V	360
1989 VA	1994 10 30.69983	05 51 39.28	+21 21 55.3		360
1992 AA	1994 11 08.82396	10 53 48.97	+08 47 26.3	19.6 V	360
1992 AA	1994 11 08.82813	10 53 49.74	+08 47 22.2		360
1992 AA	1994 11 08.83368	10 53 50.85	+08 47 18.0		360
1994 LC ₁	1994 10 14.45417	23 12 43.83	-09 32 21.7	16.9 V	360
1994 LC ₁	1994 10 14.45990	23 12 44.00	-09 32 10.0		360
1994 LC ₁	1994 10 14.46597	23 12 44.15	-09 31 58.1		360
1994 LC ₁	1994 10 30.46701	23 24 50.40	-01 47 48.4	17.6 V	360
1994 LC ₁	1994 10 30.46979	23 24 50.55	-01 47 44.1		360
1994 RH	1994 10 14.41493	21 34 26.33	+08 33 27.6	17.5 V	360
1994 RH	1994 10 14.41875	21 34 26.20	+08 33 30.5		360
1994 RH	1994 10 14.42292	21 34 26.04	+08 33 33.5		360
1994 RH	1994 10 30.45573	21 32 40.51	+11 51 43.3	17.3 V	360
1994 RH	1994 10 30.45920	21 32 40.54	+11 51 46.1		360
1994 RH ₉	1994 10 30.47552	23 45 59.62	+08 53 05.7	16.9 V	360
1994 RH ₉	1994 10 30.48368	23 45 59.62	+08 53 08.5		360
1994 SE	1994 10 14.44097	21 47 51.08	-30 17 51.1	17.6 V	360
1994 SE	1994 10 14.44549	21 47 51.65	-30 17 44.5		360
1994 SE	1994 10 23.52465	22 07 46.77	-26 30 33.1	18.0 V	360
1994 SE	1994 10 23.53090	22 07 47.53	-26 30 23.0		360
1994 SE	1994 10 30.44722	22 23 00.87	-23 33 55.7	17.8 V	360
1994 SE	1994 10 30.45052	22 23 01.26	-23 33 50.3		360
1994 TW ₁	1994 10 14.42708	21 36 26.91	-28 02 05.7	16.4 V	360
1994 TW ₁	1994 10 14.42986	21 36 26.64	-28 01 58.7		360
1994 TW ₁	1994 10 14.43333	21 36 26.28	-28 01 49.9		360
1994 TW ₁	1994 10 23.51354	21 25 26.01	-21 33 03.9	16.7 V	360
1994 TW ₁	1994 10 23.51806	21 25 25.72	-21 32 51.7		360
1994 TW ₁	1994 10 30.44010	21 20 59.19	-16 31 34.7	16.7 V	360
1994 TW ₁	1994 10 30.44306	21 20 59.11	-16 31 27.0		360
1994 TV ₁₄	* 1994 10 14.74271	02 28 20.76	+02 12 45.0	18.6 V	360
1994 TV ₁₄	1994 10 14.74722	02 28 20.60	+02 12 41.6		360
1994 TV ₁₄	1994 10 14.76285	02 28 19.98	+02 12 29.5		360
1994 TV ₁₄	1994 10 23.59392	02 22 29.86	+00 23 13.7	18.1 V	360
1994 TV ₁₄	1994 10 23.59861	02 22 29.58	+00 23 10.1		360

1994 TV ₁₄	1994 10 23.62326	02 22 28.48	+00 22 53.1		360
1994 TV ₁₄	1994 10 24.56667	02 21 48.56	+00 11 51.1	18.5 V	360
1994 TV ₁₄	1994 10 24.57257	02 21 48.27	+00 11 47.7		360
1994 TV ₁₄	1994 11 03.56944	02 14 40.93	-01 32 42.5	18.5 V	360
1994 TV ₁₄	1994 11 03.57500	02 14 40.70	-01 32 45.9		360
1994 UC	* 1994 10 29.57274	00 33 46.08	+14 42 39.3	16.0 V	360
1994 UC	1994 10 29.59080	00 33 45.28	+14 42 36.2		360
1994 UC	1994 10 29.61389	00 33 44.25	+14 42 31.8		360
1994 UC	1994 10 30.49080	00 33 07.95	+14 39 54.6	16.4 V	360
1994 UC	1994 10 30.49861	00 33 07.64	+14 39 53.4		360
1994 UC	1994 11 01.50538	00 31 48.44	+14 33 57.8	16.2 V	360
1994 UC	1994 11 01.51111	00 31 48.20	+14 33 56.8		360
1994 VY	* 1994 11 03.55208	00 30 45.23	+14 27 30.2	19.1 V	360
1994 VY	1994 11 03.55764	00 30 45.06	+14 27 27.6		360
1994 VY	1994 11 03.58160	00 30 44.35	+14 27 18.9		360
1994 VY	1994 11 06.47604	00 29 27.05	+14 08 21.4		360
1994 VY	1994 11 06.49983	00 29 26.42	+14 08 12.2		360
(1766)	1994 10 23.56649	01 07 16.54	+05 00 52.9	15.9 V	360
(1766)	1994 10 23.57205	01 07 16.29	+05 00 50.6		360
(1766)	1994 10 29.57882	01 03 09.77	+04 23 16.2		360
(1766)	1994 10 29.59896	01 03 08.96	+04 23 09.0		360
(2546)	1994 10 23.60521	02 39 35.72	+31 33 31.6	16.4 V	360
(2546)	1994 10 23.61458	02 39 35.15	+31 33 30.5		360
(2546)	1994 10 29.58542	02 33 35.39	+31 18 31.3		360
(2546)	1994 10 29.60677	02 33 34.05	+31 18 27.3		360
(2822)	1994 10 23.53663	00 00 34.88	-23 23 05.6	17.0 V	360
(2822)	1994 10 23.54601	00 00 34.56	-23 23 04.7		360
(2822)	1994 10 29.55955	23 57 23.69	-23 03 40.1		360
(2822)	1994 10 29.56684	23 57 23.49	-23 03 38.4		360
(2876)	1994 10 31.76076	02 58 14.14	+34 57 07.3	16.6 V	360
(2876)	1994 10 31.77552	02 58 13.06	+34 57 09.8		360
(2876)	1994 11 03.74063	02 54 37.50	+35 05 28.3	16.5 V	360
(2876)	1994 11 03.74583	02 54 37.11	+35 05 29.1		360
(3145)	1994 10 23.55365	00 37 05.15	+15 31 00.0	15.9 V	360
(3145)	1994 10 23.56024	00 37 04.87	+15 30 56.7		360
(3145)	1994 10 29.57274	00 33 50.40	+14 43 28.0		360
(3145)	1994 10 29.59080	00 33 49.86	+14 43 19.9		360
(3145)	1994 10 29.61389	00 33 49.17	+14 43 09.1		360
(3145)	1994 10 30.49080	00 33 27.28	+14 36 29.3	16.1 V	360
(3145)	1994 10 30.49861	00 33 27.07	+14 36 25.7		360
(4783)	1994 10 31.76632	05 21 12.31	+02 23 27.5	17.3 V	360
(4783)	1994 10 31.79410	05 21 11.95	+02 23 25.3		360
(4783)	1994 11 03.75208	05 20 30.89	+02 20 01.7	17.2 V	360
(4783)	1994 11 03.76528	05 20 30.64	+02 20 01.0		360

367 Yatsuka

H. Abe, 461-2, Futago, Yatsuka-Cho, Shimane-Ken 690-14, Japan
0.26-m $f/4.8$ reflector

PPM					
1994 VB ₁	* 1994 11 04.59652	04 11 02.72	+20 16 37.3	16	367
1994 VB ₁	1994 11 04.62058	04 11 01.83	+20 16 30.8		367
1994 VB ₁	1994 11 06.53684	04 09 58.57	+20 07 18.2		367
1994 VB ₁	1994 11 06.55211	04 09 57.98	+20 07 14.9		367

372 Geisei

T. Seki, Kamimachi 2-9-35, Kochi, Japan

0.60-m $f/3.5$ reflector

ACRS

1986 XT	1990 11 23.71562	02 33 48.34	+20 57 44.4	16.5	372
1986 XT	1990 11 23.72708	02 33 47.83	+20 57 42.2	16.5	372
1993 FL ₄	1993 03 17.62083	12 19 21.88	+00 28 49.4	18	372
1993 FA ₅	1993 03 22.64132	12 19 06.50	+01 31 56.2	17.5	372
1993 FA ₅	1993 03 22.65139	12 19 06.00	+01 32 03.8		372
1993 FT ₅	1993 03 18.64965	12 29 02.17	+01 19 53.8	18	372
1993 FT ₅	1993 03 18.65868	12 29 01.72	+01 19 57.3		372
1993 FL ₆	1993 03 22.64132	12 18 15.53	+02 13 56.4	17.5	372
1993 FL ₆	1993 03 22.65139	12 18 14.94	+02 14 03.0		372
1993 FO ₆	1993 04 12.55243	12 11 34.28	+02 56 40.2	18	372
1993 FO ₆	1993 04 12.56148	12 11 33.87	+02 56 43.7		372
1994 SJ	* 1994 09 30.61285	23 35 50.91	-08 31 12.8	18	372
1994 SJ	1994 10 01.59062	23 34 59.62	-08 32 36.0		372
1994 TT ₃	* 1994 10 02.75521	04 14 39.76	+13 06 15.8	17.5	372
1994 TT ₃	1994 10 02.76493	04 14 39.72	+13 06 04.7		372
1994 TT ₃	1994 10 12.65382	04 14 05.76	+10 22 23.0	17	372
1994 TT ₃	1994 10 12.66284	04 14 05.80	+10 22 12.4		372

376 Uenohara

N. Kawasato, 3-11-10, Hana-Koganei, Kodaira, Tokyo 187, Japan

0.30-m reflector + CCD

GSC

1989 SJ ₁	1993 10 23.62274	00 09 47.37	-05 21 24.4	18.0	376
1989 SJ ₁	1993 10 23.64184	00 09 47.00	-05 21 24.5		376

381 Kiso

I. Sato, National Astronomical Observatory, Mitaka, Tokyo 181, Japan

[psato2x@c4.mtk.nao.ac.jp]

Observers I. Sato, M. Abe, H. Araki, T. Saito, H. Komiyama, M. Doi

Measurer I. Sato

1.05-m $f/3.1$ Schmidt + CCD

GSC

1985 CN ₁	1994 10 13.59295	05 30 52.58	+26 29 36.3	18.1 R	381
1985 CN ₁	1994 10 13.59642	05 30 52.70	+26 29 36.6	18.1 R	381
1985 CN ₁	1994 10 13.60116	05 30 52.80	+26 29 37.5	18.1 R	381
1985 CN ₁	1994 10 13.60790	05 30 52.96	+26 29 38.1	18.0 R	381
1985 CN ₁	1994 10 13.61256	05 30 53.09	+26 29 38.9	18.0 R	381
1985 CN ₁	1994 10 13.61708	05 30 53.19	+26 29 39.9	18.0 R	381
1985 CN ₁	1994 10 13.62159	05 30 53.30	+26 29 40.2	18.0 R	381
1985 CN ₁	1994 10 13.62641	05 30 53.43	+26 29 41.4	18.0 R	381
1985 CN ₁	1994 10 13.63122	05 30 53.55	+26 29 42.3	17.9 R	381
1985 CN ₁	1994 10 13.65053	05 30 54.00	+26 29 45.2	18.0 R	381
1985 CN ₁	1994 10 13.65666	05 30 54.15	+26 29 46.2	18.1 R	381
1985 CN ₁	1994 10 13.66100	05 30 54.25	+26 29 46.8	18.0 R	381
1985 CN ₁	1994 10 13.66604	05 30 54.38	+26 29 47.7	18.1 R	381
1985 CN ₁	1994 10 13.67009	05 30 54.47	+26 29 48.3	18.0 R	381
1985 CN ₁	1994 10 13.67460	05 30 54.58	+26 29 48.8	18.0 R	381
1985 CN ₁	1994 10 13.67877	05 30 54.68	+26 29 49.5	18.0 R	381
1985 CN ₁	1994 10 13.68241	05 30 54.77	+26 29 50.1	18.0 R	381

1985 CN ₁	1994 10 13.68623	05 30 54.86	+26 29 50.9	18.0 R	381	1994 RH ₉	1994 10 22.53654	23 46 40.74	+08 10 02.7		385
1985 CN ₁	1994 10 14.57999	05 31 16.94	+26 32 00.3	17.9 R	381	1994 RH ₉	1994 10 22.53953	23 46 40.70	+08 10 03.7		385
1985 CN ₁	1994 10 14.62623	05 31 18.04	+26 32 07.2	18.0 R	381	1994 SB	1994 10 22.46183	23 27 44.36	+07 00 05.6	16.5 V	385
1985 CN ₁	1994 10 15.74418	05 31 43.14	+26 34 50.9	17.7 R	381	1994 SB	1994 10 22.46488	23 27 44.21	+07 00 03.8		385
1985 CN ₁	1994 10 15.82287	05 31 44.68	+26 35 02.4	17.7 R	381	1994 SB	1994 10 22.46774	23 27 44.20	+07 00 03.0		385
1985 CN ₁	1994 10 15.82709	05 31 44.75	+26 35 03.2	17.9 R	381	1994 TB ₁₅	1994 10 22.54735	01 01 17.19	+15 19 33.1	15.5 V	385
1985 CN ₁	1994 10 15.83204	05 31 44.85	+26 35 03.8	17.9 R	381	1994 TB ₁₅	1994 10 22.55037	01 01 17.03	+15 19 32.2		385
1994 TU ₁₄	* 1994 10 13.59295	05 30 32.04	+26 28 58.8	17.7 R	381	1994 TB ₁₅	1994 10 22.55898	01 01 16.57	+15 19 30.4		385
1994 TU ₁₄	1994 10 13.59642	05 30 32.15	+26 28 59.0	17.7 R	381	(6137)	1994 10 22.47471	23 36 36.11	+09 33 57.6	15.8 V	385
1994 TU ₁₄	1994 10 13.60116	05 30 32.25	+26 28 59.1	17.8 R	381	(6137)	1994 10 22.47756	23 36 36.02	+09 33 57.1		385
1994 TU ₁₄	1994 10 13.60790	05 30 32.43	+26 28 59.4	17.8 R	381	(6137)	1994 10 22.48044	23 36 35.90	+09 33 56.9		385
1994 TU ₁₄	1994 10 13.61256	05 30 32.53	+26 28 59.4	17.8 R	381	(6137)	1994 10 22.49117	23 36 35.54	+09 33 55.2		385
1994 TU ₁₄	1994 10 13.61708	05 30 32.65	+26 28 59.5	17.8 R	381						
1994 TU ₁₄	1994 10 13.62159	05 30 32.75	+26 28 59.9	17.7 R	381						
1994 TU ₁₄	1994 10 13.62641	05 30 32.85	+26 28 59.7	17.7 R	381						
1994 TU ₁₄	1994 10 13.63122	05 30 32.96	+26 28 59.7	17.8 R	381						
1994 TU ₁₄	1994 10 13.65053	05 30 33.37	+26 29 00.1	17.7 R	381						
1994 TU ₁₄	1994 10 13.65666	05 30 33.51	+26 29 00.3	17.8 R	381	1994 UN	1994 10 31.61285	03 08 18.81	+20 17 28.3	16	391
1994 TU ₁₄	1994 10 13.66100	05 30 33.60	+26 29 00.4	17.8 R	381	1994 UN	1994 10 31.63021	03 08 17.49	+20 17 28.6		391
1994 TU ₁₄	1994 10 13.66604	05 30 33.71	+26 29 00.5	17.8 R	381	1994 UN	1994 11 04.58160	03 03 55.88	+20 09 41.2		391
1994 TU ₁₄	1994 10 13.67009	05 30 33.80	+26 29 00.7	17.8 R	381	1994 UN	1994 11 04.59896	03 03 54.56	+20 09 37.8		391
1994 TU ₁₄	1994 10 13.67460	05 30 33.90	+26 29 00.7	17.8 R	381	1994 VC ₁	1994 10 31.64757	04 14 22.98	+24 44 56.9		391
1994 TU ₁₄	1994 10 13.67877	05 30 33.99	+26 29 00.7	17.8 R	381	1994 VC ₁	1994 10 31.66493	04 14 22.32	+24 44 58.8		391
1994 TU ₁₄	1994 10 13.68241	05 30 34.06	+26 29 00.9	17.8 R	381	1994 VT ₁	* 1994 11 04.61979	04 18 34.69	+09 24 41.0	16	391
1994 TU ₁₄	1994 10 13.68623	05 30 34.14	+26 29 00.9	17.8 R	381	1994 VT ₁	1994 11 04.63715	04 18 33.83	+09 24 42.1		391
1994 TU ₁₄	1994 10 14.57264	05 30 54.13	+26 29 07.5	17.6 R	381	1994 VT ₁	1994 11 08.62674	04 15 48.88	+09 30 33.1		391
1994 TU ₁₄	1994 10 14.57999	05 30 54.28	+26 29 07.8	17.8 R	381	1994 VT ₁	1994 11 08.65451	04 15 47.69	+09 30 35.6		391
1994 TU ₁₄	1994 10 14.62623	05 30 55.23	+26 29 08.8	17.8 R	381	(4740)	1994 11 04.61979	04 15 24.84	+09 46 33.5	16	391
1994 TU ₁₄	1994 10 15.74052	05 31 17.32	+26 29 16.5	18.0 R	381	(4740)	1994 11 04.63715	04 15 24.30	+09 46 26.2		391
1994 TU ₁₄	1994 10 15.82287	05 31 18.64	+26 29 16.7	17.6 R	381	(4740)	1994 11 08.62674	04 12 51.74	+09 18 33.9		391
1994 TU ₁₄	1994 10 15.82709	05 31 18.71	+26 29 16.7	17.8 R	381	(4740)	1994 11 08.65451	04 12 50.19	+09 18 20.4		391
1994 TU ₁₄	1994 10 15.83204	05 31 18.79	+26 29 16.7	17.8 R	381	(5081)	1994 11 04.66146	04 41 25.49	+13 55 21.7	16	391
						(5081)	1994 11 04.67882	04 41 24.38	+13 55 22.5		391
385 Nihondaira Observatory Oohira station											
T. Urata, Shiinoki House 203, 28-6, Chuo 3 Chome, Nakano-Ku, Tokyo 164, Japan											
0.31-m <i>f</i> /4.7 reflector + CCD											
GSC											
1990 SN ₄	1994 10 22.50895	23 44 06.14	+03 36 41.6	15.5 V	385						
1990 SN ₄	1994 10 22.51178	23 44 06.01	+03 36 41.6		385						
1990 SN ₄	1994 10 22.51466	23 44 05.89	+03 36 42.0		385						
1994 OC	1994 10 22.40503	20 58 04.67	-14 28 54.5	17.3 V	385						
1994 OC	1994 10 22.40823	20 58 04.70	-14 28 53.6		385						
1994 OC	1994 10 22.41119	20 58 04.73	-14 28 52.4		385						
1994 QV	1994 10 22.44949	22 35 43.75	-04 58 17.0	16.8 V	385						
1994 QV	1994 10 22.45260	22 35 43.76	-04 58 15.3		385						
1994 QV	1994 10 22.45545	22 35 43.77	-04 58 13.1		385						
1994 RX	1994 10 22.43795	22 20 08.09	-21 24 59.1	17 V	385						
1994 RX	1994 10 22.44084	22 20 08.08	-21 24 58.2		385						
1994 RX	1994 10 22.44368	22 20 08.17	-21 24 57.6		385						
1994 RM ₁	1994 10 22.52140	23 47 27.97	+03 55 10.1	16.3 V	385						
1994 RM ₁	1994 10 22.52439	23 47 27.92	+03 55 08.5		385						
1994 RM ₁	1994 10 22.52716	23 47 27.90	+03 55 08.0		385						
1994 RH ₉	1994 10 22.53333	23 46 40.80	+08 10 02.3	16 V	385						
391 Sendai Observatory, Ayashi Station											
M. Koishikawa, 1-1, Sakuragaoka Koen, Aoba-Ku, 980 Japan											
0.30-m <i>f</i> /3.8 reflector											
GSC											
						1994 UN	1994 10 31.61285	03 08 18.81	+20 17 28.3	16	391
						1994 UN	1994 10 31.63021	03 08 17.49	+20 17 28.6		391
						1994 UN	1994 11 04.58160	03 03 55.88	+20 09 41.2		391
						1994 UN	1994 11 04.59896	03 03 54.56	+20 09 37.8		391
						1994 VC ₁	1994 10 31.64757	04 14 22.98	+24 44 56.9		391
						1994 VC ₁	1994 10 31.66493	04 14 22.32	+24 44 58.8		391
						1994 VT ₁	* 1994 11 04.61979	04 18 34.69	+09 24 41.0	16	391
						1994 VT ₁	1994 11 04.63715	04 18 33.83	+09 24 42.1		391
						1994 VT ₁	1994 11 08.62674	04 15 48.88	+09 30 33.1		391
						1994 VT ₁	1994 11 08.65451	04 15 47.69	+09 30 35.6		391
						(4740)	1994 11 04.61979	04 15 24.84	+09 46 33.5	16	391
						(4740)	1994 11 04.63715	04 15 24.30	+09 46 26.2		391
						(4740)	1994 11 08.62674	04 12 51.74	+09 18 33.9		391
						(4740)	1994 11 08.65451	04 12 50.19	+09 18 20.4		391
						(5081)	1994 11 04.66146	04 41 25.49	+13 55 21.7	16	391
						(5081)	1994 11 04.67882	04 41 24.38	+13 55 22.5		391
397 Sapporo Science Center											
K. Watanabe, Sapporo Science Center, 5 chome, atsubetsu cyuo 1 jo, Atsubetu-ku, Sapporo 004, Japan											
0.20-m <i>f</i> /6.0 reflector + CCD											
GSC											
						1990 VN ₁	1994 10 10.55789	01 15 46.16	+00 01 46.8	16.4 V	397
						1990 VN ₁	1994 10 10.59090	01 15 44.05	+00 01 43.2		397
						1990 VN ₁	1994 10 11.54905	01 14 48.50	+00 00 16.9	16.0 V	397
						1990 VN ₁	1994 10 11.59081	01 14 45.96	+00 00 12.2		397
						1994 TL	1994 10 11.54303	01 03 50.66	+08 30 04.0	16.5 V	397
						1994 TL	1994 10 11.58337	01 03 48.28	+08 29 53.9		397
						1994 TM	1994 10 11.57334	01 04 23.35	+09 00 42.3	16.0 V	397
						1994 TM	1994 10 11.61235	01 04 20.86	+09 00 33.0		397
						1994 TP	1994 10 11.56309	01 13 31.42	+08 22 52.9	16.5 V	397
						1994 TP	1994 10 11.60309	01 13 29.66	+08 22 35.1		397
						1994 TQ	1994 10 11.59884	01 12 15.03	+07 20 52.2	16.5 V	397
						1994 TQ	1994 10 11.60014	01 12 14.99	+07 20 49.4		397
						1994 TS	1994 10 11.57156	01 14 51.12	+09 55 33.1	16.7 V	397
						1994 TS	1994 10 11.60785	01 14 48.75	+09 55 19.6		397

1994 TX	1994 10 11.55253	01 09 09.48	+04 26 51.2	16.2 V	397	1992 WK ₉	1992 10 22.58854	01 44 15.35	+10 06 40.2	16.7	399
1994 TX	1994 10 11.55428	01 09 09.28	+04 26 51.7		397	1992 WK ₉	1992 10 22.60313	01 44 14.59	+10 06 39.1		399
1994 TX	1994 10 11.59285	01 09 07.15	+04 26 43.7		397	1992 WK ₉	* 1992 11 16.45347	01 28 25.51	+08 48 04.4	17.2	399
1994 TY	1994 10 10.57326	01 09 08.52	+05 44 19.8	16.5 V	397	1992 WK ₉	1992 11 16.47431	01 28 24.94	+08 48 01.6		399
1994 TY	1994 10 10.59817	01 09 06.75	+05 44 28.7		397	1992 WK ₉	1992 11 18.45839	01 27 39.37	+08 44 37.9	17.3	399
1994 TY	1994 10 11.53772	01 08 00.30	+05 49 55.9	15.6 V	397	1992 WK ₉	1992 11 18.48125	01 27 38.53	+08 44 37.5		399
1994 TY	1994 10 11.58161	01 07 57.08	+05 50 09.3		397	1993 FT ₄	1993 04 15.50069	12 01 33.13	+03 44 01.8	16.8	399
1994 TZ	1994 10 11.59587	01 14 14.73	+01 49 58.5	16.5 V	397	1993 FT ₄	1993 04 15.51528	12 01 32.54	+03 44 05.2		399
1994 TZ	1994 10 11.59715	01 14 14.66	+01 49 57.4		397	1993 FT ₃₇	1993 03 29.69097	13 02 20.16	-04 15 47.6	16.5	399
1994 TA ₁	1994 10 10.57326	01 09 15.21	+05 48 58.4	15.8 V	397	1993 FT ₃₇	1993 03 29.70556	13 02 19.47	-04 15 43.3		399
1994 TA ₁	1994 10 10.59817	01 09 12.64	+05 49 16.0		397	1993 FE ₄₉	1993 03 26.57049	12 22 34.91	-02 21 55.4	17	399
1994 TA ₁	1994 10 11.54544	01 07 34.16	+05 59 26.0	16.0 V	397	1993 FE ₄₉	1993 03 26.58507	12 22 34.14	-02 21 50.9		399
1994 TA ₁	1994 10 11.58771	01 07 29.72	+05 59 52.6		397	1994 CP	1992 10 19.52847	01 56 52.43	+07 16 46.0	17	399
1994 TN ₂	1994 10 11.54905	01 14 32.12	+00 01 46.4	16.6 V	397	1994 CP	1992 10 19.54306	01 56 51.60	+07 16 42.0		399
1994 TN ₂	1994 10 11.59081	01 14 29.74	+00 01 34.4		397	1994 CP	1992 10 22.58854	01 54 21.35	+07 01 47.5	17	399
1994 TP ₂	1994 10 10.56896	01 17 22.35	+03 23 28.6	15.6 V	397	1994 CP	1992 10 22.60313	01 54 20.53	+07 01 44.0		399
1994 TP ₂	1994 10 10.59407	01 17 21.05	+03 23 10.0		397	1994 CP	1992 11 16.45347	01 36 14.77	+05 26 29.2	17.2	399
1994 TX ₂	1994 10 10.58013	01 40 32.78	+12 08 41.8	16.5 V	397	1994 CP	1992 11 16.47431	01 36 14.03	+05 26 25.2		399
1994 TX ₂	1994 10 10.60233	01 40 31.76	+12 08 29.8		397	1994 ST ₁₂	1994 10 01.61111	00 33 12.87	+01 03 33.9	16	399
1994 TY ₂	1994 10 10.58013	01 40 25.41	+12 11 52.4	16.3 V	397	1994 ST ₁₂	1994 10 01.64479	00 33 10.87	+01 03 27.0		399
1994 TY ₂	1994 10 10.60233	01 40 23.90	+12 11 56.6		397	1994 TS ₃	1994 10 31.50660	03 16 27.52	+23 40 49.4	16.8	399
1994 TA ₃	1994 10 10.58337	01 47 52.69	+14 08 55.9	15.8 V	397	1994 TS ₃	1994 10 31.52106	03 16 26.65	+23 40 52.1		399
1994 TA ₃	1994 10 10.60646	01 47 51.17	+14 08 56.9		397	1994 UE	1994 10 31.47014	02 53 58.01	+11 55 43.4	16.8	399
(6140)	1994 10 03.64210	02 25 42.09	+03 16 21.9	16.5 V	397	1994 UE	1994 10 31.48472	02 53 57.13	+11 55 43.6		399
(6140)	1994 10 03.64538	02 25 41.96	+03 16 20.9		397	1994 UG ₁	* 1994 10 25.44236	02 30 59.89	+18 13 48.0	16.5	399
(6140)	1994 10 03.65611	02 25 41.61	+03 16 16.6		397	1994 UG ₁	1994 10 25.45764	02 30 59.02	+18 13 48.3		399
(6140)	1994 10 03.66016	02 25 41.40	+03 16 15.1		397	1994 UG ₁	1994 10 26.45243	02 30 02.83	+18 13 35.5	16.5	399
(6140)	1994 10 05.61267	02 24 28.17	+03 04 40.6	16.5 V	397	1994 UG ₁	1994 10 26.46763	02 30 02.01	+18 13 35.0		399
(6140)	1994 10 05.61429	02 24 28.06	+03 04 39.5		397	1994 UH ₁	* 1994 10 25.44236	02 36 36.71	+20 10 46.2	16.3	399
(6140)	1994 10 05.62564	02 24 27.65	+03 04 36.2		397	1994 UH ₁	1994 10 25.45764	02 36 35.75	+20 10 43.6		399
						1994 UH ₁	1994 10 26.45243	02 35 41.96	+20 09 10.5	16.2	399
						1994 UH ₁	1994 10 26.46736	02 35 41.09	+20 09 08.6		399
						1994 UJ ₁	* 1994 10 25.44236	02 37 23.40	+19 58 52.8	16.5	399
						1994 UJ ₁	1994 10 25.45764	02 37 22.35	+19 58 50.6		399
						1994 UJ ₁	1994 10 26.45243	02 36 26.41	+19 56 13.6	16.5	399
						1994 UJ ₁	1994 10 26.46763	02 36 25.45	+19 56 11.6		399
						1994 UK ₁	* 1994 10 25.44236	02 37 58.98	+20 00 27.8	16.8	399
						1994 UK ₁	1994 10 25.45764	02 37 58.00	+20 00 25.4		399
						1994 UK ₁	1994 10 26.45243	02 36 57.04	+19 57 53.0	16.7	399
						1994 UK ₁	1994 10 26.46763	02 36 56.14	+19 57 50.9		399
						1994 UL ₁	* 1994 10 25.44236	02 40 57.71	+20 33 35.7	17	399
						1994 UL ₁	1994 10 25.45764	02 40 57.00	+20 33 36.1		399
						1994 UL ₁	1994 10 26.45243	02 40 04.36	+20 32 58.3	17	399
						1994 UL ₁	1994 10 26.46736	02 40 03.45	+20 32 57.8		399
						1994 UM ₁	* 1994 10 25.44236	02 45 04.88	+19 05 10.1	17	399
						1994 UM ₁	1994 10 25.45764	02 45 03.99	+19 05 06.6		399
						1994 UM ₁	1994 10 26.45243	02 44 07.25	+18 59 38.6	16.8	399
						1994 UM ₁	1994 10 26.46763	02 44 06.52	+18 59 33.3		399
						1994 UN ₁	* 1994 10 25.47778	02 32 30.95	+15 04 09.5	16.3	399
						1994 UN ₁	1994 10 25.49317	02 32 30.29	+15 04 03.2		399
						1994 UN ₁	1994 10 26.49375	02 31 47.79	+14 57 31.0	16.2	399
						1994 UN ₁	1994 10 26.50868	02 31 47.07	+14 57 24.4		399

399 Kushiro

H. Kaneda, Taiyo MS 2-H, 2 chome 2-15, Kawazoe 8 jo, Minami-ku, Sapporo 005, Japan

Observer S. Ueda

Measurer H. Kaneda

0.25-m $f/3.4$ hyperboloid astrocamera

GSC

1987 UY ₉	* 1987 10 28.58293	02 50 40.73	+21 18 22.3	16.3	399	1994 UK ₁	1994 10 25.45764	02 37 58.00	+20 00 25.4		399
1987 UY ₉	1987 10 28.59861	02 50 39.66	+21 18 25.4		399	1994 UK ₁	1994 10 26.45243	02 36 57.04	+19 57 53.0	16.7	399
1987 UY ₉	1987 10 28.61481	02 50 38.67	+21 18 28.6		399	1994 UK ₁	1994 10 26.46763	02 36 56.14	+19 57 50.9		399
1991 TV ₄	1994 10 01.54306	22 50 24.40	-12 30 22.1	16.2	399	1994 UL ₁	* 1994 10 25.44236	02 40 57.71	+20 33 35.7	17	399
1991 TV ₄	1994 10 01.55903	22 50 24.03	-12 30 25.5		399	1994 UL ₁	1994 10 25.45764	02 40 57.00	+20 33 36.1		399
1992 SL ₂₃	1992 10 19.52847	01 55 36.40	+10 29 15.2	16.7	399	1994 UL ₁	1994 10 26.45243	02 40 04.36	+20 32 58.3	17	399
1992 SL ₂₃	1992 10 19.54306	01 55 35.26	+10 29 18.2		399	1994 UL ₁	1994 10 26.46736	02 40 03.45	+20 32 57.8		399
1992 SL ₂₃	1992 10 22.58854	01 52 08.57	+10 35 37.8	17	399	1994 UM ₁	* 1994 10 25.44236	02 45 04.88	+19 05 10.1	17	399
1992 SL ₂₃	1992 10 22.60313	01 52 07.66	+10 35 39.2		399	1994 UM ₁	1994 10 25.45764	02 45 03.99	+19 05 06.6		399
1992 UM ₉	1992 11 16.45347	01 30 36.71	+04 57 38.1	17.2	399	1994 UM ₁	1994 10 26.45243	02 44 07.25	+18 59 38.6	16.8	399
1992 UM ₉	1992 11 16.47431	01 30 36.26	+04 57 30.8		399	1994 UM ₁	1994 10 26.46763	02 44 06.52	+18 59 33.3		399
1992 UM ₉	1992 11 18.45839	01 29 47.76	+04 50 58.7	17.3	399	1994 UN ₁	* 1994 10 25.47778	02 32 30.95	+15 04 09.5	16.3	399
1992 UM ₉	1992 11 18.48125	01 29 47.24	+04 50 53.2		399	1994 UN ₁	1994 10 25.49317	02 32 30.29	+15 04 03.2		399
1992 WK ₉	1992 10 19.52847	01 46 38.50	+10 18 47.0	17	399	1994 UN ₁	1994 10 26.49375	02 31 47.79	+14 57 31.0	16.2	399
1992 WK ₉	1992 10 19.54306	01 46 37.73	+10 18 42.8		399	1994 UN ₁	1994 10 26.50868	02 31 47.07	+14 57 24.4		399

1994 UO ₁	* 1994 10 25.47778	02 32 59.80	+14 19 21.0	16.5	399	1994 TL	1994 10 07.54167	01 07 37.21	+08 46 25.4		400
1994 UO ₁	1994 10 25.49317	02 32 58.85	+14 19 16.3		399	1994 TN	1994 10 07.52778	01 11 11.79	+11 26 01.6	16.5	400
1994 UO ₁	1994 10 26.49375	02 32 03.00	+14 13 11.8	16.5	399	1994 TN	1994 10 07.54167	01 11 11.06	+11 25 55.9		400
1994 UO ₁	1994 10 26.50868	02 32 02.04	+14 13 06.2		399	1994 TQ	1994 10 07.52778	01 16 10.01	+07 35 19.6	17	400
1994 UP ₁	* 1994 10 25.47778	02 35 32.83	+16 38 52.8	17	399	1994 TQ	1994 10 07.54167	01 16 09.22	+07 35 15.1		400
1994 UP ₁	1994 10 25.49317	02 35 31.78	+16 38 56.2		399	1994 TS	1994 10 07.52778	01 18 55.58	+10 16 39.3	17	400
1994 UP ₁	1994 10 26.49375	02 34 23.89	+16 41 38.1	17	399	1994 TX	1994 10 07.59375	01 12 31.69	+04 37 19.0	17	400
1994 UP ₁	1994 10 26.50868	02 34 22.72	+16 41 39.9		399	1994 TX	1994 10 07.60764	01 12 31.12	+04 37 17.6		400
1994 UQ ₁	* 1994 10 25.47778	02 36 29.97	+13 34 31.2	16.7	399	1994 TC ₁	1994 10 07.62361	01 35 07.42	+04 32 02.9	16.7	400
1994 UQ ₁	1994 10 25.49317	02 36 29.19	+13 34 28.1		399	1994 TC ₁	1994 10 07.63750	01 35 06.90	+04 32 01.7		400
1994 UQ ₁	1994 10 26.49375	02 35 35.16	+13 28 05.4	16.7	399	1994 TE ₁	1994 10 07.62361	01 39 44.76	+02 19 59.7	16.7	400
1994 UQ ₁	1994 10 26.50868	02 35 34.37	+13 28 01.1		399	1994 TE ₁	1994 10 07.63750	01 39 43.96	+02 19 52.9		400
1994 UR ₁	* 1994 10 25.47778	02 38 08.17	+13 39 15.0	17	399	1994 TF ₁	1994 10 07.62361	01 44 01.00	+02 40 28.6	16.7	400
1994 UR ₁	1994 10 25.49317	02 38 07.23	+13 39 12.2		399	1994 TF ₁	1994 10 07.63750	01 44 00.35	+02 40 24.6		400
1994 UR ₁	1994 10 26.49375	02 37 07.48	+13 36 47.0	16.8	399	1994 TG ₁	1994 10 07.62361	01 43 30.59	+05 25 07.0	16.5	400
1994 UR ₁	1994 10 26.50868	02 37 06.47	+13 36 46.0		399	1994 TG ₁	1994 10 07.63750	01 43 29.71	+05 25 03.8		400
1994 US ₁	* 1994 10 25.47778	02 43 26.02	+14 23 56.7	16.3	399	1994 TH ₁	1994 10 07.62361	01 43 59.43	+02 14 55.2	16.7	400
1994 US ₁	1994 10 25.49317	02 43 25.08	+14 23 59.5		399	1994 TH ₁	1994 10 07.63750	01 43 58.65	+02 14 54.2		400
1994 US ₁	1994 10 26.49375	02 42 17.46	+14 25 50.2	16	399	1994 TJ ₁	1994 10 07.62361	01 46 38.86	+06 38 14.0	16.5	400
1994 US ₁	1994 10 26.50868	02 42 16.42	+14 25 51.6		399	1994 TJ ₁	1994 10 07.63750	01 46 38.36	+06 38 07.0		400
1994 UT ₁	* 1994 10 26.53557	02 51 44.80	+13 42 40.8	16.2	399	1994 TK ₁	1994 10 07.62361	01 46 35.60	+07 52 34.8	16.7	400
1994 UT ₁	1994 10 26.55174	02 51 43.61	+13 42 43.2		399	1994 TK ₁	1994 10 07.63750	01 46 34.74	+07 52 28.7		400
1994 UT ₁	1994 10 31.47014	02 46 16.59	+14 02 01.8	16	399	1994 TN ₁	1994 10 07.62361	01 50 51.28	+03 46 46.4	16.5	400
1994 UT ₁	1994 10 31.48472	02 46 15.54	+14 02 04.2		399	1994 TN ₁	1994 10 07.63750	01 50 50.42	+03 46 43.4		400
1994 VA	1994 10 26.45243	02 45 30.30	+20 53 28.6	16.8	399	1994 TQ ₁	1994 10 07.62361	01 57 53.88	+04 54 23.8	16.7	400
1994 VA	1994 10 26.46736	02 45 29.45	+20 53 18.4		399	1994 TQ ₁	1994 10 07.63750	01 57 52.95	+04 54 20.7		400
3357 T-2	1994 01 05.55764	07 32 59.63	+23 36 33.4	17	399	1994 TR ₁	1994 10 07.55764	01 40 02.98	+12 42 25.5	16.5	400
3357 T-2	1994 01 05.57234	07 32 58.73	+23 36 35.4		399	1994 TR ₁	1994 10 07.57083	01 40 02.36	+12 42 10.4		400
(6060)	1993 03 25.66111	12 18 13.30	+05 49 25.9	16.8	399	1994 TH ₂	* 1994 10 02.60278	01 12 35.06	+03 37 37.9	16.5	400
(6060)	1993 03 25.67569	12 18 12.73	+05 49 30.6		399	1994 TH ₂	1994 10 02.61667	01 12 34.32	+03 37 33.8		400
400 Kitami						1994 TH ₂	1994 10 03.55625	01 11 52.59	+03 33 08.4	16.5	400
K. Watanabe, 3-8 B-203, Atsubetsu Cyuo 3 Jo 4 Chome, Atsubetsu-ku, Sapporo						1994 TH ₂	1994 10 03.57153	01 11 51.78	+03 33 04.7		400
004, Japan						1994 TH ₂	1994 10 07.59375	01 08 50.42	+03 14 11.4	16.7	400
Observer K. Endate						1994 TH ₂	1994 10 07.60764	01 08 49.65	+03 14 04.2		400
Measurer K. Watanabe						1994 TJ ₂	* 1994 10 02.60278	01 16 05.88	+02 11 44.4	16.5	400
0.25-m <i>f</i> /2.6 Schmidt camera						1994 TJ ₂	1994 10 02.61667	01 16 05.28	+02 11 40.5		400
GSC						1994 TJ ₂	1994 10 03.55625	01 15 21.25	+02 03 34.3	16.5	400
1981 UR ₂₇	1994 10 07.55764	01 39 39.95	+14 18 51.8	16.5	400	1994 TJ ₂	1994 10 03.57153	01 15 20.43	+02 03 25.1		400
1981 UR ₂₇	1994 10 07.57083	01 39 39.19	+14 18 51.5		400	1994 TJ ₂	1994 10 07.59375	01 12 05.67	+01 29 11.6	16.8	400
1986 RR	1993 09 19.50972	00 04 46.30	+04 44 33.3	16.0	400	1994 TJ ₂	1994 10 07.60764	01 12 04.93	+01 29 04.5		400
1986 RR	1993 09 19.52361	00 04 45.47	+04 44 23.0		400	1994 TK ₂	* 1994 10 02.60278	01 17 35.19	+01 27 25.9	16.5	400
1986 RR	1993 10 11.46389	23 53 02.78	+01 26 09.0	16.5	400	1994 TK ₂	1994 10 02.61667	01 17 34.50	+01 27 19.8		400
1986 RR	1993 10 11.47917	23 53 02.41	+01 26 02.8		400	1994 TK ₂	1994 10 03.55625	01 16 45.03	+01 20 38.8	16.5	400
1994 RQ	1994 10 02.49861	23 12 26.68	-07 34 12.9	16.5	400	1994 TK ₂	1994 10 03.57153	01 16 44.04	+01 20 31.6		400
1994 RQ	1994 10 02.51458	23 12 26.06	-07 34 14.7		400	1994 TK ₂	1994 10 07.59375	01 13 05.00	+00 51 56.0	16.8	400
1994 RU	1994 10 02.49861	23 26 15.03	-08 22 35.1	16.5	400	1994 TK ₂	1994 10 07.60764	01 13 04.27	+00 51 51.8		400
1994 RU	1994 10 02.51458	23 26 14.41	-08 22 35.7		400	1994 TL ₂	* 1994 10 02.60278	01 19 00.43	+00 34 54.9	16.5	400
1994 RV	1994 10 03.49375	23 34 58.88	+02 48 52.4	16.5	400	1994 TL ₂	1994 10 02.61667	01 18 59.62	+00 34 51.1		400
1994 RV	1994 10 03.50833	23 34 58.15	+02 48 49.4		400	1994 TL ₂	1994 10 03.55625	01 18 01.97	+00 31 54.3	16.5	400
1994 RC ₁	1994 10 02.53333	00 00 29.57	+02 32 13.0	16.5	400	1994 TL ₂	1994 10 03.57153	01 18 01.05	+00 31 51.0		400
1994 RC ₁	1994 10 02.54722	00 00 29.17	+02 32 07.8		400	1994 TM ₂	* 1994 10 02.60278	01 20 24.67	+02 00 24.2	16.5	400
1994 TL	1994 10 07.52778	01 07 38.07	+08 46 28.9	17	400	1994 TM ₂	1994 10 02.61667	01 20 23.99	+02 00 17.6		400

1994 TM ₂	1994 10 03.55625	01 19 31.35	+01 53 46.2	16.5	400	1994 TW ₂	* 1994 10 02.66597	01 45 37.26	+14 48 08.8	16.5	400
1994 TM ₂	1994 10 03.57153	01 19 30.48	+01 53 39.9		400	1994 TW ₂	1994 10 02.68194	01 45 36.39	+14 48 13.7		400
1994 TM ₂	1994 10 07.59375	01 15 37.88	+01 25 55.8	16.7	400	1994 TW ₂	1994 10 03.62153	01 44 39.01	+14 54 21.9	16.5	400
1994 TM ₂	1994 10 07.60764	01 15 37.13	+01 25 51.4		400	1994 TW ₂	1994 10 03.63750	01 44 38.05	+14 54 26.8		400
1994 TN ₂	* 1994 10 02.60278	01 22 43.44	+00 46 15.1	16.0	400	1994 TW ₂	1994 10 07.55764	01 40 26.92	+15 18 33.8	16.5	400
1994 TN ₂	1994 10 02.61667	01 22 42.76	+00 46 10.6		400	1994 TW ₂	1994 10 07.57083	01 40 25.65	+15 18 35.8		400
1994 TN ₂	1994 10 03.55625	01 21 52.65	+00 41 13.4	16.0	400	1994 TX ₂	* 1994 10 02.66597	01 45 59.37	+13 16 07.5	16.5	400
1994 TN ₂	1994 10 03.57153	01 21 51.83	+00 41 09.6		400	1994 TX ₂	1994 10 02.68194	01 45 58.79	+13 15 58.9		400
1994 TN ₂	1994 10 07.59375	01 18 11.75	+00 20 39.0	16.5	400	1994 TX ₂	1994 10 03.62153	01 45 22.67	+13 08 24.3	16.5	400
1994 TN ₂	1994 10 07.60764	01 18 10.94	+00 20 34.9		400	1994 TX ₂	1994 10 03.63750	01 45 22.02	+13 08 16.7		400
1994 TO ₂	* 1994 10 02.60278	01 23 15.92	+03 47 48.7	16.5	400	1994 TX ₂	1994 10 07.55764	01 42 43.04	+12 35 21.4	16.5	400
1994 TO ₂	1994 10 02.61667	01 23 14.99	+03 47 47.7		400	1994 TX ₂	1994 10 07.57083	01 42 42.48	+12 35 15.4		400
1994 TO ₂	1994 10 03.55625	01 22 22.95	+03 47 14.5	16.5	400	1994 TY ₂	* 1994 10 02.66597	01 48 19.77	+11 44 30.9	16.0	400
1994 TO ₂	1994 10 03.57153	01 22 22.22	+03 47 11.5		400	1994 TY ₂	1994 10 02.68194	01 48 18.79	+11 44 34.0		400
1994 TO ₂	1994 10 07.59375	01 18 32.46	+03 44 42.0	16.7	400	1994 TY ₂	1994 10 03.62153	01 47 27.77	+11 48 04.0	16.0	400
1994 TO ₂	1994 10 07.60764	01 18 31.61	+03 44 40.2		400	1994 TY ₂	1994 10 03.63750	01 47 26.89	+11 48 06.8		400
1994 TP ₂	* 1994 10 02.60278	01 23 23.71	+05 01 14.9	15.8	400	1994 TY ₂	1994 10 07.55764	01 43 37.61	+12 01 57.7	16.0	400
1994 TP ₂	1994 10 02.61667	01 23 23.13	+05 01 06.2		400	1994 TY ₂	1994 10 07.57083	01 43 36.86	+12 02 00.5		400
1994 TP ₂	1994 10 03.55625	01 22 42.54	+04 49 33.8	15.5	400	1994 TZ ₂	* 1994 10 02.66597	01 51 59.82	+10 22 11.1	17	400
1994 TP ₂	1994 10 03.57153	01 22 41.90	+04 49 21.4		400	1994 TZ ₂	1994 10 02.68194	01 51 59.12	+10 22 01.8		400
1994 TP ₂	1994 10 07.59375	01 19 40.76	+03 59 48.7	16.0	400	1994 TZ ₂	1994 10 03.62153	01 51 19.28	+10 15 58.5	17	400
1994 TP ₂	1994 10 07.60764	01 19 40.07	+03 59 38.9		400	1994 TZ ₂	1994 10 03.63750	01 51 18.49	+10 15 49.7		400
1994 TQ ₂	* 1994 10 02.60278	01 27 11.72	+00 02 22.2	16.8	400	1994 TZ ₂	1994 10 07.55764	01 48 20.30	+09 49 23.9	16.7	400
1994 TQ ₂	1994 10 02.61667	01 27 10.75	+00 02 27.5		400	1994 TZ ₂	1994 10 07.57083	01 48 19.79	+09 49 18.2		400
1994 TQ ₂	1994 10 03.55625	01 26 13.97	+00 03 23.4	16.8	400	1994 TA ₃	* 1994 10 02.66597	01 54 56.04	+13 59 47.9	16.0	400
1994 TQ ₂	1994 10 03.57153	01 26 12.89	+00 03 24.9		400	1994 TA ₃	1994 10 02.68194	01 54 55.26	+13 59 50.3		400
1994 TQ ₂	1994 10 07.59375	01 22 01.83	+00 08 22.0	17	400	1994 TA ₃	1994 10 03.62153	01 54 09.90	+14 01 26.3	16.0	400
1994 TQ ₂	1994 10 07.60764	01 22 00.77	+00 08 21.1		400	1994 TA ₃	1994 10 03.63750	01 54 09.05	+14 01 28.5		400
1994 TR ₂	* 1994 10 02.60278	01 27 20.57	+03 25 20.7	16.5	400	1994 TA ₃	1994 10 07.55764	01 50 44.45	+14 06 31.9	16.5	400
1994 TR ₂	1994 10 02.61667	01 27 19.97	+03 25 18.2		400	1994 TA ₃	1994 10 07.57083	01 50 43.49	+14 06 34.1		400
1994 TR ₂	1994 10 03.55625	01 26 37.95	+03 20 31.0	16.5	400	1994 TB ₃	* 1994 10 02.66597	01 55 46.85	+15 29 42.9	16.5	400
1994 TR ₂	1994 10 03.57153	01 26 37.50	+03 20 25.7		400	1994 TB ₃	1994 10 02.68194	01 55 45.94	+15 29 46.8		400
1994 TS ₂	* 1994 10 02.60278	01 28 49.01	+01 12 39.1	16.8	400	1994 TB ₃	1994 10 03.62153	01 54 52.25	+15 34 10.7	16.5	400
1994 TS ₂	1994 10 02.61667	01 28 48.17	+01 12 36.1		400	1994 TB ₃	1994 10 03.63750	01 54 51.24	+15 34 16.2		400
1994 TS ₂	1994 10 03.55625	01 28 06.32	+01 07 39.4	16.8	400	1994 TC ₃	* 1994 10 02.66597	01 58 40.11	+12 38 47.6	16.5	400
1994 TS ₂	1994 10 03.57153	01 28 05.49	+01 07 35.3		400	1994 TC ₃	1994 10 02.68194	01 58 39.34	+12 38 45.6		400
1994 TS ₂	1994 10 07.59375	01 24 56.95	+00 47 20.9	17	400	1994 TC ₃	1994 10 03.62153	01 58 00.89	+12 34 22.7	16.5	400
1994 TS ₂	1994 10 07.60764	01 24 56.29	+00 47 17.6		400	1994 TC ₃	1994 10 03.63750	01 58 00.18	+12 34 19.4		400
1994 TT ₂	* 1994 10 02.60278	01 29 35.81	+00 27 34.9	16.5	400	1994 TC ₃	1994 10 07.55764	01 55 04.49	+12 14 39.9	16.5	400
1994 TT ₂	1994 10 02.61667	01 29 34.79	+00 27 37.3		400	1994 TC ₃	1994 10 07.57083	01 55 03.96	+12 14 32.6		400
1994 TT ₂	1994 10 03.55625	01 28 31.97	+00 30 49.5	16.5	400	1994 TD ₃	* 1994 10 02.66597	02 00 12.14	+13 38 59.5	17	400
1994 TT ₂	1994 10 03.57153	01 28 30.95	+00 30 52.6		400	1994 TD ₃	1994 10 02.68194	02 00 11.36	+13 38 58.8		400
1994 TT ₂	1994 10 07.59375	01 23 54.60	+00 45 21.1	17	400	1994 TD ₃	1994 10 03.62153	01 59 26.33	+13 38 52.3	17	400
1994 TT ₂	1994 10 07.60764	01 23 53.69	+00 45 22.8		400	1994 TD ₃	1994 10 03.63750	01 59 25.47	+13 38 52.7		400
1994 TU ₂	* 1994 10 02.66597	01 42 36.05	+10 57 08.3	17	400	1994 TD ₃	1994 10 07.55764	01 56 07.02	+13 37 21.6	17	400
1994 TU ₂	1994 10 02.68194	01 42 35.44	+10 57 01.5		400	1994 TD ₃	1994 10 07.57083	01 56 06.29	+13 37 18.5		400
1994 TU ₂	1994 10 03.62153	01 41 59.14	+10 50 23.4	17	400	1994 TE ₃	* 1994 10 02.66597	02 02 20.21	+11 40 09.2	17	400
1994 TU ₂	1994 10 03.63750	01 41 58.40	+10 50 15.6		400	1994 TE ₃	1994 10 02.68194	02 02 19.47	+11 40 05.8		400
1994 TV ₂	* 1994 10 02.66597	01 43 41.11	+10 54 45.4	17	400	1994 TE ₃	1994 10 03.62153	02 01 43.82	+11 36 06.2	17	400
1994 TV ₂	1994 10 02.68194	01 43 40.40	+10 54 45.1		400	1994 TE ₃	1994 10 03.63750	02 01 43.14	+11 36 02.2		400
1994 TV ₂	1994 10 03.62153	01 42 56.28	+10 53 26.4	17	400	1994 TP ₃	* 1994 10 05.57222	02 11 17.09	+15 37 00.7	16.5	400
1994 TV ₂	1994 10 03.63750	01 42 55.49	+10 53 23.9		400	1994 TP ₃	1994 10 05.58958	02 11 16.36	+15 37 01.9		400

1994 TP ₃	1994 10 06.52500	02 10 32.32	+15 38 20.4	16.5	400	1994 RH ₉	1994 10 25.49483	23 46 07.75	+08 26 11.5		410
1994 TP ₃	1994 10 06.54236	02 10 31.49	+15 38 23.5		400	1994 RC ₁₁	1994 10 14.62957	00 10 26.99	-00 08 01.4	16.4 V	410
1994 TQ ₃	* 1994 10 05.57222	02 31 22.08	+18 46 51.5	16.0	400	1994 RC ₁₁	1994 10 14.65978	00 10 25.75	-00 08 07.8		410
1994 TQ ₃	1994 10 05.58958	02 31 21.23	+18 46 55.3		400	1994 RC ₁₁	1994 10 14.66569	00 10 25.56	-00 08 09.1		410
1994 TQ ₃	1994 10 06.52500	02 30 33.17	+18 50 21.1	16.5	400	1994 TC ₁₅	* 1994 10 14.68912	03 33 15.83	+07 05 22.1	15.9 V	410
1994 TQ ₃	1994 10 06.54236	02 30 32.20	+18 50 26.5		400	1994 TC ₁₅	1994 10 14.69621	03 33 15.66	+07 05 21.5		410
1994 TR ₃	* 1994 10 05.60694	02 20 42.97	+08 09 30.5	16.0	400	1994 TC ₁₅	1994 10 14.70982	03 33 15.31	+07 05 18.5		410
1994 TR ₃	1994 10 05.62431	02 20 42.39	+08 09 27.7		400	1994 TC ₁₅	1994 10 25.54377	03 27 09.21	+06 36 27.4	15.8 V	410
1994 TR ₃	1994 10 06.55972	02 20 09.97	+08 07 08.3	16.0	400	1994 TC ₁₅	1994 10 25.54643	03 27 09.12	+06 36 26.4		410
1994 TR ₃	1994 10 06.57708	02 20 09.19	+08 07 05.5		400	1994 TC ₁₅	1994 10 25.54912	03 27 09.00	+06 36 25.5		410
1994 TX ₁₄	* 1994 10 05.57222	02 06 41.59	+18 45 57.4	16.5	400	1994 TC ₁₅	1994 10 30.48701	03 23 36.39	+06 24 43.9	16.0 V	410
1994 TX ₁₄	1994 10 05.58958	02 06 40.85	+18 45 50.7		400	1994 TC ₁₅	1994 10 30.49335	03 23 36.13	+06 24 43.1		410
1994 TX ₁₄	1994 10 06.52500	02 06 03.78	+18 39 40.3	16.5	400	1994 TC ₁₅	1994 10 30.49629	03 23 35.97	+06 24 42.6		410
1994 TX ₁₄	1994 10 06.54236	02 06 03.10	+18 39 32.5		400						
1994 TY ₁₄	* 1994 10 05.57222	02 14 20.63	+16 21 43.6	16.5	400	411 Oizumi					
1994 TY ₁₄	1994 10 05.58958	02 14 19.52	+16 21 40.8		400	T. Kobayashi, 1717-2 Shimo-Koizumi, Oizumi-machi, Ora-gun, Gunma-ken, 370-05					
1994 TY ₁₄	1994 10 06.52500	02 13 28.20	+16 18 50.1	16.5	400	Japan [kobataka@furusato.infopd.sanyo.co.jp]					
1994 TY ₁₄	1994 10 06.54236	02 13 27.16	+16 18 45.8		400	0.25-m <i>f</i> /4.4 reflector + CCD					
1994 TZ ₁₄	* 1994 10 05.60694	02 15 25.64	+09 54 29.7	16.5	400	GSC					
1994 TZ ₁₄	1994 10 05.62431	02 15 25.01	+09 54 22.2		400	1971 BD ₃	1994 11 01.64269	02 53 51.80	+19 43 49.9		411
1994 TZ ₁₄	1994 10 06.55972	02 14 55.32	+09 47 35.6	16.5	400	1971 BD ₃	1994 11 01.65587	02 53 51.06	+19 43 45.6		411
1994 TZ ₁₄	1994 10 06.57708	02 14 54.56	+09 47 27.0		400	1979 MZ ₆	1994 11 01.58575	02 48 31.79	+19 49 16.3	16	411
1994 TA ₁₅	* 1994 10 05.60694	02 16 15.83	+09 08 21.0	17	400	1979 MZ ₆	1994 11 01.59887	02 48 31.01	+19 49 11.6		411
1994 TA ₁₅	1994 10 05.62431	02 16 14.87	+09 08 16.3		400	1979 MZ ₆	1994 11 02.59766	02 47 32.47	+19 42 08.7		411
1994 TA ₁₅	1994 10 06.55972	02 15 33.47	+09 05 28.7	17	400	1979 MZ ₆	1994 11 02.60020	02 47 32.33	+19 42 07.1		411
1994 TA ₁₅	1994 10 06.57708	02 15 32.86	+09 05 27.6		400	1979 MZ ₆	1994 11 02.60527	02 47 32.07	+19 42 05.2		411
4630 P-L	1994 10 07.52778	01 25 18.42	+10 45 14.6	16.5	400	1981 FG	1994 10 31.65750	04 03 26.72	+18 45 21.3	17	411
4630 P-L	1994 10 07.54167	01 25 17.68	+10 45 17.1		400	1981 FG	1994 10 31.67122	04 03 26.00	+18 45 20.2		411
6547 P-L	1994 10 02.49861	23 08 46.75	-09 56 06.5	16.5	400	1981 FG	1994 11 01.67546	04 02 36.30	+18 43 50.5		411
6547 P-L	1994 10 02.51458	23 08 46.23	-09 56 06.3		400	1981 FG	1994 11 01.68801	04 02 35.68	+18 43 48.6		411
(2880)	1994 10 07.59375	01 19 17.61	+03 52 40.2	15.5	400	1981 FG	1994 11 01.75272	04 02 32.21	+18 43 42.9		411
(2880)	1994 10 07.60764	01 19 16.62	+03 52 36.3		400	1983 VN ₇	1994 10 31.74652	04 10 07.73	+18 24 59.6		411
403 Kani						1983 VN ₇	1994 10 31.76030	04 10 07.24	+18 24 57.7		411
T. Furuta, Mitsuike 17-2, Kakiya-Cho, Tokai, Aichi-Ken 477, Japan						1990 BK	1994 10 31.74652	04 10 53.31	+18 50 10.8		411
Observer Y. Mizuno						1990 BK	1994 10 31.76030	04 10 52.78	+18 50 09.7		411
Measurer T. Furuta						1990 QD ₂	1994 10 31.71451	04 08 40.64	+18 15 04.9		411
0.20-m <i>f</i> /4.0 hyperboloid astrocamera						1990 QD ₂	1994 10 31.72829	04 08 39.89	+18 15 02.8		411
GSC						1992 DA	1994 11 03.61997	04 25 03.60	+24 37 06.8		411
1994 UN	* 1994 10 31.56314	03 08 22.24	+20 17 34.1	16.5	403	1992 DA	1994 11 03.63366	04 25 02.86	+24 37 07.5		411
1994 UN	1994 10 31.57778	03 08 21.12	+20 17 33.1		403	1993 GB ₁	1994 11 04.61903	03 44 27.45	+16 55 21.7	17.5	411
410 Sengamine						1993 GB ₁	1994 11 04.63271	03 44 26.50	+16 55 18.7		411
K. Ito, 4-13-7, Sakuragaoka Higashi Mati, Nishi-ku, Kobe 651-22, Japan						1993 GB ₁	1994 11 08.57178	03 40 08.97	+16 37 57.7		411
[peh01737@niftyserve.or.jp]						1993 GB ₁	1994 11 08.59510	03 40 07.29	+16 37 51.7		411
0.20-m <i>f</i> /6.0 reflector + CCD						1994 AH	1994 01 15.52734	06 49 05.98	+20 54 57.5		411
GSC						1994 AH	1994 01 15.53399	06 49 05.63	+20 54 58.7		411
1990 VY ₂	1994 10 30.54519	03 24 49.58	+23 41 18.3	15.6 V	410	1994 AH	1994 01 15.53720	06 49 05.48	+20 54 59.8		411
1990 VY ₂	1994 10 30.54842	03 24 49.40	+23 41 18.2		410	1994 AH	1994 02 01.48031	06 36 46.38	+21 23 18.6		411
1990 VY ₂	1994 11 04.62337	03 19 39.21	+23 33 43.8	15.5 V	410	1994 AH	1994 02 01.48353	06 36 46.07	+21 23 18.5		411
1990 VY ₂	1994 11 04.62620	03 19 39.02	+23 33 43.3		410	1994 AH	1994 02 01.49041	06 36 45.97	+21 23 20.1		411
1990 VY ₂	1994 11 04.62976	03 19 38.78	+23 33 42.1		410	1994 UH	* 1994 10 31.65073	04 02 59.73	+16 45 39.4	16.5	411
1994 RH ₉	1994 10 25.48682	23 46 07.84	+08 26 08.4	16.1 V	410	1994 UH	1994 10 31.66442	04 02 59.12	+16 45 36.8		411
						1994 UH	1994 11 01.67294	04 02 13.44	+16 43 06.7		411
						1994 UH	1994 11 01.68552	04 02 12.83	+16 43 04.4		411

1994 UJ	* 1994 10 31.65524	04 01 42.66	+18 00 34.6	16.5	411	1994 VF	* 1994 11 01.61200	02 49 29.77	+19 33 15.4	16.5	411
1994 UJ	1994 10 31.66895	04 01 41.88	+18 00 34.5		411	1994 VF	1994 11 01.62513	02 49 28.92	+19 33 11.4		411
1994 UJ	1994 11 01.67042	04 00 48.22	+18 00 23.7		411	1994 VF	1994 11 02.62471	02 48 31.34	+19 28 39.7		411
1994 UJ	1994 11 01.68300	04 00 47.50	+18 00 23.6		411	1994 VF	1994 11 02.64341	02 48 30.17	+19 28 34.3		411
1994 UK	* 1994 10 31.65977	04 03 26.65	+19 24 16.6	17	411	1994 VG	* 1994 11 01.61638	02 49 36.03	+20 34 51.7	16.5	411
1994 UK	1994 10 31.67347	04 03 26.09	+19 24 16.1		411	1994 VG	1994 11 01.62951	02 49 35.04	+20 34 52.4		411
1994 UK	1994 11 01.67798	04 02 43.30	+19 23 43.5		411	1994 VG	1994 11 02.62204	02 48 25.45	+20 35 55.3		411
1994 UK	1994 11 01.69052	04 02 42.77	+19 23 43.3		411	1994 VG	1994 11 02.64075	02 48 24.05	+20 35 56.0		411
1994 UL	* 1994 10 31.68486	04 03 50.95	+18 01 37.5	16.5	411	1994 VH	* 1994 11 01.64049	02 51 37.13	+19 19 01.1	15.5	411
1994 UL	1994 10 31.69858	04 03 50.27	+18 01 40.5		411	1994 VH	1994 11 01.65367	02 51 36.24	+19 19 03.1		411
1994 UL	1994 11 01.69304	04 03 01.26	+18 04 21.7		411	1994 VH	1994 11 02.52929	02 50 39.60	+19 20 44.3		411
1994 UL	1994 11 01.70553	04 03 00.65	+18 04 23.6		411	1994 VH	1994 11 02.53183	02 50 39.43	+19 20 44.3		411
1994 UM	* 1994 10 31.71906	04 06 22.36	+19 11 40.7	17	411	1994 VH	1994 11 02.53690	02 50 39.08	+19 20 45.4		411
1994 UM	1994 10 31.73282	04 06 21.74	+19 11 40.1		411	1994 VJ	* 1994 11 01.49405	02 39 19.72	+18 13 24.3	17	411
1994 UM	1994 11 01.70050	04 05 40.74	+19 10 02.6		411	1994 VJ	1994 11 01.50715	02 39 18.93	+18 13 21.9		411
1994 UM	1994 11 01.71306	04 05 40.12	+19 10 00.4		411	1994 VJ	1994 11 02.65098	02 38 13.45	+18 08 11.9		411
1994 UO	* 1994 10 31.68032	04 04 33.67	+16 28 36.9	17	411	1994 VJ	1994 11 02.69142	02 38 11.01	+18 08 00.1		411
1994 UO	1994 10 31.69405	04 04 33.02	+16 28 33.3		411	1994 VK	* 1994 11 01.52679	02 41 23.99	+19 20 20.7	17	411
1994 UO	1994 11 03.57156	04 02 29.62	+16 20 29.7		411	1994 VK	1994 11 01.53990	02 41 23.38	+19 20 19.8		411
1994 UO	1994 11 03.59173	04 02 28.59	+16 20 26.9		411	1994 VK	1994 11 02.65784	02 40 25.22	+19 18 00.0		411
1994 UP	* 1994 10 31.68939	04 05 14.41	+19 31 30.8	17	411	1994 VK	1994 11 02.69827	02 40 22.97	+19 17 55.2		411
1994 UP	1994 10 31.70310	04 05 13.80	+19 31 29.8		411	1994 VL	* 1994 11 01.55517	02 45 20.78	+19 38 18.2	17	411
1994 UP	1994 11 03.57502	04 03 04.54	+19 27 25.1		411	1994 VL	1994 11 01.56826	02 45 19.89	+19 38 18.9		411
1994 UP	1994 11 03.59518	04 03 03.58	+19 27 23.9		411	1994 VL	1994 11 02.66120	02 44 13.29	+19 38 16.5		411
1994 UQ	* 1994 10 31.71678	04 06 46.27	+18 32 02.0	17	411	1994 VL	1994 11 02.70161	02 44 10.79	+19 38 16.8		411
1994 UQ	1994 10 31.73056	04 06 45.54	+18 32 02.2		411	1994 VM	* 1994 11 01.55517	02 45 43.98	+19 32 55.5	17	411
1994 UQ	1994 11 03.57838	04 04 17.95	+18 35 00.2		411	1994 VM	1994 11 01.56826	02 45 43.26	+19 32 48.0		411
1994 UQ	1994 11 03.59854	04 04 16.80	+18 35 01.0		411	1994 VM	1994 11 02.66447	02 44 44.06	+19 23 46.9		411
1994 UR	* 1994 10 31.74198	04 09 19.97	+17 07 52.9	17.5	411	1994 VM	1994 11 02.70490	02 44 41.90	+19 23 27.0		411
1994 UR	1994 10 31.75575	04 09 19.42	+17 07 52.4		411	1994 VM	1994 11 03.53062	02 43 57.82	+19 16 35.3		411
1994 UR	1994 11 03.58178	04 07 19.54	+17 06 54.7		411	1994 VM	1994 11 03.55063	02 43 56.71	+19 16 25.4		411
1994 UR	1994 11 03.60193	04 07 18.52	+17 06 55.5		411	1994 VN	* 1994 11 01.58138	02 48 33.55	+18 27 42.2	17	411
1994 VA	* 1994 11 01.50061	02 39 50.70	+19 47 55.1	16.5	411	1994 VN	1994 11 01.59449	02 48 32.85	+18 27 41.1		411
1994 VA	1994 11 01.51370	02 39 50.01	+19 47 47.5		411	1994 VN	1994 11 03.53730	02 46 51.89	+18 23 46.8		411
1994 VA	1994 11 02.61135	02 38 47.95	+19 35 36.6		411	1994 VN	1994 11 03.55730	02 46 50.77	+18 23 43.7		411
1994 VA	1994 11 02.63007	02 38 46.89	+19 35 24.5		411	1994 VO	* 1994 11 01.61419	02 49 43.47	+20 13 42.4	17.5	411
1994 VB	* 1994 11 01.58138	02 47 19.09	+18 48 00.9	16.5	411	1994 VO	1994 11 01.62733	02 49 42.59	+20 13 39.8		411
1994 VB	1994 11 01.59449	02 47 18.06	+18 48 03.7		411	1994 VO	1994 11 03.54065	02 47 46.02	+20 06 46.9		411
1994 VB	1994 11 02.61412	02 46 03.68	+18 50 40.1		411	1994 VO	1994 11 03.56065	02 47 44.83	+20 06 42.0		411
1994 VB	1994 11 02.63282	02 46 02.25	+18 50 42.9		411	1994 VP	* 1994 11 01.63829	02 51 38.96	+18 39 04.0	17.5	411
1994 VC	* 1994 11 01.58138	02 47 21.73	+18 43 40.4	16.5	411	1994 VP	1994 11 01.65147	02 51 37.89	+18 39 02.8		411
1994 VC	1994 11 01.59449	02 47 20.84	+18 43 37.9		411	1994 VP	1994 11 03.54400	02 49 19.62	+18 39 54.8		411
1994 VC	1994 11 02.61668	02 46 17.11	+18 39 50.0		411	1994 VP	1994 11 03.56400	02 49 18.11	+18 39 54.7		411
1994 VC	1994 11 02.63539	02 46 15.90	+18 39 45.5		411	1994 VQ	* 1994 11 01.57919	02 48 09.98	+17 51 29.2	17	411
1994 VD	* 1994 11 01.60762	02 48 53.41	+18 05 19.2	16.5	411	1994 VQ	1994 11 01.59230	02 48 09.22	+17 51 25.7		411
1994 VD	1994 11 01.62075	02 48 52.73	+18 05 10.9		411	1994 VQ	1994 11 03.53398	02 46 17.71	+17 45 12.0		411
1994 VD	1994 11 02.61931	02 48 04.22	+17 54 07.9		411	1994 VQ	1994 11 03.55398	02 46 16.55	+17 45 08.5		411
1994 VD	1994 11 02.63801	02 48 03.28	+17 53 56.0		411	1994 VR	* 1994 11 03.62222	04 23 30.83	+25 17 49.1	17	411
1994 VE	* 1994 11 01.61200	02 49 06.05	+19 23 10.4	17	411	1994 VR	1994 11 03.63591	04 23 30.13	+25 17 51.8		411
1994 VE	1994 11 01.62513	02 49 05.10	+19 23 10.3		411	1994 VR	1994 11 04.55571	04 22 43.66	+25 21 23.5		411
1994 VE	1994 11 02.62471	02 47 54.83	+19 23 43.6		411	1994 VR	1994 11 04.57187	04 22 42.73	+25 21 26.6		411
1994 VE	1994 11 02.64341	02 47 53.45	+19 23 43.9		411	1994 VS	* 1994 11 03.67906	04 27 39.64	+24 49 42.9	17	411

417 Yanagida Astronomical Observatory

A. Tsuchikawa, Robu 1-1, Kanmachi, Fugeshi-gun, Ishikawa-ken, 928-03, Japan

Observer A. Tsuchikawa

Measurer O. Muramatsu

0.25-m $f/3.4$ reflector

GSC

1994 TD ₁₅	* 1994 10 14.74306	02 01 38.34	+03 11 08.3	16.0	417
1994 TD ₁₅	1994 10 14.76762	02 01 36.41	+03 11 23.5	16.0	417
1994 TD ₁₅	1994 10 23.43571	01 51 12.04	+04 41 21.9	16.0	p 417

474 Mount John

A. C. Gilmore, P.O. Box 57, Lake Tekapo, New Zealand

[phys162@csc.canterbury.ac.nz]

Observer A. C. Gilmore

Measurer P. M. Kilmartin

0.6-m $f/14$ Cassegrain reflector

PPM, CPC, CPC2, field plates from Carter Observatory

1989 OM	1994 09 30.38959	19 27 12.54	-42 18 26.9		474
1989 OM	1994 09 30.41517	19 27 14.81	-42 18 07.4		474
1989 OM	1994 10 01.46344	19 28 50.73	-42 04 39.0		474
1989 OM	1994 10 02.46843	19 30 23.96	-41 51 41.1		474
1989 OM	1994 10 02.49007	19 30 25.94	-41 51 24.0		474
1994 LC ₁	1994 10 02.63058	23 08 40.49	-16 35 47.2	17.8	474
1994 LC ₁	1994 10 02.64389	23 08 40.56	-16 35 15.6		474
1994 PN	1994 10 02.38197	16 38 08.77	-47 25 57.0	18.9	474
1994 PN	1994 10 02.42138	16 38 13.66	-47 27 32.0		474
1994 PN	1994 10 28.45753	18 02 30.80	-62 42 55.0		474
1994 PN	1994 10 28.49365	18 02 41.21	-62 43 56.4		474
1994 PN	1994 10 31.40441	18 17 43.59	-64 05 46.7		474
1994 PN	1994 10 31.43398	18 17 53.23	-64 06 33.6		474
1994 RZ	1994 09 30.46922	22 59 17.19	-05 16 06.2	19.0	474
1994 RZ	1994 09 30.49700	22 59 16.04	-05 16 10.8		474
1994 RZ	1994 10 02.52537	22 58 04.47	-05 19 46.6	18.7	474
1994 RZ	1994 10 02.55639	22 58 03.32	-05 19 48.1		474
(5086)	1994 09 30.46922	23 00 05.54	-05 22 59.2	18.5	474
(5086)	1994 09 30.49700	23 00 04.38	-05 23 10.0		474
(5086)	1994 10 02.52537	22 58 49.12	-05 35 51.2	18.5	474
(5086)	1994 10 02.55639	22 58 47.94	-05 36 01.9		474
(5086)	1994 10 05.52039	22 57 10.27	-05 53 09.9	17.7	474
(5086)	1994 10 05.54968	22 57 09.25	-05 53 19.2		474
(6142)	1994 09 30.46922	22 58 18.69	-05 16 10.6	18.5	474
(6142)	1994 09 30.49700	22 58 17.53	-05 16 20.1		474
(6142)	1994 10 02.52537	22 57 00.90	-05 27 09.1	18.8	474
(6142)	1994 10 02.55639	22 56 59.69	-05 27 18.2		474
(6142)	1994 10 05.52039	22 55 17.52	-05 42 06.1	17.2	474
(6142)	1994 10 05.54968	22 55 16.52	-05 42 15.1		474

482 St. Andrews

F. Vincent, University Observatory, Buchanan Gardens, St. Andrews, Fife

KY16 9LZ, Scotland [fv@st-andrews.ac.uk]

Observers F. Vincent, P. W. Hill, A. Allan, J. R. Stapleton

Measurer F. Vincent

(1620)	1994 09 08.97106	21 29 51.28	+02 38 10.4		482
(1620)	1994 09 08.97685	21 29 51.35	+02 38 32.8		482
(1620)	1994 09 23.90002	21 37 42.47	+10 30 44.4		482
(1620)	1994 09 23.90580	21 37 42.58	+10 30 52.9		482
(1620)	1994 10 03.82108	21 45 39.43	+11 59 58.0		482
(1620)	1994 10 07.88711	21 49 33.34	+12 19 48.3		482
(1620)	1994 10 07.89361	21 49 33.78	+12 19 49.6		482
(1620)	1994 10 07.90013	21 49 34.05	+12 19 51.3		482
(1620)	1994 10 10.90118	21 52 41.37	+12 31 05.9		482

494 Stakenbridge

B. G. W. Manning, Moonrakers, Stakenbridge, Churchill, Kidderminster, Worcs.

DY10 3LS, England [bgwm@star.sr.bham.ac.uk]

0.2-m $f/6.5$ reflector + CCD, 0.26-m $f/7.3$ reflector + CCD

PPM

1989 WN ₁	1994 10 26.96850	01 49 39.30	+01 47 38.2		494
1989 WN ₁	1994 10 26.98743	01 49 38.33	+01 47 37.7		494
1991 AF ₁	1994 11 06.81082	00 06 10.72	+14 55 35.8		494
1991 AF ₁	1994 11 06.82823	00 06 10.39	+14 55 30.1		494
1994 UD	* 1994 10 26.96850	01 51 51.49	+01 14 06.8		494
1994 UD	1994 10 26.98743	01 51 50.38	+01 14 07.3		494
1994 UD	1994 10 31.89346	01 47 22.54	+01 16 50.4		494
1994 UD	1994 10 31.92927	01 47 20.54	+01 16 52.8		494

511 Haute Provence

E. W. Elst, Royal Observatory, B-1180 Brussels, Belgium [elst@atmos.oma.be]

Observers E. W. Elst, G. Traversa

Measurer E. W. Elst

0.6-m Schmidt

1987 OO	1987 07 28.04861	21 41 36.38	+07 17 21.3		511
1987 OO	1987 07 31.98403	21 39 08.01	+07 32 18.2		511
1987 OO	1987 08 01.00694	21 39 07.18	+07 32 21.1		511

540 Linz

E. Meyer, F. Marklstrasse 1/62, A-4040 Linz, Austria [k3032e0@cxmeta.edvz.uni-linz.ac.at]

Observers E. Meyer, E. Obermair, H. Raab

0.30-m $f/5.2$ Schmidt Cassegrain + CCD

GSC

1994 RH	1994 10 31.81488	21 33 13.20	+12 08 49.6	17.2 R	540
1994 RH	1994 10 31.82273	21 33 13.36	+12 08 56.0	17.2 R	540
1994 RH	1994 10 31.83226	21 33 13.63	+12 09 02.7	17.2 R	540
1994 UC	1994 10 29.85932	00 33 34.08	+14 41 46.3	16.1 R	540
1994 UC	1994 10 29.86352	00 33 33.90	+14 41 45.5	16.0 R	540
1994 UC	1994 10 29.91412	00 33 31.67	+14 41 36.3	16.1 R	540
1994 UC	1994 10 29.92465	00 33 31.23	+14 41 34.6	16.3 R	540
1994 UC	1994 10 31.76142	00 32 17.16	+14 36 07.0	15.9 R	540
1994 UC	1994 10 31.78559	00 32 16.17	+14 36 02.7	16.1 R	540
1994 UC	1994 10 31.79623	00 32 15.73	+14 36 01.1	16.0 R	540
1994 UC	1994 10 31.80036	00 32 15.56	+14 36 00.2	15.9 R	540
1994 UC	1994 11 01.75895	00 31 39.05	+14 33 11.8	16.0 R	540
1994 UC	1994 11 01.76311	00 31 38.87	+14 33 11.0	15.9 R	540
1994 UC	1994 11 01.78654	00 31 37.98	+14 33 07.1	16.1 R	540

1994 TA 1994 11 01.32785 01 10 34.99 +02 03 18.6 23 R 568
 1994 TA 1994 11 01.35657 01 10 34.69 +02 03 16.7 568

587 Sormano

P. Sicoli, Via Valli 9, I-22040 Garbagnate Monastero (Como), Italy

[sormano@icil64.cilea.it]

Observers P. Sicoli, V. Giuliani, A. Testa, P. Ghezzi, M. Cavagna, E. Galliani,
 F. Manca

Measurer P. Sicoli

0.5-m reflector + CCD

GSC

1991 BY ₂	1994 10 09.78764	19 15 10.76	-01 24 57.1	587
1991 BY ₂	1994 10 15.79042	19 20 15.30	+00 13 31.8	587
1994 LC ₁	1994 10 29.84045	23 24 14.42	-02 03 44.6	587
1994 LC ₁	1994 10 29.84392	23 24 14.59	-02 03 39.7	587
1994 LC ₁	1994 10 29.84901	23 24 14.89	-02 03 31.0	587
1994 NO	1994 10 15.78385	19 56 45.62	+05 36 18.8	587
1994 NO	1994 10 15.79841	19 56 46.93	+05 36 16.1	587
1994 RH	1994 10 29.80932	21 32 27.08	+11 43 33.3	587
1994 RH	1994 10 29.81528	21 32 27.22	+11 43 37.3	587
1994 RH	1994 10 29.82251	21 32 27.27	+11 43 42.3	587
1994 RZ	1994 10 24.82651	22 53 39.38	-05 14 14.2	587
1994 RZ	1994 10 24.84897	22 53 39.59	-05 14 12.3	587
1994 RZ	1994 10 24.88532	22 53 39.80	-05 14 07.1	587
1994 TC	1994 10 24.80452	22 19 55.80	-14 47 54.0	587
1994 TC	1994 10 24.82001	22 19 56.38	-14 48 04.3	587
1994 TD	1994 10 15.93533	01 52 04.96	+08 25 39.6	587
1994 TD	1994 10 15.94358	01 52 04.62	+08 25 36.7	16.9 V 587
1994 TD	1994 10 15.94969	01 52 04.33	+08 25 36.0	587
1994 TD	1994 10 24.85763	01 45 18.38	+07 36 25.3	587
1994 TD	1994 10 24.87634	01 45 17.41	+07 36 18.8	587
1994 TW ₁	1994 10 29.78972	21 21 16.51	-16 59 52.4	587
1994 TW ₁	1994 10 29.79410	21 21 16.36	-16 59 40.9	587
1994 TW ₁	1994 10 29.80011	21 21 16.19	-16 59 24.8	587
(1766)	1994 10 04.88863	01 21 38.48	+07 12 39.0	587
(1766)	1994 10 04.92938	01 21 36.58	+07 12 21.5	587
(1766)	1994 10 10.96621	01 16 56.54	+06 29 05.5	587
(1766)	1994 10 10.97029	01 16 56.34	+06 29 03.4	587
(2967)	1994 10 04.88307	00 44 32.67	-07 52 12.5	587
(2967)	1994 10 04.89348	00 44 32.07	-07 52 12.3	587
(2967)	1994 10 10.93885	00 38 51.91	-07 46 38.8	587
(2967)	1994 10 10.95131	00 38 51.21	-07 46 37.4	587
(3452)	1994 10 04.94818	01 59 57.83	+09 29 08.9	587
(3452)	1994 10 04.96172	01 59 57.11	+09 29 06.3	587
(3452)	1994 10 10.92075	01 54 36.07	+09 05 15.5	587
(3452)	1994 10 10.93186	01 54 35.42	+09 05 12.8	587

589 Santa Lucia Stroncone

A. Vagnozzi, Via Santa Lucia 68, I-05039 Stroncone (Terni), Italy

[vagnozzi@astrom.astro.it]

Observers A. Vagnozzi, E. Gregori, V. Risoldi, F. Lombardi

0.50-m $f/2.8$ Ritchey-Chrétien + CCD

GSC

1994 TX ₁	1994 10 11.85956	01 13 12.18	+12 58 39.8	19.6 V 589
1994 TX ₁	1994 10 11.86986	01 13 11.53	+12 58 40.6	589
1994 TX ₁	1994 10 11.88022	01 13 10.93	+12 58 40.7	589
1994 TX ₁	1994 10 25.84918	00 59 45.73	+12 58 16.7	19.1 V 589
1994 TX ₁	1994 10 25.87799	00 59 44.07	+12 58 15.7	589
1994 TX ₁	1994 10 25.89329	00 59 43.29	+12 58 14.1	589
1994 TX ₁	1994 10 25.90794	00 59 42.44	+12 58 16.1	589
1994 UA	* 1994 10 25.84918	01 00 16.94	+13 03 54.5	18.1 V 589
1994 UA	1994 10 25.87799	01 00 15.86	+13 03 38.7	589
1994 UA	1994 10 25.90794	01 00 14.77	+13 03 23.3	589
1994 UA	1994 10 27.75053	00 59 13.04	+12 47 18.0	589
1994 UA	1994 10 27.82121	00 59 10.56	+12 46 41.1	589

595 Farra d'Isonzo

L. Bittesini, Via dei Conventi 10, I-34070 Farra D'Isonzo (GO), Italy

[bittesini@38439.span]

Observers E. Pettarin, G. Lombardi, W. Boschin, L. Bittesini, A. Toso,

A. Mariazzi, P. Beltrane

Measurers E. Pettarin, A. Toso

0.4-m $f/4.5$ reflector + CCD

GSC

1993 FX ₂₅	1994 10 12.89369	00 31 52.54	+08 34 46.1	595
1993 FX ₂₅	1994 10 12.92480	00 31 50.56	+08 34 35.5	595
1993 FX ₂₅	1994 10 13.89801	00 30 56.33	+08 29 50.6	595
1993 FX ₂₅	1994 10 13.91153	00 30 55.54	+08 29 48.0	18.5 V 595
1993 KD	1994 10 09.92034	00 36 35.26	+05 41 47.8	18.0 V 595
1993 KD	1994 10 09.94796	00 36 33.84	+05 41 33.2	595
1993 KD	1994 10 10.96503	00 35 43.09	+05 32 04.6	595
1993 KD	1994 10 10.97834	00 35 42.37	+05 31 56.7	595
1994 RA	1994 10 09.00537	00 40 06.27	-00 45 16.0	595
1994 RA	1994 10 09.01647	00 40 05.75	-00 45 21.9	18.6 V 595
1994 RA	1994 10 09.88520	00 39 29.35	-00 53 41.1	595
1994 RA	1994 10 09.89656	00 39 28.90	-00 53 47.3	595
1994 SD	1994 10 12.03931	00 35 50.62	+07 11 26.6	17.9 V 595
1994 SD	1994 10 12.05314	00 35 50.06	+07 11 17.4	595
1994 SG	1994 10 12.94756	00 31 13.86	+08 43 31.2	595
1994 SG	1994 10 12.96082	00 31 13.03	+08 43 28.1	19.0 V 595
1994 SG	1994 10 12.97493	00 31 12.18	+08 43 24.2	595
1994 SG	1994 10 13.96867	00 30 17.49	+08 39 29.1	595
1994 SG	1994 10 13.98510	00 30 16.45	+08 39 26.8	595
1994 TJ	1994 10 11.99973	00 33 01.29	+08 46 04.6	595
1994 TJ	1994 10 12.01288	00 33 00.50	+08 46 02.2	18.0 V 595
1994 TJ	1994 10 12.99632	00 32 06.09	+08 42 38.8	18.0 V 595
1994 TJ	1994 10 13.01017	00 32 05.35	+08 42 35.8	595
1994 TJ	1994 10 13.89801	00 31 17.13	+08 39 31.9	595
1994 TJ	1994 10 13.91153	00 31 16.37	+08 39 29.4	595
1994 TF ₃	1994 10 12.94756	00 30 50.58	+08 47 35.4	595
1994 TF ₃	* 1994 10 12.96082	00 30 49.79	+08 47 34.6	595
1994 TF ₃	1994 10 14.05093	00 29 48.29	+08 46 34.8	595
1994 TF ₃	1994 10 14.06454	00 29 47.54	+08 46 34.0	18.4 V 595
1994 TG ₃	1994 10 12.94756	00 31 25.20	+08 48 10.4	595
1994 TG ₃	* 1994 10 12.96082	00 31 24.47	+08 48 08.8	17.7 V 595
1994 TG ₃	1994 10 12.97493	00 31 23.81	+08 48 06.4	595

1994 TG ₃	1994 10 14.05093	00 30 30.23	+08 45 51.9		595	1994 TT ₁	1994 10 12.74553	23 15 49.52	+05 10 55.6	17.2 V	596
1994 TG ₃	1994 10 14.06454	00 30 29.54	+08 45 49.6		595	1994 TT ₁	1994 10 12.77308	23 15 48.25	+05 10 56.7		596
1994 TH ₃	1994 10 12.99632	00 31 46.52	+08 38 57.3		595	1994 TY ₁	1994 10 13.83316	01 15 55.00	+12 23 36.6	17.5 V	596
1994 TH ₃	* 1994 10 13.01017	00 31 45.82	+08 38 50.5		595	1994 TY ₁	1994 10 13.87891	01 15 52.03	+12 23 21.9		596
1994 TH ₃	1994 10 13.89801	00 31 08.59	+08 31 36.9	18.7 V	595	1994 TB ₂	1994 10 12.74553	23 16 36.76	+05 08 11.3	16.3 V	596
1994 TH ₃	1994 10 13.91153	00 31 08.00	+08 31 30.3		595	1994 TB ₂	1994 10 12.77308	23 16 36.08	+05 07 58.2		596
1994 TJ ₃	1994 10 12.99632	00 31 48.52	+08 38 53.1		595	1994 TB ₂	1994 10 12.80325	23 16 35.35	+05 07 43.2		596
1994 TJ ₃	* 1994 10 13.01017	00 31 47.61	+08 38 52.2	18.8 V	595	1994 TC ₂	1994 10 12.74553	23 16 26.50	+05 17 39.9	16.9 V	596
1994 TJ ₃	1994 10 13.89801	00 30 56.41	+08 37 25.3		595	1994 TC ₂	1994 10 12.78659	23 16 25.07	+05 17 32.7		596
1994 TJ ₃	1994 10 13.91153	00 30 55.45	+08 37 23.9		595	1994 TC ₂	1994 10 12.80325	23 16 24.54	+05 17 29.3		596
2064 P-L	1994 10 12.99632	00 31 51.47	+08 42 21.2		595	1994 TD ₂	1994 10 12.88198	03 08 24.33	+13 00 43.1	15.9 V	596
2064 P-L	1994 10 13.01017	00 31 50.84	+08 42 16.9	18.3 V	595	1994 TD ₂	1994 10 12.91382	03 08 22.79	+13 00 42.2		596
2064 P-L	1994 10 13.89801	00 31 13.13	+08 38 11.0		595	1994 TD ₂	1994 10 12.94426	03 08 21.26	+13 00 41.4		596
2064 P-L	1994 10 13.91153	00 31 12.49	+08 38 08.8		595	1994 TD ₂	1994 10 14.90979	03 06 47.04	+12 59 38.5	17.0 V	596
596 Colleverde di Guidonia											
V. S. Casulli, Via M. Rosa 1, I-00010 Colleverde di Guidonia (RM), Italy											
[casulli@astrom.astro.it]											
Observers V. S. Casulli, S. Valentini											
0.31-m <i>f</i> /2.8 Baker-Schmidt + CCD											
GSC											
1973 SR ₆	1994 10 14.98097	04 52 08.08	+32 37 51.4	16.4 V	596	1994 TD ₂	1994 10 14.93494	03 06 45.78	+12 59 37.8		596
1973 SR ₆	1994 10 15.00201	04 52 07.97	+32 38 05.1		596	1994 TD ₂	1994 10 14.95061	03 06 44.84	+12 59 37.4		596
1973 SR ₆	1994 10 15.01184	04 52 08.26	+32 38 11.2		596	1994 TD ₂	1994 10 27.83454	02 53 50.59	+12 48 01.5	16.9 V	596
1983 VN ₇	1994 10 27.92212	04 12 25.80	+18 33 08.7	16.6 V	596	1994 TD ₂	1994 10 27.85863	02 53 48.93	+12 47 59.9		596
1983 VN ₇	1994 10 27.94641	04 12 24.78	+18 33 05.8		596	1994 TD ₂	1994 10 27.87366	02 53 47.87	+12 47 58.8		596
1983 VN ₇	1994 10 27.95985	04 12 24.17	+18 33 04.1		596	1994 TD ₂	1994 10 31.84289	02 49 14.80	+12 43 32.7	16.9 V	596
1988 EL	1994 10 30.92756	06 52 13.21	+51 42 42.1	16.3 V	596	1994 TD ₂	1994 10 31.87487	02 49 12.53	+12 43 30.2		596
1988 EL	1994 10 30.94193	06 52 14.18	+51 42 56.6		596	1994 TD ₂	1994 10 31.88858	02 49 11.49	+12 43 29.9		596
1988 EL	1994 10 30.96458	06 52 15.42	+51 43 17.6		596	1994 TK ₃	* 1994 10 11.90309	03 08 16.95	+12 54 24.7	17.4 V	596
1989 SE ₂	1994 10 12.88198	03 08 50.57	+12 50 19.3	16.8 V	596	1994 TK ₃	1994 10 11.92838	03 08 15.89	+12 54 20.0		596
1989 SE ₂	1994 10 12.91382	03 08 49.45	+12 50 16.4		596	1994 TK ₃	1994 10 11.94899	03 08 15.32	+12 54 19.2		596
1989 SE ₂	1994 10 12.94426	03 08 48.15	+12 50 11.9		596	1994 TK ₃	1994 10 13.90623	03 07 04.18	+12 48 12.3	17.5 V	596
1989 SE ₂	1994 11 04.86808	02 50 27.27	+11 50 35.6	17.3 V	596	1994 TK ₃	1994 10 13.93513	03 07 03.10	+12 48 07.1		596
1989 SE ₂	1994 11 04.88094	02 50 26.56	+11 50 33.6		596	1994 TK ₃	1994 10 13.95345	03 07 02.46	+12 48 01.4		596
1989 SE ₂	1994 11 05.80377	02 49 36.89	+11 48 07.0	17.4 V	596	1994 TK ₃	1994 10 27.88541	02 56 46.04	+12 00 22.9	17.5 V	596
1989 SE ₂	1994 11 05.84242	02 49 34.84	+11 48 00.8		596	1994 TK ₃	1994 10 27.90065	02 56 45.30	+12 00 18.8		596
1989 SE ₂	1994 11 05.87080	02 49 33.33	+11 47 56.4		596	1994 TK ₃	1994 10 27.91162	02 56 44.75	+12 00 15.6		596
1990 QD ₂	1994 10 27.92212	04 11 53.67	+18 24 24.1	16.4 V	596	1994 TK ₃	1994 10 31.86572	02 53 25.56	+11 46 08.6	17.5 V	596
1990 QD ₂	1994 10 27.94641	04 11 52.45	+18 24 21.0		596	1994 TK ₃	1994 10 31.88166	02 53 24.72	+11 46 05.6		596
1990 QD ₂	1994 10 27.95985	04 11 51.72	+18 24 19.1		596	1994 TK ₃	1994 10 31.89610	02 53 24.02	+11 46 02.8		596
1990 WA	1994 11 05.00038	07 12 24.47	+16 14 05.1	16.6 V	596	1994 TK ₃	1994 11 06.82619	02 48 17.72	+11 25 13.8	17.3 V	596
1990 WA	1994 11 05.01424	07 12 26.48	+16 14 35.4		596	1994 TK ₃	1994 11 06.84623	02 48 16.82	+11 25 09.9		596
1990 WA	1994 11 05.02800	07 12 28.45	+16 15 05.7		596	1994 TK ₃	1994 11 06.87220	02 48 15.54	+11 25 04.0		596
1991 VX ₁	1994 10 31.01733	06 39 23.92	+09 31 17.6	16.7 V	596	1994 TK ₃	1994 11 08.83228	02 46 34.13	+11 18 25.5	17.2 V	596
1991 VX ₁	1994 10 31.03692	06 39 24.56	+09 30 59.5		596	1994 TK ₃	1994 11 08.85286	02 46 33.04	+11 18 21.5		596
1991 VX ₁	1994 10 31.05547	06 39 25.10	+09 30 41.0		596	1994 TK ₃	1994 11 08.86932	02 46 32.22	+11 18 18.1		596
1993 MS ₁	1994 10 29.89436	03 54 21.14	+19 21 49.2	16.2 V	596	1994 UE	* 1994 10 31.86572	02 53 34.66	+11 55 58.1	16.0 V	596
1993 MS ₁	1994 10 29.92584	03 54 19.63	+19 21 37.8		596	1994 UE	1994 10 31.88166	02 53 33.68	+11 55 59.0		596
1993 MS ₁	1994 10 29.93872	03 54 19.01	+19 21 32.9		596	1994 UE	1994 10 31.89610	02 53 32.79	+11 55 59.8		596
1994 RB ₁	1994 10 06.77679	23 20 19.63	+05 11 37.2	17.0 V	596	1994 UE	1994 11 01.87218	02 52 34.83	+11 56 41.5		596
1994 RB ₁	1994 10 06.80505	23 20 18.61	+05 11 23.8		596	1994 UE	1994 11 01.88278	02 52 34.12	+11 56 42.2		596
1994 RB ₁	1994 10 06.81920	23 20 18.11	+05 11 16.9		596	1994 UE	1994 11 01.89726	02 52 33.14	+11 56 43.0		596
						1994 UE	1994 11 04.86808	02 49 34.09	+11 58 57.9	16.5 V	596
						1994 UE	1994 11 04.88094	02 49 33.25	+11 58 58.7		596
						1994 UE	1994 11 05.81433	02 48 36.66	+11 59 43.7	16.3 V	596
						1994 UE	1994 11 05.84737	02 48 34.63	+11 59 45.6		596
						1994 VX	* 1994 11 04.86808	02 50 15.89	+11 50 46.5	17.4 V	596
						1994 VX	1994 11 04.88094	02 50 15.20	+11 50 40.1		596

1994 VX	1994 11 05.81433	02 49 21.87	+11 42 18.5	17.5 V	596	(322)	1993 11 11.34508	02 18 02.05	+21 22 50.2	657
1994 VX	1994 11 05.84737	02 49 19.81	+11 41 59.4		596	(523)	1994 10 02.20417	23 58 21.07	+06 54 51.1	657
1994 VX	1994 11 06.82619	02 48 23.80	+11 33 21.4	17.3 V	596	(523)	1994 10 02.24028	23 58 19.48	+06 54 39.2	657
1994 VX	1994 11 06.84623	02 48 22.58	+11 33 09.4		596	(523)	1994 10 02.25347	23 58 18.80	+06 54 34.5	657
1994 VX	1994 11 06.87220	02 48 21.00	+11 32 54.1		596	(611)	1993 09 12.21944	22 35 47.72	+00 51 47.4	657
1994 VX	1994 11 08.83228	02 46 29.87	+11 15 47.8	17.4 V	596	(611)	1993 09 12.29236	22 35 44.74	+00 51 10.4	657
1994 VX	1994 11 08.85286	02 46 28.59	+11 15 36.5		596	(690)	1993 11 11.34508	02 20 10.61	+23 30 52.0	657
1994 VX	1994 11 08.86932	02 46 27.68	+11 15 27.4		596	(709)	1993 09 12.21944	22 23 31.97	-01 26 13.9	657
(2437)	1994 10 29.89436	03 53 01.73	+19 19 03.0	15.4 V	596	(709)	1993 09 12.29236	22 23 27.81	-01 26 10.4	657
(2437)	1994 10 29.92584	03 53 00.18	+19 18 53.0		596	(1222)	1993 09 12.26181	22 18 11.38	+26 06 02.1	657
(2437)	1994 10 29.93872	03 52 59.56	+19 18 48.7		596	(1910)	1993 10 10.28750	01 19 44.68	+08 45 18.9	657
(2564)	1994 10 31.84289	02 50 15.73	+12 41 45.0	16.0 V	596	(1910)	1993 10 10.32361	01 19 43.13	+08 45 01.4	657
(2564)	1994 10 31.87487	02 50 13.80	+12 41 34.8		596	(2390)	1993 10 10.25486	01 11 02.86	+23 19 51.2	657
(2564)	1994 10 31.88858	02 50 12.96	+12 41 30.4		596	(2390)	1993 10 10.30972	01 10 59.39	+23 19 44.4	657
(2564)	1994 11 04.82225	02 46 14.43	+12 20 43.2	15.4 V	596	(2705)	1993 10 10.28750	01 13 25.44	+09 36 23.2	657
(2564)	1994 11 04.84154	02 46 13.28	+12 20 37.0		596	(2705)	1993 10 10.32361	01 13 22.96	+09 36 17.6	657
(2564)	1994 11 04.85800	02 46 12.26	+12 20 31.5		596	(3494)	1994 10 02.21250	00 41 07.62	+12 22 26.1	657
(5141)	1994 11 01.88278	02 51 43.95	+11 53 56.4	16.6 V	596	(3494)	1994 10 02.26250	00 41 04.75	+12 22 02.0	14.7 657
(5141)	1994 11 01.89726	02 51 43.25	+11 53 53.2		596	(5044)	1994 09 28.30972	00 01 59.72	+04 17 30.5	15.0 657
(5141)	1994 11 05.80377	02 48 22.33	+11 38 21.9	16.8 V	596	(5044)	1994 09 28.32951	00 01 58.49	+04 17 25.6	657
(5141)	1994 11 05.84242	02 48 20.31	+11 38 15.7		596	(5044)	1994 10 02.19444	23 57 59.84	+04 07 48.6	657
(5141)	1994 11 05.87080	02 48 18.78	+11 38 11.3		596	(5044)	1994 10 02.24028	23 57 57.18	+04 07 40.1	657
(5141)	1994 11 06.82619	02 47 29.69	+11 34 25.9	16.9 V	596	(5230)	1994 10 02.20417	00 02 25.22	+07 53 02.1	657
(5141)	1994 11 06.84623	02 47 28.69	+11 34 20.5		596					
(5141)	1994 11 06.87220	02 47 27.25	+11 34 14.1		596					
(6112)	1994 10 10.83289	01 18 43.12	+12 41 32.6	16.0 V	596					
(6112)	1994 10 10.86964	01 18 41.57	+12 41 08.0		596					
(6112)	1994 10 10.88757	01 18 40.87	+12 40 56.0		596					

658 Dominion Astrophysical Observatory, Victoria

J. B. Tatum, Dept. of Physics, University of Victoria, P.O. Box 1700, Victoria,
BC V8W 2Y2, Canada [universe@uvvm.uvic.ca]

Observer D. D. Balam

1.82-m Plaskett telescope + CCD
GSC

605 Marl

E. Jung, Havellandstrasse 3, D-45770 Marl, Germany

0.2-m *f*/10 Schmidt-Cassegrain + CCD

GSC

(2856)	1994 10 11.99977	05 34 04.00	+32 32 51.6	16.7 R	605		1981 EW ₁₃	1994 09 29.36339	01 27 52.07	+12 09 31.9	658
(2856)	1994 10 12.01359	05 34 04.24	+32 32 55.1	16.3 R	605		1981 EW ₁₃	1994 09 29.36757	01 27 51.89	+12 09 30.8	658
(2856)	1994 10 12.03012	05 34 04.39	+32 33 00.4	16.5 R	605		1981 EW ₁₃	1994 09 29.37134	01 27 51.70	+12 09 29.7	658
(2856)	1994 10 14.00316	05 34 26.83	+32 41 47.2	16.3 R	605		1983 LL	1994 09 29.34966	00 58 51.74	+15 51 54.9	658
(2856)	1994 10 14.00755	05 34 26.85	+32 41 49.2	16.3 R	605		1983 LL	1994 09 29.35407	00 58 51.47	+15 51 53.7	658
(2856)	1994 10 14.01741	05 34 26.97	+32 41 52.2	16.2 R	605		1983 LL	1994 09 29.35757	00 58 51.28	+15 51 52.5	658
							1983 LL	1994 10 05.31199	00 53 02.75	+15 16 53.7	658
							1983 LL	1994 10 05.31581	00 53 02.51	+15 16 52.2	658
							1983 LL	1994 10 05.31883	00 53 02.33	+15 16 51.0	658
							1988 GB	1994 10 05.32670	01 23 46.64	+05 43 48.4	658
							1988 GB	1994 10 05.33156	01 23 46.20	+05 43 48.6	658
							1988 GB	1994 10 05.33700	01 23 45.64	+05 43 48.6	658
							1988 GB	1994 10 07.35690	01 20 40.26	+05 44 34.8	658
							1988 GB	1994 10 07.36083	01 20 39.82	+05 44 35.4	658
							1988 GB	1994 10 07.36419	01 20 39.58	+05 44 35.1	658
							1990 VB	1994 10 06.51594	06 51 27.07	+31 03 40.8	658
							1990 VB	1994 10 06.51847	06 51 27.31	+31 03 38.5	658
							1990 VB	1994 10 06.52147	06 51 27.59	+31 03 36.1	658
							1990 WA	1994 10 05.52328	05 59 40.15	+03 19 10.2	658
							1990 WA	1994 10 05.52640	05 59 40.59	+03 19 13.2	658
							1990 WA	1994 10 05.53111	05 59 41.25	+03 19 18.3	658
							1990 WA	1994 10 06.50578	06 01 57.39	+03 35 40.0	658
							1990 WA	1994 10 06.50852	06 01 57.73	+03 35 42.7	658

657 Victoria, Climenhaga Observatory

J. B. Tatum, Dept. of Physics, University of Victoria, P.O. Box 1700, Victoria,
BC V8W 2Y2, Canada [universe@uvvm.uvic.ca]

Observer D. D. Balam

0.25-m Schmidt telescope

1994 PP	1994 10 02.18542	21 16 12.31	+18 11 48.1		657						
1994 PP	1994 10 02.23056	21 16 10.46	+18 12 00.5		657						
(97)	1993 09 26.46267	06 36 42.94	+10 15 36.2		657						
(97)	1993 09 26.50990	06 36 47.65	+10 15 19.1	12.2	657						
(153)	1993 10 10.27153	01 06 45.36	+12 34 05.8	12.6	657						
(187)	1993 11 14.22951	03 27 56.70	+27 23 51.3		657						
(187)	1993 11 14.31719	03 27 51.54	+27 23 46.2		657						
(187)	1993 11 18.22778	03 23 53.50	+27 18 05.5		657						

1990 WA	1994 10 06.51146	06 01 58.15	+03 35 45.9	658	1994 PP	1994 10 05.24068	21 14 22.63	+18 25 42.4	658
1991 BY ₂	1994 10 05.11767	19 12 04.31	-02 44 04.2	658	1994 PP	1994 10 06.19847	21 13 53.80	+18 29 46.8	658
1991 BY ₂	1994 10 05.12144	19 12 04.43	-02 44 00.4	658	1994 PP	1994 10 06.20385	21 13 53.63	+18 29 48.3	658
1991 BY ₂	1994 10 05.12433	19 12 04.52	-02 43 57.4	658	1994 PP	1994 10 06.20757	21 13 53.52	+18 29 49.1	658
1991 BY ₂	1994 10 05.12734	19 12 04.62	-02 43 54.2	658	1994 PP	1994 10 07.15969	21 13 27.45	+18 33 44.6	658
1991 BY ₂	1994 10 06.15030	19 12 41.47	-02 26 20.4	658	1994 PP	1994 10 07.16444	21 13 27.31	+18 33 45.8	658
1991 BY ₂	1994 10 06.15331	19 12 41.59	-02 26 17.2	658	1994 PP	1994 10 07.16900	21 13 27.18	+18 33 46.9	658
1991 BY ₂	1994 10 07.11841	19 13 18.47	-02 09 50.3	658	1994 RG	1994 10 05.20848	21 32 57.52	-10 24 14.5	658
1991 BY ₂	1994 10 07.12177	19 13 18.57	-02 09 46.6	658	1994 RG	1994 10 05.21256	21 32 57.53	-10 24 14.8	658
1991 BY ₂	1994 10 07.12374	19 13 18.68	-02 09 45.0	658	1994 RG	1994 10 05.21706	21 32 57.58	-10 24 15.4	658
1992 TC	1994 10 05.51270	05 29 52.74	-02 36 07.5	658	1994 RG	1994 10 07.18684	21 33 15.59	-10 26 42.1	658
1992 TC	1994 10 05.51549	05 29 52.96	-02 36 06.2	658	1994 RG	1994 10 07.19182	21 33 15.62	-10 26 42.4	658
1992 TC	1994 10 05.51756	05 29 53.17	-02 36 04.8	658	1994 RG	1994 10 07.19587	21 33 15.65	-10 26 42.7	658
1992 TC	1994 10 06.49647	05 31 40.18	-02 24 55.9	658	1994 RH	1994 10 05.16666	21 42 35.42	+06 37 40.4	658
1992 TC	1994 10 06.49919	05 31 40.44	-02 24 53.9	658	1994 RH	1994 10 05.16972	21 42 35.20	+06 37 42.8	658
1992 TC	1994 10 06.50168	05 31 40.69	-02 24 52.2	658	1994 RH	1994 10 05.17273	21 42 34.98	+06 37 45.1	658
1993 KM	1994 10 05.34373	01 33 48.24	-02 33 56.5	658	1994 RH	1994 10 06.18799	21 41 26.09	+06 50 40.9	658
1993 KM	1994 10 05.35009	01 33 47.94	-02 33 59.9	658	1994 RH	1994 10 06.19037	21 41 25.92	+06 50 42.8	658
1993 KM	1994 10 05.35397	01 33 47.76	-02 34 01.8	658	1994 RH	1994 10 06.19245	21 41 25.79	+06 50 44.3	658
1993 KM	1994 10 07.34590	01 32 22.89	-02 50 57.2	658	1994 RH	1994 10 07.14875	21 40 24.45	+07 02 50.1	658
1993 KM	1994 10 07.34927	01 32 22.75	-02 50 58.9	658	1994 RH	1994 10 07.15087	21 40 24.31	+07 02 51.8	658
1993 KM	1994 10 07.35251	01 32 22.61	-02 51 00.7	658	1994 RH	1994 10 07.15459	21 40 24.06	+07 02 54.6	658
1993 PE	1994 10 06.48299	07 39 21.63	+21 20 30.4	658	1994 RN ₅	1994 10 05.28212	00 06 38.66	+01 54 32.6	658
1993 PE	1994 10 06.48709	07 39 21.92	+21 20 29.1	658	1994 RN ₅	1994 10 05.28536	00 06 38.49	+01 54 31.1	658
1993 PE	1994 10 06.49131	07 39 22.26	+21 20 28.0	658	1994 RN ₅	1994 10 05.28872	00 06 38.32	+01 54 29.9	658
1993 PE	1994 10 07.45797	07 40 33.12	+21 16 33.0	658	1994 TL ₃	* 1994 10 05.46211	03 34 23.20	+20 56 49.3	17.9 658
1993 PE	1994 10 07.46174	07 40 33.39	+21 16 32.1	658	1994 TL ₃	1994 10 05.46782	03 34 23.16	+20 56 47.5	658
1993 PE	1994 10 07.46597	07 40 33.70	+21 16 31.1	658	1994 TL ₃	1994 10 05.47730	03 34 23.11	+20 56 44.3	658
1994 LW	1994 10 05.15120	20 13 27.63	+27 42 14.4	658	1994 TL ₃	1994 10 06.44228	03 34 18.56	+20 51 07.1	658
1994 LW	1994 10 05.15459	20 13 28.30	+27 42 10.9	658	1994 TL ₃	1994 10 06.45627	03 34 18.46	+20 51 02.2	658
1994 LW	1994 10 05.15789	20 13 28.93	+27 42 06.9	658	1994 TL ₃	1994 10 06.46138	03 34 18.43	+20 51 00.4	658
1994 LW	1994 10 05.16155	20 13 29.73	+27 42 02.8	658	1994 TL ₃	1994 10 07.44021	03 34 11.67	+20 45 06.5	658
1994 LW	1994 10 06.17421	20 16 57.31	+27 22 45.2	658	1994 TL ₃	1994 10 07.44588	03 34 11.62	+20 45 04.5	658
1994 LW	1994 10 06.17700	20 16 57.89	+27 22 42.5	658	1994 TL ₃	1994 10 07.44976	03 34 11.58	+20 45 02.9	658
1994 LW	1994 10 06.18019	20 16 58.51	+27 22 38.4	658					
1994 LW	1994 10 06.18382	20 16 59.26	+27 22 34.1	658	670 Camarillo				
1994 LW	1994 10 07.13770	20 20 13.93	+27 04 21.2	658	J. E. Rogers, 441 Rowland Avenue, Camarillo, CA 93010, U.S.A.				
1994 LW	1994 10 07.14059	20 20 14.49	+27 04 17.9	658	[72401.3174@compuserve.com]				
1994 LW	1994 10 07.14341	20 20 15.10	+27 04 14.3	658	Observer J. E. Rogers				
1994 NO	1994 10 05.13226	19 43 28.95	+06 41 25.3	658	Measurers J. E. Rogers, P. Camilleri				
1994 NO	1994 10 05.14418	19 43 29.77	+06 41 20.4	658	0.25-m Schmidt-Cassegrain + CCD				
1994 NO	1994 10 07.12745	19 45 46.94	+06 28 19.0	658	GSC				
1994 NO	1994 10 07.12994	19 45 47.11	+06 28 17.8	658	1993 NJ	1994 11 04.29444	02 44 13.92	+09 43 59.0	17.0 V 670
1994 NO	1994 10 07.13323	19 45 47.34	+06 28 16.6	658	1993 NJ	1994 11 04.36840	02 44 09.69	+09 43 26.2	670
1994 PL	1994 09 29.32282	23 52 41.97	+30 13 50.4	658	1993 NJ	1994 11 05.26493	02 43 22.20	+09 36 49.7	17.3 V 670
1994 PL	1994 09 29.32734	23 52 41.82	+30 13 43.8	658	1993 NJ	1994 11 05.27396	02 43 21.74	+09 36 44.5	670
1994 PL	1994 09 29.33035	23 52 41.71	+30 13 39.5	658	1993 NJ	1994 11 05.28681	02 43 20.98	+09 36 39.3	670
1994 PP	1994 09 29.29017	21 18 20.27	+17 57 05.4	658	1994 TU ₁	1994 10 23.24080	01 48 27.63	+22 55 42.8	17.0 V 670
1994 PP	1994 09 29.29330	21 18 20.12	+17 57 06.4	658	1994 TU ₁	1994 10 23.29097	01 48 24.27	+22 55 31.6	670
1994 PP	1994 09 29.29642	21 18 19.96	+17 57 07.3	658	1994 TU ₁	1994 11 06.15521	01 34 21.71	+21 51 14.9	17.8 V 670
1994 PP	1994 10 05.23529	21 14 22.81	+18 25 41.0	658	1994 TU ₁	1994 11 06.19097	01 34 19.77	+21 51 03.5	670
1994 PP	1994 10 05.23837	21 14 22.71	+18 25 41.8	658	1994 VW	* 1994 11 05.30417	04 00 03.23	+13 15 48.3	17.0 V 670
					1994 VW	1994 11 05.41563	03 59 57.45	+13 15 28.1	670

1994 VW	1994 11 06.20729	03 59 18.81	+13 12 59.9	17.1 V	670
1994 VW	1994 11 06.42361	03 59 07.37	+13 12 20.4		670
5141 T-2	1994 11 04.15833	00 12 37.43	+16 06 49.9	17.0 V	670
5141 T-2	1994 11 04.17257	00 12 37.08	+16 06 48.0		670
5141 T-2	1994 11 04.20000	00 12 36.46	+16 06 34.5		670
(144)	1992 07 31.18819	18 20 43.72	-27 21 57.5		670
(144)	1992 07 31.20903	18 20 43.01	-27 21 59.1		670
(144)	1992 07 31.22986	18 20 42.09	-27 22 00.6		670

671 Stony Ridge

J. B. Child, World Space Foundation, P.O. Box Y, South Pasadena, CA 91031,
U.S.A. [jbchild@grissom.jpl.nasa.gov]

Observers J. B. Child, J. E. Rogers

Measurer J. E. Rogers

0.75-m $f/6$ Newtonian reflector + focal reducer + CCD

1993 KL	1994 10 29.18906	23 59 48.30	-25 42 42.8		671
1993 KL	1994 10 29.19479	23 59 48.07	-25 42 39.2		671
1993 KL	1994 10 29.20972	23 59 47.39	-25 42 32.1		671
1993 KL	1994 10 29.21771	23 59 46.92	-25 42 28.5		671
1994 TU ₁	1994 10 29.29792	01 41 59.57	+22 30 31.2	17.5 V	671
1994 TU ₁	1994 10 29.31285	01 41 58.60	+22 30 26.9		671
(5751)	1994 10 29.43194	05 54 49.02	-02 49 37.9	18.2 V	671
(5751)	1994 10 29.44583	05 54 49.65	-02 49 45.1	17.9 V	671
(5751)	1994 10 29.45625	05 54 50.10	-02 49 50.1	17.9 V	671

675 Palomar

E. Helin, MS 183-501, Jet Propulsion Laboratory, Pasadena, CA 91109, U.S.A.
[efh051@mipl3.jpl.nasa.gov] (2)

C. Shoemaker, P.O. Box 984, Flagstaff, AZ 86002, U.S.A.
[gshoemaker@iflag2.wr.usgs.gov] (3)

C. J. van Houten, Sterrewacht Leiden, Postbus 9513, NL-2300 RA Leiden, The
Netherlands [vanhouten@rulhl1.leidenuniv.nl] (4)

E. Bowell, Lowell Observatory, 1400 West Mars Hill Road, Flagstaff, AZ 86001,
U.S.A. [elgb@lowell.edu] (6)

9 = 3 + 6

Observers B. Arthur (2, S), T. Gehrels (4, L), E. F. Helin (2, S), H. E. Holt (3, S),
K. Lawrence (2, S), C. M. Olmstead (3, S), J. Smallwood (2, S), J. Thomas
(2, S), D. Williams (3, S)

Measurers B. Arthur (2), J. B. Child (2), K. Lawrence (2), B. A. Skiff (6),
C. J. van Houten (4), I. van Houten-Groeneveld (4), A. Wisse (4)

1979 US	1953 02 15.22014	07 36 00.32	+26 46 28.8	18.0	6 675
1979 US	1953 02 15.24203	07 35 59.59	+26 46 27.6		6 675
1980 EB	1954 07 01.37778	20 32 52.32	-22 04 43.1	18.2	6 675
1980 EB	1954 07 01.40208	20 32 51.36	-22 04 46.7		6 675
1981 EY ₃₅	1953 02 15.22014	07 22 11.93	+27 23 57.7	17.8	6 675
1981 EY ₃₅	1953 02 15.24203	07 22 11.16	+27 23 56.0		6 675
1981 GP	1994 10 31.30885	01 58 39.61	+34 37 33.8	15.1 V	2 675
1981 GP	1994 10 31.33229	01 58 36.86	+34 37 46.1	14.5 V	2 675
1981 UQ ₂₉	1956 05 08.26771	13 39 52.43	-11 36 51.3		6 675
1981 UQ ₂₉	1956 05 08.28854	13 39 51.38	-11 36 44.6	19.0	6 675
1982 FY ₂	1956 05 08.26771	13 44 13.47	-11 12 57.6		6 675
1982 FY ₂	1956 05 08.28854	13 44 12.39	-11 12 52.2	18.0	6 675
1982 FY ₂	1993 10 13.37135	01 48 28.75	+10 54 05.7	16.8	9 675

1982 FY ₂	1993 10 13.41493	01 48 25.92	+10 53 53.4		9 675
1982 FY ₂	1993 10 15.28611	01 46 29.10	+10 44 56.0		9 675
1986 JC	1954 07 01.37778	20 19 07.78	-22 00 42.1	16.0	6 675
1986 JC	1954 07 01.40208	20 19 07.07	-22 00 58.4		6 675
1990 EA ₇	1953 02 15.22014	07 27 35.76	+32 36 17.1	17.8	6 675
1990 EA ₇	1953 02 15.24203	07 27 34.82	+32 36 12.3		6 675
1990 TT ₁₂	1954 07 01.37778	20 32 57.57	-21 04 41.3	17.5	6 675
1990 TT ₁₂	1954 07 01.40208	20 32 56.60	-21 04 46.0		6 675
1990 VS ₄	1994 10 31.32222	02 49 51.88	+10 51 41.6	16.2 V	2 675
1990 VS ₄	1994 10 31.34566	02 49 50.84	+10 51 25.3	17.2 V	2 675
1991 GC ₇	1953 02 15.22014	07 18 59.65	+31 03 37.3	18.0	6 675
1991 GC ₇	1953 02 15.24203	07 18 58.99	+31 03 32.9		6 675
1992 WM ₅	1953 02 15.25592	07 28 55.15	+29 55 41.3	17.0	6 675
1993 DT	1954 07 01.37778	20 26 53.77	-22 41 50.9	18.8	6 675
1993 DT	1954 07 01.40208	20 26 52.71	-22 41 52.2		6 675
1993 GD ₁	1994 10 31.32222	02 51 05.21	+10 39 12.4	17.4 V	2 675
1993 GD ₁	1994 10 31.34566	02 51 03.64	+10 39 06.5	17.2 V	2 675
1994 LC ₁	1994 10 07.24115	23 09 42.89	-13 43 20.3	16.5	2 675
1994 LC ₁	1994 10 07.26458	23 09 43.31	-13 42 28.9		2 675
1994 LC ₁	1994 10 09.27049	23 10 23.19	-12 30 13.0		2 675
1994 LC ₁	1994 10 09.29410	23 10 23.49	-12 29 21.8		2 675
1994 PL	1994 10 29.20087	23 48 24.18	+16 59 47.6	15.5	2 675
1994 PL	1994 10 29.22708	23 48 24.52	+16 59 06.5		2 675
1994 PA ₂	* 1994 08 09.36771	22 41 15.84	-12 41 40.7	16.8 V	2 675
1994 PA ₂	1994 08 09.39635	22 41 14.56	-12 41 43.9	16.8 V	2 675
1994 PA ₂	1994 08 11.39184	22 39 51.59	-12 45 47.8	16.7 V	2 675
1994 PA ₂	1994 08 11.42344	22 39 50.02	-12 45 51.8	16.4 V	2 675
1994 PB ₂	* 1994 08 09.36771	22 41 16.56	-08 29 27.2	16.3 V	2 675
1994 PB ₂	1994 08 09.39635	22 41 15.41	-08 29 31.5	16.0 V	2 675
1994 PB ₂	1994 08 11.39184	22 39 56.07	-08 36 18.1	16.6 V	2 675
1994 PB ₂	1994 08 11.42344	22 39 54.78	-08 36 26.1	16.2 V	2 675
1994 PC ₂	* 1994 08 09.36771	22 44 16.95	-10 27 07.6	16.0 V	2 675
1994 PC ₂	1994 08 09.39635	22 44 15.62	-10 27 12.6	16.0 V	2 675
1994 PC ₂	1994 08 11.39184	22 42 46.24	-10 33 41.4	16.0 V	2 675
1994 PC ₂	1994 08 11.42344	22 42 44.66	-10 33 48.0	16.1 V	2 675
1994 PD ₂	* 1994 08 09.36771	22 45 31.31	-09 38 11.8	15.8 V	2 675
1994 PD ₂	1994 08 09.39635	22 45 29.73	-09 38 03.1	15.7 V	2 675
1994 PD ₂	1994 08 11.39184	22 43 46.10	-09 28 41.9	15.8 V	2 675
1994 PD ₂	1994 08 11.42344	22 43 44.22	-09 28 33.5	15.8 V	2 675
1994 PE ₂	* 1994 08 09.36771	22 45 58.37	-09 30 09.9	15.9 V	2 675
1994 PE ₂	1994 08 09.39635	22 45 57.40	-09 30 07.4	16.2 V	2 675
1994 PE ₂	1994 08 11.39184	22 44 52.19	-09 27 25.9	16.3 V	2 675
1994 PE ₂	1994 08 11.42344	22 44 50.82	-09 27 23.0	16.2 V	2 675
1994 PF ₂	* 1994 08 09.36771	22 50 17.95	-06 54 55.5	16.4 V	2 675
1994 PF ₂	1994 08 09.39635	22 50 16.96	-06 55 03.2	16.7 V	2 675
1994 PF ₂	1994 08 11.39184	22 49 27.29	-07 03 09.0	16.9 V	2 675
1994 PF ₂	1994 08 11.42344	22 49 26.42	-07 03 17.0	16.8 V	2 675
1994 PG ₂	* 1994 08 09.36771	22 51 43.06	-08 23 40.4	17.0 V	2 675
1994 PG ₂	1994 08 09.39635	22 51 41.90	-08 23 45.7	17.0 V	2 675
1994 PG ₂	1994 08 11.39184	22 50 35.30	-08 33 14.2	16.2 V	2 675
1994 PG ₂	1994 08 11.42344	22 50 34.07	-08 33 24.1	16.3 V	2 675
1994 PH ₂	* 1994 08 09.36771	22 52 39.99	-12 06 17.8	16.5 V	2 675

1994 PH ₂	1994 08 09.39635	22 52 38.85	-12 06 23.7	16.7 V	2 675	1994 RL ₂	1994 08 11.39184	22 34 02.66	-10 36 10.1	16.6 V	2 675
1994 PH ₂	1994 08 11.39184	22 51 38.11	-12 12 32.1	17.5 V	2 675	1994 RL ₂	1994 08 11.42344	22 34 01.17	-10 36 10.8	16.4 V	2 675
1994 PH ₂	1994 08 11.42344	22 51 36.85	-12 12 36.8	16.1 V	2 675	1994 TH ₁	1994 10 31.26302	01 21 55.86	+02 21 43.4	16.7 V	2 675
1994 PJ ₂	* 1994 08 09.36771	22 53 23.91	-07 00 32.4	16.8 V	2 675	1994 TH ₁	1994 10 31.28872	01 21 54.49	+02 21 45.0	16.3 V	2 675
1994 PJ ₂	1994 08 09.39635	22 53 22.88	-07 00 37.7	17.1 V	2 675	1994 TU ₃	* 1994 10 07.33247	00 23 16.11	+21 10 15.6	16.0	2 675
1994 PJ ₂	1994 08 11.39184	22 52 21.12	-07 08 13.5	16.7 V	2 675	1994 TU ₃	1994 10 07.35712	00 23 15.59	+21 09 29.8		2 675
1994 PJ ₂	1994 08 11.42344	22 52 19.87	-07 08 23.0	17.4 V	2 675	1994 TU ₃	1994 10 10.32014	00 22 22.74	+19 39 18.4		2 675
1994 PK ₂	* 1994 08 09.36771	22 54 28.32	-09 04 56.8	16.2 V	2 675	1994 TU ₃	1994 10 10.34340	00 22 22.29	+19 38 32.8		2 675
1994 PK ₂	1994 08 09.39635	22 54 27.76	-09 04 58.8	16.1 V	2 675	1994 TV ₃	* 1994 10 07.38958	01 50 02.74	+05 24 23.5	16.0	2 675
1994 PK ₂	1994 08 11.39184	22 53 58.52	-09 08 23.8	16.1 V	2 675	1994 TV ₃	1994 10 07.41493	01 50 01.45	+05 23 48.0		2 675
1994 PK ₂	1994 08 11.42344	22 53 57.95	-09 08 27.0	16.3 V	2 675	1994 TV ₃	1994 10 11.38385	01 46 39.27	+03 51 21.7		2 675
1994 PL ₂	* 1994 08 09.36771	22 55 16.04	-12 56 26.6	16.5 V	2 675	1994 TV ₃	1994 10 11.41007	01 46 37.68	+03 50 45.3		2 675
1994 PL ₂	1994 08 09.39635	22 55 15.05	-12 56 44.0	16.4 V	2 675	1994 TW ₃	* 1994 10 08.35851	01 11 17.45	+21 43 00.1	16.0	2 675
1994 PL ₂	1994 08 11.39184	22 54 17.90	-13 16 27.4	15.9 V	2 675	1994 TW ₃	1994 10 08.38264	01 11 14.08	+21 43 32.7		2 675
1994 PL ₂	1994 08 11.42344	22 54 17.06	-13 16 47.2	16.4 V	2 675	1994 TW ₃	1994 10 10.35174	01 06 19.19	+22 29 37.0		2 675
1994 PM ₂	* 1994 08 09.36771	22 56 33.06	-09 21 00.6	15.9 V	2 675	1994 TW ₃	1994 10 10.42413	01 06 07.97	+22 31 17.9		2 675
1994 PM ₂	1994 08 09.39635	22 56 31.94	-09 21 04.2	16.2 V	2 675	2648 P-L	* 1960 09 24.46184	01 01 45.04	+04 38 43.5	18.9	4 675
1994 PM ₂	1994 08 11.39184	22 55 15.80	-09 26 36.9	16.2 V	2 675	2648 P-L	1960 09 26.37988	01 00 09.96	+04 30 21.1		4 675
1994 PM ₂	1994 08 11.42344	22 55 14.40	-09 26 41.1	15.8 V	2 675	2648 P-L	1960 09 28.43822	00 58 23.72	+04 21 04.8		4 675
1994 PN ₂	* 1994 08 09.36771	22 56 39.16	-13 26 54.7	15.9 V	2 675	2648 P-L	1960 09 29.39514	00 57 33.59	+04 16 42.0		4 675
1994 PN ₂	1994 08 09.39635	22 56 38.43	-13 27 15.5	15.9 V	2 675	2648 P-L	1960 10 22.26809	00 37 09.11	+02 35 34.9		4 675
1994 PN ₂	1994 08 11.39184	22 55 51.17	-13 52 28.8	14.8 V	2 675	2648 P-L	1960 10 25.30351	00 34 53.26	+02 25 34.2		4 675
1994 PN ₂	1994 08 11.42344	22 55 50.41	-13 52 51.3	15.7 V	2 675	2648 P-L	1960 10 26.35766	00 34 08.89	+02 22 24.4		4 675
1994 PO ₂	* 1994 08 09.36771	22 59 27.79	-13 57 36.7	15.2 V	2 675	1146 T-1	1971 03 24.38924	12 09 40.31	-03 26 47.1		4 675
1994 PO ₂	1994 08 09.39635	22 59 26.78	-13 57 41.5	15.5 V	2 675	1146 T-1	1971 03 25.27326	12 08 56.83	-03 20 23.0		4 675
1994 PO ₂	1994 08 11.39184	22 58 15.28	-14 03 16.9	15.4 V	2 675	1146 T-1	* 1971 03 25.31562	12 08 54.63	-03 20 04.9	18.9	4 675
1994 PO ₂	1994 08 11.42344	22 58 14.03	-14 03 22.6	15.4 V	2 675	1146 T-1	1971 03 26.26771	12 08 07.92	-03 13 14.0		4 675
1994 PP ₂	* 1994 08 09.36771	22 59 47.43	-09 58 53.4	15.9 V	2 675	1146 T-1	1971 03 27.32500	12 07 15.56	-03 05 31.6		4 675
1994 PP ₂	1994 08 09.39635	22 59 46.63	-09 59 05.9	15.7 V	2 675	1146 T-1	1971 04 02.40000	12 02 21.90	-02 21 30.2		4 675
1994 PP ₂	1994 08 11.39184	22 59 02.44	-10 14 52.9	15.8 V	2 675	1146 T-1	1971 04 16.18087	11 52 45.84	-00 49 04.1		4 675
1994 PP ₂	1994 08 11.42344	22 59 01.52	-10 15 09.1	15.5 V	2 675	1146 T-1	1971 04 16.26458	11 52 42.84	-00 48 33.1		4 675
1994 PQ ₂	* 1994 08 09.36771	22 59 50.75	-11 45 22.7	15.1 V	2 675	1146 T-1	1971 05 13.17535	11 45 21.31	+00 57 06.4	19.0	4 675
1994 PQ ₂	1994 08 09.39635	22 59 50.21	-11 45 39.3	15.3 V	2 675	1146 T-1	1971 05 14.20694	11 45 25.78	+00 58 41.1		4 675
1994 PQ ₂	1994 08 11.39184	22 59 15.83	-12 05 12.3	15.3 V	2 675	1146 T-1	1971 05 16.31510	11 45 39.47	+01 01 16.8		4 675
1994 PQ ₂	1994 08 11.42344	22 59 15.07	-12 05 30.6	15.1 V	2 675	2213 T-1	1953 02 15.22014	07 33 28.99	+32 11 29.6	18.8	6 675
1994 PR ₂	* 1994 08 09.36771	23 03 18.78	-10 41 18.0	16.6 V	2 675	2213 T-1	1953 02 15.24203	07 33 28.26	+32 11 28.0		6 675
1994 PR ₂	1994 08 09.39635	23 03 18.09	-10 41 33.2	16.3 V	2 675	3306 T-1	1971 03 24.42015	12 43 19.15	-03 08 43.0		4 675
1994 PR ₂	1994 08 11.39184	23 02 25.27	-10 59 24.0	16.8 V	2 675	3306 T-1	1971 03 25.33090	12 42 30.16	-03 02 26.6		4 675
1994 PR ₂	1994 08 11.42344	23 02 24.36	-10 59 41.3	16.4 V	2 675	3306 T-1	1971 03 26.29653	12 41 37.77	-02 55 44.1		4 675
1994 PS ₂	* 1994 08 09.39635	22 57 39.01	-10 35 09.3	17.5 V	2 675	3306 T-1	* 1971 03 26.33611	12 41 35.58	-02 55 26.1	20.1	4 675
1994 PS ₂	1994 08 11.39184	22 56 36.35	-10 39 43.7	16.7 V	2 675	3306 T-1	1971 03 27.33854	12 40 40.51	-02 48 28.1		4 675
1994 PS ₂	1994 08 11.42344	22 56 35.23	-10 39 48.8	16.6 V	2 675	3306 T-1	1971 04 02.42604	12 34 59.75	-02 05 21.1		4 675
1994 RH	1994 10 07.17899	21 40 22.37	+07 03 15.8	17.0	2 675	4187 T-1	1971 03 24.40486	12 33 52.05	-01 38 20.3		4 675
1994 RH	1994 10 07.20156	21 40 20.95	+07 03 32.4		2 675	4187 T-1	1971 03 26.31007	12 31 55.31	-01 32 21.4		4 675
1994 RH	1994 10 09.14913	21 38 26.48	+07 28 01.2		2 675	4187 T-1	* 1971 03 26.34896	12 31 52.85	-01 32 13.9	19.5	4 675
1994 RH	1994 10 09.17708	21 38 24.72	+07 28 22.3		2 675	4187 T-1	1971 04 02.43993	12 24 32.10	-01 10 07.3		4 675
1994 RT ₁	1994 10 07.24115	23 19 09.89	-14 38 40.5	16.5	2 675	1002 T-2	1973 09 19.18611	00 07 31.87	+00 18 41.5		4 675
1994 RT ₁	1994 10 07.26458	23 19 09.80	-14 39 04.3		2 675	1002 T-2	1973 09 19.23785	00 07 28.96	+00 18 26.1		4 675
1994 RT ₁	1994 10 09.27049	23 19 05.01	-15 13 50.8		2 675	1002 T-2	1973 09 20.22847	00 06 34.15	+00 13 39.5		4 675
1994 RT ₁	1994 10 09.29410	23 19 04.90	-15 14 13.8		2 675	1002 T-2	1973 09 24.34688	00 02 43.83	-00 06 31.6		4 675
1994 RL ₂	1994 08 09.36771	22 35 35.29	-10 36 07.7	17.0 V	2 675	1002 T-2	1973 09 24.37431	00 02 41.99	-00 06 35.3		4 675
1994 RL ₂	1994 08 09.39635	22 35 33.85	-10 36 05.4	16.5 V	2 675	1002 T-2	1973 09 24.41597	00 02 39.71	-00 06 52.4		4 675

1002 T-2	1973 09 24.44167	00 02 38.09	-00 06 55.3	4 675	1237 T-2	1973 10 05.31684	00 09 57.79	+01 42 04.2	4 675
1002 T-2	1973 09 25.24375	00 01 53.70	-00 10 55.9	4 675	1237 T-2	1973 10 05.37917	00 09 54.87	+01 41 48.2	4 675
1002 T-2	1973 09 25.26875	00 01 52.15	-00 10 59.6	4 675	1316 T-2	1973 09 19.19948	00 28 43.93	+02 00 44.6	4 675
1002 T-2	1973 09 25.30729	00 01 49.98	-00 11 12.6	4 675	1316 T-2	1973 09 19.22500	00 28 42.62	+02 00 39.9	4 675
1002 T-2	1973 09 25.33299	00 01 48.44	-00 11 18.6	4 675	1316 T-2	1973 09 19.25006	00 28 41.34	+02 00 31.8	4 675
1002 T-2	* 1973 09 29.25330	23 58 10.98	-00 30 17.0	18.8 4 675	1316 T-2	1973 09 19.27865	00 28 39.79	+02 00 25.4	4 675
1002 T-2	1973 09 29.31806	23 58 07.18	-00 30 35.1	4 675	1316 T-2	1973 09 24.36181	00 24 22.40	+01 37 56.0	4 675
1031 T-2	1973 09 19.18611	00 07 44.34	+01 27 46.6	4 675	1316 T-2	1973 09 24.38750	00 24 20.95	+01 37 48.0	4 675
1031 T-2	1973 09 19.23785	00 07 41.79	+01 27 15.0	4 675	1316 T-2	1973 09 24.42847	00 24 18.86	+01 37 37.8	4 675
1031 T-2	1973 09 20.22847	00 06 56.58	+01 16 44.4	4 675	1316 T-2	1973 09 24.45434	00 24 17.32	+01 37 30.0	4 675
1031 T-2	1973 09 24.34688	00 03 45.97	+00 32 44.6	4 675	1316 T-2	1973 09 25.25642	00 23 35.95	+01 33 50.0	4 675
1031 T-2	1973 09 24.41597	00 03 42.48	+00 31 59.6	4 675	1316 T-2	1973 09 25.28125	00 23 34.51	+01 33 45.1	4 675
1031 T-2	1973 09 25.30729	00 03 01.64	+00 22 30.1	4 675	1316 T-2	1973 09 25.32031	00 23 32.41	+01 33 31.9	4 675
1031 T-2	* 1973 09 29.25330	00 00 01.25	-00 19 24.1	19.5 4 675	1316 T-2	1973 09 25.34601	00 23 30.84	+01 33 25.8	4 675
1031 T-2	1973 09 29.27986	23 59 59.87	-00 19 40.7	4 675	1316 T-2	* 1973 09 29.25330	00 20 03.67	+01 15 28.7	19.8 4 675
1031 T-2	1973 09 29.31806	23 59 58.11	-00 20 05.7	4 675	1316 T-2	1973 09 29.31806	00 19 59.95	+01 15 11.4	4 675
1031 T-2	1973 09 29.34375	23 59 56.82	-00 20 18.9	4 675	1316 T-2	1973 09 30.21007	00 19 12.48	+01 11 04.4	4 675
1031 T-2	1973 09 30.21007	23 59 18.33	-00 29 23.9	4 675	1316 T-2	1973 09 30.27431	00 19 09.12	+01 10 47.2	4 675
1031 T-2	1973 09 30.27431	23 59 15.46	-00 30 03.4	4 675	1316 T-2	1973 10 04.28958	00 15 36.57	+00 52 41.5	4 675
1031 T-2	1973 10 04.28958	23 56 22.54	-01 11 01.8	4 675	1316 T-2	1973 10 04.35208	00 15 33.30	+00 52 26.1	4 675
1031 T-2	1973 10 04.31493	23 56 21.42	-01 11 17.0	4 675	1316 T-2	1973 10 05.31684	00 14 43.09	+00 48 12.5	4 675
1031 T-2	1973 10 04.35208	23 56 19.71	-01 11 41.4	4 675	1316 T-2	1973 10 05.37917	00 14 39.77	+00 47 57.8	4 675
1031 T-2	1973 10 04.37674	23 56 18.68	-01 11 51.2	4 675	1362 T-2	1973 09 19.18611	00 25 06.15	+00 34 17.7	4 675
1031 T-2	1973 10 05.34167	23 55 39.34	-01 21 25.8	4 675	1362 T-2	1973 09 19.22500	00 25 03.92	+00 34 14.0	4 675
1031 T-2	1973 10 05.40347	23 55 36.64	-01 22 02.5	4 675	1362 T-2	1973 09 19.27865	00 25 00.60	+00 34 05.6	4 675
1197 T-2	1973 09 19.18611	00 21 38.62	+04 12 27.2	4 675	1362 T-2	1973 09 20.22847	00 24 03.75	+00 31 46.9	4 675
1197 T-2	1973 09 19.23785	00 21 35.65	+04 12 07.2	4 675	1362 T-2	1973 09 24.34688	00 19 50.88	+00 21 20.7	4 675
1197 T-2	1973 09 20.22847	00 20 40.39	+04 05 19.7	4 675	1362 T-2	1973 09 24.41597	00 19 46.27	+00 21 11.4	4 675
1197 T-2	1973 09 24.34688	00 16 47.80	+03 36 28.1	4 675	1362 T-2	1973 09 25.24375	00 18 54.89	+00 19 03.6	4 675
1197 T-2	1973 09 24.41597	00 16 43.72	+03 35 59.4	4 675	1362 T-2	1973 09 25.30729	00 18 50.82	+00 18 54.3	4 675
1197 T-2	1973 09 25.24375	00 15 57.35	+03 30 04.5	4 675	1362 T-2	* 1973 09 29.25330	00 14 42.75	+00 08 56.1	19.4 4 675
1197 T-2	1973 09 25.30729	00 15 53.62	+03 29 39.8	4 675	1362 T-2	1973 09 29.31806	00 14 38.58	+00 08 46.2	4 675
1197 T-2	* 1973 09 29.25330	00 12 12.76	+03 01 40.3	19.1 4 675	1362 T-2	1973 09 30.21007	00 13 42.64	+00 06 35.2	4 675
1197 T-2	1973 09 29.31806	00 12 08.96	+03 01 12.2	4 675	1362 T-2	1973 09 30.27431	00 13 38.56	+00 06 26.6	4 675
1197 T-2	1973 09 30.21007	00 11 20.02	+02 54 56.7	4 675	1362 T-2	1973 10 04.28958	00 09 29.30	-00 02 56.2	4 675
1197 T-2	1973 10 04.28958	00 07 41.04	+02 26 38.9	4 675	1362 T-2	1973 10 04.35208	00 09 25.27	-00 03 04.8	4 675
1197 T-2	1973 10 04.35208	00 07 37.54	+02 26 12.0	4 675	1362 T-2	1973 10 05.31684	00 08 26.82	-00 05 12.2	4 675
1197 T-2	1973 10 05.31684	00 06 47.72	+02 19 39.8	4 675	1362 T-2	1973 10 05.37917	00 08 22.93	-00 05 19.5	4 675
1197 T-2	1973 10 05.37917	00 06 44.35	+02 19 15.0	4 675	1401 T-2	1973 09 19.18611	00 08 47.63	+03 45 37.9	4 675
1237 T-2	1973 09 19.18611	00 22 32.27	+02 56 11.5	4 675	1401 T-2	1973 09 24.34688	00 03 56.22	+03 17 55.6	4 675
1237 T-2	1973 09 19.23785	00 22 29.89	+02 55 59.5	4 675	1401 T-2	1973 09 24.41597	00 03 52.10	+03 17 33.4	4 675
1237 T-2	1973 09 20.22847	00 21 44.49	+02 51 34.6	4 675	1401 T-2	1973 09 25.30729	00 03 02.22	+03 12 44.8	4 675
1237 T-2	1973 09 24.34688	00 18 32.16	+02 32 50.5	4 675	1401 T-2	* 1973 09 29.25330	23 59 24.63	+02 51 09.5	19.9 4 675
1237 T-2	1973 09 24.41597	00 18 28.79	+02 32 30.5	4 675	1401 T-2	1973 09 29.31806	23 59 20.91	+02 50 47.3	4 675
1237 T-2	1973 09 25.24375	00 17 49.96	+02 28 39.8	4 675	1401 T-2	1973 09 30.21007	23 58 33.02	+02 45 55.1	4 675
1237 T-2	1973 09 25.30729	00 17 46.91	+02 28 23.2	4 675	1401 T-2	1973 09 30.27431	23 58 29.43	+02 45 35.7	4 675
1237 T-2	* 1973 09 29.25330	00 14 40.48	+02 10 02.6	19.4 4 675	1401 T-2	1973 10 04.28958	23 55 00.99	+02 24 09.6	4 675
1237 T-2	1973 09 29.31806	00 14 37.29	+02 09 43.3	4 675	1401 T-2	1973 10 04.35208	23 54 57.63	+02 23 48.0	4 675
1237 T-2	1973 09 30.21007	00 13 55.37	+02 05 37.2	4 675	2330 T-2	1973 09 20.26458	00 50 32.21	+05 46 14.1	4 675
1237 T-2	1973 09 30.27431	00 13 52.32	+02 05 17.9	4 675	2330 T-2	1973 09 24.36181	00 46 59.01	+05 32 10.2	4 675
1237 T-2	1973 10 04.28958	00 10 44.99	+01 46 44.2	4 675	2330 T-2	1973 09 24.42847	00 46 55.40	+05 31 57.2	4 675
1237 T-2	1973 10 04.35208	00 10 41.94	+01 46 28.2	4 675	2330 T-2	1973 09 25.25642	00 46 11.24	+05 28 54.5	4 675

2330 T-2	1973 09 25.32031	00 46 07.77	+05 28 40.7	4 675	4064 T-2	1973 10 05.41597	00 20 17.53	-00 47 56.3	4 675
2330 T-2	1973 09 30.22257	00 41 37.70	+05 10 02.8	4 675	3123 T-3	1977 10 07.27031	01 30 22.59	+07 12 34.5	4 675
2330 T-2	* 1973 09 30.28785	00 41 34.01	+05 09 48.1	19.5 4 675	3123 T-3	1977 10 11.28819	01 27 32.30	+06 47 00.0	4 675
2330 T-2	1973 10 04.30208	00 37 47.78	+04 53 55.1	4 675	3123 T-3	1977 10 11.35642	01 27 29.27	+06 46 34.9	4 675
2330 T-2	1973 10 04.36476	00 37 44.04	+04 53 40.7	4 675	3123 T-3	1977 10 12.28681	01 26 49.44	+06 40 36.0	4 675
2330 T-2	1973 10 05.32917	00 36 49.80	+04 49 49.0	4 675	3123 T-3	1977 10 12.35347	01 26 46.40	+06 40 10.7	4 675
2330 T-2	1973 10 05.39132	00 36 46.25	+04 49 33.2	4 675	3123 T-3	* 1977 10 16.27309	01 23 57.56	+06 15 10.6	19.6 4 675
3141 T-2	1973 09 19.18611	00 19 37.37	+00 20 49.0	4 675	3123 T-3	1977 10 16.33872	01 23 54.67	+06 14 47.1	4 675
3141 T-2	1973 09 19.23785	00 19 34.28	+00 20 35.7	4 675	3123 T-3	1977 10 17.27552	01 23 14.42	+06 08 52.5	4 675
3141 T-2	1973 09 24.34688	00 14 41.11	-00 02 48.9	4 675	3123 T-3	1977 10 17.34236	01 23 11.34	+06 08 26.5	4 675
3141 T-2	1973 09 24.41597	00 14 36.99	-00 03 07.7	4 675	3123 T-3	1977 10 21.39792	01 20 18.63	+05 43 05.7	4 675
3141 T-2	1973 09 25.24375	00 13 49.66	-00 06 55.9	4 675	3123 T-3	1977 10 21.45799	01 20 15.97	+05 42 43.7	4 675
3141 T-2	1973 09 25.26875	00 13 48.26	-00 06 57.3	4 675	3123 T-3	1977 10 22.45920	01 19 34.09	+05 36 34.3	4 675
3141 T-2	1973 09 25.30729	00 13 45.68	-00 07 12.6	4 675	3517 T-3	1977 10 07.27031	01 13 19.03	+06 35 46.4	4 675
3141 T-2	1973 09 25.33299	00 13 44.41	-00 07 16.7	4 675	3517 T-3	1977 10 11.28819	01 09 45.93	+06 18 37.5	4 675
3141 T-2	1973 09 29.25330	00 10 00.86	-00 24 45.6	4 675	3517 T-3	1977 10 11.35642	01 09 42.15	+06 18 19.3	4 675
3141 T-2	1973 09 29.27986	00 09 59.30	-00 24 49.1	4 675	3517 T-3	1977 10 12.28681	01 08 52.81	+06 14 19.8	4 675
3141 T-2	1973 09 29.31806	00 09 56.94	-00 25 03.9	4 675	3517 T-3	1977 10 12.35347	01 08 49.08	+06 14 04.3	4 675
3141 T-2	1973 09 29.34375	00 09 55.59	-00 25 05.2	4 675	3517 T-3	* 1977 10 16.27309	01 05 21.80	+05 57 24.7	17.6 4 675
3141 T-2	1973 09 30.23524	00 09 05.79	-00 28 58.5	4 675	3517 T-3	1977 10 16.33872	01 05 18.17	+05 57 06.9	4 675
3141 T-2	* 1973 09 30.30174	00 09 01.89	-00 29 16.5	19.5 4 675	3517 T-3	1977 10 17.27552	01 04 29.45	+05 53 13.5	4 675
3141 T-2	1973 10 04.31493	00 05 23.19	-00 45 48.4	4 675	3517 T-3	1977 10 17.34236	01 04 25.80	+05 52 57.3	4 675
3141 T-2	1973 10 04.37674	00 05 19.74	-00 46 02.5	4 675	3517 T-3	1977 10 21.39792	01 00 59.74	+05 36 42.4	4 675
3141 T-2	1973 10 05.31684	00 04 30.34	-00 49 42.8	4 675	3517 T-3	1977 10 21.45799	01 00 56.59	+05 36 27.5	4 675
3141 T-2	1973 10 05.34167	00 04 29.20	-00 49 49.5	4 675	3517 T-3	1977 10 22.39844	01 00 10.63	+05 32 50.6	4 675
3141 T-2	1973 10 05.37917	00 04 27.03	-00 49 58.2	4 675	3517 T-3	1977 10 22.45920	01 00 07.62	+05 32 35.0	4 675
3141 T-2	1973 10 05.40347	00 04 25.71	-00 50 04.0	4 675	3813 T-3	1977 10 07.27031	01 25 34.81	+08 37 44.4	4 675
3357 T-2	1973 09 19.18611	00 08 15.62	-00 35 52.4	4 675	3813 T-3	1977 10 11.28819	01 21 56.22	+08 20 22.5	4 675
3357 T-2	1973 09 19.21250	00 08 13.99	-00 36 00.4	4 675	3813 T-3	1977 10 11.35642	01 21 52.37	+08 20 04.0	4 675
3357 T-2	1973 09 19.23785	00 08 12.44	-00 36 09.9	4 675	3813 T-3	1977 10 12.28681	01 21 01.55	+08 15 58.3	4 675
3357 T-2	1973 09 19.26354	00 08 10.90	-00 36 18.3	4 675	3813 T-3	1977 10 12.35347	01 20 57.74	+08 15 41.2	4 675
3357 T-2	1973 09 20.27795	00 07 11.12	-00 42 26.3	4 675	3813 T-3	* 1977 10 16.27309	01 17 23.11	+07 58 26.9	20.4 4 675
3357 T-2	1973 09 24.37431	00 03 05.49	-01 07 15.1	4 675	3813 T-3	1977 10 16.33872	01 17 19.27	+07 58 08.1	4 675
3357 T-2	1973 09 24.44167	00 03 01.27	-01 07 39.8	4 675	3813 T-3	1977 10 17.27552	01 16 28.71	+07 54 03.8	4 675
3357 T-2	* 1973 09 25.26875	00 02 11.90	-01 12 42.2	18.4 4 675	3813 T-3	1977 10 17.34236	01 16 24.90	+07 53 45.2	4 675
3357 T-2	1973 09 25.33299	00 02 07.82	-01 13 03.5	4 675	(24)	1994 08 11.39184	22 34 32.11	-10 00 01.8	13.7 V 2 675
4064 T-2	1973 09 19.19948	00 33 59.55	+01 54 03.4	4 675	(24)	1994 08 11.42344	22 34 30.73	-10 00 07.7	13.3 V 2 675
4064 T-2	1973 09 19.22500	00 33 58.30	+01 53 50.8	4 675	(192)	1953 02 15.22014	07 28 38.20	+28 46 23.7	6 675
4064 T-2	1973 09 19.25006	00 33 57.04	+01 53 33.2	4 675	(192)	1953 02 15.24203	07 28 37.45	+28 46 20.5	6 675
4064 T-2	1973 09 19.27865	00 33 55.64	+01 53 18.1	4 675	(324)	1953 02 15.22014	07 29 09.56	+29 23 57.1	6 675
4064 T-2	1973 09 20.26458	00 33 08.20	+01 43 35.7	4 675	(324)	1953 02 15.24203	07 29 08.76	+29 23 52.3	6 675
4064 T-2	1973 09 20.30278	00 33 06.24	+01 43 11.3	4 675	(340)	1953 02 15.22014	07 43 09.82	+28 32 25.4	6 675
4064 T-2	1973 09 24.38750	00 29 42.97	+01 02 18.0	4 675	(340)	1953 02 15.24203	07 43 09.07	+28 32 24.5	6 675
4064 T-2	1973 09 24.45434	00 29 39.50	+01 01 36.4	4 675	(351)	1953 02 15.22014	07 33 04.71	+27 59 54.6	6 675
4064 T-2	1973 09 25.28125	00 28 57.87	+00 53 15.4	4 675	(351)	1953 02 15.24203	07 33 04.10	+27 59 58.6	6 675
4064 T-2	1973 09 25.34601	00 28 54.29	+00 52 37.1	4 675	(621)	1954 07 01.37778	20 17 29.22	-22 06 31.8	6 675
4064 T-2	* 1973 09 29.29219	00 25 31.55	+00 12 42.4	18.0 4 675	(621)	1954 07 01.40208	20 17 28.25	-22 06 35.4	6 675
4064 T-2	1973 09 30.24826	00 24 42.16	+00 03 06.0	4 675	(916)	1953 02 15.22014	07 25 39.22	+30 00 30.5	6 675
4064 T-2	1973 09 30.31476	00 24 38.56	+00 02 26.5	4 675	(916)	1953 02 15.24203	07 25 38.45	+30 00 24.5	6 675
4064 T-2	1973 10 04.32708	00 21 12.68	-00 37 20.2	4 675	(1112)	1954 07 01.37778	20 34 44.91	-20 26 18.0	6 675
4064 T-2	1973 10 04.38889	00 21 09.50	-00 37 55.7	4 675	(1112)	1954 07 01.40208	20 34 43.90	-20 26 16.9	6 675
4064 T-2	1973 10 05.35382	00 20 20.81	-00 47 20.1	4 675	(1152)	1954 07 01.37778	20 41 44.44	-23 25 29.2	6 675

(1152)	1954 07 01.40208	20 41 43.32	-23 25 31.5		6 675	(5463)	1953 02 15.22014	07 17 13.59	+27 21 44.8		6 675
(1482)	1954 07 01.37778	20 37 21.54	-21 50 49.2		6 675	(5463)	1953 02 15.24203	07 17 12.73	+27 21 43.4		6 675
(1482)	1954 07 01.40208	20 37 20.67	-21 50 54.3		6 675	(6050)	1953 02 15.22014	07 30 43.56	+28 16 07.2		6 675
(1512)	1953 02 15.22014	07 35 23.81	+29 28 11.1		6 675	(6050)	1953 02 15.24203	07 30 42.92	+28 16 09.3		6 675
(1512)	1953 02 15.24203	07 35 22.99	+29 28 11.7		6 675	684 Prescott					
(1842)	1994 10 07.38958	01 56 12.54	+04 24 29.4	15.5	2 675	P. G. Comba, 1411 Galaxy Lane, Prescott, AZ 86303, U.S.A.					
(1842)	1994 10 07.41493	01 56 11.17	+04 24 17.3		2 675	Observer P. G. Comba					
(1842)	1994 10 11.38385	01 52 27.78	+03 53 52.6		2 675	Measurers P. Houlihan, P. G. Comba					
(1842)	1994 10 11.41007	01 52 26.16	+03 53 38.9		2 675	0.28-m <i>f</i> /10 Schmidt-Cassegrain					
(2071)	1954 07 01.37778	20 18 09.44	-21 21 26.5		6 675	(1766)	1994 10 05.34131	01 21 17.82	+07 09 27.8		684
(2071)	1954 07 01.40208	20 18 08.40	-21 21 25.6		6 675	(1766)	1994 10 05.35242	01 21 17.25	+07 09 23.4		684
(2182)	1954 07 01.37778	20 19 46.97	-22 45 15.4		6 675	(1766)	1994 10 05.37047	01 21 16.38	+07 09 15.4		684
(2182)	1954 07 01.40208	20 19 45.97	-22 45 20.2		6 675	(2967)	1994 10 05.23784	00 44 12.53	-07 52 01.1		684
(2228)	1994 08 11.39184	22 32 42.83	-09 41 53.9	15.7 V	2 675	(2967)	1994 10 05.24690	00 44 12.02	-07 52 00.8		684
(2228)	1994 08 11.42344	22 32 41.49	-09 42 03.0	16.3 V	2 675	(2967)	1994 10 05.25733	00 44 11.37	-07 52 00.4		684
(2456)	1953 02 15.22014	07 38 40.29	+29 59 59.7		6 675	(2967)	1994 10 05.27256	00 44 10.50	-07 51 59.8		684
(2456)	1953 02 15.24203	07 38 39.72	+29 59 57.3		6 675	(2967)	1994 10 08.31722	00 41 18.34	-07 49 38.4		684
(2558)	1953 02 15.22014	07 45 04.54	+29 07 52.9		6 675	(2967)	1994 10 08.32997	00 41 17.66	-07 49 37.6		684
(2558)	1953 02 15.24203	07 45 03.40	+29 07 52.3		6 675	689 U.S. Naval Observatory, Flagstaff Station					
(2770)	1953 02 15.22014	07 25 27.37	+26 58 34.3		6 675	E. Howell, Lowell Observatory, 1400 West Mars Hill Road, Flagstaff AZ 86001,					
(2770)	1953 02 15.24203	07 25 26.66	+26 58 33.1		6 675	U.S.A. [elgb@lowell.edu]					
(2770)	1954 07 01.37778	20 24 06.48	-24 19 38.0		6 675	Observers A. K. B. Monet, R. C. Stone					
(2770)	1954 07 01.40208	20 24 05.14	-24 19 45.2		6 675	0.20-m transit telescope + CCD					
(2770)	1993 10 13.37135	01 50 27.66	+10 05 08.2		9 675	GSC					
(2770)	1993 10 13.41493	01 50 24.76	+10 04 56.5		9 675	1976 WC	1994 10 05.46598	04 39 49.35	-09 36 35.0	17.5 V	689
(2770)	1993 10 15.28611	01 48 26.75	+09 56 37.9		9 675	1976 WC	1994 10 13.45000	04 48 17.25	-12 40 16.0	16.3 V	689
(2841)	1954 07 01.37778	20 41 35.99	-21 41 48.1		6 675	1978 UN ₅	1994 10 04.22422	22 46 48.98	-10 44 03.5		689
(2841)	1954 07 01.40208	20 41 34.93	-21 41 57.8		6 675	1978 UN ₅	1994 10 05.22125	22 46 28.47	-10 41 05.4	17.2 V	689
(2987)	1994 08 09.36771	22 53 32.41	-06 41 34.3	16.6 V	2 675	1980 PF	1994 10 05.44502	04 09 38.45	+34 01 28.4	17.0 V	689
(2987)	1994 08 09.39635	22 53 31.36	-06 41 41.6	16.7 V	2 675	1980 PF	1994 10 09.43383	04 09 15.09	+34 19 16.8	17.2 V	689
(3038)	1953 02 15.22014	07 18 01.87	+27 41 42.2		6 675	1980 PF	1994 10 13.42218	04 08 11.50	+34 34 35.8		689
(3038)	1953 02 15.24203	07 18 01.12	+27 41 39.8		6 675	1981 EY ₂₇	1994 10 04.19251	22 01 03.10	-19 31 15.3	16.3 V	689
(3942)	1953 02 15.22014	07 22 39.40	+28 33 26.9		6 675	1981 EY ₂₇	1994 10 05.18967	22 00 53.16	-19 22 31.3	17.3 V	689
(3942)	1953 02 15.24203	07 22 38.58	+28 33 26.4		6 675	1981 EY ₂₇	1994 10 13.16775	22 00 46.37	-18 09 17.9	17.8 V	689
(4366)	1994 08 11.39184	22 41 26.62	-10 39 15.3	17.7 V	2 675	1983 AD	1994 10 05.46117	04 32 55.82	+16 19 11.9	17.0 V	689
(4366)	1994 08 11.42344	22 41 25.57	-10 39 23.5	16.9 V	2 675	1983 AD	1994 10 09.45037	04 33 06.63	+16 25 04.5	17.0 V	689
(4588)	1994 08 09.36771	22 54 19.01	-07 01 19.8	15.8 V	2 675	1983 AD	1994 10 13.43925	04 32 48.87	+16 30 43.0	16.7 V	689
(4588)	1994 08 09.39635	22 54 17.85	-07 01 21.0	16.2 V	2 675	1983 OD	1994 10 13.24555	23 53 05.20	-24 50 23.0	15.3 V	689
(4618)	1994 10 07.19462	22 21 54.55	-06 37 33.1	16.0	2 675	1983 VN ₇	1994 10 05.45088	04 18 04.71	+19 04 17.8	16.6 V	689
(4618)	1994 10 07.21554	22 21 53.87	-06 37 28.2		2 675	1983 VN ₇	1994 10 09.43999	04 18 07.35	+19 01 03.7	17.2 V	689
(4618)	1994 10 09.20747	22 20 59.28	-06 28 37.7		2 675	1983 VN ₇	1994 10 13.42878	04 17 42.28	+18 56 47.4	17.1 V	689
(4618)	1994 10 09.23333	22 20 58.58	-06 28 31.4		2 675	1984 WM ₁	1994 10 04.30288	00 40 23.42	+11 44 09.4		689
(4723)	1954 07 01.37778	20 41 12.55	-23 23 47.2		6 675	1984 WM ₁	1994 10 05.29942	00 39 20.03	+11 40 32.3	16.3 V	689
(4723)	1954 07 01.40208	20 41 11.61	-23 23 52.0		6 675	1984 WM ₁	1994 10 09.28558	00 35 07.00	+11 24 59.6	16.4 V	689
(4782)	1994 08 09.36771	22 56 59.42	-06 59 10.0	16.3 V	2 675	1984 WM ₁	1994 10 13.27180	00 30 59.28	+11 08 07.9	16.4 V	689
(4782)	1994 08 09.39635	22 56 58.24	-06 59 15.1	16.1 V	2 675	1984 WM ₁	1994 10 05.18129	21 48 46.70	-11 38 47.1	18.8 V	689
(5193)	1954 07 01.37778	20 30 51.87	-20 36 57.4	18.0	6 675	1985 TB ₁	1994 10 09.16995	21 48 10.69	-11 44 04.9	17.4 V	689
(5193)	1954 07 01.40208	20 30 51.01	-20 37 01.2		6 675	1985 TB ₁	1994 10 13.15888	21 47 57.89	-11 47 19.1	18.8 V	689
(5284)	1953 02 15.22014	07 16 52.33	+27 31 06.2		6 675	1987 SG ₃	1994 10 09.11770	20 32 43.55	-02 27 04.8	17.0 V	689
(5284)	1953 02 15.24203	07 16 51.76	+27 31 09.2		6 675	1987 SG ₃	1994 10 13.11211	20 40 25.74	-03 40 15.1	16.7 V	689
(5339)	1954 07 01.37778	20 19 54.93	-21 53 26.0	18.2	6 675	1987 SV ₃	1994 10 05.20297	22 20 05.15	-14 26 00.7	16.6 V	689
(5339)	1954 07 01.40208	20 19 53.93	-21 53 29.4		6 675						

1987 SV ₃	1994 10 09.19144	22 19 12.58	-13 57 14.6		689	(2035)	1994 10 13.44440	04 40 12.73	-03 53 13.7	15.5 V	689
1987 SV ₃	1994 10 13.18032	22 18 55.36	-13 26 28.9		689	(2044)	1994 10 05.47548	04 53 35.45	+15 28 52.4	15.8 V	689
1987 UT	1994 10 04.14995	20 59 35.75	-11 40 26.5	18.1 V	689	(2044)	1994 10 09.46661	04 56 33.49	+16 31 56.4	15.6 V	689
1987 UT	1994 10 05.14775	21 00 21.57	-11 37 04.8	17.8 V	689	(2044)	1994 10 13.45741	04 59 02.36	+17 40 13.5	15.7 V	689
1987 UT	1994 10 09.13918	21 03 44.85	-11 22 27.6	17.2 V	689	(2191)	1994 10 09.50985	05 59 01.23	+23 10 30.2	16.6 V	689
1987 WF	1994 10 09.49639	05 39 35.28	+26 19 39.4	16.4 V	689	(2191)	1994 10 13.50028	06 00 57.46	+22 59 43.6	16.2 V	689
1989 TT ₁₁	1994 10 13.31059	01 27 00.32	+09 08 53.7	16.1 V	689	(2218)	1994 10 13.20819	22 59 09.56	-28 07 47.0	16.7 V	689
1990 OE ₂	1994 10 09.10418	20 13 15.65	-28 38 50.6	17.3 V	689	(2269)	1994 10 04.16493	21 21 14.93	-35 06 53.7	17.5 V	689
1990 OE ₂	1994 10 13.09608	20 17 19.87	-28 34 11.0	17.2 V	689	(2269)	1994 10 05.16213	21 21 08.65	-35 02 35.1	17.5 V	689
1990 OJ ₂	1994 10 09.51816	06 11 00.64	+22 36 17.4	17.2 V	689	(2269)	1994 10 09.15108	21 20 57.82	-34 44 11.8	14.3 V	689
1990 OJ ₂	1994 10 13.51024	06 15 20.56	+22 43 23.0	17.2 V	689	(2318)	1994 10 05.41448	03 25 30.29	+12 56 13.4	16.4 V	689
1990 QL ₃	1994 10 05.34364	01 43 12.27	+16 29 12.3	17.3 V	689	(2318)	1994 10 09.40297	03 24 39.12	+12 39 22.2	15.8 V	689
1990 QL ₃	1994 10 09.33000	01 39 16.68	+16 20 58.4	17.0 V	689	(2318)	1994 10 13.39106	03 23 13.04	+12 20 49.1	15.7 V	689
1990 SF ₁₁	1994 10 05.28816	00 23 04.50	+05 28 37.1	16.7 V	689	(2439)	1994 10 05.36713	02 17 07.54	+13 16 57.7	16.0 V	689
1990 SF ₁₁	1994 10 09.27478	00 19 31.68	+05 06 42.1	16.6 V	689	(2439)	1994 10 09.35447	02 14 36.78	+13 03 52.7	16.0 V	689
1990 SF ₁₁	1994 10 13.26151	00 16 08.52	+04 45 12.3	16.5 V	689	(2439)	1994 10 13.34165	02 11 51.47	+12 49 28.8	15.8 V	689
1994 JO ₁	1994 10 05.15530	21 11 16.83	-30 05 15.8		689	(2494)	1994 10 13.52264	06 33 15.78	+29 00 30.4	15.8 V	689
1994 JO ₁	1994 10 09.14795	21 16 25.89	-29 18 51.4	17.2 V	689	(2500)	1994 10 09.22584	23 08 52.21	-15 04 17.0	17.0 V	689
1994 LC ₁	1994 10 13.21715	23 12 05.22	-10 13 35.5	16.8 V	689	(2500)	1994 10 13.21325	23 06 27.92	-14 59 57.3	16.9 V	689
(2)	1994 10 05.44042	04 02 54.59	-17 28 45.8		689	(2530)	1994 10 04.17796	21 40 01.24	-04 32 28.1	17.9 V	689
(2)	1994 10 09.42948	04 02 52.87	-18 46 05.8		689	(2530)	1994 10 05.17521	21 39 59.78	-04 38 24.8	17.7 V	689
(2)	1994 10 13.41824	04 02 24.46	-20 03 06.3		689	(2530)	1994 10 09.16439	21 40 08.86	-05 00 54.3	18.0 V	689
(538)	1994 10 04.10633	19 56 37.60	-20 07 36.1	15.5 V	689	(2530)	1994 10 13.15385	21 40 41.71	-05 21 11.0	17.3 V	689
(538)	1994 10 05.10397	19 57 10.03	-20 08 03.5	15.4 V	689	(2538)	1994 10 04.28204	00 10 18.06	-05 49 27.2	15.9 V	689
(538)	1994 10 09.09470	19 59 32.79	-20 09 01.6	15.3 V	689	(2538)	1994 10 05.27862	00 09 18.21	-05 52 56.4	16.4 V	689
(623)	1994 10 04.28548	00 15 15.50	+26 06 57.2	14.2 V	689	(2538)	1994 10 09.26502	00 05 25.63	-06 05 14.1		689
(623)	1994 10 05.28200	00 14 10.92	+26 04 21.8	13.8 V	689	(2538)	1994 10 13.25158	00 01 48.11	-06 14 35.1		689
(623)	1994 10 09.26815	00 09 56.97	+25 51 14.3	13.8 V	689	(2540)	1994 10 05.40019	03 04 51.55	+16 18 19.4	15.7 V	689
(623)	1994 10 13.25443	00 05 54.56	+25 34 01.5	13.7 V	689	(2540)	1994 10 09.38791	03 02 54.08	+16 06 07.0	16.4 V	689
(1139)	1994 10 13.14356	21 25 49.62	+01 33 36.3	14.6 V	689	(2540)	1994 10 13.37528	03 00 25.89	+15 51 41.4	16.1 V	689
(1170)	1994 10 05.39032	02 50 38.38	+40 15 56.1	13.8 V	689	(2554)	1994 10 05.34645	01 47 15.52	+19 50 49.3	16.5 V	689
(1170)	1994 10 09.37740	02 47 45.42	+42 14 37.4	13.8 V	689	(2554)	1994 10 09.33278	01 43 17.65	+19 34 02.8	16.8 V	689
(1170)	1994 10 13.36378	02 43 51.15	+44 10 12.1	13.6 V	689	(2554)	1994 10 13.31900	01 39 09.99	+19 14 22.2	16.2 V	689
(1391)	1994 10 04.12172	20 18 51.40	-25 21 09.3	17.1 V	689	(2558)	1994 10 09.17286	21 52 23.05	-20 51 47.1	17.5 V	689
(1391)	1994 10 05.11927	20 19 15.90	-25 19 27.0	16.6 V	689	(2558)	1994 10 13.16303	21 53 57.48	-20 21 11.8	17.4 V	689
(1391)	1994 10 09.10964	20 21 07.56	-25 11 45.5	15.9 V	689	(2684)	1994 10 04.21031	22 26 44.10	-13 15 17.8		689
(1391)	1994 10 13.10025	20 23 20.13	-25 02 45.6	17.7 V	689	(2684)	1994 10 05.20734	22 26 23.75	-13 19 08.5	17.0 V	689
(1509)	1994 10 13.51758	06 25 59.87	+43 45 55.1	15.8 V	689	(2684)	1994 10 09.19562	22 25 14.44	-13 32 55.7	16.7 V	689
(1608)	1994 10 05.33560	01 31 34.98	+12 39 36.5	14.2 V	689	(2684)	1994 10 13.18413	22 24 24.84	-13 44 14.5	16.8 V	689
(1608)	1994 10 09.32174	01 27 20.33	+12 27 09.7	14.4 V	689	(2704)	1994 10 04.17183	21 31 10.87	-09 32 35.0	17.4 V	689
(1608)	1994 10 13.30781	01 23 00.07	+12 13 03.0	14.5 V	689	(2704)	1994 10 05.16904	21 31 05.48	-09 35 57.5		689
(1701)	1994 10 13.45410	04 54 16.50	+21 53 53.9	15.7 V	689	(2704)	1994 10 09.15807	21 31 01.12	-09 48 00.4	17.3 V	689
(1766)	1994 10 05.32848	01 21 18.36	+07 09 33.2	15.8 V	689	(2734)	1994 10 04.10005	19 47 36.43	-39 59 21.0		689
(1766)	1994 10 09.31544	01 18 14.07	+06 40 59.0	14.0 V	689	(2734)	1994 10 05.09771	19 48 09.81	-39 52 36.5	17.4 V	689
(1766)	1994 10 13.30235	01 15 06.38	+06 12 15.7	15.5 V	689	(2793)	1994 10 04.27173	23 55 24.29	+03 45 00.5	16.3 V	689
(1778)	1994 10 05.39712	03 00 25.32	+13 52 43.4		689	(2793)	1994 10 05.26839	23 54 31.48	+03 44 34.4	16.0 V	689
(1778)	1994 10 09.38474	02 58 19.28	+13 42 12.1		689	(2793)	1994 10 09.25509	23 51 05.85	+03 42 56.1	16.3 V	689
(1778)	1994 10 13.37219	02 55 58.44	+13 30 47.3		689	(2793)	1994 10 13.24192	23 47 51.13	+03 41 35.6	16.4 V	689
(1825)	1994 10 05.48704	05 10 18.56	+27 14 06.7	15.5 V	689	(2805)	1994 10 05.35203	01 55 18.23	+05 53 59.8	15.5 V	689
(1825)	1994 10 09.47750	05 12 18.30	+27 18 52.8		689	(2805)	1994 10 09.33876	01 51 54.53	+05 46 21.9	15.4 V	689
(1825)	1994 10 13.46763	05 13 49.25	+27 22 50.4	15.9 V	689	(2805)	1994 10 13.32534	01 48 18.73	+05 38 42.5	15.2 V	689
(2035)	1994 10 09.45660	04 42 03.80	-03 58 42.0	16.2 V	689	(2849)	1994 10 09.35163	02 10 29.88	+09 38 14.9	16.3 V	689

1981 EK ₇	1994 09 27.14007	23 32 00.33	+01 59 53.1		691	1989 US ₃	1992 04 24.25935	14 10 14.38	-13 07 42.0	17.4 V	691
1981 EK ₇	1994 09 27.16308	23 31 59.40	+01 59 45.3	17.1 V	691	1989 US ₃	1992 04 24.27994	14 10 13.31	-13 07 36.1		691
1981 EC ₁₀	1994 10 10.36152	01 37 24.81	+11 27 45.7		691	1989 US ₃	1992 04 24.30067	14 10 12.23	-13 07 29.5		691
1981 EC ₁₀	1994 10 10.37283	01 37 24.33	+11 27 41.9	18.9 V	691	1990 QJ ₄	1994 10 09.29027	01 25 24.61	+05 53 18.8	17.5 V	691
1981 EC ₁₀	1994 10 10.38402	01 37 23.82	+11 27 38.2		691	1990 QJ ₄	1994 10 09.31447	01 25 23.18	+05 53 08.9		691
1981 EC ₁₀	1994 10 12.38539	01 35 57.15	+11 16 10.5	18.7 V	691	1990 QJ ₄	1994 10 09.33792	01 25 21.79	+05 52 59.9		691
1981 EC ₁₀	1994 10 12.40521	01 35 56.26	+11 16 03.5		691	1990 RE ₂	1994 10 08.27868	02 05 37.55	+11 35 56.4	16.3 V	691
1981 EC ₁₀	1994 10 12.42511	01 35 55.34	+11 15 56.5		691	1990 RE ₂	1994 10 08.31770	02 05 35.94	+11 35 41.1		691
1981 EY ₁₀	1994 10 13.41995	02 59 30.14	+16 31 51.8		691	1990 RE ₂	1994 10 08.35641	02 05 34.34	+11 35 25.8		691
1981 EY ₁₀	1994 10 13.44776	02 59 29.04	+16 31 44.1		691	1990 RE ₂	1994 10 10.29816	02 04 18.06	+11 22 26.3		691
1981 EY ₁₀	1994 10 13.47533	02 59 27.97	+16 31 36.2	17.1 V	691	1990 RE ₂	1994 10 10.32697	02 04 16.75	+11 22 14.3	16.2 V	691
1981 ET ₂₂	1994 10 08.39916	01 26 21.61	+08 27 47.7	17.1 V	691	1990 RE ₂	1994 10 10.34871	02 04 15.83	+11 22 05.5		691
1981 ET ₂₂	1994 10 08.43146	01 26 19.70	+08 27 39.6		691	1990 SZ	1992 02 27.43849	11 41 34.89	+01 24 24.3		691
1981 ET ₂₂	1994 10 08.46377	01 26 17.79	+08 27 30.7		691	1990 SZ	1992 02 27.46262	11 41 33.52	+01 24 26.8		691
1981 EH ₂₃	1994 10 08.12115	23 25 44.17	-01 44 15.5		691	1990 SZ	1992 02 27.51649	11 41 30.34	+01 24 32.2	18.3 V	691
1981 EH ₂₃	1994 10 08.14580	23 25 43.09	-01 44 22.5	18.3 V	691	1991 CS ₁	1994 10 09.41255	01 31 31.85	+06 48 55.6		691
1981 EH ₂₃	1994 10 08.16979	23 25 42.02	-01 44 29.7		691	1991 CS ₁	1994 10 09.45023	01 31 30.18	+06 48 44.5	17.3 V	691
1981 EL ₄₁	1994 09 28.28616	00 18 06.96	+02 07 02.2	18.7 V	691	1991 CS ₁	1994 10 09.47380	01 31 29.14	+06 48 38.1		691
1981 EL ₄₁	1994 09 28.30955	00 18 05.76	+02 06 58.9		691	1992 FP	1994 09 28.22275	00 43 23.14	+02 39 54.5	17.7 V	691
1981 EL ₄₁	1994 09 28.33294	00 18 04.53	+02 06 55.6		691	1992 FP	1994 09 28.25160	00 43 21.88	+02 39 47.1		691
1982 US ₆	1994 10 05.43201	02 05 37.76	+06 16 04.4		691	1992 FP	1994 09 28.27796	00 43 20.73	+02 39 40.5		691
1982 US ₆	1994 10 05.45432	02 05 36.57	+06 16 03.7	15.9 V	691	1992 FP	1994 10 04.26577	00 39 02.03	+02 13 57.3	17.9 V	691
1982 US ₆	1994 10 05.47645	02 05 35.43	+06 16 02.8		691	1992 FP	1994 10 04.28880	00 39 01.03	+02 13 51.3		691
1983 EV	1994 09 28.36812	00 33 42.38	+03 12 04.3		691	1992 FP	1994 10 04.31351	00 38 59.94	+02 13 45.1		691
1983 EV	1994 09 28.39131	00 33 41.16	+03 11 58.2	17.2 V	691	1992 FW ₁	1994 10 11.16012	00 37 10.53	+02 40 43.5	16.9 V	691
1983 EV	1994 09 28.41446	00 33 39.96	+03 11 52.2		691	1992 FW ₁	1994 10 11.18323	00 37 09.36	+02 40 15.5		691
1983 EV	1994 10 04.33064	00 28 38.10	+02 46 14.4	16.9 V	691	1992 FW ₁	1994 10 11.20637	00 37 08.24	+02 39 47.4		691
1983 EV	1994 10 04.35395	00 28 36.88	+02 46 08.4		691	1993 FU ₂₈	1994 08 31.43520	23 24 48.58	+00 12 47.6	16.2 V	691
1983 EV	1994 10 11.22963	00 22 52.59	+02 17 01.5	17.3 V	691	1993 FU ₂₈	1994 08 31.45655	23 24 47.45	+00 12 44.1		691
1983 EV	1994 10 11.25318	00 22 51.42	+02 16 55.6		691	1993 FU ₂₈	1994 08 31.47756	23 24 46.35	+00 12 40.4		691
1983 EV	1994 10 11.27641	00 22 50.25	+02 16 49.8		691	1993 FS ₅₀	1994 10 12.12219	23 18 46.91	-02 53 40.7	19.0 V	691
1985 CV ₁	1994 10 08.40239	01 31 01.90	+08 24 10.5	18.2 V	691	1993 FS ₅₀	1994 10 12.14363	23 18 46.21	-02 53 44.3		691
1985 CV ₁	1994 10 08.43470	01 31 00.46	+08 24 03.1		691	1993 FS ₅₀	1994 10 12.16501	23 18 45.47	-02 53 48.0		691
1985 CV ₁	1994 10 08.46702	01 30 59.01	+08 23 55.4		691	1993 KD	1994 10 09.20719	00 37 11.21	+05 48 30.2	18.2 V	691
1986 TG ₁	1994 10 12.12277	23 19 37.58	-02 53 44.3	16.3 V	691	1993 KD	1994 10 09.23127	00 37 09.97	+05 48 16.4		691
1986 TG ₁	1994 10 12.14422	23 19 36.61	-02 53 39.6		691	1993 KD	1994 10 09.25575	00 37 08.69	+05 48 02.5		691
1986 TG ₁	1994 10 12.16558	23 19 35.56	-02 53 34.9		691	1994 RB ₁	1994 10 11.10660	23 17 57.83	+04 37 33.3		691
1987 QH ₃	1994 10 09.13991	23 38 04.32	-00 18 44.7		691	1994 RB ₁	1994 10 11.12154	23 17 57.36	+04 37 26.2		691
1987 QH ₃	1994 10 09.16463	23 38 03.04	-00 18 45.4	16.0 V	691	1994 RB ₁	1994 10 11.13621	23 17 56.91	+04 37 19.8	17.1 V	691
1987 QH ₃	1994 10 09.18917	23 38 01.73	-00 18 47.1		691	1994 RB ₅	1994 09 29.35699	00 38 52.75	+01 16 08.0		691
1988 PZ ₁	1994 10 10.22560	01 55 08.99	+11 48 45.7	16.8 V	691	1994 RB ₅	1994 09 29.38051	00 38 51.15	+01 16 06.9		691
1988 PZ ₁	1994 10 10.24740	01 55 07.98	+11 48 40.8		691	1994 RB ₅	1994 09 29.40342	00 38 49.59	+01 16 05.9	20.7 V	691
1988 PZ ₁	1994 10 10.26940	01 55 06.98	+11 48 35.7		691	1994 RB ₅	1994 09 30.23955	00 37 54.83	+01 15 25.4	20.0 V	691
1988 RD ₅	1994 10 07.39842	01 49 20.12	+09 35 03.9		691	1994 RB ₅	1994 09 30.26272	00 37 53.21	+01 15 23.8		691
1988 RD ₅	1994 10 07.45164	01 49 17.74	+09 34 52.8	16.5 V	691	1994 RB ₅	1994 09 30.28957	00 37 51.36	+01 15 22.0		691
1988 RD ₅	1994 10 07.47524	01 49 16.70	+09 34 48.0		691	1994 RB ₅	1994 10 06.29479	00 31 12.21	+01 11 08.8	19.9 V	691
1989 CS ₂	1994 10 09.12997	23 23 43.63	-00 25 17.2		691	1994 RB ₅	1994 10 06.31818	00 31 10.53	+01 11 07.6		691
1989 CS ₂	1994 10 09.15470	23 23 42.70	-00 25 29.0		691	1994 RB ₅	1994 10 06.34155	00 31 08.94	+01 11 06.7		691
1989 CS ₂	1994 10 09.17924	23 23 41.78	-00 25 40.4	17.5 V	691	1994 RN ₅	1994 09 28.15268	00 12 46.35	+02 44 28.5		691
1989 SR ₂	1994 10 09.43123	01 58 29.69	+06 47 25.3	16.6 V	691	1994 RN ₅	1994 09 28.17574	00 12 45.13	+02 44 18.5	18.1 V	691
1989 SR ₂	1994 10 09.46891	01 58 27.86	+06 47 15.8		691	1994 RN ₅	1994 09 28.19876	00 12 43.80	+02 44 06.9		691
1989 SR ₂	1994 10 09.49247	01 58 26.92	+06 47 09.6		691	1994 RN ₅	1994 09 29.18987	00 11 51.71	+02 37 08.0	18.3 V	691

1994 RN ₅	1994 09 29.21311	00 11 50.46	+02 36 58.1	691	1994 RE ₈	1994 09 29.12356	23 48 29.23	+02 40 07.7	691
1994 RN ₅	1994 09 29.23667	00 11 49.18	+02 36 47.9	691	1994 RE ₈	1994 09 29.14681	23 48 28.05	+02 40 04.6	19.6 V 691
1994 RS ₅	1994 09 28.14254	23 58 08.02	+02 40 25.7	18.6 V 691	1994 RE ₈	1994 09 29.17008	23 48 26.84	+02 40 02.2	691
1994 RS ₅	1994 09 28.16560	23 58 06.79	+02 40 17.4	691	1994 RW ₈	1994 09 28.14325	23 59 09.26	+02 32 25.0	691
1994 RS ₅	1994 09 28.18862	23 58 05.66	+02 40 08.8	691	1994 RW ₈	1994 09 28.16631	23 59 07.95	+02 32 21.2	691
1994 RS ₅	1994 09 29.17978	23 57 17.14	+02 33 53.5	18.9 V 691	1994 RW ₈	1994 09 28.18932	23 59 06.75	+02 32 18.3	19.7 V 691
1994 RS ₅	1994 09 29.20302	23 57 15.96	+02 33 45.0	691	1994 RW ₈	1994 09 29.18044	23 58 14.51	+02 29 55.8	691
1994 RS ₅	1994 09 29.22657	23 57 14.69	+02 33 35.2	691	1994 RW ₈	1994 09 29.20368	23 58 13.18	+02 29 52.3	691
1994 RF ₆	1994 09 28.15276	00 12 52.87	+02 31 03.4	691	1994 RW ₈	1994 09 29.22723	23 58 11.95	+02 29 49.3	19.8 V 691
1994 RF ₆	1994 09 28.17582	00 12 51.77	+02 30 53.8	19.3 V 691	1994 RX ₈	1994 09 28.14372	23 59 50.13	+02 20 48.6	691
1994 RF ₆	1994 09 28.19884	00 12 50.65	+02 30 44.0	691	1994 RX ₈	1994 09 28.16678	23 59 48.85	+02 20 44.4	18.7 V 691
1994 RF ₆	1994 09 29.19001	00 12 03.71	+02 23 59.8	691	1994 RX ₈	1994 09 28.18980	23 59 47.63	+02 20 40.0	691
1994 RF ₆	1994 09 29.21325	00 12 02.56	+02 23 50.2	19.3 V 691	1994 RX ₈	1994 09 29.18090	23 58 54.94	+02 17 28.3	691
1994 RF ₆	1994 09 29.23681	00 12 01.42	+02 23 40.9	691	1994 RX ₈	1994 09 29.20414	23 58 53.70	+02 17 22.7	691
1994 RH ₆	1994 09 28.15246	00 12 27.41	+02 36 46.9	691	1994 RX ₈	1994 09 29.22770	23 58 52.42	+02 17 17.9	18.6 V 691
1994 RH ₆	1994 09 28.17552	00 12 26.15	+02 36 37.0	20.1 V 691	1994 RC ₁₁	1992 04 25.30249	13 42 57.73	-10 05 33.7	691
1994 RH ₆	1994 09 28.19854	00 12 24.89	+02 36 27.9	691	1994 RC ₁₁	1992 04 25.32868	13 42 56.56	-10 05 27.3	19.6 V 691
1994 RH ₆	1994 09 29.18966	00 11 32.92	+02 29 42.9	20.2 V 691	1994 RC ₁₁	1992 04 25.34895	13 42 55.54	-10 05 22.4	691
1994 RH ₆	1994 09 29.21289	00 11 31.67	+02 29 33.6	691	1994 RC ₁₁	1994 09 30.17890	00 20 47.77	+00 51 29.1	16.3 V 691
1994 RH ₆	1994 09 29.23645	00 11 30.36	+02 29 23.9	691	1994 RC ₁₁	1994 09 30.20198	00 20 46.67	+00 51 22.8	691
1994 RO ₆	1994 09 28.13700	23 50 08.45	+02 28 07.0	20.1 V 691	1994 RC ₁₁	1994 09 30.22508	00 20 45.58	+00 51 16.5	691
1994 RO ₆	1994 09 28.16007	23 50 07.34	+02 28 01.5	691	1994 SK	* 1994 09 27.13682	23 27 18.32	+02 19 16.0	19.7 V 691
1994 RO ₆	1994 09 28.18308	23 50 06.15	+02 27 54.5	691	1994 SK	1994 09 27.15983	23 27 17.12	+02 19 07.1	691
1994 RO ₆	1994 09 29.12416	23 49 21.35	+02 23 18.9	691	1994 SK	1994 10 10.10751	23 17 53.06	+00 54 57.8	691
1994 RO ₆	1994 09 29.14741	23 49 20.17	+02 23 12.8	691	1994 SK	1994 10 10.13073	23 17 52.25	+00 54 48.4	20.9 V 691
1994 RO ₆	1994 09 29.17068	23 49 19.09	+02 23 06.6	20.3 V 691	1994 SK	1994 10 10.16227	23 17 51.08	+00 54 39.1	691
1994 RD ₇	1994 09 28.14598	00 03 05.97	+02 28 57.4	691	1994 SL	* 1994 09 27.14007	23 31 59.91	+02 15 15.4	18.5 V 691
1994 RD ₇	1994 09 28.16904	00 03 04.79	+02 28 49.6	20.3 V 691	1994 SL	1994 09 27.16308	23 31 58.96	+02 14 57.2	691
1994 RD ₇	1994 09 28.19206	00 03 03.63	+02 28 41.7	691	1994 SL	1994 10 09.13072	23 24 48.06	-00 15 39.4	691
1994 RD ₇	1994 09 29.18322	00 02 15.62	+02 23 09.1	20.2 V 691	1994 SL	1994 10 09.15544	23 24 47.25	-00 15 57.4	18.9 V 691
1994 RD ₇	1994 09 29.20646	00 02 14.39	+02 23 01.2	691	1994 SL	1994 10 09.17999	23 24 46.47	-00 16 14.9	691
1994 RD ₇	1994 09 29.23002	00 02 13.27	+02 22 52.9	691	1994 SM	* 1994 09 27.14079	23 33 02.57	+02 10 20.1	691
1994 RG ₇	1994 09 28.17169	00 06 54.34	+02 31 18.4	18.4 V 691	1994 SM	1994 09 27.16380	23 33 01.37	+02 10 11.5	17.7 V 691
1994 RG ₇	1994 09 28.19471	00 06 53.28	+02 31 12.0	691	1994 SM	1994 10 10.11104	23 22 59.13	+00 56 04.5	18.0 V 691
1994 RG ₇	1994 09 29.18591	00 06 08.68	+02 26 37.2	691	1994 SM	1994 10 10.13426	23 22 58.20	+00 55 57.3	691
1994 RG ₇	1994 09 29.20915	00 06 07.58	+02 26 30.5	18.5 V 691	1994 SM	1994 10 10.16580	23 22 56.87	+00 55 47.1	691
1994 RG ₇	1994 09 29.23271	00 06 06.51	+02 26 24.1	691	1994 SN	* 1994 09 27.23716	23 55 09.90	+02 16 00.3	691
1994 RL ₇	1994 09 28.14841	00 06 36.18	+02 41 34.6	691	1994 SN	1994 09 27.28326	23 55 05.05	+02 16 16.5	19.6 V 691
1994 RL ₇	1994 09 28.17147	00 06 34.98	+02 41 27.5	691	1994 SN	1994 09 28.13943	23 53 38.82	+02 21 09.1	691
1994 RL ₇	1994 09 28.19449	00 06 33.80	+02 41 20.8	18.3 V 691	1994 SN	1994 09 28.16248	23 53 36.50	+02 21 18.3	20.0 V 691
1994 RL ₇	1994 09 29.18563	00 05 44.27	+02 36 22.3	18.5 V 691	1994 SN	1994 09 28.18548	23 53 34.07	+02 21 25.4	691
1994 RL ₇	1994 09 29.20887	00 05 43.09	+02 36 15.5	691	1994 SO	* 1994 09 27.24933	00 12 44.39	+02 00 59.8	19.7 V 691
1994 RL ₇	1994 09 29.23243	00 05 41.87	+02 36 08.1	691	1994 SO	1994 09 27.27228	00 12 42.46	+02 01 20.1	691
1994 RN ₇	1994 09 28.14889	00 07 17.84	+02 44 39.0	691	1994 SO	1994 09 29.18869	00 10 09.70	+02 29 20.7	20.1 V 691
1994 RN ₇	1994 09 28.17195	00 07 16.65	+02 44 32.4	18.1 V 691	1994 SO	1994 09 29.21193	00 10 07.74	+02 29 41.1	691
1994 RN ₇	1994 09 28.19497	00 07 15.45	+02 44 26.5	691	1994 SO	1994 09 29.23547	00 10 05.79	+02 30 01.5	691
1994 RN ₇	1994 09 29.18611	00 06 25.68	+02 40 08.5	18.3 V 691	1994 SP	* 1994 09 27.25133	00 15 37.25	+01 58 01.5	691
1994 RN ₇	1994 09 29.20935	00 06 24.46	+02 40 02.2	691	1994 SP	1994 09 27.27429	00 15 36.13	+01 57 42.4	18.9 V 691
1994 RN ₇	1994 09 29.23290	00 06 23.27	+02 39 56.3	691	1994 SP	1994 09 27.29746	00 15 35.12	+01 57 23.9	691
1994 RE ₈	1994 09 28.13643	23 49 18.63	+02 42 05.6	19.7 V 691	1994 SP	1994 09 30.17392	00 13 36.64	+01 19 07.8	19.6 V 691
1994 RE ₈	1994 09 28.15949	23 49 17.47	+02 42 03.2	691	1994 SP	1994 09 30.19701	00 13 35.68	+01 18 48.6	691
1994 RE ₈	1994 09 28.18251	23 49 16.23	+02 42 01.1	691	1994 SP	1994 09 30.22010	00 13 34.68	+01 18 30.3	691

1994 SQ	* 1994 09 27.30681	00 04 13.29	+04 31 16.4	16.5 V	691	1994 SY	1994 10 11.38724	00 14 14.26	+03 09 24.1		691
1994 SQ	1994 09 27.32998	00 04 12.06	+04 31 13.9		691	1994 SY	1994 10 11.40681	00 14 13.54	+03 09 15.4	19.9 V	691
1994 SQ	1994 09 27.35345	00 04 10.85	+04 31 11.8		691	1994 SZ	* 1994 09 27.32087	00 24 31.82	+04 48 33.9	18.5 V	691
1994 SQ	1994 10 07.32328	23 55 56.65	+04 14 59.3	16.9 V	691	1994 SZ	1994 09 27.34405	00 24 30.80	+04 48 19.0		691
1994 SQ	1994 10 07.34660	23 55 55.51	+04 14 57.3		691	1994 SZ	1994 09 27.36752	00 24 29.79	+04 48 03.7		691
1994 SQ	1994 10 07.37260	23 55 54.25	+04 14 54.6		691	1994 SZ	1994 10 06.12723	00 18 31.63	+03 13 02.2	18.8 V	691
1994 SR	* 1994 09 27.30743	00 05 07.43	+04 54 43.0		691	1994 SZ	1994 10 06.15047	00 18 30.70	+03 12 47.2		691
1994 SR	1994 09 27.33061	00 05 06.20	+04 54 39.4	19.0 V	691	1994 SZ	1994 10 06.17990	00 18 29.47	+03 12 28.4		691
1994 SR	1994 09 27.35407	00 05 04.98	+04 54 35.9		691	1994 SZ	1994 10 11.22443	00 15 16.29	+02 19 04.9	19.1 V	691
1994 SR	1994 10 07.32393	23 56 52.43	+04 28 24.9		691	1994 SZ	1994 10 11.24798	00 15 15.40	+02 18 50.5		691
1994 SR	1994 10 07.34724	23 56 51.30	+04 28 21.8	19.3 V	691	1994 SZ	1994 10 11.27122	00 15 14.49	+02 18 36.0		691
1994 SR	1994 10 07.37324	23 56 50.08	+04 28 19.1		691	1994 SA ₁	* 1994 09 27.32269	00 27 09.03	+04 48 33.7	20.5 V	691
1994 SS	* 1994 09 27.30801	00 05 57.68	+04 51 53.1	18.8 V	691	1994 SA ₁	1994 09 27.34587	00 27 08.00	+04 48 23.3		691
1994 SS	1994 09 27.33119	00 05 56.43	+04 51 46.1		691	1994 SA ₁	1994 09 27.36933	00 27 06.91	+04 48 13.2		691
1994 SS	1994 09 27.35465	00 05 55.14	+04 51 39.2		691	1994 SA ₁	1994 10 11.36949	00 17 00.99	+02 59 27.4		691
1994 SS	1994 10 07.32429	23 57 23.34	+04 01 56.3		691	1994 SA ₁	1994 10 11.38916	00 17 00.19	+02 59 18.5	20.7 V	691
1994 SS	1994 10 07.34760	23 57 22.16	+04 01 50.0	19.4 V	691	1994 SA ₁	1994 10 11.40872	00 16 59.36	+02 59 09.8		691
1994 SS	1994 10 07.37360	23 57 20.84	+04 01 42.3		691	1994 SB ₁	* 1994 09 27.32401	00 29 03.25	+04 30 19.5		691
1994 ST	* 1994 09 27.30837	00 06 28.54	+04 50 41.4		691	1994 SB ₁	1994 09 27.34718	00 29 02.11	+04 30 11.0	18.5 V	691
1994 ST	1994 09 27.33154	00 06 27.19	+04 50 35.1		691	1994 SB ₁	1994 09 27.37065	00 29 00.98	+04 30 02.4		691
1994 ST	1994 09 27.35500	00 06 25.74	+04 50 29.0	19.7 V	691	1994 SB ₁	1994 10 11.37030	00 18 11.20	+03 02 52.4		691
1994 ST	1994 10 07.32430	23 57 24.74	+04 06 43.3	20.5 V	691	1994 SB ₁	1994 10 11.38997	00 18 10.29	+03 02 45.1	18.7 V	691
1994 ST	1994 10 07.34761	23 57 23.53	+04 06 37.3		691	1994 SB ₁	1994 10 11.40953	00 18 09.43	+03 02 38.2		691
1994 ST	1994 10 07.37361	23 57 22.10	+04 06 30.1		691	1994 SC ₁	* 1994 09 27.32403	00 29 04.93	+04 46 36.2		691
1994 SU	* 1994 09 27.31035	00 09 20.52	+04 48 13.6		691	1994 SC ₁	1994 09 27.34720	00 29 03.96	+04 46 21.8	19.1 V	691
1994 SU	1994 09 27.33353	00 09 19.15	+04 48 11.1		691	1994 SC ₁	1994 09 27.37067	00 29 02.92	+04 46 07.6		691
1994 SU	1994 09 27.35699	00 09 17.69	+04 48 08.8	19.9 V	691	1994 SC ₁	1994 10 06.13035	00 23 02.19	+03 14 36.3	19.3 V	691
1994 SU	1994 10 07.32608	23 59 58.48	+04 30 24.5	20.6 V	691	1994 SC ₁	1994 10 06.15360	00 23 01.21	+03 14 21.8		691
1994 SU	1994 10 07.34939	23 59 57.18	+04 30 21.7		691	1994 SC ₁	1994 10 06.18302	00 22 59.96	+03 14 03.8		691
1994 SU	1994 10 07.37538	23 59 55.76	+04 30 19.2		691	1994 SC ₁	1994 10 11.14806	00 19 45.26	+02 22 49.4		691
1994 SV	* 1994 09 27.31217	00 11 57.57	+04 46 34.3	20.1 V	691	1994 SC ₁	1994 10 11.17117	00 19 44.36	+02 22 36.2	19.3 V	691
1994 SV	1994 09 27.33534	00 11 56.43	+04 46 28.2		691	1994 SC ₁	1994 10 11.19430	00 19 43.37	+02 22 22.4		691
1994 SV	1994 09 27.35881	00 11 55.31	+04 46 21.7		691	1994 SD ₁	* 1994 09 27.37626	00 44 40.47	+01 48 05.6		691
1994 SV	1994 10 07.32909	00 04 19.88	+04 00 56.1		691	1994 SD ₁	1994 09 27.39963	00 44 39.33	+01 47 57.2	20.3 V	691
1994 SV	1994 10 07.35241	00 04 18.87	+04 00 50.1		691	1994 SD ₁	1994 09 27.42298	00 44 38.29	+01 47 51.7		691
1994 SV	1994 10 07.37841	00 04 17.69	+04 00 44.0	21.4 V	691	1994 SD ₁	1994 10 06.29948	00 37 59.24	+01 07 16.5		691
1994 SW	* 1994 09 27.31359	00 14 00.44	+04 47 40.8	20.0 V	691	1994 SD ₁	1994 10 06.32289	00 37 58.25	+01 07 09.6		691
1994 SW	1994 09 27.33676	00 13 59.22	+04 47 35.0		691	1994 SD ₁	1994 10 06.34626	00 37 57.15	+01 07 03.3	20.0 V	691
1994 SW	1994 09 27.36022	00 13 57.98	+04 47 28.8		691	1994 SE ₁	* 1994 09 27.37661	00 45 10.48	+02 13 06.2		691
1994 SW	1994 10 07.32994	00 05 33.46	+04 03 21.4	20.5 V	691	1994 SE ₁	1994 09 27.39998	00 45 09.32	+02 12 53.9		691
1994 SW	1994 10 07.35326	00 05 32.25	+04 03 14.8		691	1994 SE ₁	1994 09 27.42333	00 45 08.19	+02 12 43.5	19.5 V	691
1994 SW	1994 10 07.37925	00 05 31.02	+04 03 08.6		691	1994 SE ₁	1994 10 06.32303	00 38 10.47	+01 00 52.4		691
1994 SX	* 1994 09 27.31529	00 16 27.73	+04 53 36.0	18.9 V	691	1994 SE ₁	1994 10 06.34640	00 38 09.25	+01 00 41.2	19.5 V	691
1994 SX	1994 09 27.33846	00 16 26.16	+04 53 30.8		691	1994 SF ₁	* 1994 09 27.37713	00 45 55.40	+01 48 17.0		691
1994 SX	1994 09 27.36192	00 16 24.59	+04 53 25.3		691	1994 SF ₁	1994 09 27.40050	00 45 54.23	+01 48 06.8	19.7 V	691
1994 SX	1994 10 07.33014	00 05 50.50	+04 15 22.1	19.7 V	691	1994 SF ₁	1994 09 27.42385	00 45 53.08	+01 47 57.3		691
1994 SX	1994 10 07.35345	00 05 49.06	+04 15 16.8		691	1994 SF ₁	1994 09 29.26522	00 44 27.17	+01 35 22.8		691
1994 SX	1994 10 07.37944	00 05 47.41	+04 15 10.7		691	1994 SF ₁	1994 09 29.28844	00 44 26.12	+01 35 09.5		691
1994 SY	* 1994 09 27.32012	00 23 26.11	+04 47 12.9		691	1994 SF ₁	1994 09 29.31204	00 44 24.83	+01 35 03.6	19.4 V	691
1994 SY	1994 09 27.34329	00 23 25.16	+04 47 03.3	19.7 V	691	1994 SG ₁	* 1994 09 27.37813	00 47 22.10	+02 06 12.3	21.0 V	691
1994 SY	1994 09 27.36676	00 23 24.17	+04 46 53.5		691	1994 SG ₁	1994 09 27.40150	00 47 20.85	+02 06 06.2		691
1994 SY	1994 10 11.36757	00 14 15.01	+03 09 31.7		691	1994 SG ₁	1994 09 27.42484	00 47 19.62	+02 06 00.4		691

1994 SG ₁	1994 10 13.28971	00 34 05.12	+01 00 00.8		691	1994 SO ₁	1994 09 27.40346	00 50 11.06	+02 05 57.1		691
1994 SG ₁	1994 10 13.29771	00 34 04.84	+01 00 00.0		691	1994 SO ₁	1994 09 27.42681	00 50 10.05	+02 05 49.0	20.2 V	691
1994 SG ₁	1994 10 13.30521	00 34 04.43	+00 59 58.6	20.5 V	691	1994 SO ₁	1994 10 06.30351	00 43 48.38	+01 11 31.3	19.9 V	691
1994 SH ₁	* 1994 09 27.37828	00 47 35.04	+01 56 05.8		691	1994 SO ₁	1994 10 06.32692	00 43 47.32	+01 11 23.2		691
1994 SH ₁	1994 09 27.40165	00 47 33.94	+01 55 59.6	21.1 V	691	1994 SO ₁	1994 10 06.35029	00 43 46.26	+01 11 14.3		691
1994 SH ₁	1994 09 27.42500	00 47 32.87	+01 55 52.3		691	1994 SP ₁	* 1994 09 27.38040	00 50 38.78	+01 52 58.1	20.4 V	691
1994 SH ₁	1994 09 29.26642	00 46 10.99	+01 46 35.3		691	1994 SP ₁	1994 09 27.40376	00 50 37.33	+01 52 55.7		691
1994 SH ₁	1994 09 29.28964	00 46 09.94	+01 46 28.0		691	1994 SP ₁	1994 09 27.42711	00 50 35.76	+01 52 52.9		691
1994 SH ₁	1994 09 29.31324	00 46 08.80	+01 46 20.8	21.1 V	691	1994 SP ₁	1994 09 29.26817	00 48 42.11	+01 49 01.8	20.2 V	691
1994 SJ ₁	* 1994 09 27.37906	00 48 43.02	+02 14 48.7	19.2 V	691	1994 SP ₁	1994 09 29.29138	00 48 40.61	+01 48 58.5		691
1994 SJ ₁	1994 09 27.40243	00 48 41.73	+02 14 38.2		691	1994 SP ₁	1994 09 29.31498	00 48 39.08	+01 48 56.6		691
1994 SJ ₁	1994 09 27.42578	00 48 40.48	+02 14 29.4		691	1994 SP ₁	1994 10 06.23022	00 41 25.80	+01 35 19.5	20.2 V	691
1994 SJ ₁	1994 10 06.30146	00 40 50.85	+01 13 53.1		691	1994 SP ₁	1994 10 06.25348	00 41 24.24	+01 35 17.3		691
1994 SJ ₁	1994 10 06.32487	00 40 49.60	+01 13 43.3	18.9 V	691	1994 SP ₁	1994 10 06.28067	00 41 22.46	+01 35 14.0		691
1994 SJ ₁	1994 10 06.34824	00 40 48.26	+01 13 34.4		691	1994 SP ₁	1994 10 12.21646	00 35 27.64	+01 26 13.4	20.3 V	691
1994 SK ₁	* 1994 09 27.37958	00 49 28.05	+02 11 42.2	20.6 V	691	1994 SP ₁	1994 10 12.23963	00 35 26.21	+01 26 11.2		691
1994 SK ₁	1994 09 27.40295	00 49 26.96	+02 11 36.6		691	1994 SQ ₁	* 1994 09 27.38092	00 51 24.16	+02 09 04.1		691
1994 SK ₁	1994 09 27.42630	00 49 25.93	+02 11 30.5		691	1994 SQ ₁	1994 09 27.40429	00 51 22.90	+02 08 55.0		691
1994 SK ₁	1994 10 06.23132	00 43 01.35	+01 33 56.9	20.3 V	691	1994 SQ ₁	1994 09 27.42764	00 51 21.61	+02 08 45.7	19.5 V	691
1994 SK ₁	1994 10 06.25459	00 43 00.35	+01 33 50.3		691	1994 SQ ₁	1994 10 06.30319	00 43 20.66	+01 09 30.0	19.1 V	691
1994 SK ₁	1994 10 06.28179	00 42 59.10	+01 33 43.6		691	1994 SQ ₁	1994 10 06.32660	00 43 19.36	+01 09 21.4		691
1994 SK ₁	1994 10 13.29231	00 37 50.54	+01 04 43.7		691	1994 SQ ₁	1994 10 06.34997	00 43 18.02	+01 09 11.9		691
1994 SK ₁	1994 10 13.30032	00 37 50.18	+01 04 41.8		691	1994 SR ₁	* 1994 09 27.38104	00 51 34.54	+01 47 55.6	17.8 V	691
1994 SK ₁	1994 10 13.30781	00 37 49.82	+01 04 39.8	20.5 V	691	1994 SR ₁	1994 09 27.40441	00 51 33.26	+01 47 48.6		691
1994 SL ₁	* 1994 09 27.37964	00 49 32.90	+02 07 54.7		691	1994 SR ₁	1994 09 27.42776	00 51 31.97	+01 47 39.9		691
1994 SL ₁	1994 09 27.40301	00 49 31.81	+02 07 48.1		691	1994 SR ₁	1994 09 29.26900	00 49 54.37	+01 36 57.1	17.9 V	691
1994 SL ₁	1994 09 27.42636	00 49 30.69	+02 07 41.6	20.1 V	691	1994 SR ₁	1994 09 29.29221	00 49 53.06	+01 36 49.0		691
1994 SL ₁	1994 10 06.23106	00 42 38.26	+01 25 50.9	20.0 V	691	1994 SR ₁	1994 09 29.31582	00 49 51.82	+01 36 42.7		691
1994 SL ₁	1994 10 06.25432	00 42 37.11	+01 25 43.9		691	1994 SR ₁	1994 10 06.30322	00 43 22.49	+00 55 55.0	17.7 V	691
1994 SL ₁	1994 10 06.28152	00 42 35.78	+01 25 35.8		691	1994 SR ₁	1994 10 06.32662	00 43 21.11	+00 55 47.0		691
1994 SL ₁	1994 10 12.32295	00 37 51.57	+00 58 02.8		691	1994 SR ₁	1994 10 06.34999	00 43 19.67	+00 55 38.4		691
1994 SL ₁	1994 10 12.34595	00 37 50.46	+00 57 57.0	20.1 V	691	1994 SS ₁	* 1994 09 27.38111	00 51 40.05	+01 58 34.1		691
1994 SL ₁	1994 10 12.36894	00 37 49.38	+00 57 50.8		691	1994 SS ₁	1994 09 27.40448	00 51 39.14	+01 58 17.1		691
1994 SM ₁	* 1994 09 27.37981	00 49 47.83	+02 08 44.0		691	1994 SS ₁	1994 09 27.42783	00 51 38.20	+01 58 01.0	20.6 V	691
1994 SM ₁	1994 09 27.40318	00 49 46.38	+02 08 38.0	20.3 V	691	1994 SS ₁	1994 09 29.26942	00 50 30.43	+01 35 49.8		691
1994 SM ₁	1994 09 27.42652	00 49 44.99	+02 08 33.2		691	1994 SS ₁	1994 09 29.29263	00 50 29.18	+01 35 31.1		691
1994 SM ₁	1994 10 06.22979	00 40 48.94	+01 34 02.3		691	1994 SS ₁	1994 09 29.31624	00 50 28.27	+01 35 13.4	20.1 V	691
1994 SM ₁	1994 10 06.25305	00 40 47.49	+01 33 58.1		691	1994 ST ₁	* 1994 09 27.38115	00 51 44.28	+02 02 12.8	19.2 V	691
1994 SM ₁	1994 10 06.28025	00 40 45.76	+01 33 51.2	20.0 V	691	1994 ST ₁	1994 09 27.40452	00 51 42.96	+02 02 01.0		691
1994 SM ₁	1994 10 12.32080	00 34 44.72	+01 12 01.3		691	1994 ST ₁	1994 09 27.42787	00 51 41.63	+02 01 49.7		691
1994 SM ₁	1994 10 12.34379	00 34 43.28	+01 11 56.8		691	1994 ST ₁	1994 10 06.30323	00 43 24.04	+00 48 39.4	18.9 V	691
1994 SM ₁	1994 10 12.36678	00 34 41.96	+01 11 52.6	20.2 V	691	1994 ST ₁	1994 10 06.32663	00 43 22.72	+00 48 27.6		691
1994 SN ₁	* 1994 09 27.37997	00 50 01.87	+02 14 57.4	20.3 V	691	1994 ST ₁	1994 10 06.35001	00 43 21.37	+00 48 16.0		691
1994 SN ₁	1994 09 27.40334	00 50 00.59	+02 14 52.4		691	1994 SU ₁	* 1994 09 27.38116	00 51 44.71	+02 04 42.1	20.8 V	691
1994 SN ₁	1994 09 27.42669	00 49 59.34	+02 14 48.7		691	1994 SU ₁	1994 09 27.40453	00 51 43.38	+02 04 31.4		691
1994 SN ₁	1994 10 06.23067	00 42 05.26	+01 47 55.0		691	1994 SU ₁	1994 09 27.42787	00 51 42.06	+02 04 20.4		691
1994 SN ₁	1994 10 06.25393	00 42 03.81	+01 47 51.1	19.7 V	691	1994 SU ₁	1994 09 29.26908	00 50 00.96	+01 49 02.7		691
1994 SN ₁	1994 10 06.28113	00 42 02.35	+01 47 45.9		691	1994 SU ₁	1994 09 29.29229	00 49 59.57	+01 48 52.1	20.5 V	691
1994 SN ₁	1994 10 12.19388	00 36 45.80	+01 31 00.4		691	1994 SU ₁	1994 09 29.31589	00 49 58.18	+01 48 40.2		691
1994 SN ₁	1994 10 12.21735	00 36 44.48	+01 30 57.6		691	1994 SU ₁	1994 10 06.30328	00 43 27.79	+00 52 00.6		691
1994 SN ₁	1994 10 12.24052	00 36 43.28	+01 30 53.6	20.3 V	691	1994 SU ₁	1994 10 06.32668	00 43 26.40	+00 51 49.6	20.4 V	691
1994 SO ₁	* 1994 09 27.38009	00 50 12.07	+02 06 05.8		691	1994 SU ₁	1994 10 06.35005	00 43 25.05	+00 51 39.2		691

1994 SV ₁	* 1994 09 27.38184	00 52 43.66	+02 14 38.7	20.8 V	691	1994 SC ₂	1994 10 12.22446	00 47 00.32	+01 36 36.0	19.7 V	691
1994 SV ₁	1994 09 27.40519	00 52 41.29	+02 14 47.7		691	1994 SC ₂	1994 10 12.24763	00 46 59.38	+01 36 32.9		691
1994 SV ₁	1994 09 27.42853	00 52 38.94	+02 14 57.5		691	1994 SD ₂	* 1994 09 27.38617	00 58 58.38	+02 02 12.6		691
1994 SV ₁	1994 10 06.14069	00 37 58.15	+03 15 48.7		691	1994 SD ₂	1994 09 27.40953	00 58 56.73	+02 02 16.7	20.9 V	691
1994 SV ₁	1994 10 06.16392	00 37 55.80	+03 15 58.8	20.5 V	691	1994 SD ₂	1994 09 27.43287	00 58 55.04	+02 02 21.2		691
1994 SV ₁	1994 10 06.19333	00 37 52.68	+03 16 12.9		691	1994 SD ₂	1994 10 11.16408	00 42 53.19	+02 46 09.6	20.9 V	691
1994 SW ₁	* 1994 09 27.38216	00 53 11.39	+02 17 30.5		691	1994 SD ₂	1994 10 11.18718	00 42 51.57	+02 46 14.5		691
1994 SW ₁	1994 09 27.40553	00 53 10.24	+02 17 20.6	17.0 V	691	1994 SD ₂	1994 10 11.21031	00 42 49.93	+02 46 18.5		691
1994 SW ₁	1994 09 27.42888	00 53 09.09	+02 17 11.1		691	1994 SE ₂	* 1994 09 27.38661	00 59 36.65	+02 03 06.9	16.8 V	691
1994 SW ₁	1994 10 06.30497	00 45 54.85	+01 14 48.7	16.7 V	691	1994 SE ₂	1994 09 27.40997	00 59 35.23	+02 03 01.9		691
1994 SW ₁	1994 10 06.32838	00 45 53.60	+01 14 39.2		691	1994 SE ₂	1994 09 27.43332	00 59 33.83	+02 02 56.6		691
1994 SW ₁	1994 10 06.35175	00 45 52.32	+01 14 29.5		691	1994 SE ₂	1994 10 06.23662	00 50 39.96	+01 31 02.7		691
1994 SX ₁	* 1994 09 27.38272	00 54 00.16	+02 08 46.9		691	1994 SE ₂	1994 10 06.25988	00 50 38.42	+01 30 58.2	16.4 V	691
1994 SX ₁	1994 09 27.40609	00 53 58.90	+02 08 37.1	20.4 V	691	1994 SE ₂	1994 10 06.28707	00 50 36.66	+01 30 52.2		691
1994 SX ₁	1994 09 27.42944	00 53 57.65	+02 08 27.4		691	1994 SE ₂	1994 10 12.32744	00 44 20.38	+01 10 58.9		691
1994 SX ₁	1994 10 06.30499	00 45 55.94	+01 06 48.8		691	1994 SE ₂	1994 10 12.35044	00 44 18.99	+01 10 53.0	16.6 V	691
1994 SX ₁	1994 10 06.32839	00 45 54.68	+01 06 39.4	20.0 V	691	1994 SE ₂	1994 10 12.37342	00 44 17.65	+01 10 48.1		691
1994 SX ₁	1994 10 06.35176	00 45 53.31	+01 06 29.5		691	1994 SF ₂	* 1994 09 27.38759	01 01 02.10	+01 51 26.6		691
1994 SY ₁	* 1994 09 27.38281	00 54 07.61	+02 11 25.4	20.8 V	691	1994 SF ₂	1994 09 27.41096	01 01 00.89	+01 51 24.2	17.7 V	691
1994 SY ₁	1994 09 27.40618	00 54 06.27	+02 11 17.5		691	1994 SF ₂	1994 09 27.43431	01 00 59.68	+01 51 20.8		691
1994 SY ₁	1994 09 27.42952	00 54 04.89	+02 11 09.7		691	1994 SF ₂	1994 10 12.20187	00 48 17.88	+01 20 53.2	17.4 V	691
1994 SY ₁	1994 10 06.23322	00 45 45.44	+01 23 26.6		691	1994 SF ₂	1994 10 12.22534	00 48 16.65	+01 20 50.4		691
1994 SY ₁	1994 10 06.25648	00 45 44.11	+01 23 18.8	20.6 V	691	1994 SF ₂	1994 10 12.24851	00 48 15.43	+01 20 48.2		691
1994 SY ₁	1994 10 06.28367	00 45 42.50	+01 23 09.6		691	1994 SG ₂	* 1994 09 27.38868	01 02 35.97	+02 15 40.9		691
1994 SY ₁	1994 10 12.32451	00 40 06.10	+00 52 46.4		691	1994 SG ₂	1994 09 27.41205	01 02 35.01	+02 15 33.4	19.3 V	691
1994 SY ₁	1994 10 12.34751	00 40 04.82	+00 52 39.5		691	1994 SG ₂	1994 09 27.43540	01 02 34.05	+02 15 25.4		691
1994 SY ₁	1994 10 12.37049	00 40 03.55	+00 52 33.1	20.7 V	691	1994 SG ₂	1994 10 12.33283	00 52 07.38	+00 53 47.5	19.2 V	691
1994 SZ ₁	* 1994 09 27.38311	00 54 33.52	+02 11 19.1	19.4 V	691	1994 SG ₂	1994 10 12.35584	00 52 06.37	+00 53 40.4		691
1994 SZ ₁	1994 09 27.40647	00 54 32.20	+02 11 13.1		691	1994 SG ₂	1994 10 12.37882	00 52 05.38	+00 53 33.3		691
1994 SZ ₁	1994 09 27.42982	00 54 30.89	+02 11 07.5		691	1994 SH ₂	* 1994 09 27.38952	01 03 49.23	+02 12 43.3		691
1994 SZ ₁	1994 10 06.23361	00 46 19.28	+01 36 29.4	19.2 V	691	1994 SH ₂	1994 09 27.41289	01 03 48.19	+02 12 36.0	18.5 V	691
1994 SZ ₁	1994 10 06.25687	00 46 17.90	+01 36 23.5		691	1994 SH ₂	1994 09 27.43625	01 03 47.17	+02 12 28.1		691
1994 SZ ₁	1994 10 06.28406	00 46 16.36	+01 36 17.5		691	1994 SH ₂	1994 10 12.33304	00 52 25.27	+00 52 29.7	18.1 V	691
1994 SZ ₁	1994 10 12.34796	00 40 43.94	+01 14 56.6		691	1994 SH ₂	1994 10 12.35604	00 52 24.10	+00 52 23.0		691
1994 SZ ₁	1994 10 12.37094	00 40 42.65	+01 14 51.9	19.3 V	691	1994 SH ₂	1994 10 12.37903	00 52 22.94	+00 52 16.3		691
1994 SA ₂	* 1994 09 27.38397	00 55 48.57	+02 03 41.1		691	1994 SJ ₂	* 1994 09 27.39304	01 08 53.69	+02 05 50.5		691
1994 SA ₂	1994 09 27.40734	00 55 47.42	+02 03 33.9		691	1994 SJ ₂	1994 09 27.41640	01 08 52.36	+02 05 45.1	19.5 V	691
1994 SA ₂	1994 09 27.43069	00 55 46.30	+02 03 26.9	20.5 V	691	1994 SJ ₂	1994 09 27.43975	01 08 51.07	+02 05 39.4		691
1994 SA ₂	1994 10 06.23528	00 48 44.43	+01 18 05.4	20.4 V	691	1994 SJ ₂	1994 10 12.33479	00 54 57.08	+01 12 48.0		691
1994 SA ₂	1994 10 06.25855	00 48 43.31	+01 17 58.6		691	1994 SJ ₂	1994 10 12.35779	00 54 55.76	+01 12 43.4	19.1 V	691
1994 SA ₂	1994 10 06.28574	00 48 41.91	+01 17 50.9		691	1994 SJ ₂	1994 10 12.38077	00 54 54.41	+01 12 39.7		691
1994 SB ₂	* 1994 09 27.38398	00 55 48.90	+02 15 46.4	18.6 V	691	1994 SK ₂	* 1994 09 27.40334	00 50 00.51	+02 01 26.1	19.7 V	691
1994 SB ₂	1994 09 27.40735	00 55 47.81	+02 15 39.9		691	1994 SK ₂	1994 09 27.42669	00 49 59.51	+02 01 17.6		691
1994 SB ₂	1994 09 27.43070	00 55 46.72	+02 15 34.4		691	1994 SK ₂	1994 10 06.30335	00 43 34.21	+01 08 18.5	19.4 V	691
1994 SB ₂	1994 10 06.23548	00 49 01.82	+01 37 42.6	18.4 V	691	1994 SK ₂	1994 10 06.32675	00 43 33.18	+01 08 11.3		691
1994 SB ₂	1994 10 06.25875	00 49 00.68	+01 37 36.8		691	1994 SK ₂	1994 10 06.35013	00 43 32.11	+01 08 02.9		691
1994 SB ₂	1994 10 06.28594	00 48 59.40	+01 37 30.0		691	1994 SL ₂	* 1994 09 28.13592	23 48 34.35	+02 36 52.8		691
1994 SB ₂	1994 10 12.32747	00 44 23.05	+01 13 22.7	18.5 V	691	1994 SL ₂	1994 09 28.15898	23 48 33.21	+02 36 47.1		691
1994 SB ₂	1994 10 12.35047	00 44 22.00	+01 13 17.3		691	1994 SL ₂	1994 09 28.18200	23 48 31.97	+02 36 40.4	18.7 V	691
1994 SB ₂	1994 10 12.37346	00 44 20.94	+01 13 12.3		691	1994 SL ₂	1994 09 29.12305	23 47 45.22	+02 32 03.6	18.9 V	691
1994 SC ₂	* 1994 09 27.38482	00 57 01.70	+02 19 01.3	20.2 V	691	1994 SL ₂	1994 09 29.14630	23 47 44.02	+02 31 57.3		691
1994 SC ₂	1994 09 27.40819	00 57 00.74	+02 18 57.4		691	1994 SL ₂	1994 09 29.16957	23 47 42.81	+02 31 50.6		691

1994 SM ₂	* 1994 09 28.13644	23 49 19.17	+02 30 42.4		691	1994 ST ₂	1994 09 12.36160	00 09 40.65	+03 20 11.0		691
1994 SM ₂	1994 09 28.15950	23 49 17.98	+02 30 33.6	20.0 V	691	1994 ST ₂	* 1994 09 28.14114	23 56 06.72	+02 47 06.5		691
1994 SM ₂	1994 09 28.18251	23 49 16.65	+02 30 25.0		691	1994 ST ₂	1994 09 28.16420	23 56 05.43	+02 47 04.8	19.0 V	691
1994 SM ₂	1994 09 29.12356	23 48 29.10	+02 23 58.6		691	1994 ST ₂	1994 09 28.18722	23 56 04.32	+02 47 01.0		691
1994 SM ₂	1994 09 29.14681	23 48 27.86	+02 23 50.0	20.5 V	691	1994 ST ₂	1994 09 29.17835	23 55 13.52	+02 44 43.3	19.2 V	691
1994 SM ₂	1994 09 29.17008	23 48 26.58	+02 23 40.3		691	1994 ST ₂	1994 09 29.20159	23 55 12.33	+02 44 40.4		691
1994 SN ₂	* 1994 09 28.13686	23 49 55.55	+02 41 56.7		691	1994 ST ₂	1994 09 29.22514	23 55 11.04	+02 44 37.0		691
1994 SN ₂	1994 09 28.15992	23 49 54.49	+02 41 46.3	19.1 V	691	1994 SU ₂	* 1994 09 28.14175	23 56 59.80	+02 38 08.1	19.0 V	691
1994 SN ₂	1994 09 28.18294	23 49 53.33	+02 41 35.2		691	1994 SU ₂	1994 09 28.16481	23 56 58.39	+02 38 01.4		691
1994 SN ₂	1994 09 29.12402	23 49 09.30	+02 33 56.4	19.3 V	691	1994 SU ₂	1994 09 28.18783	23 56 57.11	+02 37 54.7		691
1994 SN ₂	1994 09 29.14727	23 49 08.17	+02 33 45.4		691	1994 SU ₂	1994 09 29.17889	23 56 00.08	+02 33 00.2	19.0 V	691
1994 SN ₂	1994 09 29.17054	23 49 07.09	+02 33 34.1		691	1994 SU ₂	1994 09 29.20212	23 55 58.73	+02 32 53.7		691
1994 SO ₂	1994 09 14.35031	00 04 23.08	+03 27 46.2		691	1994 SU ₂	1994 09 29.22568	23 55 57.32	+02 32 46.7		691
1994 SO ₂	1994 09 14.37164	00 04 21.83	+03 27 41.8	20.9 V	691	1994 SV ₂	* 1994 09 28.14224	23 57 42.39	+02 26 13.9		691
1994 SO ₂	* 1994 09 28.13777	23 51 14.42	+02 32 29.8	20.2 V	691	1994 SV ₂	1994 09 28.16531	23 57 41.34	+02 26 04.0		691
1994 SO ₂	1994 09 28.16083	23 51 13.16	+02 32 24.1		691	1994 SV ₂	1994 09 28.18833	23 57 40.36	+02 25 55.0	20.2 V	691
1994 SO ₂	1994 09 28.18384	23 51 11.72	+02 32 18.4		691	1994 SV ₂	1994 09 29.17958	23 57 00.19	+02 19 18.3	20.3 V	691
1994 SO ₂	1994 09 29.12483	23 50 19.02	+02 28 18.6		691	1994 SV ₂	1994 09 29.20282	23 56 59.19	+02 19 10.5		691
1994 SO ₂	1994 09 29.14807	23 50 17.68	+02 28 13.5		691	1994 SV ₂	1994 09 29.22638	23 56 58.14	+02 19 00.2		691
1994 SO ₂	1994 09 29.17134	23 50 16.33	+02 28 07.0	20.2 V	691	1994 SW ₂	1994 09 12.32126	00 15 08.41	+03 29 48.1	19.7 V	691
1994 SP ₂	1994 09 14.39280	00 03 19.95	+03 12 12.5		691	1994 SW ₂	1994 09 12.34295	00 15 07.30	+03 29 43.8		691
1994 SP ₂	1994 09 14.41892	00 03 18.57	+03 12 09.3	20.4 V	691	1994 SW ₂	1994 09 12.36536	00 15 06.26	+03 29 39.4		691
1994 SP ₂	1994 09 14.44067	00 03 17.43	+03 12 05.7		691	1994 SW ₂	* 1994 09 28.14501	00 01 41.82	+02 34 58.8	19.3 V	691
1994 SP ₂	* 1994 09 28.13800	23 51 34.68	+02 34 46.9		691	1994 SW ₂	1994 09 28.16807	00 01 40.59	+02 34 53.8		691
1994 SP ₂	1994 09 28.16106	23 51 33.59	+02 34 43.9		691	1994 SW ₂	1994 09 28.19109	00 01 39.43	+02 34 48.7		691
1994 SP ₂	1994 09 28.18408	23 51 32.27	+02 34 39.6	20.3 V	691	1994 SW ₂	1994 09 29.18222	00 00 48.84	+02 31 10.9		691
1994 SP ₂	1994 09 29.12512	23 50 44.81	+02 31 52.0	20.5 V	691	1994 SW ₂	1994 09 29.20546	00 00 47.62	+02 31 05.5	19.3 V	691
1994 SP ₂	1994 09 29.14837	23 50 43.56	+02 31 48.1		691	1994 SW ₂	1994 09 29.22902	00 00 46.38	+02 31 00.6		691
1994 SP ₂	1994 09 29.17164	23 50 42.42	+02 31 43.6		691	1994 SX ₂	* 1994 09 28.14689	00 04 25.10	+02 36 16.5		691
1994 SQ ₂	* 1994 09 28.13801	23 51 35.16	+02 30 01.6	21.4 V	691	1994 SX ₂	1994 09 28.16995	00 04 23.79	+02 36 08.1	21.0 V	691
1994 SQ ₂	1994 09 28.16106	23 51 33.88	+02 29 59.1		691	1994 SX ₂	1994 09 28.19297	00 04 22.55	+02 36 00.1		691
1994 SQ ₂	1994 09 28.18408	23 51 32.44	+02 29 56.7		691	1994 SX ₂	1994 09 29.18407	00 03 29.36	+02 30 14.8		691
1994 SQ ₂	1994 09 29.12506	23 50 39.37	+02 28 06.7		691	1994 SX ₂	1994 09 29.20731	00 03 28.03	+02 30 06.9	21.2 V	691
1994 SQ ₂	1994 09 29.14831	23 50 38.06	+02 28 04.3		691	1994 SX ₂	1994 09 29.23087	00 03 26.77	+02 29 58.3		691
1994 SQ ₂	1994 09 29.17158	23 50 36.69	+02 28 01.6	21.5 V	691	1994 SY ₂	1994 09 11.43070	00 22 07.32	+04 39 57.1	20.9 V	691
1994 SR ₂	* 1994 09 28.13923	23 53 21.01	+02 38 54.5	20.0 V	691	1994 SY ₂	1994 09 11.45239	00 22 06.13	+04 39 49.0		691
1994 SR ₂	1994 09 28.16229	23 53 20.09	+02 38 41.1		691	1994 SY ₂	1994 09 11.47407	00 22 04.96	+04 39 41.3		691
1994 SR ₂	1994 09 28.18531	23 53 19.06	+02 38 27.7		691	1994 SY ₂	* 1994 09 28.14802	00 06 03.05	+02 43 45.7	20.2 V	691
1994 SR ₂	1994 09 29.17656	23 52 38.79	+02 28 32.6	20.0 V	691	1994 SY ₂	1994 09 28.17108	00 06 01.63	+02 43 35.7		691
1994 SR ₂	1994 09 29.19981	23 52 37.83	+02 28 18.8		691	1994 SY ₂	1994 09 28.19410	00 06 00.24	+02 43 25.5		691
1994 SR ₂	1994 09 29.22336	23 52 36.80	+02 28 04.9		691	1994 SY ₂	1994 09 29.18514	00 05 01.82	+02 36 07.8		691
1994 SS ₂	1994 09 14.32982	00 05 41.21	+03 49 02.9	20.9 V	691	1994 SY ₂	1994 09 29.20838	00 05 00.39	+02 35 57.5	20.5 V	691
1994 SS ₂	1994 09 14.35120	00 05 40.27	+03 48 55.6		691	1994 SY ₂	1994 09 29.23193	00 04 58.96	+02 35 47.7		691
1994 SS ₂	1994 09 14.37253	00 05 39.24	+03 48 49.3		691	1994 SZ ₂	* 1994 09 28.14804	00 06 04.36	+02 42 24.7	19.6 V	691
1994 SS ₂	* 1994 09 28.14032	23 54 55.66	+02 32 31.9		691	1994 SZ ₂	1994 09 28.17110	00 06 02.83	+02 42 25.2		691
1994 SS ₂	1994 09 28.16338	23 54 54.51	+02 32 24.5	20.5 V	691	1994 SZ ₂	1994 09 28.19411	00 06 01.31	+02 42 25.6		691
1994 SS ₂	1994 09 28.18640	23 54 53.45	+02 32 16.4		691	1994 SZ ₂	1994 09 29.18509	00 04 57.82	+02 42 58.7		691
1994 SS ₂	1994 09 29.17758	23 54 07.33	+02 26 33.5	20.6 V	691	1994 SZ ₂	1994 09 29.20833	00 04 56.24	+02 42 59.7		691
1994 SS ₂	1994 09 29.20083	23 54 06.22	+02 26 25.6		691	1994 SZ ₂	1994 09 29.23188	00 04 54.74	+02 42 59.8	20.1 V	691
1994 SS ₂	1994 09 29.22438	23 54 05.08	+02 26 18.0		691	1994 SA ₃	* 1994 09 28.14820	00 06 18.61	+02 40 55.1	21.1 V	691
1994 ST ₂	1994 09 12.31750	00 09 42.86	+03 20 15.5		691	1994 SA ₃	1994 09 28.17126	00 06 17.34	+02 40 46.8		691
1994 ST ₂	1994 09 12.33919	00 09 41.79	+03 20 13.1	19.3 V	691	1994 SA ₃	1994 09 28.19428	00 06 16.04	+02 40 39.1		691

1994 SA ₃	1994 09 29.18537	00 05 21.58	+02 34 59.9		691	1994 SH ₃	1994 09 29.23824	00 14 05.73	+02 22 37.8		691
1994 SA ₃	1994 09 29.20861	00 05 20.29	+02 34 51.8		691	1994 SJ ₃	* 1994 09 28.15450	00 15 23.63	+02 28 07.8		691
1994 SA ₃	1994 09 29.23216	00 05 18.96	+02 34 44.3	21.0 V	691	1994 SJ ₃	1994 09 28.17755	00 15 22.35	+02 27 59.5	19.5 V	691
1994 SB ₃	* 1994 09 28.14902	00 07 29.03	+02 26 12.8		691	1994 SJ ₃	1994 09 28.20057	00 15 20.97	+02 27 51.9		691
1994 SB ₃	1994 09 28.17208	00 07 27.77	+02 26 02.9	20.1 V	691	1994 SJ ₃	1994 09 29.19164	00 14 25.29	+02 22 17.0	19.9 V	691
1994 SB ₃	1994 09 28.19509	00 07 26.43	+02 25 53.5		691	1994 SJ ₃	1994 09 29.21488	00 14 23.92	+02 22 08.8		691
1994 SB ₃	1994 09 29.18619	00 06 32.39	+02 19 03.1		691	1994 SJ ₃	1994 09 29.23844	00 14 22.55	+02 22 00.6		691
1994 SB ₃	1994 09 29.20942	00 06 31.06	+02 18 53.7	20.5 V	691	1994 SK ₃	* 1994 09 28.15456	00 15 29.23	+02 39 53.6		691
1994 SB ₃	1994 09 29.23298	00 06 29.74	+02 18 43.3		691	1994 SK ₃	1994 09 28.17762	00 15 27.81	+02 39 51.1	17.2 V	691
1994 SC ₃	1994 09 12.32495	00 20 28.28	+03 24 07.6		691	1994 SK ₃	1994 09 28.20063	00 15 26.34	+02 39 49.0		691
1994 SC ₃	1994 09 12.34664	00 20 27.32	+03 24 04.6	20.1 V	691	1994 SK ₃	1994 09 29.19164	00 14 25.07	+02 38 25.0		691
1994 SC ₃	1994 09 12.36906	00 20 26.26	+03 24 01.6		691	1994 SK ₃	1994 09 29.21488	00 14 23.61	+02 38 23.0	17.0 V	691
1994 SC ₃	* 1994 09 28.14929	00 07 53.05	+02 45 31.7		691	1994 SK ₃	1994 09 29.23843	00 14 22.12	+02 38 20.8		691
1994 SC ₃	1994 09 28.17236	00 07 51.98	+02 45 27.5		691	1994 SL ₃	* 1994 09 28.15474	00 15 44.88	+02 28 53.2		691
1994 SC ₃	1994 09 28.19537	00 07 50.79	+02 45 24.4	19.9 V	691	1994 SL ₃	1994 09 28.17780	00 15 43.63	+02 28 38.6	18.9 V	691
1994 SC ₃	1994 09 29.18654	00 07 02.68	+02 42 47.6	20.0 V	691	1994 SL ₃	1994 09 28.20082	00 15 42.35	+02 28 24.8		691
1994 SC ₃	1994 09 29.20978	00 07 01.49	+02 42 43.5		691	1994 SL ₃	1994 09 29.19193	00 14 49.79	+02 18 21.2	19.4 V	691
1994 SC ₃	1994 09 29.23333	00 07 00.35	+02 42 39.8		691	1994 SL ₃	1994 09 29.21517	00 14 48.50	+02 18 06.2		691
1994 SD ₃	* 1994 09 28.15239	00 12 21.08	+02 33 50.4		691	1994 SL ₃	1994 09 29.23872	00 14 47.20	+02 17 52.0		691
1994 SD ₃	1994 09 28.17545	00 12 19.89	+02 33 45.1	20.8 V	691	1994 SM ₃	* 1994 09 28.15483	00 15 52.51	+02 27 28.7		691
1994 SD ₃	1994 09 28.19847	00 12 18.67	+02 33 39.6		691	1994 SM ₃	1994 09 28.17789	00 15 51.37	+02 27 23.7		691
1994 SD ₃	1994 09 29.18960	00 11 27.94	+02 29 50.1		691	1994 SM ₃	1994 09 28.20091	00 15 50.19	+02 27 19.9	20.2 V	691
1994 SD ₃	1994 09 29.21284	00 11 26.75	+02 29 43.7	20.8 V	691	1994 SM ₃	1994 09 29.19207	00 15 01.91	+02 24 18.1		691
1994 SD ₃	1994 09 29.23639	00 11 25.55	+02 29 39.2		691	1994 SM ₃	1994 09 29.21531	00 15 00.76	+02 24 13.2	20.5 V	691
1994 SE ₃	1994 09 14.34240	00 23 50.48	+03 38 18.7		691	1994 SM ₃	1994 09 29.23887	00 14 59.57	+02 24 09.1		691
1994 SE ₃	1994 09 14.36377	00 23 49.54	+03 38 12.9	21.7 V	691	1994 SN ₃	* 1994 09 28.15491	00 15 59.69	+02 23 41.9	20.5 V	691
1994 SE ₃	* 1994 09 28.15307	00 13 20.31	+02 34 17.7	20.8 V	691	1994 SN ₃	1994 09 28.17797	00 15 58.23	+02 23 42.1		691
1994 SE ₃	1994 09 28.17613	00 13 19.24	+02 34 10.3		691	1994 SN ₃	1994 09 28.20098	00 15 56.67	+02 23 41.9		691
1994 SE ₃	1994 09 28.19915	00 13 18.13	+02 34 04.0		691	1994 SN ₃	1994 09 29.19198	00 14 54.42	+02 23 55.2		691
1994 SE ₃	1994 09 29.19033	00 12 31.61	+02 29 14.1		691	1994 SN ₃	1994 09 29.21522	00 14 52.86	+02 23 55.1		691
1994 SE ₃	1994 09 29.21357	00 12 30.48	+02 29 07.5		691	1994 SN ₃	1994 09 29.23877	00 14 51.28	+02 23 55.8	20.8 V	691
1994 SE ₃	1994 09 29.23713	00 12 29.33	+02 29 00.9	21.0 V	691	1994 SO ₃	* 1994 09 28.15504	00 16 11.03	+02 43 05.6		691
1994 SF ₃	* 1994 09 28.15318	00 13 30.05	+02 25 45.1		691	1994 SO ₃	1994 09 28.17810	00 16 09.94	+02 42 51.0	19.9 V	691
1994 SF ₃	1994 09 28.17624	00 13 28.79	+02 25 42.3	19.0 V	691	1994 SO ₃	1994 09 28.20112	00 16 08.78	+02 42 37.8		691
1994 SF ₃	1994 09 28.19926	00 13 27.49	+02 25 38.7		691	1994 SO ₃	1994 09 29.19230	00 15 21.96	+02 32 41.5		691
1994 SF ₃	1994 09 29.19035	00 12 33.54	+02 23 30.4	18.9 V	691	1994 SO ₃	1994 09 29.21554	00 15 20.83	+02 32 27.9		691
1994 SF ₃	1994 09 29.21359	00 12 32.29	+02 23 27.1		691	1994 SO ₃	1994 09 29.23910	00 15 19.62	+02 32 13.3	19.8 V	691
1994 SF ₃	1994 09 29.23715	00 12 30.97	+02 23 24.0		691	1994 SP ₃	* 1994 09 28.15531	00 16 33.93	+02 48 53.9		691
1994 SG ₃	* 1994 09 28.15325	00 13 35.76	+02 22 14.8		691	1994 SP ₃	1994 09 28.17837	00 16 32.88	+02 48 46.5	19.2 V	691
1994 SG ₃	1994 09 28.17631	00 13 34.33	+02 22 12.4	19.0 V	691	1994 SP ₃	1994 09 28.20139	00 16 31.74	+02 48 39.8		691
1994 SG ₃	1994 09 28.19932	00 13 32.98	+02 22 11.2		691	1994 SP ₃	1994 09 29.19257	00 15 45.81	+02 43 41.4		691
1994 SG ₃	1994 09 29.19040	00 12 37.12	+02 21 22.1	18.9 V	691	1994 SP ₃	1994 09 29.21582	00 15 44.73	+02 43 34.3	19.3 V	691
1994 SG ₃	1994 09 29.21363	00 12 35.80	+02 21 21.1		691	1994 SP ₃	1994 09 29.23937	00 15 43.59	+02 43 27.4		691
1994 SG ₃	1994 09 29.23719	00 12 34.42	+02 21 19.8		691	1994 SQ ₃	* 1994 09 28.15574	00 17 11.83	+02 38 16.6	19.6 V	691
1994 SH ₃	1994 09 14.34277	00 24 22.51	+03 34 23.0		691	1994 SQ ₃	1994 09 28.17880	00 17 10.64	+02 38 12.9		691
1994 SH ₃	1994 09 14.36414	00 24 21.65	+03 34 17.4	18.1 V	691	1994 SQ ₃	1994 09 28.20182	00 17 09.49	+02 38 09.7		691
1994 SH ₃	1994 09 14.38548	00 24 20.76	+03 34 11.6		691	1994 SQ ₃	1994 09 29.19297	00 16 19.74	+02 35 50.8	19.7 V	691
1994 SH ₃	* 1994 09 28.15413	00 14 51.67	+02 28 01.9		691	1994 SQ ₃	1994 09 29.21621	00 16 18.56	+02 35 47.1		691
1994 SH ₃	1994 09 28.17719	00 14 50.69	+02 27 54.6	17.6 V	691	1994 SQ ₃	1994 09 29.23976	00 16 17.32	+02 35 44.4		691
1994 SH ₃	1994 09 28.20021	00 14 49.67	+02 27 47.5		691	1994 SR ₃	* 1994 09 28.20510	00 17 22.40	+02 35 07.4		691
1994 SH ₃	1994 09 29.19144	00 14 07.78	+02 22 51.7		691	1994 SR ₃	1994 09 28.23396	00 17 20.70	+02 35 01.8	19.4 V	691
1994 SH ₃	1994 09 29.21468	00 14 06.76	+02 22 44.9	17.8 V	691	1994 SR ₃	1994 09 28.26033	00 17 19.12	+02 34 56.6		691

1994 SR ₃	1994 09 29.19304	00 16 26.06	+02 31 49.3		691	1994 SA ₄	1994 09 28.23693	00 22 11.15	+02 32 20.5		691
1994 SR ₃	1994 09 29.21628	00 16 24.61	+02 31 43.9	19.4 V	691	1994 SA ₄	1994 09 28.26329	00 22 09.91	+02 32 12.7		691
1994 SR ₃	1994 09 29.23983	00 16 23.20	+02 31 39.1		691	1994 SA ₄	1994 10 04.25125	00 17 41.74	+02 03 12.1	19.8 V	691
1994 SS ₃	* 1994 09 28.20513	00 17 27.50	+02 37 04.5		691	1994 SA ₄	1994 10 04.27428	00 17 40.73	+02 03 05.6		691
1994 SS ₃	1994 09 28.23399	00 17 25.92	+02 36 56.6	19.6 V	691	1994 SA ₄	1994 10 04.29900	00 17 39.53	+02 02 58.0		691
1994 SS ₃	1994 09 28.26036	00 17 24.46	+02 36 49.2		691	1994 SB ₄	* 1994 09 28.20876	00 23 11.34	+02 47 19.1	20.0 V	691
1994 SS ₃	1994 09 29.19316	00 16 36.45	+02 32 30.5		691	1994 SB ₄	1994 09 28.23761	00 23 09.96	+02 47 10.0		691
1994 SS ₃	1994 09 29.21640	00 16 35.20	+02 32 24.3	19.6 V	691	1994 SB ₄	1994 09 28.26397	00 23 08.71	+02 47 00.6		691
1994 SS ₃	1994 09 29.23995	00 16 33.86	+02 32 17.7		691	1994 SB ₄	1994 10 04.25156	00 18 30.73	+02 13 26.1		691
1994 ST ₃	* 1994 09 28.20531	00 17 57.79	+02 48 52.5		691	1994 SB ₄	1994 10 04.27458	00 18 29.66	+02 13 19.0		691
1994 ST ₃	1994 09 28.23417	00 17 56.27	+02 48 48.5	19.8 V	691	1994 SB ₄	1994 10 04.29930	00 18 28.45	+02 13 09.6	20.4 V	691
1994 ST ₃	1994 09 28.26053	00 17 54.87	+02 48 44.8		691	1994 SC ₄	* 1994 09 28.20984	00 24 44.76	+02 32 13.0		691
1994 ST ₃	1994 09 29.19350	00 17 06.24	+02 46 36.8	19.7 V	691	1994 SC ₄	1994 09 28.23869	00 24 43.32	+02 32 03.8		691
1994 ST ₃	1994 09 29.21674	00 17 05.02	+02 46 33.3		691	1994 SC ₄	1994 09 28.26505	00 24 42.03	+02 31 55.1	19.8 V	691
1994 ST ₃	1994 09 29.24030	00 17 03.76	+02 46 30.0		691	1994 SC ₄	1994 10 04.25253	00 19 54.73	+01 58 47.7		691
1994 SU ₃	* 1994 09 28.20654	00 19 59.67	+02 37 11.1		691	1994 SC ₄	1994 10 04.27555	00 19 53.56	+01 58 39.4	20.7 V	691
1994 SU ₃	1994 09 28.23540	00 19 58.33	+02 36 56.8		691	1994 SC ₄	1994 10 04.30027	00 19 52.33	+01 58 30.9		691
1994 SU ₃	1994 09 28.26176	00 19 57.11	+02 36 42.1	20.1 V	691	1994 SD ₄	* 1994 09 28.21020	00 25 16.65	+02 45 44.2	16.3 V	691
1994 SU ₃	1994 09 29.19499	00 19 14.99	+02 28 37.2	20.8 V	691	1994 SD ₄	1994 09 28.23906	00 25 15.22	+02 45 36.4		691
1994 SU ₃	1994 09 29.21823	00 19 13.90	+02 28 24.8		691	1994 SD ₄	1994 09 28.26541	00 25 13.92	+02 45 28.8		691
1994 SU ₃	1994 09 29.24179	00 19 12.78	+02 28 13.0		691	1994 SD ₄	1994 10 11.22451	00 15 29.15	+01 53 26.4		691
1994 SV ₃	* 1994 09 28.20672	00 20 14.56	+02 43 11.4		691	1994 SD ₄	1994 10 11.24805	00 15 28.09	+01 53 20.9	19.3 V	691
1994 SV ₃	1994 09 28.23557	00 20 13.09	+02 43 04.6		691	1994 SD ₄	1994 10 11.27129	00 15 27.04	+01 53 14.2		691
1994 SV ₃	1994 09 28.26192	00 20 11.66	+02 42 57.3	20.3 V	691	1994 SE ₄	* 1994 09 28.21031	00 25 25.77	+02 32 32.3	19.2 V	691
1994 SV ₃	1994 09 29.19509	00 19 23.61	+02 38 58.3	20.5 V	691	1994 SE ₄	1994 09 28.23916	00 25 23.94	+02 32 30.1		691
1994 SV ₃	1994 09 29.21833	00 19 22.38	+02 38 52.7		691	1994 SE ₄	1994 09 28.26551	00 25 22.28	+02 32 27.8		691
1994 SV ₃	1994 09 29.24188	00 19 21.08	+02 38 46.4		691	1994 SE ₄	1994 10 04.32425	00 19 24.79	+02 24 11.6	19.6 V	691
1994 SW ₃	* 1994 09 28.20677	00 20 19.57	+02 32 22.7	19.0 V	691	1994 SE ₄	1994 10 04.34756	00 19 23.34	+02 24 10.0		691
1994 SW ₃	1994 09 28.23563	00 20 18.09	+02 32 07.6		691	1994 SF ₄	* 1994 09 28.21037	00 25 31.30	+02 26 52.4		691
1994 SW ₃	1994 09 28.26198	00 20 16.67	+02 31 53.2		691	1994 SF ₄	1994 09 28.23922	00 25 29.72	+02 26 43.1	19.5 V	691
1994 SW ₃	1994 09 29.19518	00 19 31.36	+02 23 24.1		691	1994 SF ₄	1994 09 28.26558	00 25 28.32	+02 26 33.5		691
1994 SW ₃	1994 09 29.21842	00 19 30.15	+02 23 11.0		691	1994 SF ₄	1994 10 04.25274	00 20 13.26	+01 52 41.5	19.9 V	691
1994 SW ₃	1994 09 29.24197	00 19 28.90	+02 22 58.2	19.3 V	691	1994 SF ₄	1994 10 04.27576	00 20 11.96	+01 52 34.6		691
1994 SX ₃	* 1994 09 28.20678	00 20 20.31	+02 41 36.8		691	1994 SF ₄	1994 10 04.30048	00 20 10.60	+01 52 25.7		691
1994 SX ₃	1994 09 28.23563	00 20 18.80	+02 41 31.3	19.2 V	691	1994 SG ₄	* 1994 09 28.21055	00 25 46.33	+02 46 24.3	18.8 V	691
1994 SX ₃	1994 09 28.26199	00 20 17.43	+02 41 25.9		691	1994 SG ₄	1994 09 28.23940	00 25 44.72	+02 46 17.4		691
1994 SX ₃	1994 09 29.19517	00 19 30.34	+02 38 22.8	19.4 V	691	1994 SG ₄	1994 09 28.26575	00 25 43.28	+02 46 11.0		691
1994 SX ₃	1994 09 29.21841	00 19 29.13	+02 38 18.3		691	1994 SG ₄	1994 10 04.32489	00 20 20.46	+02 21 43.6		691
1994 SX ₃	1994 09 29.24196	00 19 27.90	+02 38 13.6		691	1994 SG ₄	1994 10 04.34821	00 20 19.19	+02 21 38.5	19.6 V	691
1994 SY ₃	* 1994 09 28.20682	00 20 23.86	+02 47 10.0		691	1994 SG ₄	1994 10 11.22416	00 14 29.14	+01 55 13.2		691
1994 SY ₃	1994 09 28.23567	00 20 22.15	+02 47 09.3	17.6 V	691	1994 SG ₄	1994 10 11.24771	00 14 27.97	+01 55 08.3		691
1994 SY ₃	1994 09 28.26203	00 20 20.57	+02 47 08.1		691	1994 SG ₄	1994 10 11.27094	00 14 26.78	+01 55 03.3	19.8 V	691
1994 SY ₃	1994 09 29.19512	00 19 26.32	+02 46 31.5	18.0 V	691	1994 SH ₄	* 1994 09 28.21055	00 25 46.74	+02 26 57.6		691
1994 SY ₃	1994 09 29.21836	00 19 24.85	+02 46 28.0		691	1994 SH ₄	1994 09 28.23940	00 25 45.04	+02 26 56.0		691
1994 SY ₃	1994 09 29.24191	00 19 23.50	+02 46 29.6		691	1994 SH ₄	1994 09 28.26575	00 25 43.49	+02 26 54.0	19.9 V	691
1994 SZ ₃	* 1994 09 28.20726	00 21 01.94	+02 25 21.1	18.5 V	691	1994 SH ₄	1994 10 04.32460	00 19 55.03	+02 19 46.3	20.5 V	691
1994 SZ ₃	1994 09 28.23611	00 21 00.23	+02 25 10.5		691	1994 SH ₄	1994 10 04.34791	00 19 53.66	+02 19 45.0		691
1994 SZ ₃	1994 09 28.26247	00 20 58.65	+02 25 00.6		691	1994 SJ ₄	* 1994 09 28.21084	00 26 12.08	+02 44 32.0	19.6 V	691
1994 SZ ₃	1994 09 29.19557	00 20 05.13	+02 19 11.0		691	1994 SJ ₄	1994 09 28.23969	00 26 10.53	+02 44 15.1		691
1994 SZ ₃	1994 09 29.21881	00 20 03.76	+02 19 01.8	18.3 V	691	1994 SJ ₄	1994 09 28.26605	00 26 09.07	+02 44 01.4		691
1994 SZ ₃	1994 09 29.24236	00 20 02.34	+02 18 54.1		691	1994 SJ ₄	1994 10 04.25323	00 20 55.04	+01 48 49.2	20.8 V	691
1994 SA ₄	* 1994 09 28.20808	00 22 12.49	+02 32 28.8	19.2 V	691	1994 SJ ₄	1994 10 04.27624	00 20 53.80	+01 48 36.9		691

1994 SJ ₄	1994 10 04.30096	00 20 52.42	+01 48 23.1		691	1994 SS ₄	1994 09 28.24320	00 31 14.12	+02 35 04.5		691
1994 SK ₄	* 1994 09 28.21097	00 26 23.47	+02 23 08.0		691	1994 SS ₄	1994 09 28.26955	00 31 12.41	+02 35 03.5		691
1994 SK ₄	1994 09 28.23982	00 26 21.77	+02 23 00.0	18.4 V	691	1994 SS ₄	1994 10 04.32805	00 24 53.87	+02 30 30.7	20.5 V	691
1994 SK ₄	1994 09 28.26618	00 26 20.15	+02 22 51.5		691	1994 SS ₄	1994 10 04.35136	00 24 52.34	+02 30 30.0		691
1994 SK ₄	1994 10 04.25294	00 20 30.21	+01 52 47.0		691	1994 ST ₄	* 1994 09 28.21440	00 31 20.39	+02 41 18.5	19.3 V	691
1994 SK ₄	1994 10 04.27596	00 20 28.79	+01 52 40.2	18.9 V	691	1994 ST ₄	1994 09 28.24325	00 31 18.71	+02 41 09.6		691
1994 SK ₄	1994 10 04.30067	00 20 27.27	+01 52 32.7		691	1994 ST ₄	1994 09 28.26961	00 31 17.20	+02 41 01.6		691
1994 SL ₄	* 1994 09 28.21195	00 27 47.93	+02 48 06.7		691	1994 ST ₄	1994 10 04.25644	00 25 33.77	+02 10 59.9	19.6 V	691
1994 SL ₄	1994 09 28.24081	00 27 46.84	+02 47 54.0	20.5 V	691	1994 ST ₄	1994 10 04.27946	00 25 32.44	+02 10 52.5		691
1994 SL ₄	1994 09 28.26717	00 27 45.74	+02 47 43.1		691	1994 ST ₄	1994 10 04.30417	00 25 30.96	+02 10 45.3		691
1994 SL ₄	1994 10 04.25525	00 23 50.76	+02 04 24.6	20.6 V	691	1994 SU ₄	* 1994 09 28.21496	00 32 08.76	+02 42 33.8		691
1994 SL ₄	1994 10 04.27828	00 23 49.81	+02 04 14.4		691	1994 SU ₄	1994 09 28.24381	00 32 07.20	+02 42 28.1		691
1994 SL ₄	1994 10 04.30300	00 23 48.85	+02 04 03.4		691	1994 SU ₄	1994 09 28.27017	00 32 05.78	+02 42 23.9	20.6 V	691
1994 SM ₄	* 1994 09 28.21220	00 28 09.27	+02 20 56.4		691	1994 SU ₄	1994 10 11.22843	00 21 08.35	+02 02 01.2		691
1994 SM ₄	1994 09 28.24104	00 28 07.44	+02 20 51.8	18.0 V	691	1994 SU ₄	1994 10 11.25197	00 21 07.16	+02 01 57.5	20.8 V	691
1994 SM ₄	1994 09 28.26740	00 28 05.80	+02 20 47.4		691	1994 SU ₄	1994 10 11.27521	00 21 05.98	+02 01 53.2		691
1994 SM ₄	1994 10 04.25400	00 22 02.09	+02 04 19.3		691	1994 SV ₄	* 1994 09 28.21506	00 32 17.22	+02 42 17.7	20.0 V	691
1994 SM ₄	1994 10 04.27702	00 22 00.66	+02 04 15.6	18.4 V	691	1994 SV ₄	1994 09 28.24391	00 32 16.11	+02 42 08.8		691
1994 SM ₄	1994 10 04.30173	00 21 59.11	+02 04 11.4		691	1994 SV ₄	1994 09 28.27028	00 32 15.10	+02 42 01.4		691
1994 SN ₄	* 1994 09 28.21252	00 28 37.24	+02 47 34.9	19.8 V	691	1994 SV ₄	1994 10 04.25850	00 28 31.99	+02 12 06.9	20.5 V	691
1994 SN ₄	1994 09 28.24137	00 28 35.41	+02 47 22.8		691	1994 SV ₄	1994 10 04.28152	00 28 31.12	+02 12 00.3		691
1994 SN ₄	1994 09 28.26772	00 28 33.70	+02 47 13.8		691	1994 SW ₄	* 1994 09 28.21510	00 32 20.79	+02 18 37.7		691
1994 SN ₄	1994 10 04.25423	00 22 22.36	+02 09 50.3		691	1994 SW ₄	1994 09 28.24395	00 32 19.27	+02 18 29.7	19.4 V	691
1994 SN ₄	1994 10 04.27725	00 22 20.90	+02 09 41.6	20.6 V	691	1994 SW ₄	1994 09 28.27031	00 32 17.86	+02 18 22.5		691
1994 SN ₄	1994 10 04.30196	00 22 19.36	+02 09 32.6		691	1994 SW ₄	1994 09 28.29585	00 32 16.45	+02 18 15.3	19.2 V	691
1994 SO ₄	* 1994 09 28.21259	00 28 43.44	+02 48 20.5	20.0 V	691	1994 SW ₄	1994 09 28.31923	00 32 15.19	+02 18 09.2		691
1994 SO ₄	1994 09 28.24144	00 28 42.11	+02 48 13.1		691	1994 SW ₄	1994 09 28.34262	00 32 13.97	+02 18 02.8		691
1994 SO ₄	1994 09 28.26780	00 28 40.94	+02 48 05.7		691	1994 SW ₄	1994 10 04.25754	00 27 08.87	+01 51 43.9		691
1994 SO ₄	1994 09 28.36459	00 28 36.75	+02 47 41.7		691	1994 SW ₄	1994 10 04.28056	00 27 07.67	+01 51 38.1	19.5 V	691
1994 SO ₄	1994 09 28.38778	00 28 35.26	+02 47 30.7		691	1994 SW ₄	1994 10 04.30528	00 27 06.33	+01 51 31.1		691
1994 SO ₄	1994 09 28.41093	00 28 34.19	+02 47 24.9	20.8 V	691	1994 SW ₄	1994 10 06.21917	00 25 29.09	+01 43 11.2		691
1994 SO ₄	1994 10 04.32753	00 24 09.18	+02 18 18.8		691	1994 SW ₄	1994 10 06.24244	00 25 27.85	+01 43 05.8		691
1994 SO ₄	1994 10 04.35085	00 24 08.08	+02 18 11.8	20.9 V	691	1994 SW ₄	1994 10 06.26963	00 25 26.43	+01 42 59.0	19.8 V	691
1994 SP ₄	* 1994 09 28.21279	00 29 01.03	+02 18 26.4	20.0 V	691	1994 SX ₄	* 1994 09 28.21529	00 32 37.73	+02 34 27.0		691
1994 SP ₄	1994 09 28.24165	00 28 59.70	+02 18 18.4		691	1994 SX ₄	1994 09 28.24415	00 32 36.35	+02 34 16.6	19.8 V	691
1994 SP ₄	1994 09 28.26801	00 28 58.45	+02 18 11.0		691	1994 SX ₄	1994 09 28.27051	00 32 35.09	+02 34 07.4		691
1994 SP ₄	1994 10 04.25569	00 24 28.20	+01 51 11.2	20.5 V	691	1994 SX ₄	1994 10 06.21981	00 26 23.80	+01 48 30.2	20.6 V	691
1994 SP ₄	1994 10 04.27871	00 24 27.14	+01 51 05.5		691	1994 SX ₄	1994 10 06.24307	00 26 22.69	+01 48 21.2		691
1994 SP ₄	1994 10 04.30342	00 24 25.97	+01 50 58.4		691	1994 SX ₄	1994 10 06.27027	00 26 21.40	+01 48 12.2		691
1994 SQ ₄	* 1994 09 28.21325	00 29 40.92	+02 36 00.5	18.3 V	691	1994 SY ₄	* 1994 09 28.21530	00 32 38.12	+02 32 32.9		691
1994 SQ ₄	1994 09 28.24211	00 29 39.71	+02 35 53.3		691	1994 SY ₄	1994 09 28.24415	00 32 36.69	+02 32 24.7	19.7 V	691
1994 SQ ₄	1994 09 28.26847	00 29 38.58	+02 35 46.4		691	1994 SY ₄	1994 09 28.27051	00 32 35.36	+02 32 17.7		691
1994 SQ ₄	1994 10 04.25641	00 25 31.36	+02 10 16.0	18.5 V	691	1994 SY ₄	1994 10 04.25794	00 27 43.78	+02 05 28.1	19.9 V	691
1994 SQ ₄	1994 10 04.27944	00 25 30.39	+02 10 10.4		691	1994 SY ₄	1994 10 04.28096	00 27 42.64	+02 05 22.1		691
1994 SQ ₄	1994 10 04.30416	00 25 29.34	+02 10 03.6		691	1994 SY ₄	1994 10 04.30568	00 27 41.39	+02 05 15.5		691
1994 SR ₄	* 1994 09 28.21415	00 30 58.90	+02 46 40.1	18.1 V	691	1994 SZ ₄	* 1994 09 28.21542	00 32 48.52	+02 22 31.0	20.6 V	691
1994 SR ₄	1994 09 28.24301	00 30 57.64	+02 46 28.8		691	1994 SZ ₄	1994 09 28.24427	00 32 46.98	+02 22 19.2		691
1994 SR ₄	1994 09 28.26937	00 30 56.48	+02 46 18.3		691	1994 SZ ₄	1994 09 28.27063	00 32 45.55	+02 22 08.7		691
1994 SR ₄	1994 10 04.25720	00 26 38.98	+02 06 38.6		691	1994 SZ ₄	1994 10 06.21947	00 25 54.34	+01 30 35.0	20.7 V	691
1994 SR ₄	1994 10 04.28022	00 26 37.97	+02 06 29.4	18.3 V	691	1994 SZ ₄	1994 10 06.24273	00 25 53.21	+01 30 26.3		691
1994 SR ₄	1994 10 04.30494	00 26 36.87	+02 06 19.4		691	1994 SZ ₄	1994 10 06.26993	00 25 51.78	+01 30 16.1		691
1994 SS ₄	* 1994 09 28.21435	00 31 15.99	+02 35 05.9	19.8 V	691	1994 SA ₅	* 1994 09 28.21556	00 33 00.41	+02 25 23.4		691

1994 SA ₅	1994 09 28.24441	00 32 58.71	+02 25 23.9		691	1994 SF ₅	1994 10 06.33982	00 28 38.83	+00 53 08.7	19.3 V	691
1994 SA ₅	1994 09 28.27076	00 32 57.17	+02 25 23.3	19.8 V	691	1994 SG ₅	* 1994 09 28.21698	00 35 03.55	+02 18 55.9	19.7 V	691
1994 SA ₅	1994 10 11.14882	00 20 51.35	+02 25 49.0	20.2 V	691	1994 SG ₅	1994 09 28.24583	00 35 01.91	+02 18 47.2		691
1994 SA ₅	1994 10 11.17193	00 20 50.04	+02 25 49.5		691	1994 SG ₅	1994 09 28.27218	00 35 00.44	+02 18 39.4		691
1994 SA ₅	1994 10 11.19506	00 20 48.73	+02 25 50.3		691	1994 SG ₅	1994 09 29.32228	00 34 01.84	+02 13 26.9		691
1994 SB ₅	* 1994 09 28.21558	00 33 02.36	+02 44 38.7		691	1994 SG ₅	1994 09 29.32990	00 34 01.40	+02 13 24.2		691
1994 SB ₅	1994 09 28.24443	00 33 00.98	+02 44 28.8	19.3 V	691	1994 SG ₅	1994 09 29.33770	00 34 00.95	+02 13 21.8	20.0 V	691
1994 SB ₅	1994 09 28.27079	00 32 59.69	+02 44 20.4		691	1994 SG ₅	1994 10 04.25913	00 29 26.64	+01 49 03.3	20.1 V	691
1994 SB ₅	1994 10 04.25837	00 28 20.48	+02 09 37.9	20.0 V	691	1994 SG ₅	1994 10 04.28215	00 29 25.30	+01 48 56.9		691
1994 SB ₅	1994 10 04.28139	00 28 19.36	+02 09 30.6		691	1994 SG ₅	1994 10 04.30686	00 29 23.92	+01 48 49.2		691
1994 SB ₅	1994 10 04.30611	00 28 18.20	+02 09 22.1		691	1994 SH ₅	* 1994 09 28.21720	00 35 23.16	+02 39 20.7		691
1994 SC ₅	* 1994 09 28.21574	00 33 15.98	+02 21 20.8		691	1994 SH ₅	1994 09 28.24606	00 35 21.62	+02 39 06.9	19.5 V	691
1994 SC ₅	1994 09 28.24459	00 33 14.70	+02 21 12.0	19.5 V	691	1994 SH ₅	1994 09 28.27241	00 35 20.16	+02 38 54.7		691
1994 SC ₅	1994 09 28.27095	00 33 13.48	+02 21 05.1		691	1994 SH ₅	1994 10 06.22115	00 28 20.42	+01 35 15.0	19.6 V	691
1994 SC ₅	1994 09 29.32140	00 32 26.73	+02 16 22.3		691	1994 SH ₅	1994 10 06.24441	00 28 19.16	+01 35 03.7		691
1994 SC ₅	1994 09 29.32902	00 32 26.40	+02 16 20.2	19.9 V	691	1994 SH ₅	1994 10 06.27161	00 28 17.62	+01 34 50.7		691
1994 SC ₅	1994 09 29.33682	00 32 26.02	+02 16 18.5		691	1994 SJ ₅	* 1994 09 28.21730	00 35 31.56	+02 30 02.0	19.3 V	691
1994 SC ₅	1994 10 04.25867	00 28 46.55	+01 54 14.8	19.8 V	691	1994 SJ ₅	1994 09 28.24615	00 35 29.81	+02 29 57.5		691
1994 SC ₅	1994 10 04.28169	00 28 45.47	+01 54 08.6		691	1994 SJ ₅	1994 09 28.27250	00 35 28.20	+02 29 53.8		691
1994 SC ₅	1994 10 04.30641	00 28 44.34	+01 54 02.2		691	1994 SJ ₅	1994 10 04.25920	00 29 32.88	+02 16 20.4	19.9 V	691
1994 SC ₅	1994 10 06.22045	00 27 19.49	+01 45 32.5		691	1994 SJ ₅	1994 10 04.28222	00 29 31.52	+02 16 17.7		691
1994 SC ₅	1994 10 06.24371	00 27 18.38	+01 45 26.3		691	1994 SJ ₅	1994 10 04.30693	00 29 30.00	+02 16 13.4		691
1994 SC ₅	1994 10 06.27091	00 27 17.19	+01 45 19.6	19.8 V	691	1994 SJ ₅	1994 10 11.22960	00 22 50.47	+02 01 35.2	20.1 V	691
1994 SC ₅	1994 10 12.18435	00 23 00.27	+01 19 53.7		691	1994 SJ ₅	1994 10 11.25315	00 22 49.13	+02 01 32.7		691
1994 SC ₅	1994 10 12.20782	00 22 59.30	+01 19 48.3	20.3 V	691	1994 SJ ₅	1994 10 11.27638	00 22 47.79	+02 01 29.7		691
1994 SC ₅	1994 10 12.23100	00 22 58.25	+01 19 42.5		691	1994 SK ₅	* 1994 09 28.21737	00 35 37.66	+02 35 07.9	20.0 V	691
1994 SD ₅	* 1994 09 28.21611	00 33 48.08	+02 23 41.5		691	1994 SK ₅	1994 09 28.24623	00 35 36.27	+02 34 59.8		691
1994 SD ₅	1994 09 28.24496	00 33 46.71	+02 23 36.1		691	1994 SK ₅	1994 09 28.27258	00 35 34.99	+02 34 53.0		691
1994 SD ₅	1994 09 28.27132	00 33 45.38	+02 23 32.0	20.6 V	691	1994 SK ₅	1994 10 04.26014	00 30 54.18	+02 08 44.8	20.2 V	691
1994 SD ₅	1994 10 04.25873	00 28 51.94	+02 06 43.5		691	1994 SK ₅	1994 10 04.28316	00 30 53.09	+02 08 38.5		691
1994 SD ₅	1994 10 04.28175	00 28 50.78	+02 06 40.6	20.7 V	691	1994 SK ₅	1994 10 04.30788	00 30 51.92	+02 08 32.2		691
1994 SD ₅	1994 10 04.30647	00 28 49.53	+02 06 36.1		691	1994 SK ₅	1994 10 12.18561	00 24 49.48	+01 35 19.5		691
1994 SE ₅	* 1994 09 28.21632	00 34 06.76	+02 27 47.0	20.3 V	691	1994 SK ₅	1994 10 12.20908	00 24 48.36	+01 35 13.0	20.6 V	691
1994 SE ₅	1994 09 28.24518	00 34 05.35	+02 27 40.0		691	1994 SK ₅	1994 10 12.23226	00 24 47.28	+01 35 07.9		691
1994 SE ₅	1994 09 28.27153	00 34 04.11	+02 27 32.0		691	1994 SL ₅	* 1994 09 28.21810	00 36 40.51	+02 27 07.5	19.3 V	691
1994 SE ₅	1994 09 29.32174	00 33 14.49	+02 22 51.3		691	1994 SL ₅	1994 09 28.24695	00 36 38.74	+02 27 04.3		691
1994 SE ₅	1994 09 29.32935	00 33 14.13	+02 22 49.7	20.2 V	691	1994 SL ₅	1994 09 28.27330	00 36 37.09	+02 27 02.0		691
1994 SE ₅	1994 09 29.33716	00 33 13.69	+02 22 47.0		691	1994 SL ₅	1994 09 29.32334	00 35 33.44	+02 25 19.0		691
1994 SE ₅	1994 10 04.25907	00 29 21.16	+02 00 54.2	20.4 V	691	1994 SL ₅	1994 09 29.33095	00 35 32.96	+02 25 18.8	19.5 V	691
1994 SE ₅	1994 10 04.28209	00 29 20.05	+02 00 48.8		691	1994 SL ₅	1994 09 29.33876	00 35 32.46	+02 25 18.2		691
1994 SE ₅	1994 10 04.30681	00 29 18.88	+02 00 42.5		691	1994 SL ₅	1994 10 11.23012	00 23 35.05	+02 06 54.2	19.7 V	691
1994 SE ₅	1994 10 12.18453	00 23 16.23	+01 27 02.7	20.6 V	691	1994 SL ₅	1994 10 11.25366	00 23 33.61	+02 06 52.0		691
1994 SE ₅	1994 10 12.20801	00 23 15.09	+01 26 57.8		691	1994 SL ₅	1994 10 11.27689	00 23 32.23	+02 06 50.1		691
1994 SE ₅	1994 10 12.23118	00 23 14.03	+01 26 52.5		691	1994 SM ₅	* 1994 09 28.21859	00 37 23.22	+02 21 36.2	20.1 V	691
1994 SF ₅	* 1994 09 28.21664	00 34 34.61	+02 30 44.4		691	1994 SM ₅	1994 09 28.24744	00 37 21.71	+02 21 31.8		691
1994 SF ₅	1994 09 28.24550	00 34 33.30	+02 30 23.7	18.9 V	691	1994 SM ₅	1994 09 28.27380	00 37 20.52	+02 21 27.9		691
1994 SF ₅	1994 09 28.27186	00 34 32.06	+02 30 04.3		691	1994 SM ₅	1994 09 29.32398	00 36 28.55	+02 18 52.1	20.4 V	691
1994 SF ₅	1994 09 29.32210	00 33 45.84	+02 17 19.8	18.9 V	691	1994 SM ₅	1994 09 29.33159	00 36 28.11	+02 18 50.4		691
1994 SF ₅	1994 09 29.32971	00 33 45.51	+02 17 14.5		691	1994 SM ₅	1994 09 29.33940	00 36 27.64	+02 18 50.6		691
1994 SF ₅	1994 09 29.33752	00 33 45.13	+02 17 08.7		691	1994 SM ₅	1994 10 04.26118	00 32 24.50	+02 06 45.6	20.3 V	691
1994 SF ₅	1994 10 06.29304	00 28 40.91	+00 53 41.8		691	1994 SM ₅	1994 10 04.28420	00 32 23.37	+02 06 42.8		691
1994 SF ₅	1994 10 06.31644	00 28 39.92	+00 53 25.6		691	1994 SM ₅	1994 10 04.30892	00 32 22.07	+02 06 38.9		691

1994 SN ₅	* 1994 09 28.21903	00 38 01.65	+02 26 04.5		691	1994 ST ₅	1994 09 28.27573	00 40 07.28	+02 25 56.4		691
1994 SN ₅	1994 09 28.24788	00 37 59.82	+02 25 58.9	18.4 V	691	1994 ST ₅	1994 09 29.32600	00 39 23.50	+02 17 33.1	20.8 V	691
1994 SN ₅	1994 09 28.27424	00 37 58.12	+02 25 54.0		691	1994 ST ₅	1994 09 29.33361	00 39 23.17	+02 17 29.7		691
1994 SN ₅	1994 09 29.32426	00 36 53.03	+02 22 35.9		691	1994 ST ₅	1994 09 29.34142	00 39 22.83	+02 17 25.9		691
1994 SN ₅	1994 09 29.33187	00 36 52.53	+02 22 34.5	18.4 V	691	1994 SU ₅	* 1994 09 28.22052	00 40 10.33	+02 45 47.6	18.8 V	691
1994 SN ₅	1994 09 29.33968	00 36 52.03	+02 22 33.0		691	1994 SU ₅	1994 09 28.24937	00 40 09.08	+02 45 34.9		691
1994 SO ₅	* 1994 09 28.21962	00 38 51.98	+02 44 39.0		691	1994 SU ₅	1994 09 28.27573	00 40 07.90	+02 45 23.7		691
1994 SO ₅	1994 09 28.24847	00 38 50.56	+02 44 29.5	18.0 V	691	1994 SU ₅	1994 10 04.26358	00 35 52.03	+02 02 11.8	18.9 V	691
1994 SO ₅	1994 09 28.27483	00 38 49.26	+02 44 21.1		691	1994 SU ₅	1994 10 04.28660	00 35 51.03	+02 02 01.8		691
1994 SO ₅	1994 10 04.26227	00 33 58.65	+02 12 10.0	18.3 V	691	1994 SU ₅	1994 10 04.31132	00 35 50.07	+02 01 52.7		691
1994 SO ₅	1994 10 04.28529	00 33 57.51	+02 12 02.5		691	1994 SU ₅	1994 10 06.22540	00 34 28.45	+01 48 11.6	19.1 V	691
1994 SO ₅	1994 10 04.31001	00 33 56.26	+02 11 54.9		691	1994 SU ₅	1994 10 06.24867	00 34 27.44	+01 48 01.3		691
1994 SO ₅	1994 10 12.18761	00 27 43.24	+01 31 13.1	18.6 V	691	1994 SU ₅	1994 10 06.27587	00 34 26.24	+01 47 49.8		691
1994 SO ₅	1994 10 12.21109	00 27 42.14	+01 31 06.2		691	1994 SU ₅	1994 10 12.31769	00 30 15.64	+01 06 05.4	19.2 V	691
1994 SO ₅	1994 10 12.23426	00 27 41.05	+01 30 59.6		691	1994 SU ₅	1994 10 12.34069	00 30 14.68	+01 05 56.2		691
1994 SP ₅	* 1994 09 28.21966	00 38 56.14	+02 32 38.8	19.5 V	691	1994 SV ₅	* 1994 09 28.22053	00 40 11.22	+02 18 22.0	19.7 V	691
1994 SP ₅	1994 09 28.24852	00 38 54.82	+02 32 29.1		691	1994 SV ₅	1994 09 28.24938	00 40 09.87	+02 18 12.9		691
1994 SP ₅	1994 09 28.27488	00 38 53.62	+02 32 19.7		691	1994 SV ₅	1994 09 28.27574	00 40 08.69	+02 18 04.1		691
1994 SP ₅	1994 09 29.32512	00 38 07.15	+02 26 11.2		691	1994 SV ₅	1994 09 28.30129	00 40 07.54	+02 17 54.5		691
1994 SP ₅	1994 09 29.33273	00 38 06.80	+02 26 09.0		691	1994 SV ₅	1994 09 28.32467	00 40 06.49	+02 17 47.5	19.8 V	691
1994 SP ₅	1994 09 29.34054	00 38 06.44	+02 26 05.8	19.8 V	691	1994 SV ₅	1994 09 28.34806	00 40 05.41	+02 17 40.0		691
1994 SP ₅	1994 10 04.26261	00 34 27.69	+01 57 24.6	19.7 V	691	1994 SV ₅	1994 09 29.32599	00 39 22.90	+02 12 21.5		691
1994 SP ₅	1994 10 04.28563	00 34 26.63	+01 57 16.3		691	1994 SV ₅	1994 09 29.33360	00 39 22.54	+02 12 19.2	19.6 V	691
1994 SP ₅	1994 10 04.31035	00 34 25.56	+01 57 07.9		691	1994 SV ₅	1994 09 29.34141	00 39 22.19	+02 12 17.1		691
1994 SP ₅	1994 10 12.31655	00 28 36.72	+01 11 57.2		691	1994 SV ₅	1994 10 06.22529	00 34 19.09	+01 35 03.7	20.0 V	691
1994 SP ₅	1994 10 12.33955	00 28 35.73	+01 11 49.3	20.2 V	691	1994 SV ₅	1994 10 06.24856	00 34 18.01	+01 34 56.0		691
1994 SP ₅	1994 10 12.36254	00 28 34.75	+01 11 41.6		691	1994 SV ₅	1994 10 06.27576	00 34 16.76	+01 34 47.3		691
1994 SQ ₅	* 1994 09 28.21972	00 39 01.30	+02 41 23.3		691	1994 SV ₅	1994 10 12.31747	00 29 56.41	+01 03 36.1	19.9 V	691
1994 SQ ₅	1994 09 28.24857	00 38 59.81	+02 41 16.3	19.2 V	691	1994 SV ₅	1994 10 12.34047	00 29 55.46	+01 03 28.8		691
1994 SQ ₅	1994 09 28.27493	00 38 58.45	+02 41 10.0		691	1994 SV ₅	1994 10 12.36346	00 29 54.46	+01 03 21.9		691
1994 SQ ₅	1994 10 04.26224	00 33 55.98	+02 17 08.8	19.3 V	691	1994 SW ₅	* 1994 09 28.22136	00 41 23.26	+02 30 57.1	19.4 V	691
1994 SQ ₅	1994 10 04.28526	00 33 54.73	+02 17 03.4		691	1994 SW ₅	1994 09 28.25021	00 41 21.85	+02 30 52.4		691
1994 SQ ₅	1994 10 04.30998	00 33 53.48	+02 16 57.8		691	1994 SW ₅	1994 09 28.27657	00 41 20.56	+02 30 48.1		691
1994 SQ ₅	1994 10 11.23328	00 28 08.62	+01 50 06.5	19.7 V	691	1994 SW ₅	1994 10 04.26404	00 36 31.68	+02 14 32.6		691
1994 SQ ₅	1994 10 11.25683	00 28 07.45	+01 50 01.1		691	1994 SW ₅	1994 10 04.28706	00 36 30.57	+02 14 29.2		691
1994 SQ ₅	1994 10 11.28006	00 28 06.26	+01 49 56.2		691	1994 SW ₅	1994 10 04.31177	00 36 29.31	+02 14 24.8	19.7 V	691
1994 SQ ₅	1994 10 12.18737	00 27 22.53	+01 46 33.6	20.1 V	691	1994 SW ₅	1994 10 11.23522	00 30 56.74	+01 56 25.3	19.9 V	691
1994 SQ ₅	1994 10 12.21085	00 27 21.35	+01 46 29.0		691	1994 SW ₅	1994 10 11.25877	00 30 55.61	+01 56 22.4		691
1994 SQ ₅	1994 10 12.23402	00 27 20.21	+01 46 23.7		691	1994 SW ₅	1994 10 11.28200	00 30 54.47	+01 56 18.5		691
1994 SR ₅	* 1994 09 28.21977	00 39 05.25	+02 41 36.5	19.9 V	691	1994 SX ₅	* 1994 09 28.22138	00 41 25.11	+02 30 28.6	17.8 V	691
1994 SR ₅	1994 09 28.24862	00 39 03.74	+02 41 29.6		691	1994 SX ₅	1994 09 28.25023	00 41 23.42	+02 30 22.4		691
1994 SR ₅	1994 09 28.27498	00 39 02.38	+02 41 23.5		691	1994 SX ₅	1994 09 28.27659	00 41 21.80	+02 30 15.9		691
1994 SR ₅	1994 10 04.26223	00 33 55.43	+02 16 45.2	20.5 V	691	1994 SX ₅	1994 10 04.26330	00 35 27.90	+02 07 22.2		691
1994 SR ₅	1994 10 04.28525	00 33 54.17	+02 16 40.1		691	1994 SX ₅	1994 10 04.28632	00 35 26.40	+02 07 17.1	18.1 V	691
1994 SR ₅	1994 10 04.30997	00 33 52.85	+02 16 33.8		691	1994 SX ₅	1994 10 04.31103	00 35 24.88	+02 07 11.5		691
1994 SS ₅	* 1994 09 28.21988	00 39 14.82	+02 26 45.3		691	1994 SY ₅	* 1994 09 28.22181	00 42 02.29	+02 36 34.3		691
1994 SS ₅	1994 09 28.24873	00 39 12.94	+02 26 44.7	20.2 V	691	1994 SY ₅	1994 09 28.25067	00 42 00.93	+02 36 26.4		691
1994 SS ₅	1994 09 28.27508	00 39 11.23	+02 26 45.0		691	1994 SY ₅	1994 09 28.27702	00 41 59.68	+02 36 19.5	18.8 V	691
1994 SS ₅	1994 10 04.33359	00 32 53.69	+02 25 53.8		691	1994 SY ₅	1994 10 04.26461	00 37 21.30	+02 09 29.4	19.0 V	691
1994 SS ₅	1994 10 04.35690	00 32 52.17	+02 25 52.9	20.9 V	691	1994 SY ₅	1994 10 04.28763	00 37 20.18	+02 09 23.3		691
1994 ST ₅	* 1994 09 28.22051	00 40 09.67	+02 26 23.3	20.9 V	691	1994 SY ₅	1994 10 04.31235	00 37 18.98	+02 09 16.6		691
1994 ST ₅	1994 09 28.24937	00 40 08.46	+02 26 08.5		691	1994 SZ ₅	* 1994 09 28.22218	00 42 33.93	+02 43 01.4		691

1994 SZ ₅	1994 09 28.25103	00 42 32.61	+02 42 50.6	20.2 V	691	1994 SG ₆	1994 10 04.31408	00 39 49.26	+02 07 37.3	691
1994 SZ ₅	1994 09 28.27739	00 42 31.45	+02 42 41.4		691	1994 SG ₆	1994 10 11.23720	00 33 48.76	+01 55 19.8	691
1994 SZ ₅	1994 10 12.31910	00 32 18.11	+01 18 32.8		691	1994 SG ₆	1994 10 11.26075	00 33 47.52	+01 55 17.6	20.0 V 691
1994 SZ ₅	1994 10 12.34211	00 32 17.08	+01 18 24.2		691	1994 SG ₆	1994 10 11.28398	00 33 46.32	+01 55 15.5	691
1994 SZ ₅	1994 10 12.36509	00 32 16.13	+01 18 16.8	21.1 V	691	1994 SH ₆	* 1994 09 28.22407	00 45 17.88	+02 40 40.9	691
1994 SA ₆	* 1994 09 28.22275	00 43 23.14	+02 30 56.2		691	1994 SH ₆	1994 09 28.25292	00 45 16.62	+02 40 34.5	19.8 V 691
1994 SA ₆	1994 09 28.25160	00 43 21.97	+02 30 41.8	18.8 V	691	1994 SH ₆	1994 09 28.27928	00 45 15.43	+02 40 28.7	691
1994 SA ₆	1994 09 28.27796	00 43 20.85	+02 30 29.0		691	1994 SH ₆	1994 10 04.33902	00 40 44.12	+02 18 37.8	19.5 V 691
1994 SA ₆	1994 10 06.22783	00 37 58.47	+01 24 54.8	19.0 V	691	1994 SH ₆	1994 10 04.36234	00 40 42.99	+02 18 32.2	691
1994 SA ₆	1994 10 06.25109	00 37 57.48	+01 24 43.3		691	1994 SH ₆	1994 10 11.23844	00 35 35.71	+01 54 20.0	20.3 V 691
1994 SA ₆	1994 10 06.27829	00 37 56.32	+01 24 29.7		691	1994 SH ₆	1994 10 11.26199	00 35 34.64	+01 54 15.7	691
1994 SB ₆	* 1994 09 28.22286	00 43 33.20	+02 31 14.5		691	1994 SH ₆	1994 10 11.28522	00 35 33.57	+01 54 10.4	691
1994 SB ₆	1994 09 28.25171	00 43 31.62	+02 31 07.5	18.7 V	691	1994 SJ ₆	* 1994 09 28.22420	00 45 28.98	+02 45 19.8	691
1994 SB ₆	1994 09 28.27807	00 43 30.18	+02 31 01.4		691	1994 SJ ₆	1994 09 28.25305	00 45 27.32	+02 45 08.2	21.3 V 691
1994 SB ₆	1994 10 04.26519	00 38 11.91	+02 06 59.9		691	1994 SJ ₆	1994 09 28.27940	00 45 25.82	+02 44 58.4	691
1994 SB ₆	1994 10 04.28821	00 38 10.63	+02 06 54.4	18.9 V	691	1994 SJ ₆	1994 10 04.26635	00 39 52.21	+02 05 48.6	20.9 V 691
1994 SB ₆	1994 10 04.31293	00 38 09.27	+02 06 48.5		691	1994 SJ ₆	1994 10 04.28937	00 39 50.88	+02 05 38.9	691
1994 SC ₆	* 1994 09 28.22293	00 43 38.75	+02 31 11.6		691	1994 SJ ₆	1994 10 04.31408	00 39 49.30	+02 05 30.1	691
1994 SC ₆	1994 09 28.25178	00 43 37.37	+02 30 58.8	18.0 V	691	1994 SK ₆	* 1994 09 28.22436	00 45 43.05	+02 31 54.0	19.9 V 691
1994 SC ₆	1994 09 28.27814	00 43 36.08	+02 30 47.4		691	1994 SK ₆	1994 09 28.25321	00 45 41.66	+02 31 47.2	691
1994 SC ₆	1994 10 06.22734	00 37 16.31	+01 32 31.8	18.1 V	691	1994 SK ₆	1994 09 28.27957	00 45 40.41	+02 31 40.7	691
1994 SC ₆	1994 10 06.25060	00 37 15.12	+01 32 22.1		691	1994 SK ₆	1994 10 04.26714	00 41 00.24	+02 08 08.7	691
1994 SC ₆	1994 10 06.27780	00 37 13.72	+01 32 10.2		691	1994 SK ₆	1994 10 04.29016	00 40 59.18	+02 08 02.9	691
1994 SC ₆	1994 10 12.31920	00 32 26.67	+00 49 23.9		691	1994 SK ₆	1994 10 04.31488	00 40 57.95	+02 07 57.6	19.9 V 691
1994 SC ₆	1994 10 12.34220	00 32 25.55	+00 49 14.7	18.6 V	691	1994 SL ₆	* 1994 09 28.22441	00 45 47.35	+02 45 52.3	17.8 V 691
1994 SC ₆	1994 10 12.36519	00 32 24.44	+00 49 05.2		691	1994 SL ₆	1994 09 28.25326	00 45 46.01	+02 45 36.2	691
1994 SD ₆	* 1994 09 28.22311	00 43 54.98	+02 42 32.3		691	1994 SL ₆	1994 09 28.27962	00 45 44.80	+02 45 22.0	691
1994 SD ₆	1994 09 28.25196	00 43 53.43	+02 42 27.5	19.8 V	691	1994 SL ₆	1994 10 04.26732	00 41 15.88	+01 50 00.9	691
1994 SD ₆	1994 09 28.27832	00 43 52.05	+02 42 22.0		691	1994 SL ₆	1994 10 04.29034	00 41 14.67	+01 49 46.0	17.9 V 691
1994 SD ₆	1994 10 11.23637	00 32 36.80	+02 01 57.9	20.4 V	691	1994 SL ₆	1994 10 04.31506	00 41 13.45	+01 49 33.0	691
1994 SD ₆	1994 10 11.25992	00 32 35.59	+02 01 55.3		691	1994 SL ₆	1994 10 06.22907	00 39 46.39	+01 31 56.5	17.9 V 691
1994 SD ₆	1994 10 11.28315	00 32 34.35	+02 01 50.1		691	1994 SL ₆	1994 10 06.27953	00 39 43.93	+01 31 28.7	691
1994 SE ₆	* 1994 09 28.22314	00 43 56.98	+02 30 19.8	20.4 V	691	1994 SM ₆	* 1994 09 28.22480	00 46 20.95	+02 24 21.6	20.6 V 691
1994 SE ₆	1994 09 28.25199	00 43 55.51	+02 30 11.7		691	1994 SM ₆	1994 09 28.25365	00 46 19.48	+02 24 13.5	691
1994 SE ₆	1994 09 28.27835	00 43 54.17	+02 30 05.4		691	1994 SM ₆	1994 09 28.28001	00 46 18.16	+02 24 06.7	691
1994 SE ₆	1994 10 04.26575	00 39 00.10	+02 04 06.9	20.6 V	691	1994 SM ₆	1994 10 04.26746	00 41 28.44	+01 56 15.5	20.6 V 691
1994 SE ₆	1994 10 04.28877	00 38 58.93	+02 04 01.5		691	1994 SM ₆	1994 10 04.29048	00 41 27.15	+01 56 09.0	691
1994 SE ₆	1994 10 04.31349	00 38 57.64	+02 03 55.4		691	1994 SM ₆	1994 10 04.31520	00 41 25.89	+01 56 03.3	691
1994 SF ₆	* 1994 09 28.22349	00 44 27.26	+02 28 09.7		691	1994 SN ₆	* 1994 09 28.22490	00 46 29.43	+02 44 07.4	691
1994 SF ₆	1994 09 28.25234	00 44 25.98	+02 27 49.9	18.9 V	691	1994 SN ₆	1994 09 28.25375	00 46 28.18	+02 43 54.1	20.7 V 691
1994 SF ₆	1994 09 28.27870	00 44 24.79	+02 27 32.0		691	1994 SN ₆	1994 09 28.28011	00 46 27.08	+02 43 42.3	691
1994 SF ₆	1994 10 06.29990	00 38 35.14	+00 56 18.8		691	1994 SN ₆	1994 10 12.32227	00 36 52.60	+00 56 15.9	20.9 V 691
1994 SF ₆	1994 10 06.32330	00 38 34.12	+00 56 02.6		691	1994 SN ₆	1994 10 12.34528	00 36 51.64	+00 56 04.8	691
1994 SF ₆	1994 10 06.34668	00 38 33.04	+00 55 46.8	19.0 V	691	1994 SN ₆	1994 10 12.36826	00 36 50.65	+00 55 54.4	691
1994 SG ₆	* 1994 09 28.22399	00 45 10.64	+02 19 17.7	20.0 V	691	1994 SO ₆	* 1994 09 28.22503	00 46 41.15	+02 34 44.7	691
1994 SG ₆	1994 09 28.25284	00 45 09.14	+02 19 14.2		691	1994 SO ₆	1994 09 28.25388	00 46 39.33	+02 34 37.5	691
1994 SG ₆	1994 09 28.27919	00 45 07.69	+02 19 11.1		691	1994 SO ₆	1994 09 28.28023	00 46 37.69	+02 34 31.2	19.6 V 691
1994 SG ₆	1994 09 28.30474	00 45 06.26	+02 19 07.3	20.1 V	691	1994 SO ₆	1994 10 12.19076	00 32 15.50	+01 37 48.9	691
1994 SG ₆	1994 09 28.32812	00 45 04.99	+02 19 05.9		691	1994 SO ₆	1994 10 12.21423	00 32 14.07	+01 37 43.9	19.9 V 691
1994 SG ₆	1994 09 28.35150	00 45 03.72	+02 19 02.0		691	1994 SO ₆	1994 10 12.23740	00 32 12.62	+01 37 38.2	691
1994 SG ₆	1994 10 04.26635	00 39 51.89	+02 07 42.2		691	1994 SP ₆	* 1994 09 28.22505	00 46 42.68	+02 26 51.4	691
1994 SG ₆	1994 10 04.28937	00 39 50.60	+02 07 39.6	20.7 V	691	1994 SP ₆	1994 09 28.25390	00 46 41.35	+02 26 40.6	691

1994 SP ₆	1994 09 28.28026	00 46 40.10	+02 26 32.1	19.9 V	691	1994 SW ₆	1994 09 29.27320	00 22 24.82	+01 44 39.4		691
1994 SP ₆	1994 10 04.26792	00 42 08.03	+01 51 46.3	20.2 V	691	1994 SW ₆	1994 09 29.29682	00 22 23.68	+01 44 30.7	17.9 V	691
1994 SP ₆	1994 10 04.29094	00 42 06.94	+01 51 38.5		691	1994 SX ₆	* 1994 09 28.29134	00 25 45.93	+01 59 54.5		691
1994 SP ₆	1994 10 04.31566	00 42 05.77	+01 51 29.9		691	1994 SX ₆	1994 09 28.31473	00 25 44.81	+01 59 38.2	20.1 V	691
1994 SQ ₆	* 1994 09 28.22512	00 46 48.47	+02 23 36.2		691	1994 SX ₆	1994 09 28.33811	00 25 43.66	+01 59 20.7		691
1994 SQ ₆	1994 09 28.25397	00 46 47.13	+02 23 26.5	20.4 V	691	1994 SX ₆	1994 09 29.25178	00 25 02.80	+01 47 59.0	20.1 V	691
1994 SQ ₆	1994 09 28.28033	00 46 45.92	+02 23 17.5		691	1994 SX ₆	1994 09 29.27500	00 25 01.71	+01 47 41.5		691
1994 SQ ₆	1994 10 04.26799	00 42 14.19	+01 49 20.5		691	1994 SX ₆	1994 09 29.29860	00 25 00.53	+01 47 23.9		691
1994 SQ ₆	1994 10 04.31573	00 42 11.89	+01 49 04.6	20.2 V	691	1994 SY ₆	* 1994 09 28.29256	00 27 30.89	+01 49 09.0	18.4 V	691
1994 SQ ₆	1994 10 12.32181	00 36 12.74	+01 05 39.1	20.6 V	691	1994 SY ₆	1994 09 28.31594	00 27 29.64	+01 49 07.0		691
1994 SQ ₆	1994 10 12.34481	00 36 11.69	+01 05 32.1		691	1994 SY ₆	1994 09 28.33932	00 27 28.38	+01 49 05.2		691
1994 SQ ₆	1994 10 12.36780	00 36 10.68	+01 05 25.4		691	1994 SY ₆	1994 09 29.25292	00 26 41.49	+01 47 47.0	18.5 V	691
1994 SQ ₆	1994 10 13.29070	00 35 31.03	+01 00 43.2	21.0 V	691	1994 SY ₆	1994 09 29.27613	00 26 40.26	+01 47 44.9		691
1994 SQ ₆	1994 10 13.29871	00 35 30.68	+01 00 40.8		691	1994 SY ₆	1994 09 29.29974	00 26 39.03	+01 47 42.8		691
1994 SQ ₆	1994 10 13.30620	00 35 30.31	+01 00 37.8		691	1994 SZ ₆	* 1994 09 28.29283	00 27 54.44	+02 10 54.7		691
1994 SR ₆	* 1994 09 28.22526	00 47 00.95	+02 48 33.0	17.4 V	691	1994 SZ ₆	1994 09 28.31621	00 27 53.01	+02 10 55.5		691
1994 SR ₆	1994 09 28.25411	00 46 59.51	+02 48 16.7		691	1994 SZ ₆	1994 09 28.33959	00 27 51.62	+02 10 57.3	19.8 V	691
1994 SR ₆	1994 09 28.28047	00 46 58.21	+02 48 02.3		691	1994 SZ ₆	1994 10 04.25398	00 22 00.68	+02 15 54.3	20.1 V	691
1994 SR ₆	1994 10 04.26795	00 42 11.01	+01 53 31.2		691	1994 SZ ₆	1994 10 04.27700	00 21 59.26	+02 15 55.8		691
1994 SR ₆	1994 10 04.29098	00 42 09.86	+01 53 18.6	17.6 V	691	1994 SZ ₆	1994 10 04.30171	00 21 57.74	+02 15 56.6		691
1994 SR ₆	1994 10 04.31569	00 42 08.58	+01 53 05.6		691	1994 SA ₇	* 1994 09 28.29389	00 29 26.88	+01 54 37.0		691
1994 SS ₆	* 1994 09 28.22528	00 47 02.76	+02 35 21.8		691	1994 SA ₇	1994 09 28.31728	00 29 25.71	+01 54 27.8	18.8 V	691
1994 SS ₆	1994 09 28.25414	00 47 01.46	+02 35 14.0	20.1 V	691	1994 SA ₇	1994 09 28.34066	00 29 24.55	+01 54 19.0		691
1994 SS ₆	1994 09 28.28049	00 47 00.28	+02 35 07.8		691	1994 SA ₇	1994 09 29.25430	00 28 40.64	+01 48 31.8		691
1994 SS ₆	1994 10 04.26822	00 42 34.16	+02 09 31.8		691	1994 SA ₇	1994 09 29.27751	00 28 39.48	+01 48 22.9	19.0 V	691
1994 SS ₆	1994 10 04.29124	00 42 33.12	+02 09 26.2		691	1994 SA ₇	1994 09 29.30111	00 28 38.32	+01 48 13.8		691
1994 SS ₆	1994 10 04.31596	00 42 31.95	+02 09 20.6	20.2 V	691	1994 SB ₇	* 1994 09 28.29451	00 30 20.21	+02 08 51.9	18.1 V	691
1994 SS ₆	1994 10 12.19387	00 36 45.08	+01 36 55.6	20.7 V	691	1994 SB ₇	1994 09 28.31790	00 30 19.22	+02 08 38.6		691
1994 SS ₆	1994 10 12.21734	00 36 44.05	+01 36 50.1		691	1994 SB ₇	1994 09 28.34128	00 30 18.25	+02 08 25.5		691
1994 SS ₆	1994 10 12.24052	00 36 43.01	+01 36 44.8		691	1994 SB ₇	1994 10 06.29109	00 25 15.00	+00 55 08.1	18.6 V	691
1994 ST ₆	* 1994 09 28.23614	00 21 02.40	+02 47 08.5	19.9 V	691	1994 SB ₇	1994 10 06.31449	00 25 14.00	+00 54 55.5		691
1994 ST ₆	1994 09 28.26249	00 21 01.06	+02 46 58.8		691	1994 SB ₇	1994 10 06.33787	00 25 13.08	+00 54 42.6		691
1994 ST ₆	1994 09 29.19570	00 20 16.22	+02 41 20.1		691	1994 SC ₇	* 1994 09 28.29494	00 30 57.53	+02 15 16.4	19.4 V	691
1994 ST ₆	1994 09 29.21894	00 20 15.02	+02 41 11.4	19.8 V	691	1994 SC ₇	1994 09 28.31832	00 30 56.03	+02 15 11.3		691
1994 ST ₆	1994 09 29.24249	00 20 13.82	+02 41 02.7		691	1994 SC ₇	1994 09 28.34170	00 30 54.59	+02 15 06.2		691
1994 SU ₆	* 1994 09 28.24985	00 40 50.04	+02 20 01.4	18.5 V	691	1994 SC ₇	1994 10 04.25592	00 24 48.75	+01 53 29.8		691
1994 SU ₆	1994 09 28.27620	00 40 48.69	+02 19 45.7		691	1994 SC ₇	1994 10 04.27894	00 24 47.27	+01 53 25.3		691
1994 SU ₆	1994 09 28.30175	00 40 47.34	+02 19 29.9	18.5 V	691	1994 SC ₇	1994 10 04.30365	00 24 45.66	+01 53 19.6	19.8 V	691
1994 SU ₆	1994 09 28.32513	00 40 46.11	+02 19 15.9		691	1994 SC ₇	1994 10 06.21732	00 22 48.10	+01 46 28.6	19.9 V	691
1994 SU ₆	1994 09 28.34851	00 40 44.90	+02 19 01.7		691	1994 SC ₇	1994 10 06.24058	00 22 46.58	+01 46 23.9		691
1994 SU ₆	1994 10 06.29679	00 34 05.61	+01 00 13.5	18.5 V	691	1994 SC ₇	1994 10 06.26777	00 22 44.88	+01 46 18.0		691
1994 SU ₆	1994 10 06.32019	00 34 04.41	+00 59 59.8		691	1994 SD ₇	* 1994 09 28.29550	00 31 45.66	+02 03 46.7	17.8 V	691
1994 SU ₆	1994 10 06.34356	00 34 03.21	+00 59 46.1		691	1994 SD ₇	1994 09 28.31888	00 31 44.36	+02 03 41.4		691
1994 SV ₆	* 1994 09 28.25368	00 46 22.45	+02 32 54.3	19.7 V	691	1994 SD ₇	1994 09 28.34226	00 31 43.08	+02 03 36.5		691
1994 SV ₆	1994 09 28.28004	00 46 21.12	+02 32 47.9		691	1994 SD ₇	1994 10 06.21866	00 24 44.42	+01 35 26.8		691
1994 SV ₆	1994 10 04.26746	00 41 28.15	+02 08 49.8		691	1994 SD ₇	1994 10 06.24192	00 24 43.18	+01 35 22.1	17.9 V	691
1994 SV ₆	1994 10 04.29048	00 41 27.02	+02 08 43.8	20.0 V	691	1994 SD ₇	1994 10 06.26912	00 24 41.72	+01 35 16.5		691
1994 SV ₆	1994 10 04.31520	00 41 25.76	+02 08 38.7		691	1994 SE ₇	* 1994 09 28.29628	00 32 53.34	+02 08 27.1		691
1994 SW ₆	* 1994 09 28.28957	00 23 12.29	+01 50 50.1	17.8 V	691	1994 SE ₇	1994 09 28.31966	00 32 52.32	+02 08 20.9	20.4 V	691
1994 SW ₆	1994 09 28.31295	00 23 11.15	+01 50 41.3		691	1994 SE ₇	1994 09 28.34305	00 32 51.30	+02 08 14.8		691
1994 SW ₆	1994 09 28.33633	00 23 09.94	+01 50 32.6		691	1994 SE ₇	1994 09 29.32130	00 32 09.91	+02 04 03.5	20.2 V	691
1994 SW ₆	1994 09 29.24999	00 22 25.96	+01 44 48.3		691	1994 SE ₇	1994 09 29.32892	00 32 09.59	+02 04 01.5		691

1994 SE ₇	1994 09 29.33673	00 32 09.23	+02 03 59.4	691	1994 SL ₇	1994 09 29.33074	00 35 14.15	+02 09 43.8	691		
1994 SE ₇	1994 10 06.22043	00 27 18.09	+01 34 42.0	691	1994 SL ₇	1994 09 29.33854	00 35 13.64	+02 09 43.0	691		
1994 SE ₇	1994 10 06.24370	00 27 17.06	+01 34 36.0	691	1994 SL ₇	1994 10 04.25963	00 30 09.44	+02 02 19.9	691		
1994 SE ₇	1994 10 06.27090	00 27 15.91	+01 34 29.3	20.2 V	691	1994 SL ₇	1994 10 04.28264	00 30 07.95	+02 02 18.0	16.8 V	691
1994 SF ₇	* 1994 09 28.29630	00 32 55.17	+02 00 11.5	691	1994 SL ₇	1994 10 04.30735	00 30 06.38	+02 02 15.7	691		
1994 SF ₇	1994 09 28.31968	00 32 53.64	+02 00 11.9	691	1994 SL ₇	1994 10 11.25345	00 23 14.75	+01 53 30.0	17.1 V	691	
1994 SF ₇	1994 09 28.34306	00 32 52.12	+02 00 11.2	19.9 V	691	1994 SL ₇	1994 10 11.27668	00 23 13.38	+01 53 28.6	691	
1994 SF ₇	1994 10 04.25714	00 26 34.34	+01 59 15.1	691	1994 SM ₇	* 1994 09 28.29866	00 36 19.63	+01 52 39.1	691		
1994 SF ₇	1994 10 04.28016	00 26 32.75	+01 59 15.8	691	1994 SM ₇	1994 09 28.32204	00 36 18.38	+01 52 31.1	691		
1994 SF ₇	1994 10 04.30487	00 26 31.13	+01 59 14.7	20.2 V	691	1994 SM ₇	1994 09 28.34542	00 36 17.12	+01 52 23.1	19.8 V	691
1994 SF ₇	1994 10 11.22706	00 19 09.71	+01 59 24.0	20.0 V	691	1994 SM ₇	1994 10 06.29359	00 29 28.46	+01 06 31.4	691	
1994 SF ₇	1994 10 11.25060	00 19 08.20	+01 59 24.3	691	1994 SM ₇	1994 10 06.31699	00 29 27.24	+01 06 23.5	19.6 V	691	
1994 SF ₇	1994 10 11.27383	00 19 06.67	+01 59 23.9	691	1994 SM ₇	1994 10 06.34036	00 29 26.02	+01 06 15.7	691		
1994 SG ₇	* 1994 09 28.29691	00 33 47.84	+01 47 50.5	691	1994 SN ₇	* 1994 09 28.29926	00 37 12.11	+01 51 54.1	19.3 V	691	
1994 SG ₇	1994 09 28.32029	00 33 46.55	+01 47 42.3	18.9 V	691	1994 SN ₇	1994 09 28.32265	00 37 10.93	+01 51 45.5	691	
1994 SG ₇	1994 09 28.34367	00 33 45.31	+01 47 34.4	691	1994 SN ₇	1994 09 28.34603	00 37 09.71	+01 51 35.8	691		
1994 SG ₇	1994 09 29.25729	00 32 59.50	+01 42 15.0	691	1994 SN ₇	1994 09 29.25967	00 36 26.33	+01 45 46.6	691		
1994 SG ₇	1994 09 29.28050	00 32 58.26	+01 42 06.9	19.0 V	691	1994 SN ₇	1994 09 29.28289	00 36 25.14	+01 45 37.9	19.4 V	691
1994 SG ₇	1994 09 29.30410	00 32 56.99	+01 41 58.6	691	1994 SN ₇	1994 09 29.30649	00 36 23.96	+01 45 28.9	691		
1994 SH ₇	* 1994 09 28.29740	00 34 30.29	+01 56 41.7	691	1994 SO ₇	* 1994 09 28.29928	00 37 13.38	+02 10 09.5	20.6 V	691	
1994 SH ₇	1994 09 28.32078	00 34 29.18	+01 56 31.7	19.9 V	691	1994 SO ₇	1994 09 28.32266	00 37 11.98	+02 09 57.9	691	
1994 SH ₇	1994 09 28.34416	00 34 28.04	+01 56 21.3	691	1994 SO ₇	1994 09 28.34604	00 37 10.62	+02 09 46.4	691		
1994 SH ₇	1994 10 06.29289	00 28 27.82	+01 00 02.6	20.1 V	691	1994 SO ₇	1994 09 29.32383	00 36 15.32	+02 01 51.8	691	
1994 SH ₇	1994 10 06.31629	00 28 26.70	+00 59 53.2	691	1994 SO ₇	1994 09 29.33144	00 36 14.85	+02 01 48.6	691		
1994 SH ₇	1994 10 06.33966	00 28 25.57	+00 59 43.1	691	1994 SO ₇	1994 09 29.33924	00 36 14.35	+02 01 44.6	20.6 V	691	
1994 SH ₇	1994 10 13.34004	00 23 31.02	+00 14 37.5	20.5 V	691	1994 SO ₇	1994 10 06.29380	00 29 46.92	+01 07 05.2	691	
1994 SH ₇	1994 10 13.34868	00 23 30.63	+00 14 33.9	691	1994 SO ₇	1994 10 06.31720	00 29 45.58	+01 06 54.9	691		
1994 SH ₇	1994 10 13.35653	00 23 30.36	+00 14 31.0	691	1994 SO ₇	1994 10 06.34057	00 29 44.29	+01 06 43.5	20.6 V	691	
1994 SJ ₇	* 1994 09 28.29794	00 35 17.65	+02 09 54.7	691	1994 SO ₇	1994 10 13.34021	00 23 45.41	+00 16 57.9	691		
1994 SJ ₇	1994 09 28.32133	00 35 16.43	+02 09 50.3	19.0 V	691	1994 SO ₇	1994 10 13.34885	00 23 44.95	+00 16 54.6	20.8 V	691
1994 SJ ₇	1994 09 28.34471	00 35 15.23	+02 09 46.3	691	1994 SO ₇	1994 10 13.35669	00 23 44.61	+00 16 50.5	691		
1994 SJ ₇	1994 09 29.32258	00 34 27.17	+02 06 48.5	691	1994 SP ₇	* 1994 09 28.29948	00 37 30.39	+02 14 52.6	19.4 V	691	
1994 SJ ₇	1994 09 29.33019	00 34 26.78	+02 06 47.3	19.5 V	691	1994 SP ₇	1994 09 28.32286	00 37 29.30	+02 14 46.1	691	
1994 SJ ₇	1994 09 29.33800	00 34 26.36	+02 06 45.4	691	1994 SP ₇	1994 09 28.34624	00 37 28.22	+02 14 39.8	691		
1994 SJ ₇	1994 10 04.25980	00 30 24.40	+01 52 02.5	691	1994 SP ₇	1994 09 29.32416	00 36 44.52	+02 10 05.5	19.7 V	691	
1994 SJ ₇	1994 10 04.28282	00 30 23.19	+01 51 58.7	691	1994 SP ₇	1994 09 29.33177	00 36 44.16	+02 10 03.4	691		
1994 SJ ₇	1994 10 04.30753	00 30 21.94	+01 51 54.6	19.1 V	691	1994 SP ₇	1994 09 29.33958	00 36 43.83	+02 10 01.2	691	
1994 SJ ₇	1994 10 06.22149	00 28 49.28	+01 46 22.8	691	1994 SP ₇	1994 10 06.22339	00 31 34.02	+01 37 53.5	19.8 V	691	
1994 SJ ₇	1994 10 06.24475	00 28 48.14	+01 46 18.8	19.4 V	691	1994 SP ₇	1994 10 06.24665	00 31 32.90	+01 37 47.5	691	
1994 SJ ₇	1994 10 06.27195	00 28 46.73	+01 46 14.2	691	1994 SP ₇	1994 10 06.27385	00 31 31.66	+01 37 39.8	691		
1994 SK ₇	* 1994 09 28.29864	00 36 17.97	+01 54 52.5	19.5 V	691	1994 SP ₇	1994 10 12.31549	00 27 05.06	+01 10 34.0	20.1 V	691
1994 SK ₇	1994 09 28.32202	00 36 16.87	+01 54 42.5	691	1994 SP ₇	1994 10 12.33849	00 27 04.06	+01 10 27.4	691		
1994 SK ₇	1994 09 28.34541	00 36 15.78	+01 54 32.5	691	1994 SP ₇	1994 10 12.36148	00 27 03.05	+01 10 21.4	691		
1994 SK ₇	1994 09 29.25911	00 35 37.02	+01 48 01.8	19.7 V	691	1994 SQ ₇	* 1994 09 28.29983	00 38 01.03	+02 10 58.7	19.0 V	691
1994 SK ₇	1994 09 29.28232	00 35 35.92	+01 47 52.0	691	1994 SQ ₇	1994 09 28.32321	00 37 59.64	+02 10 50.2	691		
1994 SK ₇	1994 09 29.30592	00 35 34.83	+01 47 41.8	691	1994 SQ ₇	1994 09 28.34659	00 37 58.23	+02 10 41.6	691		
1994 SK ₇	1994 10 06.31774	00 30 32.12	+00 58 34.9	691	1994 SQ ₇	1994 09 29.32436	00 37 01.84	+02 04 43.6	691		
1994 SK ₇	1994 10 06.34111	00 30 31.03	+00 58 24.9	19.5 V	691	1994 SQ ₇	1994 09 29.33197	00 37 01.38	+02 04 41.0	19.0 V	691
1994 SL ₇	* 1994 09 28.29864	00 36 18.12	+02 11 18.7	16.6 V	691	1994 SQ ₇	1994 09 29.33978	00 37 00.92	+02 04 38.0	691	
1994 SL ₇	1994 09 28.32202	00 36 16.60	+02 11 16.4	691	1994 SQ ₇	1994 10 06.22257	00 30 22.89	+01 23 01.6	19.0 V	691	
1994 SL ₇	1994 09 28.34540	00 36 15.09	+02 11 14.4	691	1994 SQ ₇	1994 10 06.24583	00 30 21.51	+01 22 53.3	691		
1994 SL ₇	1994 09 29.32313	00 35 14.64	+02 09 44.5	16.6 V	691	1994 SQ ₇	1994 10 06.27302	00 30 19.85	+01 22 43.8	691	

1994 SR ₇	* 1994 09 28.29988	00 38 05.83	+01 53 16.6		691	1994 SX ₇	1994 09 28.38099	00 18 46.79	+02 54 19.3		691
1994 SR ₇	1994 09 28.32327	00 38 04.87	+01 53 07.5	20.8 V	691	1994 SX ₇	1994 09 28.40413	00 18 45.52	+02 54 10.8		691
1994 SR ₇	1994 09 28.34666	00 38 03.93	+01 52 57.7		691	1994 SX ₇	1994 09 29.19417	00 18 03.89	+02 49 10.7	20.3 V	691
1994 SR ₇	1994 09 29.26038	00 37 27.15	+01 46 42.8		691	1994 SX ₇	1994 09 29.21741	00 18 02.65	+02 49 01.8		691
1994 SR ₇	1994 09 29.28359	00 37 26.18	+01 46 33.5		691	1994 SX ₇	1994 09 29.24096	00 18 01.33	+02 48 53.2		691
1994 SR ₇	1994 09 29.30720	00 37 25.23	+01 46 23.6	20.7 V	691	1994 SY ₇	* 1994 09 28.35885	00 20 19.08	+02 51 31.6		691
1994 SR ₇	1994 10 06.29583	00 32 42.43	+00 59 02.8		691	1994 SY ₇	1994 09 28.38204	00 20 17.81	+02 51 18.3	20.1 V	691
1994 SR ₇	1994 10 06.31923	00 32 41.42	+00 58 52.8	21.0 V	691	1994 SY ₇	1994 09 28.40518	00 20 16.51	+02 51 05.3		691
1994 SR ₇	1994 10 06.34261	00 32 40.48	+00 58 43.3		691	1994 SY ₇	1994 09 29.19522	00 19 35.06	+02 43 25.8		691
1994 SS ₇	* 1994 09 28.30141	00 40 18.34	+01 48 48.7	19.0 V	691	1994 SY ₇	1994 09 29.24202	00 19 32.50	+02 42 57.8	20.0 V	691
1994 SS ₇	1994 09 28.32479	00 40 16.85	+01 48 46.9		691	1994 SZ ₇	* 1994 09 28.36214	00 25 04.40	+02 56 22.0		691
1994 SS ₇	1994 09 28.34817	00 40 15.39	+01 48 44.8		691	1994 SZ ₇	1994 09 28.38534	00 25 03.34	+02 56 15.3	19.0 V	691
1994 SS ₇	1994 10 06.22382	00 32 11.33	+01 37 50.8		691	1994 SZ ₇	1994 09 28.40848	00 25 02.21	+02 56 08.7		691
1994 SS ₇	1994 10 06.24708	00 32 09.92	+01 37 49.0	18.9 V	691	1994 SZ ₇	1994 10 04.32503	00 20 32.82	+02 26 45.3	19.3 V	691
1994 SS ₇	1994 10 06.27427	00 32 08.18	+01 37 46.8		691	1994 SZ ₇	1994 10 04.34835	00 20 31.73	+02 26 38.6		691
1994 ST ₇	* 1994 09 28.30153	00 40 28.17	+01 49 48.1	17.5 V	691	1994 SA ₈	* 1994 09 28.36216	00 25 06.03	+02 48 56.4		691
1994 ST ₇	1994 09 28.32491	00 40 26.81	+01 49 38.2		691	1994 SA ₈	1994 09 28.38535	00 25 04.94	+02 48 47.4	20.0 V	691
1994 ST ₇	1994 09 28.34829	00 40 25.52	+01 49 28.1		691	1994 SA ₈	1994 09 28.40850	00 25 03.83	+02 48 38.0		691
1994 ST ₇	1994 09 29.26186	00 39 35.48	+01 42 52.1	17.6 V	691	1994 SA ₈	1994 10 04.25315	00 20 48.20	+02 10 58.0	20.2 V	691
1994 ST ₇	1994 09 29.28507	00 39 34.16	+01 42 41.8		691	1994 SA ₈	1994 10 04.27617	00 20 47.14	+02 10 49.1		691
1994 ST ₇	1994 09 29.30867	00 39 32.80	+01 42 31.7		691	1994 SA ₈	1994 10 04.30089	00 20 45.99	+02 10 39.9		691
1994 ST ₇	1994 10 06.29615	00 33 10.20	+00 53 11.3	17.7 V	691	1994 SB ₈	* 1994 09 28.36224	00 25 12.64	+03 08 48.0	18.7 V	691
1994 ST ₇	1994 10 06.31955	00 33 08.90	+00 53 01.5		691	1994 SB ₈	1994 09 28.38543	00 25 11.56	+03 08 41.0		691
1994 ST ₇	1994 10 06.34292	00 33 07.60	+00 52 51.9		691	1994 SB ₈	1994 09 28.40857	00 25 10.50	+03 08 34.2		691
1994 ST ₇	1994 10 13.34253	00 27 06.81	+00 07 44.9	17.9 V	691	1994 SB ₈	1994 10 11.22470	00 15 45.62	+02 05 45.6		691
1994 ST ₇	1994 10 13.35117	00 27 06.37	+00 07 41.6		691	1994 SB ₈	1994 10 11.24825	00 15 44.58	+02 05 38.8	19.0 V	691
1994 ST ₇	1994 10 13.35902	00 27 05.97	+00 07 38.9		691	1994 SB ₈	1994 10 11.27148	00 15 43.57	+02 05 32.1		691
1994 SU ₇	* 1994 09 28.30185	00 40 55.68	+02 18 55.2		691	1994 SC ₈	* 1994 09 28.36227	00 25 15.47	+03 11 34.1	18.5 V	691
1994 SU ₇	1994 09 28.32523	00 40 54.46	+02 18 52.9	20.6 V	691	1994 SC ₈	1994 09 28.38546	00 25 14.24	+03 11 24.1		691
1994 SU ₇	1994 09 28.34861	00 40 53.05	+02 18 49.7		691	1994 SC ₈	1994 09 28.40860	00 25 13.02	+03 11 14.4		691
1994 SU ₇	1994 10 04.26345	00 35 40.99	+02 07 32.3		691	1994 SC ₈	1994 10 04.32490	00 20 21.36	+02 29 56.7	18.7 V	691
1994 SU ₇	1994 10 04.28647	00 35 39.79	+02 07 30.2	20.6 V	691	1994 SC ₈	1994 10 04.34822	00 20 20.17	+02 29 47.0		691
1994 SU ₇	1994 10 04.31119	00 35 38.51	+02 07 26.9		691	1994 SD ₈	* 1994 09 28.36234	00 25 21.63	+03 15 52.6		691
1994 SU ₇	1994 10 11.23435	00 29 41.22	+01 55 11.0		691	1994 SD ₈	1994 09 28.38553	00 25 20.44	+03 15 44.3		691
1994 SU ₇	1994 10 11.25789	00 29 40.02	+01 55 08.3	21.2 V	691	1994 SD ₈	1994 09 28.40868	00 25 19.28	+03 15 35.9	18.4 V	691
1994 SU ₇	1994 10 11.28113	00 29 38.85	+01 55 06.1		691	1994 SD ₈	1994 10 04.32506	00 20 34.82	+02 40 20.0		691
1994 SV ₇	* 1994 09 28.30290	00 42 27.09	+02 09 49.7	17.7 V	691	1994 SD ₈	1994 10 04.34838	00 20 33.65	+02 40 11.4	18.9 V	691
1994 SV ₇	1994 09 28.32628	00 42 25.94	+02 09 45.2		691	1994 SD ₈	1994 10 11.22448	00 15 23.76	+02 01 05.1		691
1994 SV ₇	1994 09 28.34967	00 42 24.79	+02 09 40.5		691	1994 SD ₈	1994 10 11.24802	00 15 22.70	+02 00 57.4	18.8 V	691
1994 SV ₇	1994 10 04.26482	00 37 39.77	+01 50 18.1		691	1994 SD ₈	1994 10 11.27126	00 15 21.66	+02 00 50.0		691
1994 SV ₇	1994 10 04.28784	00 37 38.64	+01 50 13.3		691	1994 SE ₈	* 1994 09 28.36237	00 25 23.79	+03 03 36.1	19.4 V	691
1994 SV ₇	1994 10 04.31256	00 37 37.37	+01 50 08.8	17.8 V	691	1994 SE ₈	1994 09 28.38556	00 25 22.56	+03 03 29.5		691
1994 SV ₇	1994 10 06.22652	00 36 05.10	+01 43 59.7		691	1994 SE ₈	1994 09 28.40870	00 25 21.37	+03 03 23.0		691
1994 SV ₇	1994 10 06.24978	00 36 03.94	+01 43 55.0	17.7 V	691	1994 SE ₈	1994 10 11.22427	00 14 47.70	+02 04 25.6		691
1994 SV ₇	1994 10 06.27698	00 36 02.58	+01 43 50.3		691	1994 SE ₈	1994 10 11.24781	00 14 46.57	+02 04 19.4	19.9 V	691
1994 SW ₇	* 1994 09 28.30479	00 45 10.47	+01 54 41.6		691	1994 SE ₈	1994 10 11.27105	00 14 45.44	+02 04 13.4		691
1994 SW ₇	1994 09 28.32817	00 45 09.37	+01 54 31.7		691	1994 SF ₈	* 1994 09 28.36275	00 25 56.71	+02 54 46.4	20.2 V	691
1994 SW ₇	1994 09 28.35155	00 45 08.27	+01 54 21.4	20.6 V	691	1994 SF ₈	1994 09 28.38594	00 25 55.40	+02 54 36.0		691
1994 SW ₇	1994 09 29.26523	00 44 27.55	+01 47 48.3	20.6 V	691	1994 SF ₈	1994 09 28.40908	00 25 54.05	+02 54 26.6		691
1994 SW ₇	1994 09 29.28844	00 44 26.45	+01 47 38.4		691	1994 SF ₈	1994 10 04.25299	00 20 34.29	+02 13 08.5		691
1994 SW ₇	1994 09 29.31205	00 44 25.26	+01 47 29.2		691	1994 SF ₈	1994 10 04.27600	00 20 32.97	+02 12 56.4		691
1994 SX ₇	* 1994 09 28.35780	00 18 48.12	+02 54 27.9	20.0 V	691	1994 SF ₈	1994 10 04.30072	00 20 31.57	+02 12 45.8	20.4 V	691

1994 SG ₈	* 1994 09 28.36296	00 26 15.07	+03 10 35.2		691	1994 SP ₈	1994 09 28.41280	00 31 16.59	+03 03 46.7	21.2 V	691
1994 SG ₈	1994 09 28.38615	00 26 13.62	+03 10 28.3	18.3 V	691	1994 SP ₈	1994 10 11.22901	00 21 59.29	+02 04 14.4		691
1994 SG ₈	1994 09 28.40929	00 26 12.18	+03 10 21.6		691	1994 SP ₈	1994 10 11.25256	00 21 58.28	+02 04 08.6	21.2 V	691
1994 SG ₈	1994 10 04.32483	00 20 15.24	+02 41 40.2		691	1994 SP ₈	1994 10 11.27580	00 21 57.25	+02 04 02.4		691
1994 SG ₈	1994 10 04.34815	00 20 13.79	+02 41 34.0	18.5 V	691	1994 SQ ₈	* 1994 09 28.36655	00 31 26.33	+03 05 45.0	20.3 V	691
1994 SH ₈	* 1994 09 28.36300	00 26 19.02	+02 49 06.6	20.6 V	691	1994 SQ ₈	1994 09 28.38974	00 31 25.27	+03 05 33.7		691
1994 SH ₈	1994 09 28.38619	00 26 17.66	+02 48 58.7		691	1994 SQ ₈	1994 09 28.41289	00 31 24.19	+03 05 23.3		691
1994 SH ₈	1994 09 28.40933	00 26 16.30	+02 48 48.4		691	1994 SQ ₈	1994 10 04.25750	00 27 04.99	+02 18 16.8	19.9 V	691
1994 SH ₈	1994 10 04.25327	00 20 58.74	+02 11 00.4	20.8 V	691	1994 SQ ₈	1994 10 04.28052	00 27 03.93	+02 18 04.9		691
1994 SH ₈	1994 10 04.27629	00 20 57.45	+02 10 52.0		691	1994 SQ ₈	1994 10 04.30524	00 27 02.84	+02 17 52.9		691
1994 SH ₈	1994 10 04.30100	00 20 56.07	+02 10 42.2		691	1994 SQ ₈	1994 10 04.32952	00 27 01.67	+02 17 41.3	20.4 V	691
1994 SJ ₈	* 1994 09 28.36359	00 27 09.76	+03 13 08.8	20.8 V	691	1994 SQ ₈	1994 10 04.35284	00 27 00.55	+02 17 29.5		691
1994 SJ ₈	1994 09 28.38678	00 27 08.61	+03 12 58.9		691	1994 SR ₈	* 1994 09 28.36658	00 31 29.06	+03 06 57.2	17.6 V	691
1994 SJ ₈	1994 09 28.40992	00 27 07.45	+03 12 49.0		691	1994 SR ₈	1994 09 28.38977	00 31 27.62	+03 06 48.4		691
1994 SJ ₈	1994 10 04.32638	00 22 29.89	+02 30 39.2	22.1 V	691	1994 SR ₈	1994 09 28.41291	00 31 26.20	+03 06 39.8		691
1994 SJ ₈	1994 10 04.34970	00 22 28.72	+02 30 28.4		691	1994 SR ₈	1994 10 04.35185	00 25 34.25	+02 29 47.9		691
1994 SK ₈	* 1994 09 28.36395	00 27 40.77	+03 03 35.6	18.6 V	691	1994 SR ₈	1994 10 11.22707	00 19 10.55	+01 49 37.8	18.1 V	691
1994 SK ₈	1994 09 28.38714	00 27 39.68	+03 03 29.4		691	1994 SR ₈	1994 10 11.25061	00 19 09.21	+01 49 29.7		691
1994 SK ₈	1994 09 28.41028	00 27 38.60	+03 03 23.3		691	1994 SR ₈	1994 10 11.27384	00 19 07.94	+01 49 22.0		691
1994 SK ₈	1994 10 11.22635	00 18 08.11	+02 08 08.9	18.8 V	691	1994 SS ₈	* 1994 09 28.36697	00 32 02.96	+03 18 54.6	19.2 V	691
1994 SK ₈	1994 10 11.24989	00 18 07.08	+02 08 03.3		691	1994 SS ₈	1994 09 28.39017	00 32 01.79	+03 18 46.8		691
1994 SK ₈	1994 10 11.27313	00 18 06.07	+02 07 57.3		691	1994 SS ₈	1994 09 28.41331	00 32 00.62	+03 18 39.5		691
1994 SL ₈	* 1994 09 28.36401	00 27 46.08	+02 52 50.2	19.1 V	691	1994 SS ₈	1994 10 04.32960	00 27 08.82	+02 46 09.5	19.5 V	691
1994 SL ₈	1994 09 28.38720	00 27 44.64	+02 52 47.0		691	1994 SS ₈	1994 10 04.35292	00 27 07.63	+02 46 01.8		691
1994 SL ₈	1994 09 28.41034	00 27 43.23	+02 52 43.7		691	1994 SS ₈	1994 10 11.22873	00 21 34.99	+02 08 54.5	19.4 V	691
1994 SL ₈	1994 10 04.32596	00 21 52.97	+02 38 25.5		691	1994 SS ₈	1994 10 11.25228	00 21 33.83	+02 08 47.0		691
1994 SL ₈	1994 10 04.34928	00 21 51.54	+02 38 22.1	19.2 V	691	1994 SS ₈	1994 10 11.27551	00 21 32.71	+02 08 39.7		691
1994 SM ₈	* 1994 09 28.36409	00 27 53.48	+03 06 12.3	18.3 V	691	1994 ST ₈	* 1994 09 28.36700	00 32 05.26	+03 13 36.3	18.9 V	691
1994 SM ₈	1994 09 28.38728	00 27 52.09	+03 06 12.9		691	1994 ST ₈	1994 09 28.39019	00 32 04.08	+03 13 27.6		691
1994 SM ₈	1994 09 28.41042	00 27 50.68	+03 06 13.6		691	1994 ST ₈	1994 09 28.41334	00 32 02.91	+03 13 18.5		691
1994 SM ₈	1994 10 06.12862	00 20 32.25	+03 09 55.3		691	1994 ST ₈	1994 10 04.32962	00 27 10.25	+02 35 43.0	19.0 V	691
1994 SM ₈	1994 10 06.15186	00 20 30.90	+03 09 56.8	18.7 V	691	1994 ST ₈	1994 10 04.35294	00 27 09.03	+02 35 34.2		691
1994 SM ₈	1994 10 06.18128	00 20 29.20	+03 09 57.2		691	1994 ST ₈	1994 10 11.22875	00 21 36.86	+01 52 47.4		691
1994 SM ₈	1994 10 11.36871	00 15 53.15	+03 13 08.5		691	1994 ST ₈	1994 10 11.25230	00 21 35.70	+01 52 39.3	19.2 V	691
1994 SM ₈	1994 10 11.38837	00 15 52.10	+03 13 09.2	18.9 V	691	1994 ST ₈	1994 10 11.27554	00 21 34.56	+01 52 30.8		691
1994 SM ₈	1994 10 11.40793	00 15 51.09	+03 13 10.3		691	1994 SU ₈	* 1994 09 28.36701	00 32 06.14	+03 15 03.7	19.9 V	691
1994 SN ₈	* 1994 09 28.36600	00 30 38.46	+03 03 00.8		691	1994 SU ₈	1994 09 28.39020	00 32 04.85	+03 14 57.2		691
1994 SN ₈	1994 09 28.38919	00 30 36.93	+03 02 55.7	18.5 V	691	1994 SU ₈	1994 09 28.41334	00 32 03.57	+03 14 51.2		691
1994 SN ₈	1994 09 28.41233	00 30 35.41	+03 02 50.6		691	1994 SU ₈	1994 10 04.32940	00 26 51.33	+02 48 36.7	19.9 V	691
1994 SN ₈	1994 10 11.22573	00 17 14.49	+02 15 53.9	18.9 V	691	1994 SU ₈	1994 10 04.35272	00 26 50.05	+02 48 30.1		691
1994 SN ₈	1994 10 11.24927	00 17 13.07	+02 15 49.4		691	1994 SU ₈	1994 10 11.14896	00 21 03.76	+02 19 33.7		691
1994 SN ₈	1994 10 11.27250	00 17 11.66	+02 15 44.5		691	1994 SU ₈	1994 10 11.17207	00 21 02.62	+02 19 29.3	19.9 V	691
1994 SO ₈	* 1994 09 28.36615	00 30 51.52	+03 04 01.0		691	1994 SU ₈	1994 10 11.19521	00 21 01.40	+02 19 23.4		691
1994 SO ₈	1994 09 28.38934	00 30 50.48	+03 03 53.3	15.9 V	691	1994 SU ₈	1994 10 11.22833	00 20 59.69	+02 19 13.7	20.3 V	691
1994 SO ₈	1994 09 28.41249	00 30 49.46	+03 03 45.7		691	1994 SU ₈	1994 10 11.25187	00 20 58.49	+02 19 07.5		691
1994 SO ₈	1994 10 04.32922	00 26 35.17	+02 30 56.7	16.4 V	691	1994 SU ₈	1994 10 11.27511	00 20 57.27	+02 19 03.0		691
1994 SO ₈	1994 10 04.35254	00 26 34.12	+02 30 49.0		691	1994 SV ₈	* 1994 09 28.36723	00 32 24.99	+03 14 34.1		691
1994 SO ₈	1994 10 11.22890	00 21 49.31	+01 53 59.6		691	1994 SV ₈	1994 09 28.39042	00 32 24.12	+03 14 20.5		691
1994 SO ₈	1994 10 11.25245	00 21 48.32	+01 53 52.3	16.2 V	691	1994 SV ₈	1994 09 28.41357	00 32 23.21	+03 14 07.3	20.5 V	691
1994 SO ₈	1994 10 11.27568	00 21 47.35	+01 53 45.1		691	1994 SV ₈	1994 10 04.25882	00 28 59.94	+02 18 06.6		691
1994 SP ₈	* 1994 09 28.36646	00 31 18.72	+03 03 59.4		691	1994 SV ₈	1994 10 04.28185	00 28 59.03	+02 17 53.7	20.7 V	691
1994 SP ₈	1994 09 28.38966	00 31 17.62	+03 03 53.5		691	1994 SV ₈	1994 10 04.30657	00 28 58.11	+02 17 39.4		691

1994 SW ₈	* 1994 09 28.36762	00 32 59.23	+02 49 14.8	19.3 V	691	1994 SD ₉	1994 10 04.35592	00 31 27.05	+02 43 04.8	691
1994 SW ₈	1994 09 28.39081	00 32 57.89	+02 49 11.8		691	1994 SD ₉	1994 10 11.23203	00 26 20.21	+02 07 08.2	691
1994 SW ₈	1994 09 28.41396	00 32 56.64	+02 49 08.8		691	1994 SD ₉	1994 10 11.25558	00 26 19.14	+02 07 01.3	20.5 V 691
1994 SW ₈	1994 10 04.32985	00 27 30.08	+02 36 01.1		691	1994 SD ₉	1994 10 11.27881	00 26 18.11	+02 06 53.9	691
1994 SW ₈	1994 10 04.35317	00 27 28.73	+02 35 58.3	19.4 V	691	1994 SE ₉	* 1994 09 28.36999	00 36 24.43	+02 54 48.9	691
1994 SX ₈	* 1994 09 28.36775	00 33 09.89	+03 00 28.3		691	1994 SE ₉	1994 09 28.39319	00 36 23.38	+02 54 35.0	691
1994 SX ₈	1994 09 28.39094	00 33 08.88	+03 00 22.3	20.8 V	691	1994 SE ₉	1994 09 28.41633	00 36 22.30	+02 54 21.5	20.3 V 691
1994 SX ₈	1994 09 28.41409	00 33 07.87	+03 00 15.8		691	1994 SE ₉	1994 10 04.26101	00 32 09.02	+01 56 51.9	691
1994 SX ₈	1994 10 11.23033	00 23 53.03	+02 04 03.9		691	1994 SE ₉	1994 10 04.28402	00 32 07.74	+01 56 42.3	19.9 V 691
1994 SX ₈	1994 10 11.25388	00 23 52.29	+02 03 52.0		691	1994 SE ₉	1994 10 04.30874	00 32 06.54	+01 56 28.8	691
1994 SX ₈	1994 10 11.27711	00 23 50.99	+02 03 51.5	20.6 V	691	1994 SF ₉	* 1994 09 28.37009	00 36 33.06	+03 07 21.2	19.2 V 691
1994 SY ₈	* 1994 09 28.36829	00 33 56.65	+02 53 20.0	18.1 V	691	1994 SF ₉	1994 09 28.39328	00 36 31.89	+03 07 12.2	691
1994 SY ₈	1994 09 28.39148	00 33 55.27	+02 53 22.0		691	1994 SF ₉	1994 09 28.41643	00 36 30.73	+03 07 03.3	691
1994 SY ₈	1994 09 28.41462	00 33 53.93	+02 53 23.7		691	1994 SF ₉	1994 10 04.33274	00 31 40.23	+02 29 12.9	691
1994 SY ₈	1994 10 06.13292	00 26 44.85	+03 02 15.4		691	1994 SF ₉	1994 10 04.35606	00 31 39.05	+02 29 04.0	19.3 V 691
1994 SY ₈	1994 10 06.15616	00 26 43.51	+03 02 16.9		691	1994 SF ₉	1994 10 12.18602	00 25 25.37	+01 40 37.2	691
1994 SY ₈	1994 10 06.18558	00 26 41.83	+03 02 18.9	18.3 V	691	1994 SF ₉	1994 10 12.20950	00 25 24.25	+01 40 29.9	19.6 V 691
1994 SY ₈	1994 10 11.37303	00 22 07.77	+03 09 11.1	18.6 V	691	1994 SF ₉	1994 10 12.23267	00 25 23.18	+01 40 21.4	691
1994 SY ₈	1994 10 11.39270	00 22 06.68	+03 09 12.9		691	1994 SG ₉	* 1994 09 28.37012	00 36 35.03	+03 15 21.8	18.9 V 691
1994 SY ₈	1994 10 11.41226	00 22 05.66	+03 09 14.9		691	1994 SG ₉	1994 09 28.39331	00 36 33.95	+03 15 11.3	691
1994 SZ ₈	* 1994 09 28.36834	00 34 01.09	+03 06 58.2	19.9 V	691	1994 SG ₉	1994 09 28.41645	00 36 32.86	+03 15 01.0	691
1994 SZ ₈	1994 09 28.39153	00 33 59.56	+03 06 51.2		691	1994 SG ₉	1994 10 04.33302	00 32 04.36	+02 30 57.4	18.8 V 691
1994 SZ ₈	1994 09 28.41466	00 33 58.08	+03 06 43.8		691	1994 SG ₉	1994 10 04.35634	00 32 03.32	+02 30 46.9	691
1994 SZ ₈	1994 10 04.33005	00 27 47.32	+02 36 22.3	20.1 V	691	1994 SH ₉	* 1994 09 28.37119	00 38 07.94	+02 50 41.0	691
1994 SZ ₈	1994 10 04.35337	00 27 45.83	+02 36 15.2		691	1994 SH ₉	1994 09 28.39438	00 38 06.75	+02 50 33.6	17.6 V 691
1994 SZ ₈	1994 10 11.22829	00 20 56.34	+02 03 00.1	20.2 V	691	1994 SH ₉	1994 09 28.41752	00 38 05.59	+02 50 27.5	691
1994 SZ ₈	1994 10 11.25183	00 20 54.95	+02 02 53.5		691	1994 SH ₉	1994 10 04.33392	00 33 22.93	+02 24 32.0	17.7 V 691
1994 SZ ₈	1994 10 11.27506	00 20 53.60	+02 02 47.1		691	1994 SH ₉	1994 10 04.35724	00 33 21.78	+02 24 25.5	691
1994 SA ₉	* 1994 09 28.36858	00 34 21.98	+03 15 45.3		691	1994 SH ₉	1994 10 11.23317	00 27 59.52	+01 55 16.7	17.9 V 691
1994 SA ₉	1994 09 28.39177	00 34 20.99	+03 15 33.2		691	1994 SH ₉	1994 10 11.25672	00 27 58.42	+01 55 10.6	691
1994 SA ₉	1994 09 28.41492	00 34 20.01	+03 15 22.0	19.9 V	691	1994 SH ₉	1994 10 11.27995	00 27 57.32	+01 55 04.9	691
1994 SA ₉	1994 10 04.33180	00 30 19.17	+02 26 39.5	20.2 V	691	1994 SJ ₉	* 1994 09 28.37163	00 38 46.40	+03 08 34.1	19.0 V 691
1994 SA ₉	1994 10 04.35512	00 30 18.18	+02 26 28.2		691	1994 SJ ₉	1994 09 28.39482	00 38 45.03	+03 08 30.1	691
1994 SB ₉	* 1994 09 28.36891	00 34 50.21	+02 55 15.3	18.4 V	691	1994 SJ ₉	1994 09 28.41796	00 38 43.66	+03 08 25.9	691
1994 SB ₉	1994 09 28.39209	00 34 48.77	+02 55 11.7		691	1994 SJ ₉	1994 10 11.15272	00 26 28.75	+02 32 44.6	19.3 V 691
1994 SB ₉	1994 09 28.41523	00 34 47.30	+02 55 05.8		691	1994 SJ ₉	1994 10 11.17582	00 26 27.43	+02 32 41.0	691
1994 SB ₉	1994 10 11.22891	00 21 50.32	+02 12 25.7		691	1994 SJ ₉	1994 10 11.19895	00 26 26.13	+02 32 37.6	691
1994 SB ₉	1994 10 11.25245	00 21 48.86	+02 12 21.8	18.6 V	691	1994 SK ₉	* 1994 09 28.37175	00 38 56.39	+03 05 27.0	19.2 V 691
1994 SB ₉	1994 10 11.27568	00 21 47.47	+02 12 17.0		691	1994 SK ₉	1994 09 28.39494	00 38 55.38	+03 05 12.6	691
1994 SC ₉	* 1994 09 28.36927	00 35 21.82	+03 17 34.5		691	1994 SK ₉	1994 09 28.41809	00 38 54.36	+03 04 58.2	691
1994 SC ₉	1994 09 28.39246	00 35 20.76	+03 17 29.2		691	1994 SK ₉	1994 10 04.26286	00 34 49.58	+02 04 34.0	19.0 V 691
1994 SC ₉	1994 09 28.41561	00 35 19.79	+03 17 24.3	19.2 V	691	1994 SK ₉	1994 10 04.28588	00 34 48.54	+02 04 19.9	691
1994 SC ₉	1994 10 06.13490	00 29 36.07	+02 49 32.8		691	1994 SK ₉	1994 10 04.31060	00 34 47.42	+02 04 04.7	691
1994 SC ₉	1994 10 06.15814	00 29 35.02	+02 49 28.6		691	1994 SK ₉	1994 10 06.22469	00 33 27.23	+01 44 24.1	691
1994 SC ₉	1994 10 06.18757	00 29 33.66	+02 49 22.2	19.7 V	691	1994 SK ₉	1994 10 06.24796	00 33 26.17	+01 44 10.1	19.2 V 691
1994 SC ₉	1994 10 11.15235	00 25 57.00	+02 31 54.9		691	1994 SK ₉	1994 10 06.27516	00 33 24.96	+01 43 53.2	691
1994 SC ₉	1994 10 11.17546	00 25 56.01	+02 31 50.5		691	1994 SL ₉	* 1994 09 28.37220	00 39 35.61	+02 55 58.1	19.4 V 691
1994 SC ₉	1994 10 11.19859	00 25 55.02	+02 31 45.4	19.5 V	691	1994 SL ₉	1994 09 28.39539	00 39 34.54	+02 55 50.8	691
1994 SD ₉	* 1994 09 28.36973	00 36 02.00	+03 15 24.7		691	1994 SL ₉	1994 09 28.41854	00 39 33.45	+02 55 43.3	691
1994 SD ₉	1994 09 28.39293	00 36 00.90	+03 15 16.7		691	1994 SL ₉	1994 10 11.23435	00 29 41.62	+01 48 04.1	19.6 V 691
1994 SD ₉	1994 09 28.41607	00 35 59.79	+03 15 08.9	20.2 V	691	1994 SL ₉	1994 10 11.25790	00 29 40.50	+01 47 56.9	691
1994 SD ₉	1994 10 04.33260	00 31 28.16	+02 43 12.5	20.2 V	691	1994 SL ₉	1994 10 11.28113	00 29 39.39	+01 47 49.2	691

1994 SL ₉	1994 10 12.18848	00 28 58.43	+01 43 10.5	19.6 V	691	1994 SS ₉	* 1994 09 28.37353	00 41 30.53	+03 11 30.7	17.9 V	691
1994 SL ₉	1994 10 12.21196	00 28 57.36	+01 43 02.9		691	1994 SS ₉	1994 09 28.39672	00 41 29.18	+03 11 21.8		691
1994 SL ₉	1994 10 12.23513	00 28 56.27	+01 42 56.1		691	1994 SS ₉	1994 09 28.41986	00 41 27.88	+03 11 12.9		691
1994 SM ₉	* 1994 09 28.37260	00 40 10.59	+02 53 33.1		691	1994 SS ₉	1994 10 11.25813	00 30 00.38	+01 52 40.9		691
1994 SM ₉	1994 09 28.39579	00 40 09.26	+02 53 22.6	20.2 V	691	1994 SS ₉	1994 10 11.28136	00 29 59.14	+01 52 33.4	18.2 V	691
1994 SM ₉	1994 09 28.41893	00 40 07.91	+02 53 12.8		691	1994 SS ₉	1994 10 12.18866	00 29 14.16	+01 47 28.8	18.3 V	691
1994 SM ₉	1994 10 04.26273	00 34 38.25	+02 10 22.7		691	1994 SS ₉	1994 10 12.21214	00 29 12.98	+01 47 20.9		691
1994 SM ₉	1994 10 04.28575	00 34 36.85	+02 10 13.0		691	1994 SS ₉	1994 10 12.23531	00 29 11.77	+01 47 13.0		691
1994 SM ₉	1994 10 04.31046	00 34 35.41	+02 10 02.6	19.9 V	691	1994 ST ₉	* 1994 09 28.37405	00 42 15.56	+03 07 17.8	18.7 V	691
1994 SN ₉	* 1994 09 28.37277	00 40 25.27	+02 55 03.4	16.2 V	691	1994 ST ₉	1994 09 28.39724	00 42 14.26	+03 07 06.9		691
1994 SN ₉	1994 09 28.39596	00 40 23.99	+02 54 48.5		691	1994 ST ₉	1994 09 28.42038	00 42 12.97	+03 06 56.3		691
1994 SN ₉	1994 09 28.41911	00 40 22.71	+02 54 33.5		691	1994 ST ₉	1994 10 04.33631	00 36 49.38	+02 21 35.2	18.0 V	691
1994 SN ₉	1994 10 04.26315	00 35 14.64	+01 52 29.2		691	1994 ST ₉	1994 10 04.35963	00 36 48.18	+02 21 24.5		691
1994 SN ₉	1994 10 04.28617	00 35 13.35	+01 52 14.8	16.1 V	691	1994 ST ₉	1994 10 12.18899	00 29 42.67	+01 22 28.0	19.1 V	691
1994 SN ₉	1994 10 04.31088	00 35 11.97	+01 51 59.4		691	1994 ST ₉	1994 10 12.21247	00 29 41.41	+01 22 17.9		691
1994 SN ₉	1994 10 06.22475	00 33 32.31	+01 32 04.7		691	1994 ST ₉	1994 10 12.23564	00 29 40.12	+01 22 07.5		691
1994 SN ₉	1994 10 06.24801	00 33 31.03	+01 31 49.7		691	1994 SU ₉	* 1994 09 28.37419	00 42 28.18	+03 14 32.3		691
1994 SN ₉	1994 10 06.27521	00 33 29.56	+01 31 32.6	16.1 V	691	1994 SU ₉	1994 09 28.39738	00 42 27.05	+03 14 23.1	19.7 V	691
1994 SN ₉	1994 10 13.34291	00 27 39.49	+00 21 49.9	16.4 V	691	1994 SU ₉	1994 09 28.42053	00 42 25.91	+03 14 14.9		691
1994 SN ₉	1994 10 13.35155	00 27 39.05	+00 21 45.2		691	1994 SU ₉	1994 10 11.23614	00 32 16.32	+01 51 31.8		691
1994 SN ₉	1994 10 13.35939	00 27 38.68	+00 21 40.9		691	1994 SU ₉	1994 10 11.25969	00 32 15.19	+01 51 23.0	19.8 V	691
1994 SO ₉	* 1994 09 28.37318	00 41 00.39	+02 56 56.7		691	1994 SU ₉	1994 10 11.28292	00 32 14.05	+01 51 13.0		691
1994 SO ₉	1994 09 28.39637	00 40 59.05	+02 56 49.8	19.8 V	691	1994 SV ₉	* 1994 09 28.37426	00 42 33.84	+03 04 03.6	17.6 V	691
1994 SO ₉	1994 09 28.41951	00 40 57.72	+02 56 42.7		691	1994 SV ₉	1994 09 28.39745	00 42 32.39	+03 03 57.8		691
1994 SO ₉	1994 10 11.23385	00 28 58.49	+01 53 51.6	19.9 V	691	1994 SV ₉	1994 09 28.42059	00 42 30.92	+03 03 52.1		691
1994 SO ₉	1994 10 11.25740	00 28 57.16	+01 53 44.5		691	1994 SV ₉	1994 10 04.33604	00 36 26.14	+02 39 21.9	17.7 V	691
1994 SO ₉	1994 10 11.28063	00 28 55.84	+01 53 38.4		691	1994 SV ₉	1994 10 04.35935	00 36 24.65	+02 39 15.9		691
1994 SO ₉	1994 10 12.18788	00 28 06.67	+01 49 23.4		691	1994 SV ₉	1994 10 11.23413	00 29 22.32	+02 11 29.1		691
1994 SO ₉	1994 10 12.21136	00 28 05.39	+01 49 17.6		691	1994 SV ₉	1994 10 11.25767	00 29 20.82	+02 11 23.9	17.7 V	691
1994 SO ₉	1994 10 12.23453	00 28 04.09	+01 49 10.6	20.3 V	691	1994 SV ₉	1994 10 11.28090	00 29 19.37	+02 11 18.4		691
1994 SP ₉	* 1994 09 28.37320	00 41 01.86	+02 49 20.8		691	1994 SW ₉	* 1994 09 28.37497	00 43 35.37	+02 50 32.1		691
1994 SP ₉	1994 09 28.39639	00 41 00.83	+02 49 08.9	19.2 V	691	1994 SW ₉	1994 09 28.39816	00 43 33.98	+02 50 29.5	19.4 V	691
1994 SP ₉	1994 09 28.41953	00 40 59.75	+02 48 56.5		691	1994 SW ₉	1994 09 28.42130	00 43 32.62	+02 50 26.1		691
1994 SP ₉	1994 10 04.26415	00 36 41.36	+01 59 08.1		691	1994 SW ₉	1994 10 04.33701	00 37 50.21	+02 37 09.0	19.6 V	691
1994 SP ₉	1994 10 04.28717	00 36 40.33	+01 58 56.8		691	1994 SW ₉	1994 10 04.36033	00 37 48.81	+02 37 05.7		691
1994 SP ₉	1994 10 04.31189	00 36 39.19	+01 58 44.1	19.8 V	691	1994 SX ₉	* 1994 09 28.37502	00 43 39.87	+02 49 56.3	18.0 V	691
1994 SP ₉	1994 10 06.22594	00 35 14.70	+01 42 32.5	19.0 V	691	1994 SX ₉	1994 09 28.39821	00 43 38.90	+02 49 45.3		691
1994 SP ₉	1994 10 06.24920	00 35 13.64	+01 42 20.3		691	1994 SX ₉	1994 09 28.42136	00 43 37.92	+02 49 34.2		691
1994 SP ₉	1994 10 12.31810	00 30 50.84	+00 52 11.1		691	1994 SX ₉	1994 10 04.26619	00 39 37.69	+02 03 04.4	17.8 V	691
1994 SP ₉	1994 10 12.34110	00 30 49.86	+00 51 59.9		691	1994 SX ₉	1994 10 04.28921	00 39 36.71	+02 02 53.1		691
1994 SP ₉	1994 10 12.36408	00 30 48.81	+00 51 48.5	19.7 V	691	1994 SX ₉	1994 10 04.31393	00 39 35.64	+02 02 41.5		691
1994 SQ ₉	* 1994 09 28.37320	00 41 01.95	+02 59 53.3	18.2 V	691	1994 SX ₉	1994 10 06.22804	00 38 16.61	+01 47 32.3	17.8 V	691
1994 SQ ₉	1994 09 28.39639	00 41 00.95	+02 59 39.1		691	1994 SX ₉	1994 10 06.25130	00 38 15.64	+01 47 21.6		691
1994 SQ ₉	1994 09 28.41954	00 40 59.95	+02 59 25.1		691	1994 SX ₉	1994 10 06.27850	00 38 14.45	+01 47 08.0		691
1994 SQ ₉	1994 10 06.22631	00 35 47.17	+01 41 19.7		691	1994 SX ₉	1994 10 12.32038	00 34 08.94	+01 00 23.2		691
1994 SQ ₉	1994 10 06.24957	00 35 46.16	+01 41 05.6	18.7 V	691	1994 SX ₉	1994 10 12.34339	00 34 07.99	+01 00 12.7	18.0 V	691
1994 SQ ₉	1994 10 06.27677	00 35 45.02	+01 40 50.0		691	1994 SX ₉	1994 10 12.36637	00 34 07.06	+01 00 02.5		691
1994 SR ₉	* 1994 09 28.37332	00 41 12.84	+02 57 16.4		691	1994 SX ₉	1994 10 13.28931	00 33 30.81	+00 53 06.7		691
1994 SR ₉	1994 09 28.39651	00 41 11.61	+02 57 07.9		691	1994 SX ₉	1994 10 13.29732	00 33 30.50	+00 53 03.4	18.2 V	691
1994 SR ₉	1994 09 28.41966	00 41 10.42	+02 56 58.9	19.7 V	691	1994 SX ₉	1994 10 13.30481	00 33 30.17	+00 53 00.0		691
1994 SR ₉	1994 10 04.33591	00 36 14.97	+02 19 55.1	19.6 V	691	1994 SY ₉	* 1994 09 28.37544	00 44 16.39	+02 55 35.1	20.8 V	691
1994 SR ₉	1994 10 04.35923	00 36 13.71	+02 19 46.0		691	1994 SY ₉	1994 09 28.39863	00 44 15.17	+02 55 23.0		691

1994 SY ₉	1994 09 28.42177	00 44 13.92	+02 55 12.2		691	1994 SF ₁₀	1994 09 28.40003	00 46 16.63	+02 49 23.1		691
1994 SY ₉	1994 10 04.26583	00 39 07.31	+02 06 42.2		691	1994 SF ₁₀	1994 09 28.42318	00 46 15.37	+02 49 17.3		691
1994 SY ₉	1994 10 04.28885	00 39 06.09	+02 06 30.7	20.5 V	691	1994 SF ₁₀	1994 10 04.33925	00 41 04.64	+02 24 49.5		691
1994 SY ₉	1994 10 04.31357	00 39 04.73	+02 06 18.6		691	1994 SF ₁₀	1994 10 04.36257	00 41 03.32	+02 24 43.5	17.2 V	691
1994 SZ ₉	* 1994 09 28.37556	00 44 26.25	+03 12 31.6	19.7 V	691	1994 SF ₁₀	1994 10 11.23804	00 35 00.98	+01 57 31.1		691
1994 SZ ₉	1994 09 28.39875	00 44 25.07	+03 12 25.5		691	1994 SF ₁₀	1994 10 11.26158	00 34 59.73	+01 57 25.6	17.4 V	691
1994 SZ ₉	1994 09 28.42189	00 44 23.88	+03 12 19.6		691	1994 SF ₁₀	1994 10 11.28482	00 34 58.45	+01 57 20.4		691
1994 SZ ₉	1994 10 04.33811	00 39 25.30	+02 46 42.4	19.6 V	691	1994 SG ₁₀	* 1994 09 28.37726	00 46 53.74	+03 00 37.7	19.2 V	691
1994 SZ ₉	1994 10 04.36143	00 39 24.08	+02 46 36.0		691	1994 SG ₁₀	1994 09 28.40045	00 46 52.58	+03 00 29.0		691
1994 SZ ₉	1994 10 11.15776	00 33 45.60	+02 18 02.9		691	1994 SG ₁₀	1994 09 28.42359	00 46 51.32	+03 00 20.4		691
1994 SZ ₉	1994 10 11.18087	00 33 44.44	+02 17 57.1	19.9 V	691	1994 SG ₁₀	1994 10 12.19288	00 35 19.18	+01 37 56.4		691
1994 SZ ₉	1994 10 11.20400	00 33 43.30	+02 17 51.6		691	1994 SG ₁₀	1994 10 12.21635	00 35 17.66	+01 37 51.1	19.6 V	691
1994 SZ ₉	1994 10 11.23712	00 33 41.56	+02 17 42.6		691	1994 SG ₁₀	1994 10 12.23952	00 35 16.53	+01 37 43.0		691
1994 SZ ₉	1994 10 11.26067	00 33 40.40	+02 17 36.5	20.1 V	691	1994 SH ₁₀	* 1994 09 28.37730	00 46 57.13	+03 00 38.1	20.2 V	691
1994 SZ ₉	1994 10 11.28390	00 33 39.24	+02 17 31.9		691	1994 SH ₁₀	1994 09 28.40049	00 46 55.98	+03 00 34.6		691
1994 SA ₁₀	* 1994 09 28.37575	00 44 42.99	+03 18 27.2	18.5 V	691	1994 SH ₁₀	1994 09 28.42363	00 46 54.67	+03 00 28.4		691
1994 SA ₁₀	1994 09 28.39894	00 44 41.70	+03 18 18.2		691	1994 SH ₁₀	1994 10 04.33978	00 41 49.91	+02 40 08.9	20.3 V	691
1994 SA ₁₀	1994 09 28.42208	00 44 40.42	+03 18 09.3		691	1994 SH ₁₀	1994 10 04.36309	00 41 48.65	+02 40 04.1		691
1994 SA ₁₀	1994 10 11.23666	00 33 01.48	+01 56 41.9		691	1994 SH ₁₀	1994 10 11.15930	00 35 59.50	+02 17 25.6		691
1994 SA ₁₀	1994 10 11.26020	00 33 00.17	+01 56 33.2	18.7 V	691	1994 SH ₁₀	1994 10 11.18241	00 35 58.33	+02 17 21.9		691
1994 SA ₁₀	1994 10 11.28344	00 32 58.87	+01 56 24.5		691	1994 SH ₁₀	1994 10 11.20555	00 35 57.17	+02 17 17.4	20.5 V	691
1994 SB ₁₀	* 1994 09 28.37593	00 44 59.01	+02 49 51.0		691	1994 SJ ₁₀	* 1994 09 28.37731	00 46 58.31	+02 52 07.0	19.6 V	691
1994 SB ₁₀	1994 09 28.39912	00 44 57.76	+02 49 47.0	19.5 V	691	1994 SJ ₁₀	1994 09 28.40050	00 46 56.91	+02 52 03.7		691
1994 SB ₁₀	1994 09 28.42227	00 44 56.53	+02 49 43.0		691	1994 SJ ₁₀	1994 09 28.42364	00 46 55.52	+02 51 59.9		691
1994 SB ₁₀	1994 10 04.33842	00 39 52.02	+02 32 47.4	19.5 V	691	1994 SJ ₁₀	1994 10 04.33930	00 41 09.00	+02 37 39.4	19.7 V	691
1994 SB ₁₀	1994 10 04.36173	00 39 50.74	+02 32 43.6		691	1994 SJ ₁₀	1994 10 04.36262	00 41 07.54	+02 37 35.7		691
1994 SB ₁₀	1994 10 11.23733	00 33 59.32	+02 14 08.4		691	1994 SJ ₁₀	1994 10 11.15838	00 34 39.20	+02 22 34.1		691
1994 SB ₁₀	1994 10 11.26087	00 33 58.09	+02 14 04.7		691	1994 SJ ₁₀	1994 10 11.18148	00 34 37.81	+02 22 32.3	19.9 V	691
1994 SB ₁₀	1994 10 11.28410	00 33 56.86	+02 14 01.0	19.6 V	691	1994 SJ ₁₀	1994 10 11.20461	00 34 36.51	+02 22 29.3		691
1994 SC ₁₀	* 1994 09 28.37597	00 45 02.26	+02 49 37.8	20.5 V	691	1994 SK ₁₀	* 1994 09 28.39031	00 32 14.71	+03 00 24.4	18.3 V	691
1994 SC ₁₀	1994 09 28.39916	00 45 01.15	+02 49 33.6		691	1994 SK ₁₀	1994 09 28.41346	00 32 13.42	+03 00 18.5		691
1994 SC ₁₀	1994 09 28.42231	00 45 00.03	+02 49 30.2		691	1994 SK ₁₀	1994 10 04.32950	00 26 59.45	+02 35 15.7		691
1994 SC ₁₀	1994 10 04.33876	00 40 21.96	+02 34 01.4	20.3 V	691	1994 SK ₁₀	1994 10 04.35281	00 26 58.16	+02 35 09.9	18.6 V	691
1994 SC ₁₀	1994 10 04.36208	00 40 20.80	+02 33 57.9		691	1994 SK ₁₀	1994 10 11.22849	00 21 13.82	+02 08 06.6		691
1994 SC ₁₀	1994 10 11.23802	00 34 59.34	+02 16 33.5	20.5 V	691	1994 SK ₁₀	1994 10 11.25204	00 21 12.65	+02 08 01.3	18.8 V	691
1994 SC ₁₀	1994 10 11.26157	00 34 58.23	+02 16 30.4		691	1994 SK ₁₀	1994 10 11.27527	00 21 11.48	+02 07 56.2		691
1994 SC ₁₀	1994 10 11.28480	00 34 57.12	+02 16 26.8		691	1994 SL ₁₀	* 1994 09 29.10621	23 23 26.69	+02 17 42.5		691
1994 SD ₁₀	* 1994 09 28.37647	00 45 45.52	+03 06 29.6	17.1 V	691	1994 SL ₁₀	1994 09 29.12947	23 23 25.87	+02 17 28.4		691
1994 SD ₁₀	1994 09 28.39966	00 45 44.24	+03 06 19.2		691	1994 SL ₁₀	1994 09 29.15274	23 23 25.07	+02 17 14.0	19.1 V	691
1994 SD ₁₀	1994 09 28.42280	00 45 42.95	+03 06 09.1		691	1994 SL ₁₀	1994 10 10.10758	23 17 59.26	+00 28 05.4	19.3 V	691
1994 SD ₁₀	1994 10 04.33880	00 40 25.65	+02 22 59.3	17.1 V	691	1994 SL ₁₀	1994 10 10.13080	23 17 58.67	+00 27 52.8		691
1994 SD ₁₀	1994 10 04.36212	00 40 24.33	+02 22 49.1		691	1994 SL ₁₀	1994 10 10.16235	23 17 57.85	+00 27 34.5		691
1994 SD ₁₀	1994 10 12.19175	00 33 41.46	+01 29 16.9	17.5 V	691	1994 SM ₁₀	* 1994 09 29.11480	23 35 50.38	+02 18 30.0	17.0 V	691
1994 SD ₁₀	1994 10 12.21522	00 33 40.26	+01 29 07.3		691	1994 SM ₁₀	1994 09 29.13805	23 35 49.38	+02 18 19.1		691
1994 SD ₁₀	1994 10 12.23840	00 33 39.08	+01 28 58.3		691	1994 SM ₁₀	1994 09 29.16132	23 35 48.37	+02 18 08.8		691
1994 SE ₁₀	* 1994 09 28.37680	00 46 14.34	+02 55 16.5		691	1994 SM ₁₀	1994 10 10.11511	23 28 51.54	+00 58 05.4		691
1994 SE ₁₀	1994 09 28.39999	00 46 13.18	+02 55 01.5		691	1994 SM ₁₀	1994 10 10.13833	23 28 50.72	+00 57 55.6	17.4 V	691
1994 SE ₁₀	1994 09 28.42314	00 46 12.04	+02 54 49.3	20.0 V	691	1994 SM ₁₀	1994 10 10.16987	23 28 49.64	+00 57 42.5		691
1994 SE ₁₀	1994 10 06.22917	00 39 55.21	+01 39 25.8	19.8 V	691	1994 SN ₁₀	* 1994 09 29.11664	23 38 29.67	+02 19 37.2		691
1994 SE ₁₀	1994 10 06.25244	00 39 54.03	+01 39 11.8		691	1994 SN ₁₀	1994 09 29.13989	23 38 28.81	+02 19 23.4	19.6 V	691
1994 SE ₁₀	1994 10 06.27963	00 39 52.63	+01 38 56.4		691	1994 SN ₁₀	1994 09 29.16317	23 38 27.92	+02 19 09.9		691
1994 SF ₁₀	* 1994 09 28.37684	00 46 17.89	+02 49 28.8	16.9 V	691	1994 SN ₁₀	1994 10 10.11751	23 32 19.60	+00 35 38.6	19.7 V	691

1994 SN ₁₀	1994 10 10.14073	23 32 18.93	+00 35 25.6	691	1994 SW ₁₀	1994 09 29.30417	00 33 03.36	+01 19 38.4	691
1994 SN ₁₀	1994 10 10.17228	23 32 17.89	+00 35 07.9	691	1994 SW ₁₀	1994 09 29.35293	00 33 01.18	+01 19 23.2	691
1994 SO ₁₀	* 1994 09 29.25013	00 22 39.78	+01 23 05.6	691	1994 SW ₁₀	1994 09 29.37646	00 33 00.13	+01 19 14.9	19.0 V 691
1994 SO ₁₀	1994 09 29.27334	00 22 38.47	+01 22 53.0	20.7 V 691	1994 SW ₁₀	1994 09 29.39937	00 32 59.12	+01 19 07.7	691
1994 SO ₁₀	1994 09 29.29695	00 22 37.19	+01 22 39.7	691	1994 SW ₁₀	1994 09 30.23573	00 32 23.52	+01 14 41.4	18.6 V 691
1994 SO ₁₀	1994 09 30.17962	00 21 50.30	+01 14 26.5	21.2 V 691	1994 SW ₁₀	1994 09 30.25890	00 32 22.49	+01 14 34.1	691
1994 SO ₁₀	1994 09 30.20270	00 21 49.05	+01 14 13.7	691	1994 SW ₁₀	1994 09 30.28576	00 32 21.31	+01 14 25.6	691
1994 SO ₁₀	1994 09 30.22579	00 21 47.80	+01 14 00.2	691	1994 SW ₁₀	1994 10 13.33986	00 23 15.84	+00 08 52.3	691
1994 SP ₁₀	* 1994 09 29.25154	00 24 42.00	+01 21 37.0	19.5 V 691	1994 SW ₁₀	1994 10 13.34851	00 23 15.42	+00 08 49.8	691
1994 SP ₁₀	1994 09 29.27476	00 24 40.73	+01 21 32.5	691	1994 SW ₁₀	1994 10 13.35635	00 23 15.10	+00 08 47.7	18.6 V 691
1994 SP ₁₀	1994 09 29.29836	00 24 39.43	+01 21 27.7	691	1994 SX ₁₀	* 1994 09 29.25871	00 35 02.75	+01 32 21.9	19.9 V 691
1994 SP ₁₀	1994 09 30.18104	00 23 52.86	+01 18 28.3	19.7 V 691	1994 SX ₁₀	1994 09 29.28192	00 35 01.27	+01 32 16.6	691
1994 SP ₁₀	1994 09 30.20412	00 23 51.63	+01 18 23.0	691	1994 SX ₁₀	1994 09 29.30552	00 34 59.78	+01 32 11.5	691
1994 SP ₁₀	1994 09 30.22721	00 23 50.31	+01 18 18.7	691	1994 SX ₁₀	1994 10 06.29251	00 27 55.19	+01 07 05.8	20.0 V 691
1994 SQ ₁₀	* 1994 09 29.25361	00 27 40.97	+01 22 16.8	20.4 V 691	1994 SX ₁₀	1994 10 06.31591	00 27 53.78	+01 07 01.1	691
1994 SQ ₁₀	1994 09 29.27682	00 27 39.75	+01 22 05.2	691	1994 SX ₁₀	1994 10 06.33928	00 27 52.30	+01 06 55.5	691
1994 SQ ₁₀	1994 09 29.30042	00 27 38.52	+01 21 53.2	691	1994 SY ₁₀	* 1994 09 29.25872	00 35 03.71	+01 20 51.8	19.8 V 691
1994 SQ ₁₀	1994 09 30.23189	00 26 50.69	+01 13 57.8	691	1994 SY ₁₀	1994 09 29.28193	00 35 02.69	+01 20 33.2	691
1994 SQ ₁₀	1994 09 30.25506	00 26 49.45	+01 13 46.3	20.4 V 691	1994 SY ₁₀	1994 09 29.30554	00 35 01.66	+01 20 14.7	691
1994 SQ ₁₀	1994 09 30.28191	00 26 48.05	+01 13 33.2	691	1994 SY ₁₀	1994 09 30.23711	00 34 23.05	+01 07 57.4	691
1994 SR ₁₀	* 1994 09 29.25458	00 29 04.69	+01 22 23.3	691	1994 SY ₁₀	1994 09 30.26028	00 34 22.03	+01 07 38.8	20.0 V 691
1994 SR ₁₀	1994 09 29.27779	00 29 03.21	+01 22 17.3	691	1994 SY ₁₀	1994 09 30.28714	00 34 20.86	+01 07 18.0	691
1994 SR ₁₀	1994 09 29.30138	00 29 01.73	+01 22 11.4	19.6 V 691	1994 SZ ₁₀	* 1994 09 29.25920	00 35 44.86	+01 37 01.9	20.6 V 691
1994 SR ₁₀	1994 09 30.23275	00 28 05.43	+01 18 12.8	691	1994 SZ ₁₀	1994 09 29.28240	00 35 43.27	+01 37 09.2	691
1994 SR ₁₀	1994 09 30.25592	00 28 03.98	+01 18 07.6	19.8 V 691	1994 SZ ₁₀	1994 09 29.30600	00 35 41.39	+01 37 14.3	691
1994 SR ₁₀	1994 09 30.28277	00 28 02.30	+01 18 01.0	691	1994 SZ ₁₀	1994 10 04.25933	00 29 43.88	+01 58 42.2	691
1994 SS ₁₀	* 1994 09 29.25496	00 29 37.85	+01 47 25.8	691	1994 SZ ₁₀	1994 10 04.28234	00 29 42.18	+01 58 48.9	20.8 V 691
1994 SS ₁₀	1994 09 29.27817	00 29 36.55	+01 47 21.5	16.9 V 691	1994 SZ ₁₀	1994 10 04.30705	00 29 40.37	+01 58 55.2	691
1994 SS ₁₀	1994 09 29.30177	00 29 35.25	+01 47 17.1	691	1994 SA ₁₁	* 1994 09 29.25923	00 35 47.82	+01 29 44.5	18.9 V 691
1994 SS ₁₀	1994 10 06.21775	00 23 25.80	+01 25 57.6	691	1994 SA ₁₁	1994 09 29.28244	00 35 46.58	+01 29 36.6	691
1994 SS ₁₀	1994 10 06.24101	00 23 24.52	+01 25 53.4	17.1 V 691	1994 SA ₁₁	1994 09 29.30604	00 35 45.32	+01 29 28.9	691
1994 SS ₁₀	1994 10 06.26821	00 23 23.05	+01 25 49.1	691	1994 SA ₁₁	1994 10 06.29384	00 29 50.33	+00 51 37.5	691
1994 ST ₁₀	* 1994 09 29.25566	00 30 38.21	+01 37 43.8	19.8 V 691	1994 SA ₁₁	1994 10 06.31724	00 29 49.10	+00 51 30.2	18.9 V 691
1994 ST ₁₀	1994 09 29.27887	00 30 36.90	+01 37 42.5	691	1994 SA ₁₁	1994 10 06.34061	00 29 47.85	+00 51 22.2	691
1994 ST ₁₀	1994 09 29.30247	00 30 35.54	+01 37 41.0	691	1994 SB ₁₁	* 1994 09 29.26012	00 37 05.21	+01 26 59.5	20.0 V 691
1994 ST ₁₀	1994 10 06.21835	00 24 17.26	+01 31 04.7	691	1994 SB ₁₁	1994 09 29.28334	00 37 04.07	+01 26 51.5	691
1994 ST ₁₀	1994 10 06.24161	00 24 15.96	+01 31 03.7	19.3 V 691	1994 SB ₁₁	1994 09 29.30694	00 37 02.96	+01 26 43.3	691
1994 ST ₁₀	1994 10 06.26880	00 24 14.45	+01 31 02.3	691	1994 SB ₁₁	1994 10 13.34192	00 26 14.06	+00 08 36.4	691
1994 SU ₁₀	* 1994 09 29.25627	00 31 31.85	+01 35 52.4	19.2 V 691	1994 SB ₁₁	1994 10 13.35057	00 26 13.68	+00 08 33.9	20.5 V 691
1994 SU ₁₀	1994 09 29.27949	00 31 30.66	+01 35 48.9	691	1994 SB ₁₁	1994 10 13.35841	00 26 13.32	+00 08 32.0	691
1994 SU ₁₀	1994 09 29.30309	00 31 29.43	+01 35 45.5	691	1994 SC ₁₁	* 1994 09 29.26079	00 38 02.59	+01 46 50.3	691
1994 SU ₁₀	1994 10 06.21931	00 25 40.95	+01 20 07.6	691	1994 SC ₁₁	1994 09 29.28400	00 38 01.45	+01 46 42.4	691
1994 SU ₁₀	1994 10 06.24257	00 25 39.73	+01 20 04.2	691	1994 SC ₁₁	1994 09 29.30760	00 38 00.32	+01 46 34.6	19.1 V 691
1994 SU ₁₀	1994 10 06.26977	00 25 38.37	+01 20 00.9	19.4 V 691	1994 SC ₁₁	1994 10 06.29577	00 32 37.50	+01 07 20.4	19.1 V 691
1994 SV ₁₀	* 1994 09 29.25677	00 32 14.35	+01 36 36.8	17.9 V 691	1994 SC ₁₁	1994 10 06.31917	00 32 36.42	+01 07 12.3	691
1994 SV ₁₀	1994 09 29.27998	00 32 13.10	+01 36 28.0	691	1994 SC ₁₁	1994 10 06.34255	00 32 35.36	+01 07 04.6	691
1994 SV ₁₀	1994 09 29.30358	00 32 11.82	+01 36 19.0	691	1994 SC ₁₁	1994 10 13.34272	00 27 23.57	+00 30 05.8	19.2 V 691
1994 SV ₁₀	1994 10 06.29138	00 26 06.43	+00 52 27.4	18.1 V 691	1994 SC ₁₁	1994 10 13.35137	00 27 23.22	+00 30 03.2	691
1994 SV ₁₀	1994 10 06.31479	00 26 05.15	+00 52 18.8	691	1994 SC ₁₁	1994 10 13.35921	00 27 22.88	+00 30 01.7	691
1994 SV ₁₀	1994 10 06.33817	00 26 03.89	+00 52 09.9	691	1994 SD ₁₁	* 1994 09 29.26200	00 39 47.99	+01 21 56.0	17.9 V 691
1994 SW ₁₀	* 1994 09 29.25736	00 33 05.47	+01 19 53.2	18.5 V 691	1994 SD ₁₁	1994 09 29.28522	00 39 46.91	+01 21 50.2	691
1994 SW ₁₀	1994 09 29.28057	00 33 04.43	+01 19 45.8	691	1994 SD ₁₁	1994 09 29.30882	00 39 45.80	+01 21 44.4	691

1994 SD ₁₁	1994 09 30.24035	00 39 04.15	+01 17 53.7	17.9 V	691	1994 SK ₁₁	1994 10 06.32283	00 37 52.89	+01 09 19.6	20.8 V	691
1994 SD ₁₁	1994 09 30.26353	00 39 03.08	+01 17 47.9		691	1994 SK ₁₁	1994 10 06.34620	00 37 51.80	+01 09 13.6		691
1994 SD ₁₁	1994 09 30.29038	00 39 01.82	+01 17 41.1		691	1994 SL ₁₁	* 1994 09 29.26454	00 43 27.82	+01 35 33.1	19.7 V	691
1994 SD ₁₁	1994 10 06.29708	00 34 30.69	+00 53 21.4		691	1994 SL ₁₁	1994 09 29.28775	00 43 26.69	+01 35 28.8		691
1994 SD ₁₁	1994 10 06.32048	00 34 29.75	+00 53 14.8		691	1994 SL ₁₁	1994 09 29.31136	00 43 25.50	+01 35 24.7		691
1994 SD ₁₁	1994 10 06.34386	00 34 28.67	+00 53 09.2	17.8 V	691	1994 SL ₁₁	1994 10 06.29937	00 37 49.60	+01 14 06.2	19.6 V	691
1994 SE ₁₁	* 1994 09 29.26221	00 40 06.28	+01 27 26.3		691	1994 SL ₁₁	1994 10 06.32278	00 37 48.47	+01 14 01.3		691
1994 SE ₁₁	1994 09 29.28543	00 40 05.12	+01 27 18.6	20.0 V	691	1994 SL ₁₁	1994 10 06.34615	00 37 47.35	+01 13 57.7		691
1994 SE ₁₁	1994 09 29.30903	00 40 03.94	+01 27 10.9		691	1994 SL ₁₁	1994 10 12.31962	00 33 02.96	+00 57 08.3	19.7 V	691
1994 SE ₁₁	1994 10 13.34372	00 28 49.38	+00 15 24.4		691	1994 SL ₁₁	1994 10 12.34262	00 33 01.86	+00 57 04.8		691
1994 SE ₁₁	1994 10 13.35236	00 28 48.95	+00 15 21.8	20.5 V	691	1994 SL ₁₁	1994 10 12.36561	00 33 00.75	+00 57 01.0		691
1994 SE ₁₁	1994 10 13.36020	00 28 48.56	+00 15 19.7		691	1994 SM ₁₁	* 1994 09 29.26482	00 43 51.99	+01 34 37.4	18.7 V	691
1994 SF ₁₁	1994 09 05.42255	01 00 31.13	+01 35 25.3	19.1 V	691	1994 SM ₁₁	1994 09 29.28803	00 43 50.35	+01 34 36.2		691
1994 SF ₁₁	1994 09 05.45428	01 00 29.88	+01 35 25.4		691	1994 SM ₁₁	1994 09 29.31162	00 43 48.69	+01 34 35.0		691
1994 SF ₁₁	1994 09 05.48607	01 00 28.61	+01 35 25.5		691	1994 SM ₁₁	1994 10 06.22646	00 36 00.57	+01 29 31.3		691
1994 SF ₁₁	* 1994 09 29.26228	00 40 11.84	+01 21 51.3	18.4 V	691	1994 SM ₁₁	1994 10 06.24972	00 35 58.94	+01 29 30.3	18.7 V	691
1994 SF ₁₁	1994 09 29.28549	00 40 10.42	+01 21 50.3		691	1994 SM ₁₁	1994 10 06.27691	00 35 57.05	+01 29 29.4		691
1994 SF ₁₁	1994 09 29.30909	00 40 08.97	+01 21 49.1		691	1994 SN ₁₁	* 1994 09 29.26504	00 44 10.92	+01 40 42.0	20.2 V	691
1994 SF ₁₁	1994 10 06.29615	00 33 10.69	+01 16 14.1		691	1994 SN ₁₁	1994 09 29.28825	00 44 09.68	+01 40 36.4		691
1994 SF ₁₁	1994 10 06.31955	00 33 09.26	+01 16 13.0	18.4 V	691	1994 SN ₁₁	1994 09 29.31185	00 44 08.42	+01 40 31.3		691
1994 SF ₁₁	1994 10 06.34292	00 33 07.83	+01 16 11.8		691	1994 SN ₁₁	1994 10 06.29952	00 38 02.42	+01 13 44.2	20.4 V	691
1994 SF ₁₁	1994 10 12.31564	00 27 18.05	+01 12 50.5	18.5 V	691	1994 SN ₁₁	1994 10 06.32292	00 38 01.22	+01 13 38.3		691
1994 SF ₁₁	1994 10 12.33864	00 27 16.71	+01 12 49.9		691	1994 SN ₁₁	1994 10 06.34630	00 37 59.97	+01 13 33.2		691
1994 SF ₁₁	1994 10 12.36162	00 27 15.35	+01 12 49.1		691	1994 SN ₁₁	1994 10 12.31949	00 32 51.47	+00 52 05.7		691
1994 SG ₁₁	* 1994 09 29.26274	00 40 51.67	+01 41 10.2		691	1994 SN ₁₁	1994 10 12.34249	00 32 50.26	+00 52 01.1		691
1994 SG ₁₁	1994 09 29.28595	00 40 50.27	+01 41 13.6	19.0 V	691	1994 SN ₁₁	1994 10 12.36547	00 32 49.07	+00 51 56.6	20.3 V	691
1994 SG ₁₁	1994 09 29.30955	00 40 48.81	+01 41 17.3		691	1994 SO ₁₁	* 1994 09 29.26527	00 44 30.72	+01 17 48.0		691
1994 SG ₁₁	1994 10 04.26357	00 35 51.29	+01 53 41.8	18.9 V	691	1994 SO ₁₁	1994 09 29.28848	00 44 29.47	+01 17 44.1		691
1994 SG ₁₁	1994 10 04.28659	00 35 49.81	+01 53 45.8		691	1994 SO ₁₁	1994 09 29.31208	00 44 28.27	+01 17 40.0	20.8 V	691
1994 SG ₁₁	1994 10 04.31130	00 35 48.25	+01 53 49.4		691	1994 SO ₁₁	1994 10 06.29985	00 38 31.00	+00 56 58.5		691
1994 SG ₁₁	1994 10 11.23389	00 29 02.00	+02 12 33.6		691	1994 SO ₁₁	1994 10 06.32325	00 38 29.83	+00 56 54.1		691
1994 SG ₁₁	1994 10 11.25744	00 29 00.65	+02 12 37.4	19.2 V	691	1994 SO ₁₁	1994 10 06.34663	00 38 28.55	+00 56 49.8	20.2 V	691
1994 SG ₁₁	1994 10 11.28067	00 28 59.23	+02 12 41.2		691	1994 SP ₁₁	* 1994 09 29.26737	00 47 32.83	+01 35 31.9		691
1994 SH ₁₁	* 1994 09 29.26285	00 41 01.67	+01 38 19.0		691	1994 SP ₁₁	1994 09 29.29058	00 47 31.56	+01 35 30.2	18.5 V	691
1994 SH ₁₁	1994 09 29.28606	00 41 00.20	+01 38 14.1	17.0 V	691	1994 SP ₁₁	1994 09 29.31418	00 47 30.27	+01 35 28.3		691
1994 SH ₁₁	1994 09 29.30966	00 40 58.70	+01 38 09.2		691	1994 SP ₁₁	1994 10 06.23013	00 41 18.18	+01 26 26.1		691
1994 SH ₁₁	1994 10 06.29658	00 33 47.81	+01 14 24.3		691	1994 SP ₁₁	1994 10 06.25339	00 41 16.90	+01 26 25.9		691
1994 SH ₁₁	1994 10 06.31998	00 33 46.35	+01 14 19.5	16.9 V	691	1994 SP ₁₁	1994 10 06.28059	00 41 15.38	+01 26 22.6	18.3 V	691
1994 SH ₁₁	1994 10 06.34335	00 33 44.89	+01 14 14.6		691	1994 SP ₁₁	1994 10 13.29036	00 35 01.77	+01 18 55.8	18.8 V	691
1994 SH ₁₁	1994 10 12.31598	00 27 47.36	+00 55 50.1		691	1994 SP ₁₁	1994 10 13.29837	00 35 01.35	+01 18 54.9		691
1994 SH ₁₁	1994 10 12.33898	00 27 45.98	+00 55 46.0	17.1 V	691	1994 SP ₁₁	1994 10 13.30586	00 35 00.94	+01 18 54.8		691
1994 SH ₁₁	1994 10 12.36196	00 27 44.59	+00 55 41.8		691	1994 SQ ₁₁	* 1994 09 29.26781	00 48 11.29	+01 36 17.2		691
1994 SJ ₁₁	* 1994 09 29.26441	00 43 16.82	+01 41 16.6	20.5 V	691	1994 SQ ₁₁	1994 09 29.29102	00 48 09.85	+01 36 16.0	19.7 V	691
1994 SJ ₁₁	1994 09 29.28762	00 43 15.45	+01 41 08.5		691	1994 SQ ₁₁	1994 09 29.31462	00 48 08.39	+01 36 15.1		691
1994 SJ ₁₁	1994 09 29.31122	00 43 14.07	+01 41 00.3		691	1994 SQ ₁₁	1994 10 06.23003	00 41 09.37	+01 32 25.3		691
1994 SJ ₁₁	1994 10 06.29859	00 36 41.37	+00 59 57.5		691	1994 SQ ₁₁	1994 10 06.25329	00 41 07.93	+01 32 25.1		691
1994 SJ ₁₁	1994 10 06.32199	00 36 40.02	+00 59 49.2		691	1994 SQ ₁₁	1994 10 06.28048	00 41 06.19	+01 32 23.7	19.8 V	691
1994 SJ ₁₁	1994 10 06.34536	00 36 38.68	+00 59 41.5	20.9 V	691	1994 SQ ₁₁	1994 10 12.19279	00 35 11.39	+01 30 42.9	19.9 V	691
1994 SK ₁₁	* 1994 09 29.26445	00 43 20.35	+01 38 08.9	21.3 V	691	1994 SQ ₁₁	1994 10 12.21626	00 35 09.98	+01 30 42.6		691
1994 SK ₁₁	1994 09 29.28767	00 43 19.23	+01 38 02.8		691	1994 SQ ₁₁	1994 10 12.23943	00 35 08.57	+01 30 42.4		691
1994 SK ₁₁	1994 09 29.31127	00 43 17.96	+01 37 57.2		691	1994 SR ₁₁	* 1994 09 29.26834	00 48 56.68	+01 40 16.6		691
1994 SK ₁₁	1994 10 06.29942	00 37 53.98	+01 09 25.6		691	1994 SR ₁₁	1994 09 29.29155	00 48 55.54	+01 40 07.6	18.4 V	691

1994 SR ₁₁	1994 09 29.31515	00 48 54.37	+01 39 58.9		691	1994 SY ₁₁	1994 09 30.24405	00 44 24.55	+01 13 40.0	19.3 V	691
1994 SR ₁₁	1994 10 06.30317	00 43 18.17	+00 56 49.2	18.3 V	691	1994 SY ₁₁	1994 09 30.26722	00 44 23.44	+01 13 31.9		691
1994 SR ₁₁	1994 10 06.32657	00 43 17.02	+00 56 41.1		691	1994 SY ₁₁	1994 09 30.29408	00 44 22.13	+01 13 22.6		691
1994 SR ₁₁	1994 10 06.34994	00 43 15.85	+00 56 32.6		691	1994 SZ ₁₁	* 1994 09 29.32278	00 34 45.13	+02 01 19.8		691
1994 SS ₁₁	* 1994 09 29.26834	00 48 57.21	+01 23 51.1		691	1994 SZ ₁₁	1994 09 29.33040	00 34 44.76	+02 01 17.3	18.8 V	691
1994 SS ₁₁	1994 09 29.29155	00 48 56.01	+01 23 45.8		691	1994 SZ ₁₁	1994 09 29.33820	00 34 44.34	+02 01 14.3		691
1994 SS ₁₁	1994 09 29.31516	00 48 54.77	+01 23 38.7	19.8 V	691	1994 SZ ₁₁	1994 10 06.22167	00 29 05.16	+01 21 29.0	18.9 V	691
1994 SS ₁₁	1994 10 06.30285	00 42 50.85	+00 49 50.2		691	1994 SZ ₁₁	1994 10 06.24493	00 29 03.99	+01 21 21.0		691
1994 SS ₁₁	1994 10 06.32625	00 42 49.63	+00 49 43.7		691	1994 SZ ₁₁	1994 10 06.27213	00 29 02.54	+01 21 11.7		691
1994 SS ₁₁	1994 10 06.34963	00 42 48.36	+00 49 37.4	19.6 V	691	1994 SA ₁₂	* 1994 09 29.32396	00 36 27.34	+02 20 52.5	19.3 V	691
1994 ST ₁₁	* 1994 09 29.26855	00 49 15.31	+01 19 03.7		691	1994 SA ₁₂	1994 09 29.33158	00 36 26.95	+02 20 49.3		691
1994 ST ₁₁	1994 09 29.29177	00 49 14.22	+01 18 57.7		691	1994 SA ₁₂	1994 09 29.33938	00 36 26.58	+02 20 46.1		691
1994 ST ₁₁	1994 09 29.31537	00 49 13.13	+01 18 51.4	20.6 V	691	1994 SA ₁₂	1994 10 06.22313	00 31 11.88	+01 33 02.1	19.7 V	691
1994 ST ₁₁	1994 09 30.24691	00 48 31.71	+01 14 38.2		691	1994 SA ₁₂	1994 10 06.24640	00 31 10.74	+01 32 52.4		691
1994 ST ₁₁	1994 09 30.27008	00 48 30.56	+01 14 32.8	20.5 V	691	1994 SA ₁₂	1994 10 06.27359	00 31 09.44	+01 32 41.4		691
1994 ST ₁₁	1994 09 30.29693	00 48 29.31	+01 14 25.2		691	1994 SB ₁₂	* 1994 09 29.32411	00 36 40.03	+02 01 29.0	19.7 V	691
1994 ST ₁₁	1994 10 06.30360	00 43 56.12	+00 47 44.9		691	1994 SB ₁₂	1994 09 29.33172	00 36 39.61	+02 01 25.0		691
1994 ST ₁₁	1994 10 06.32701	00 43 55.02	+00 47 38.9	20.7 V	691	1994 SB ₁₂	1994 09 29.33953	00 36 39.19	+02 01 20.6		691
1994 ST ₁₁	1994 10 06.35038	00 43 53.87	+00 47 33.2		691	1994 SB ₁₂	1994 10 06.29451	00 30 48.45	+00 59 14.7	20.1 V	691
1994 SU ₁₁	* 1994 09 29.26878	00 49 35.03	+01 31 44.0		691	1994 SB ₁₂	1994 10 06.31791	00 30 47.19	+00 59 02.6		691
1994 SU ₁₁	1994 09 29.31560	00 49 32.79	+01 31 28.2	20.4 V	691	1994 SB ₁₂	1994 10 06.34129	00 30 46.04	+00 58 50.1		691
1994 SU ₁₁	1994 10 06.30371	00 44 05.43	+00 52 28.6		691	1994 SB ₁₂	1994 10 13.34126	00 25 16.82	+00 01 20.9		691
1994 SU ₁₁	1994 10 06.32711	00 44 04.31	+00 52 20.6	20.4 V	691	1994 SB ₁₂	1994 10 13.34990	00 25 16.41	+00 01 15.8	20.3 V	691
1994 SU ₁₁	1994 10 06.35049	00 44 03.14	+00 52 13.3		691	1994 SB ₁₂	1994 10 13.35775	00 25 16.02	+00 01 13.1		691
1994 SV ₁₁	* 1994 09 29.26884	00 49 40.21	+01 49 23.2	20.0 V	691	1994 SC ₁₂	* 1994 09 29.32436	00 37 01.55	+02 18 05.8	20.2 V	691
1994 SV ₁₁	1994 09 29.29205	00 49 39.03	+01 49 18.1		691	1994 SC ₁₂	1994 09 29.33197	00 37 01.08	+02 18 03.4		691
1994 SV ₁₁	1994 09 29.31565	00 49 37.83	+01 49 13.7		691	1994 SC ₁₂	1994 09 29.33978	00 37 00.63	+02 18 00.8		691
1994 SV ₁₁	1994 10 06.23192	00 43 53.00	+01 26 08.2		691	1994 SC ₁₂	1994 10 06.22266	00 30 30.96	+01 38 11.0		691
1994 SV ₁₁	1994 10 06.25518	00 43 51.83	+01 26 03.3	19.6 V	691	1994 SC ₁₂	1994 10 06.24591	00 30 29.10	+01 38 09.2	20.2 V	691
1994 SV ₁₁	1994 10 06.28238	00 43 50.41	+01 25 58.3		691	1994 SC ₁₂	1994 10 06.27311	00 30 27.49	+01 37 59.5		691
1994 SV ₁₁	1994 10 12.32364	00 38 50.92	+01 07 07.0	19.7 V	691	1994 SD ₁₂	* 1994 09 29.32457	00 37 19.80	+02 00 23.7		691
1994 SV ₁₁	1994 10 12.34664	00 38 49.77	+01 07 03.0		691	1994 SD ₁₂	1994 09 29.33218	00 37 19.27	+02 00 23.4	19.6 V	691
1994 SV ₁₁	1994 10 12.36962	00 38 48.62	+01 06 58.5		691	1994 SD ₁₂	1994 09 29.33999	00 37 18.75	+02 00 22.3		691
1994 SV ₁₁	1994 10 13.29247	00 38 04.07	+01 04 17.8		691	1994 SD ₁₂	1994 10 04.26074	00 31 45.63	+01 54 14.1		691
1994 SV ₁₁	1994 10 13.30047	00 38 03.65	+01 04 16.3	19.9 V	691	1994 SD ₁₂	1994 10 04.28375	00 31 44.01	+01 54 12.7		691
1994 SV ₁₁	1994 10 13.30797	00 38 03.31	+01 04 14.6		691	1994 SD ₁₂	1994 10 04.30846	00 31 42.29	+01 54 11.1	19.8 V	691
1994 SW ₁₁	* 1994 09 29.26906	00 49 59.80	+01 29 17.7		691	1994 SD ₁₂	1994 10 12.18451	00 23 14.37	+01 46 27.4		691
1994 SW ₁₁	1994 09 29.29228	00 49 58.47	+01 29 11.6		691	1994 SD ₁₂	1994 10 12.20798	00 23 12.87	+01 46 27.1	20.8 V	691
1994 SW ₁₁	1994 09 29.31588	00 49 57.11	+01 29 05.2	18.7 V	691	1994 SD ₁₂	1994 10 12.23115	00 23 11.37	+01 46 26.2		691
1994 SW ₁₁	1994 10 06.30323	00 43 23.92	+00 58 42.1	18.5 V	691	1994 SE ₁₂	* 1994 09 29.32547	00 38 37.99	+02 20 59.7		691
1994 SW ₁₁	1994 10 06.32663	00 43 22.55	+00 58 36.6		691	1994 SE ₁₂	1994 09 29.33308	00 38 37.63	+02 20 56.6	20.4 V	691
1994 SW ₁₁	1994 10 06.35000	00 43 21.14	+00 58 30.7		691	1994 SE ₁₂	1994 09 29.34089	00 38 37.22	+02 20 54.5		691
1994 SX ₁₁	* 1994 09 29.26987	00 51 09.82	+01 39 41.5	20.7 V	691	1994 SE ₁₂	1994 10 04.26263	00 34 29.51	+01 51 11.1	20.3 V	691
1994 SX ₁₁	1994 09 29.29309	00 51 08.67	+01 39 37.4		691	1994 SE ₁₂	1994 10 04.31036	00 34 26.94	+01 50 55.3		691
1994 SX ₁₁	1994 09 29.31669	00 51 07.53	+01 39 33.6		691	1994 SE ₁₂	1994 10 06.22428	00 32 51.26	+01 39 30.5		691
1994 SX ₁₁	1994 10 12.32500	00 40 48.67	+01 06 21.6		691	1994 SE ₁₂	1994 10 06.24754	00 32 50.03	+01 39 22.5	20.6 V	691
1994 SX ₁₁	1994 10 12.34800	00 40 47.55	+01 06 19.1	20.8 V	691	1994 SE ₁₂	1994 10 06.27474	00 32 48.63	+01 39 11.6		691
1994 SX ₁₁	1994 10 12.37098	00 40 46.42	+01 06 16.0		691	1994 SE ₁₂	1994 10 12.31606	00 27 54.09	+01 04 37.8	20.5 V	691
1994 SY ₁₁	* 1994 09 29.28893	00 45 08.87	+01 19 12.1		691	1994 SE ₁₂	1994 10 12.33906	00 27 52.96	+01 04 29.8		691
1994 SY ₁₁	1994 09 29.31254	00 45 07.74	+01 19 03.9	19.0 V	691	1994 SE ₁₂	1994 10 12.36204	00 27 51.81	+01 04 22.8		691
1994 SY ₁₁	1994 09 29.36129	00 45 05.40	+01 18 46.7	19.6 V	691	1994 SF ₁₂	* 1994 09 29.32562	00 38 50.65	+01 55 21.4		691
1994 SY ₁₁	1994 09 29.40773	00 45 03.19	+01 18 30.2		691	1994 SF ₁₂	1994 09 29.33323	00 38 50.25	+01 55 19.1	17.4 V	691

1994 SF ₁₂	1994 09 29.34104	00 38 49.84	+01 55 16.4		691	1994 SO ₁₂	1994 09 30.23500	00 31 20.32	+00 51 58.9		691
1994 SF ₁₂	1994 10 06.22448	00 33 08.58	+01 20 01.4		691	1994 SO ₁₂	1994 09 30.25817	00 31 19.28	+00 51 44.9	20.0 V	691
1994 SF ₁₂	1994 10 06.24774	00 33 07.37	+01 19 54.4	17.3 V	691	1994 SO ₁₂	1994 09 30.28503	00 31 18.09	+00 51 28.5		691
1994 SF ₁₂	1994 10 06.27494	00 33 05.97	+01 19 46.0		691	1994 SP ₁₂	* 1994 09 29.35230	00 32 06.79	+01 09 35.3		691
1994 SF ₁₂	1994 10 12.31631	00 28 16.10	+00 50 45.8	17.4 V	691	1994 SP ₁₂	1994 09 29.37583	00 32 05.59	+01 09 23.9	19.9 V	691
1994 SF ₁₂	1994 10 12.33931	00 28 15.00	+00 50 39.4		691	1994 SP ₁₂	1994 09 29.39874	00 32 04.45	+01 09 12.6		691
1994 SF ₁₂	1994 10 12.36230	00 28 13.89	+00 50 32.9		691	1994 SP ₁₂	1994 09 30.23504	00 31 24.04	+01 02 25.4	19.5 V	691
1994 SG ₁₂	* 1994 09 29.32610	00 39 32.19	+02 01 11.9	19.9 V	691	1994 SP ₁₂	1994 09 30.25821	00 31 22.86	+01 02 13.9		691
1994 SG ₁₂	1994 09 29.33371	00 39 31.87	+02 01 08.7		691	1994 SP ₁₂	1994 09 30.28507	00 31 21.51	+01 02 01.0		691
1994 SG ₁₂	1994 09 29.34152	00 39 31.53	+02 01 05.5		691	1994 SQ ₁₂	* 1994 09 29.35231	00 32 07.98	+01 03 04.7	20.8 V	691
1994 SG ₁₂	1994 10 06.29727	00 34 47.63	+01 10 00.7	20.1 V	691	1994 SQ ₁₂	1994 09 29.37585	00 32 06.78	+01 02 58.3		691
1994 SG ₁₂	1994 10 06.32068	00 34 46.67	+01 09 51.1		691	1994 SQ ₁₂	1994 09 29.39876	00 32 05.61	+01 02 52.2		691
1994 SG ₁₂	1994 10 06.34405	00 34 45.75	+01 09 40.5		691	1994 SQ ₁₂	1994 09 30.23505	00 31 24.81	+00 59 13.5		691
1994 SH ₁₂	* 1994 09 29.34687	00 24 16.48	+01 01 55.3		691	1994 SQ ₁₂	1994 09 30.25822	00 31 23.66	+00 59 07.2	20.8 V	691
1994 SH ₁₂	1994 09 29.37040	00 24 15.37	+01 01 45.6	19.8 V	691	1994 SQ ₁₂	1994 09 30.28508	00 31 22.29	+00 59 00.5		691
1994 SH ₁₂	1994 09 29.39332	00 24 14.24	+01 01 36.4		691	1994 SR ₁₂	* 1994 09 29.35234	00 32 10.38	+00 58 08.2		691
1994 SH ₁₂	1994 09 30.18087	00 23 38.79	+00 56 10.8		691	1994 SR ₁₂	1994 09 29.37587	00 32 09.06	+00 57 57.3	18.7 V	691
1994 SH ₁₂	1994 09 30.20396	00 23 37.68	+00 56 00.7	19.9 V	691	1994 SR ₁₂	1994 09 29.39878	00 32 07.78	+00 57 46.6		691
1994 SH ₁₂	1994 09 30.22705	00 23 36.54	+00 55 51.7		691	1994 SR ₁₂	1994 09 30.23504	00 31 23.68	+00 51 18.4	18.5 V	691
1994 SJ ₁₂	* 1994 09 29.34896	00 27 17.41	+01 02 38.2		691	1994 SR ₁₂	1994 09 30.25821	00 31 22.36	+00 51 07.7		691
1994 SJ ₁₂	1994 09 29.37249	00 27 16.02	+01 02 32.8	19.3 V	691	1994 SR ₁₂	1994 09 30.28506	00 31 20.87	+00 50 55.5		691
1994 SJ ₁₂	1994 09 29.39540	00 27 14.71	+01 02 27.7		691	1994 SS ₁₂	* 1994 09 29.35434	00 35 03.26	+01 12 09.1		691
1994 SJ ₁₂	1994 09 30.23162	00 26 27.57	+00 59 17.8	18.9 V	691	1994 SS ₁₂	1994 09 29.37787	00 35 01.74	+01 12 01.2		691
1994 SJ ₁₂	1994 09 30.25479	00 26 26.20	+00 59 12.4		691	1994 SS ₁₂	1994 09 29.40077	00 35 00.28	+01 11 53.5	20.0 V	691
1994 SJ ₁₂	1994 09 30.28165	00 26 24.65	+00 59 06.6		691	1994 SS ₁₂	1994 09 30.23695	00 34 09.39	+01 07 16.8	19.4 V	691
1994 SK ₁₂	* 1994 09 29.35044	00 29 25.34	+01 15 11.3		691	1994 SS ₁₂	1994 09 30.26012	00 34 07.90	+01 07 09.2		691
1994 SK ₁₂	1994 09 29.37397	00 29 23.91	+01 15 04.7	19.7 V	691	1994 SS ₁₂	1994 09 30.28697	00 34 06.23	+01 07 00.3		691
1994 SK ₁₂	1994 09 29.39688	00 29 22.59	+01 14 58.4		691	1994 ST ₁₂	* 1994 09 29.35449	00 35 16.60	+01 11 59.2		691
1994 SK ₁₂	1994 09 30.23311	00 28 36.87	+01 11 16.4		691	1994 ST ₁₂	1994 09 29.37802	00 35 15.26	+01 11 53.8		691
1994 SK ₁₂	1994 09 30.25628	00 28 35.50	+01 11 10.6		691	1994 ST ₁₂	1994 09 29.40093	00 35 13.96	+01 11 48.7	16.6 V	691
1994 SK ₁₂	1994 09 30.28313	00 28 33.92	+01 11 03.2	19.5 V	691	1994 ST ₁₂	1994 09 30.23717	00 34 28.37	+01 08 41.3	16.0 V	691
1994 SL ₁₂	* 1994 09 29.35126	00 30 36.38	+00 48 48.5		691	1994 ST ₁₂	1994 09 30.26034	00 34 27.05	+01 08 36.1		691
1994 SL ₁₂	1994 09 29.37478	00 30 34.81	+00 48 46.5		691	1994 ST ₁₂	1994 09 30.28719	00 34 25.51	+01 08 30.2		691
1994 SL ₁₂	1994 09 29.39769	00 30 33.27	+00 48 44.0	20.2 V	691	1994 ST ₁₂	1994 10 13.33964	00 22 56.30	+00 24 38.5	16.3 V	691
1994 SL ₁₂	1994 09 30.23384	00 29 39.94	+00 47 35.8		691	1994 ST ₁₂	1994 10 13.34828	00 22 55.86	+00 24 36.9		691
1994 SL ₁₂	1994 09 30.25701	00 29 38.38	+00 47 33.9	20.0 V	691	1994 ST ₁₂	1994 10 13.35612	00 22 55.44	+00 24 35.6		691
1994 SL ₁₂	1994 09 30.28386	00 29 36.61	+00 47 31.3		691	1994 SU ₁₂	* 1994 09 29.35480	00 35 43.01	+01 19 22.2		691
1994 SM ₁₂	* 1994 09 29.35145	00 30 52.90	+00 58 05.5		691	1994 SU ₁₂	1994 09 29.37833	00 35 41.55	+01 19 15.0	19.5 V	691
1994 SM ₁₂	1994 09 29.37498	00 30 51.72	+00 57 58.8	20.5 V	691	1994 SU ₁₂	1994 09 29.40123	00 35 40.15	+01 19 08.4		691
1994 SM ₁₂	1994 09 29.39789	00 30 50.56	+00 57 51.3		691	1994 SU ₁₂	1994 09 30.23743	00 34 50.63	+01 14 52.0	19.0 V	691
1994 SM ₁₂	1994 09 30.23418	00 30 09.62	+00 53 40.3		691	1994 SU ₁₂	1994 09 30.26060	00 34 49.18	+01 14 44.5		691
1994 SM ₁₂	1994 09 30.25735	00 30 08.41	+00 53 33.4		691	1994 SU ₁₂	1994 09 30.28745	00 34 47.53	+01 14 36.3		691
1994 SM ₁₂	1994 09 30.28421	00 30 07.00	+00 53 25.3	20.4 V	691	1994 SU ₁₂	1994 10 13.33908	00 21 58.39	+00 11 44.3	19.4 V	691
1994 SN ₁₂	* 1994 09 29.35199	00 31 39.80	+01 03 11.7		691	1994 SU ₁₂	1994 10 13.34772	00 21 57.89	+00 11 42.1		691
1994 SN ₁₂	1994 09 29.37552	00 31 38.77	+01 03 02.9	18.4 V	691	1994 SU ₁₂	1994 10 13.35557	00 21 57.43	+00 11 40.0		691
1994 SN ₁₂	1994 09 29.39844	00 31 37.76	+01 02 54.4		691	1994 SV ₁₂	* 1994 09 29.35505	00 36 04.69	+00 56 32.3		691
1994 SN ₁₂	1994 09 30.23479	00 31 02.53	+00 57 42.0	18.2 V	691	1994 SV ₁₂	1994 09 29.37858	00 36 03.67	+00 56 20.2	20.8 V	691
1994 SN ₁₂	1994 09 30.25797	00 31 01.50	+00 57 33.0		691	1994 SV ₁₂	1994 09 29.40150	00 36 02.80	+00 56 08.0		691
1994 SN ₁₂	1994 09 30.28482	00 31 00.39	+00 57 23.2		691	1994 SV ₁₂	1994 09 30.23789	00 35 30.94	+00 48 38.0	20.2 V	691
1994 SO ₁₂	* 1994 09 29.35219	00 31 57.22	+01 01 07.5		691	1994 SV ₁₂	1994 09 30.26107	00 35 29.96	+00 48 26.6		691
1994 SO ₁₂	1994 09 29.37572	00 31 56.18	+01 00 53.0	19.6 V	691	1994 SV ₁₂	1994 09 30.28792	00 35 28.89	+00 48 11.9		691
1994 SO ₁₂	1994 09 29.39864	00 31 55.17	+01 00 38.6		691	1994 SW ₁₂	* 1994 09 29.35508	00 36 07.12	+01 05 57.9		691

1994 SW ₁₂	1994 09 29.37861	00 36 05.82	+01 05 55.4		691	1994 TP	1994 10 08.39207	01 15 44.91	+08 45 19.2	17.1 V	691
1994 SW ₁₂	1994 09 29.40152	00 36 04.59	+01 05 52.9	20.5 V	691	1994 TP	1994 10 08.42439	01 15 43.50	+08 45 05.2		691
1994 SW ₁₂	1994 09 30.23777	00 35 20.61	+01 04 24.7	20.3 V	691	1994 TP	1994 10 08.45671	01 15 42.15	+08 44 51.9		691
1994 SW ₁₂	1994 09 30.26094	00 35 19.34	+01 04 22.6		691	1994 TX	1994 10 08.20464	01 12 01.02	+04 35 43.3	16.7 V	691
1994 SW ₁₂	1994 09 30.28780	00 35 17.85	+01 04 19.8		691	1994 TX	1994 10 08.22866	01 11 59.73	+04 35 39.3		691
1994 SW ₁₂	1994 10 06.29393	00 29 58.17	+00 54 13.0		691	1994 TX	1994 10 08.26599	01 11 57.72	+04 35 33.2		691
1994 SW ₁₂	1994 10 06.31733	00 29 56.90	+00 54 10.2		691	1994 TA ₂	1994 10 12.25703	00 26 38.49	+05 17 43.9	20.0 V	691
1994 SW ₁₂	1994 10 06.34070	00 29 55.60	+00 54 08.3	20.2 V	691	1994 TA ₂	1994 10 12.26468	00 26 38.56	+05 17 38.1		691
1994 SX ₁₂	* 1994 09 29.35524	00 36 21.31	+01 06 15.9		691	1994 TA ₂	1994 10 12.27238	00 26 38.65	+05 17 31.5		691
1994 SX ₁₂	1994 09 29.37877	00 36 20.13	+01 06 00.3	19.7 V	691	1994 TA ₂	1994 10 13.31584	00 26 56.89	+05 02 03.7		691
1994 SX ₁₂	1994 09 29.40168	00 36 19.00	+01 05 44.8		691	1994 TA ₂	1994 10 13.32394	00 26 57.00	+05 01 56.6		691
1994 SX ₁₂	1994 09 30.23798	00 35 38.68	+00 56 31.1		691	1994 TA ₂	1994 10 13.33137	00 26 57.10	+05 01 50.7	19.6 V	691
1994 SX ₁₂	1994 09 30.26115	00 35 37.51	+00 56 15.6	19.6 V	691	1994 TA ₂	1994 10 14.39131	00 27 16.40	+04 46 41.8		691
1994 SX ₁₂	1994 09 30.28801	00 35 36.15	+00 55 57.6		691	1994 TA ₂	1994 10 14.39865	00 27 16.54	+04 46 35.4	20.2 V	691
1994 SY ₁₂	* 1994 09 29.35564	00 36 55.80	+00 54 19.9		691	1994 TA ₂	1994 10 14.40644	00 27 16.63	+04 46 28.5		691
1994 SY ₁₂	1994 09 29.37917	00 36 54.36	+00 54 13.5	20.1 V	691	1994 TZ ₂	1994 10 07.39781	01 48 27.53	+09 50 33.0		691
1994 SY ₁₂	1994 09 29.40207	00 36 52.90	+00 54 06.6		691	1994 TZ ₂	1994 10 07.45103	01 48 24.87	+09 50 10.6	17.6 V	691
1994 SY ₁₂	1994 09 30.23827	00 36 03.34	+00 50 06.7		691	1994 TZ ₂	1994 10 07.47463	01 48 23.67	+09 50 00.8		691
1994 SY ₁₂	1994 09 30.26144	00 36 01.94	+00 49 59.8	19.4 V	691	1994 TC ₃	1994 10 10.22403	01 52 53.41	+12 00 01.8		691
1994 SY ₁₂	1994 09 30.28829	00 36 00.19	+00 49 52.2		691	1994 TC ₃	1994 10 10.24583	01 52 52.22	+11 59 54.4	16.6 V	691
1994 SZ ₁₂	* 1994 09 29.36227	00 46 30.65	+00 56 48.8		691	1994 TC ₃	1994 10 10.26783	01 52 51.04	+11 59 46.8		691
1994 SZ ₁₂	1994 09 29.38581	00 46 29.65	+00 56 42.0	20.9 V	691	1994 TX ₃	* 1994 10 02.35013	00 31 37.18	+03 37 36.6	19.5 V	691
1994 SZ ₁₂	1994 09 29.40872	00 46 28.77	+00 56 36.0		691	1994 TX ₃	1994 10 02.37311	00 31 35.83	+03 37 25.3		691
1994 SZ ₁₂	1994 09 30.24510	00 45 55.35	+00 52 31.1		691	1994 TX ₃	1994 10 02.39614	00 31 34.51	+03 37 14.0		691
1994 SZ ₁₂	1994 09 30.26827	00 45 54.39	+00 52 23.9		691	1994 TX ₃	1994 10 06.13386	00 28 06.33	+03 06 42.1		691
1994 SZ ₁₂	1994 09 30.29513	00 45 53.24	+00 52 16.0	20.2 V	691	1994 TX ₃	1994 10 06.15710	00 28 05.02	+03 06 31.1	20.1 V	691
1994 SA ₁₃	* 1994 09 29.36491	00 50 19.22	+01 03 27.5		691	1994 TX ₃	1994 10 06.18652	00 28 03.33	+03 06 16.7		691
1994 SA ₁₃	1994 09 29.38844	00 50 17.98	+01 03 24.3	20.2 V	691	1994 TX ₃	1994 10 11.15067	00 23 31.45	+02 26 10.2		691
1994 SA ₁₃	1994 09 29.41135	00 50 16.85	+01 03 20.7		691	1994 TX ₃	1994 10 11.17378	00 23 30.19	+02 25 59.0	19.9 V	691
1994 SA ₁₃	1994 09 30.24765	00 49 35.82	+01 01 20.9	19.8 V	691	1994 TX ₃	1994 10 11.19691	00 23 28.90	+02 25 48.1		691
1994 SA ₁₃	1994 09 30.27082	00 49 34.64	+01 01 17.5		691	1994 TY ₃	* 1994 10 02.35034	00 32 13.64	+03 25 42.0	20.0 V	691
1994 SA ₁₃	1994 09 30.29767	00 49 33.32	+01 01 13.6		691	1994 TY ₃	1994 10 02.37332	00 32 12.34	+03 25 31.1		691
1994 SB ₁₃	* 1994 09 30.23990	00 38 25.09	+01 04 20.5	19.6 V	691	1994 TY ₃	1994 10 02.39635	00 32 11.06	+03 25 20.5		691
1994 SB ₁₃	1994 09 30.26307	00 38 23.64	+01 04 14.8		691	1994 TY ₃	1994 10 06.13440	00 28 53.17	+02 56 19.0	20.7 V	691
1994 SB ₁₃	1994 09 30.28992	00 38 21.96	+01 04 08.1		691	1994 TY ₃	1994 10 06.18707	00 28 50.32	+02 55 54.1		691
1994 SB ₁₃	1994 10 13.34150	00 25 37.68	+00 16 38.8		691	1994 TY ₃	1994 10 11.15142	00 24 36.59	+02 18 33.0	20.2 V	691
1994 SB ₁₃	1994 10 13.35014	00 25 37.23	+00 16 36.7	19.9 V	691	1994 TY ₃	1994 10 11.17453	00 24 35.39	+02 18 23.5		691
1994 SB ₁₃	1994 10 13.35799	00 25 36.79	+00 16 35.5		691	1994 TY ₃	1994 10 11.19766	00 24 34.24	+02 18 12.4		691
1994 SC ₁₃	* 1994 09 30.25074	00 54 03.74	+01 00 26.4		691	1994 TZ ₃	* 1994 10 02.35050	00 32 33.09	+03 25 02.2		691
1994 SC ₁₃	1994 09 30.27391	00 54 02.35	+01 00 28.6	19.4 V	691	1994 TZ ₃	1994 10 02.37347	00 32 31.88	+03 24 54.7	19.6 V	691
1994 SC ₁₃	1994 09 30.30076	00 54 00.66	+01 00 30.0		691	1994 TZ ₃	1994 10 02.39650	00 32 30.71	+03 24 46.2		691
1994 SC ₁₃	1994 10 06.30642	00 47 59.66	+01 07 57.4	18.7 V	691	1994 TZ ₃	1994 10 06.13480	00 29 27.60	+03 03 37.6	20.2 V	691
1994 SC ₁₃	1994 10 06.32981	00 47 58.21	+01 07 59.0		691	1994 TZ ₃	1994 10 06.15804	00 29 26.42	+03 03 29.5		691
1994 SC ₁₃	1994 10 06.35319	00 47 56.78	+01 08 01.3		691	1994 TZ ₃	1994 10 06.18747	00 29 24.94	+03 03 19.7		691
1994 SC ₁₃	1994 10 12.32586	00 42 03.70	+01 16 44.7	19.1 V	691	1994 TZ ₃	1994 10 11.15202	00 25 28.52	+02 36 01.1		691
1994 SC ₁₃	1994 10 12.34886	00 42 02.33	+01 16 47.0		691	1994 TZ ₃	1994 10 11.17513	00 25 27.36	+02 35 53.3	20.0 V	691
1994 SD ₁₃	* 1994 09 30.25108	00 54 33.40	+01 16 38.6	18.2 V	691	1994 TZ ₃	1994 10 11.19826	00 25 26.32	+02 35 46.0		691
1994 SD ₁₃	1994 09 30.27425	00 54 32.35	+01 16 32.0		691	1994 TA ₄	* 1994 10 02.35121	00 33 35.15	+03 39 11.6	19.3 V	691
1994 SD ₁₃	1994 09 30.30111	00 54 31.14	+01 16 24.9		691	1994 TA ₄	1994 10 02.37419	00 33 33.84	+03 39 03.0		691
1994 SD ₁₃	1994 10 06.30784	00 50 02.75	+00 49 21.5	17.9 V	691	1994 TA ₄	1994 10 02.39721	00 33 32.54	+03 38 54.3		691
1994 SD ₁₃	1994 10 06.33124	00 50 01.65	+00 49 15.4		691	1994 TA ₄	1994 10 06.13528	00 30 09.37	+03 15 36.6		691
1994 SD ₁₃	1994 10 06.35461	00 50 00.57	+00 49 09.4		691	1994 TA ₄	1994 10 06.15852	00 30 08.04	+03 15 28.2	19.6 V	691

1994 TA ₄	1994 10 06.18794	00 30 06.42	+03 15 17.6	691	1994 TJ ₄	* 1994 10 02.35367	00 37 08.14	+03 26 07.6	691
1994 TA ₄	1994 10 11.15217	00 25 41.96	+02 44 55.5	691	1994 TJ ₄	1994 10 02.37664	00 37 06.77	+03 26 02.8	19.1 V 691
1994 TA ₄	1994 10 11.17528	00 25 40.73	+02 44 47.8	19.9 V 691	1994 TJ ₄	1994 10 02.39967	00 37 05.40	+03 25 57.8	691
1994 TA ₄	1994 10 11.19842	00 25 39.55	+02 44 39.5	691	1994 TJ ₄	1994 10 06.13760	00 33 30.59	+03 12 55.3	691
1994 TB ₄	* 1994 10 02.35170	00 34 17.15	+03 42 41.5	18.0 V 691	1994 TJ ₄	1994 10 06.16085	00 33 29.26	+03 12 50.4	19.4 V 691
1994 TB ₄	1994 10 02.37467	00 34 16.03	+03 42 33.2	691	1994 TJ ₄	1994 10 06.19027	00 33 27.53	+03 12 44.7	691
1994 TB ₄	1994 10 02.39770	00 34 14.97	+03 42 24.0	691	1994 TK ₄	* 1994 10 02.35434	00 38 05.66	+03 18 54.4	18.7 V 691
1994 TB ₄	1994 10 06.13618	00 31 27.65	+03 18 50.8	691	1994 TK ₄	1994 10 02.37731	00 38 04.44	+03 18 46.4	691
1994 TB ₄	1994 10 06.15943	00 31 26.54	+03 18 41.9	18.3 V 691	1994 TK ₄	1994 10 02.40034	00 38 03.18	+03 18 37.9	691
1994 TB ₄	1994 10 06.18885	00 31 25.20	+03 18 31.5	691	1994 TK ₄	1994 10 11.15560	00 30 38.46	+02 28 14.8	691
1994 TB ₄	1994 10 11.15365	00 27 49.78	+02 48 05.3	18.4 V 691	1994 TK ₄	1994 10 11.17871	00 30 37.28	+02 28 07.2	691
1994 TB ₄	1994 10 11.17676	00 27 48.82	+02 47 58.3	691	1994 TK ₄	1994 10 11.20184	00 30 36.10	+02 27 59.6	18.9 V 691
1994 TB ₄	1994 10 11.19990	00 27 47.82	+02 47 48.9	691	1994 TL ₄	* 1994 10 02.35451	00 38 20.98	+03 38 02.4	691
1994 TC ₄	* 1994 10 02.35206	00 34 48.57	+03 19 37.3	691	1994 TL ₄	1994 10 02.37749	00 38 19.71	+03 37 57.4	19.4 V 691
1994 TC ₄	1994 10 02.37503	00 34 47.03	+03 19 33.9	691	1994 TL ₄	1994 10 02.40051	00 38 18.46	+03 37 51.8	691
1994 TC ₄	1994 10 02.39805	00 34 45.52	+03 19 30.7	18.1 V 691	1994 TL ₄	1994 10 11.37884	00 30 30.76	+03 05 29.0	19.6 V 691
1994 TC ₄	1994 10 06.13575	00 30 49.74	+03 10 42.1	691	1994 TL ₄	1994 10 11.39850	00 30 29.74	+03 05 24.5	691
1994 TC ₄	1994 10 06.15899	00 30 48.22	+03 10 38.5	18.5 V 691	1994 TL ₄	1994 10 11.41806	00 30 28.71	+03 05 20.3	691
1994 TC ₄	1994 10 06.18840	00 30 46.31	+03 10 34.8	691	1994 TM ₄	* 1994 10 02.35482	00 38 47.15	+03 33 57.9	691
1994 TC ₄	1994 10 11.37531	00 25 25.19	+02 59 00.5	18.7 V 691	1994 TM ₄	1994 10 02.37779	00 38 46.21	+03 33 38.1	16.1 V 691
1994 TC ₄	1994 10 11.39497	00 25 23.94	+02 58 58.1	691	1994 TM ₄	1994 10 02.40082	00 38 45.24	+03 33 18.0	691
1994 TC ₄	1994 10 11.41453	00 25 22.73	+02 58 55.5	691	1994 TM ₄	1994 10 13.28829	00 32 00.65	+01 00 58.0	691
1994 TD ₄	* 1994 10 02.35209	00 34 50.84	+03 46 35.6	691	1994 TM ₄	1994 10 13.29630	00 32 00.36	+01 00 52.1	16.2 V 691
1994 TD ₄	1994 10 02.37506	00 34 49.58	+03 46 31.3	18.5 V 691	1994 TM ₄	1994 10 13.30379	00 32 00.09	+01 00 45.6	691
1994 TD ₄	1994 10 02.39808	00 34 48.21	+03 46 31.3	691	1994 TN ₄	* 1994 10 02.35482	00 38 47.82	+03 24 13.2	19.0 V 691
1994 TD ₄	1994 10 11.37658	00 27 15.28	+03 13 48.5	691	1994 TN ₄	1994 10 02.37780	00 38 46.75	+03 24 06.1	691
1994 TD ₄	1994 10 11.39625	00 27 14.25	+03 13 44.3	19.0 V 691	1994 TN ₄	1994 10 02.40083	00 38 45.68	+03 23 59.0	691
1994 TD ₄	1994 10 11.41581	00 27 13.28	+03 13 40.4	691	1994 TN ₄	1994 10 11.15675	00 32 18.33	+02 39 38.9	19.4 V 691
1994 TE ₄	* 1994 10 02.35253	00 35 29.02	+03 44 17.7	17.7 V 691	1994 TN ₄	1994 10 11.17986	00 32 17.35	+02 39 31.9	691
1994 TE ₄	1994 10 02.37550	00 35 27.91	+03 44 10.6	691	1994 TN ₄	1994 10 11.20300	00 32 16.33	+02 39 25.0	691
1994 TE ₄	1994 10 02.39853	00 35 26.84	+03 44 03.5	691	1994 TO ₄	* 1994 10 02.35489	00 38 53.92	+03 36 49.6	17.6 V 691
1994 TE ₄	1994 10 11.37754	00 28 38.36	+02 59 33.0	691	1994 TO ₄	1994 10 02.37787	00 38 52.84	+03 36 32.4	691
1994 TE ₄	1994 10 11.39721	00 28 37.49	+02 59 27.2	17.5 V 691	1994 TO ₄	1994 10 02.40090	00 38 51.75	+03 36 15.2	691
1994 TE ₄	1994 10 11.41677	00 28 36.60	+02 59 21.4	691	1994 TO ₄	1994 10 06.13940	00 36 06.33	+02 49 50.4	17.8 V 691
1994 TF ₄	* 1994 10 02.35296	00 36 05.93	+03 33 49.1	691	1994 TO ₄	1994 10 06.16265	00 36 05.28	+02 49 33.2	691
1994 TF ₄	1994 10 02.37593	00 36 04.68	+03 33 43.2	20.5 V 691	1994 TO ₄	1994 10 06.19207	00 36 03.91	+02 49 11.9	691
1994 TF ₄	1994 10 02.39895	00 36 03.43	+03 33 37.2	691	1994 TO ₄	1994 10 11.23626	00 32 27.17	+01 48 11.3	17.9 V 691
1994 TF ₄	1994 10 11.37735	00 28 22.12	+02 57 21.5	21.1 V 691	1994 TO ₄	1994 10 11.25981	00 32 26.14	+01 47 54.6	691
1994 TF ₄	1994 10 11.39702	00 28 21.16	+02 57 16.8	691	1994 TO ₄	1994 10 11.28305	00 32 25.10	+01 47 38.1	691
1994 TF ₄	1994 10 11.41658	00 28 20.17	+02 57 12.8	691	1994 TO ₄	1994 10 12.19044	00 31 47.83	+01 36 57.4	691
1994 TG ₄	* 1994 10 02.35296	00 36 06.21	+03 23 07.5	18.3 V 691	1994 TO ₄	1994 10 12.21391	00 31 46.81	+01 36 41.3	17.8 V 691
1994 TG ₄	1994 10 02.37593	00 36 04.92	+03 23 03.0	691	1994 TO ₄	1994 10 12.23709	00 31 45.80	+01 36 26.8	691
1994 TG ₄	1994 10 02.39896	00 36 03.66	+03 22 58.0	691	1994 TP ₄	* 1994 10 02.35492	00 38 56.34	+03 33 08.5	691
1994 TG ₄	1994 10 11.37736	00 28 23.28	+02 53 31.5	691	1994 TP ₄	1994 10 02.37790	00 38 55.25	+03 32 56.3	19.8 V 691
1994 TG ₄	1994 10 11.39703	00 28 22.34	+02 53 28.0	18.8 V 691	1994 TP ₄	1994 10 02.40092	00 38 54.16	+03 32 43.7	691
1994 TG ₄	1994 10 11.41659	00 28 21.33	+02 53 24.4	691	1994 TP ₄	1994 10 11.23616	00 32 18.39	+02 13 57.5	691
1994 TH ₄	* 1994 10 02.35342	00 36 46.26	+03 42 46.5	20.3 V 691	1994 TP ₄	1994 10 11.25971	00 32 17.35	+02 13 45.2	20.0 V 691
1994 TH ₄	1994 10 02.37639	00 36 45.13	+03 42 36.0	691	1994 TP ₄	1994 10 11.28294	00 32 16.33	+02 13 33.0	691
1994 TH ₄	1994 10 02.39942	00 36 44.02	+03 42 24.9	691	1994 TQ ₄	* 1994 10 02.35514	00 39 15.33	+03 38 15.3	17.1 V 691
1994 TH ₄	1994 10 11.15513	00 29 57.67	+02 37 15.5	691	1994 TQ ₄	1994 10 02.37811	00 39 13.93	+03 38 06.9	691
1994 TH ₄	1994 10 11.17824	00 29 56.58	+02 37 05.1	21.1 V 691	1994 TQ ₄	1994 10 02.40114	00 39 12.52	+03 37 58.5	691
1994 TH ₄	1994 10 11.20137	00 29 55.50	+02 36 55.5	691	1994 TQ ₄	1994 10 06.13906	00 35 36.91	+03 15 23.9	17.3 V 691

1994 TQ ₄	1994 10 06.16230	00 35 35.51	+03 15 15.3	691	1994 TY ₄	1994 10 11.16212	00 40 03.31	+02 38 16.7	20.2 V	691	
1994 TQ ₄	1994 10 06.19172	00 35 33.73	+03 15 05.3	691	1994 TY ₄	1994 10 11.18523	00 40 02.24	+02 38 06.7		691	
1994 TQ ₄	1994 10 11.15574	00 30 50.72	+02 45 40.7	691	1994 TY ₄	1994 10 11.20836	00 40 01.16	+02 37 57.4		691	
1994 TQ ₄	1994 10 11.17885	00 30 49.37	+02 45 32.8	17.4 V	691	1994 TZ ₄	* 1994 10 02.36067	00 47 13.99	+03 34 48.9	691	
1994 TQ ₄	1994 10 11.20198	00 30 48.06	+02 45 24.5	691	1994 TZ ₄	1994 10 02.38364	00 47 12.85	+03 34 40.2	20.7 V	691	
1994 TR ₄	* 1994 10 02.35531	00 39 30.10	+03 26 10.2	691	1994 TZ ₄	1994 10 02.40667	00 47 11.70	+03 34 30.5		691	
1994 TR ₄	1994 10 02.37829	00 39 28.99	+03 25 56.2	18.5 V	691	1994 TZ ₄	1994 10 11.16227	00 40 16.38	+02 39 37.7	691	
1994 TR ₄	1994 10 02.40131	00 39 27.85	+03 25 41.8	691	1994 TZ ₄	1994 10 11.18538	00 40 15.29	+02 39 29.4	20.8 V	691	
1994 TR ₄	1994 10 11.23644	00 32 42.40	+01 55 56.6	691	1994 TZ ₄	1994 10 11.20851	00 40 14.14	+02 39 21.4		691	
1994 TR ₄	1994 10 11.25999	00 32 41.31	+01 55 42.8	18.8 V	691	1994 TA ₅	* 1994 10 02.36091	00 47 35.40	+03 35 53.5	691	
1994 TR ₄	1994 10 11.28322	00 32 40.22	+01 55 29.1	691	1994 TA ₅	1994 10 02.38389	00 47 34.17	+03 35 44.3	17.6 V	691	
1994 TS ₄	* 1994 10 02.35534	00 39 32.78	+03 36 47.8	20.2 V	691	1994 TA ₅	1994 10 02.40691	00 47 32.98	+03 35 35.1	691	
1994 TS ₄	1994 10 02.37832	00 39 31.68	+03 36 41.8	691	1994 TA ₅	1994 10 11.16223	00 40 12.81	+02 38 29.6		691	
1994 TS ₄	1994 10 02.40134	00 39 30.59	+03 36 35.7	691	1994 TA ₅	1994 10 11.18534	00 40 11.62	+02 38 20.6	18.1 V	691	
1994 TS ₄	1994 10 11.38039	00 32 45.24	+02 58 10.0	20.3 V	691	1994 TA ₅	1994 10 11.20847	00 40 10.43	+02 38 12.0	691	
1994 TS ₄	1994 10 11.40006	00 32 44.38	+02 58 05.0	691	1994 TB ₅	* 1994 10 02.36168	00 48 41.64	+03 20 15.8		691	
1994 TS ₄	1994 10 11.41962	00 32 43.50	+02 58 00.1	691	1994 TB ₅	1994 10 02.38465	00 48 40.56	+03 20 08.6		691	
1994 TT ₄	* 1994 10 02.35950	00 45 32.50	+03 21 09.5	19.7 V	691	1994 TB ₅	1994 10 02.40768	00 48 39.40	+03 19 59.8	19.3 V	691
1994 TT ₄	1994 10 02.38247	00 45 31.21	+03 21 03.7	691	1994 TB ₅	1994 10 06.14607	00 45 44.08	+02 58 34.5		691	
1994 TT ₄	1994 10 02.40549	00 45 30.01	+03 20 58.0	691	1994 TB ₅	1994 10 06.16932	00 45 42.91	+02 58 26.2		691	
1994 TT ₄	1994 10 11.16053	00 37 45.51	+02 44 47.4	691	1994 TB ₅	1994 10 06.19874	00 45 41.48	+02 58 16.7	19.3 V	691	
1994 TT ₄	1994 10 11.18364	00 37 44.29	+02 44 41.4	691	1994 TC ₅	* 1994 10 02.36186	00 48 57.46	+03 35 30.2	18.7 V	691	
1994 TT ₄	1994 10 11.20677	00 37 43.07	+02 44 36.8	19.8 V	691	1994 TC ₅	1994 10 02.38483	00 48 56.14	+03 35 19.5	691	
1994 TU ₄	* 1994 10 02.35970	00 45 50.49	+03 48 31.4	691	1994 TC ₅	1994 10 02.40786	00 48 54.82	+03 35 08.5		691	
1994 TU ₄	1994 10 02.38268	00 45 49.40	+03 48 17.5	20.4 V	691	1994 TC ₅	1994 10 06.14587	00 45 26.92	+03 05 43.4	18.7 V	691
1994 TU ₄	1994 10 02.40571	00 45 48.45	+03 48 03.8	691	1994 TC ₅	1994 10 06.16912	00 45 25.56	+03 05 32.7		691	
1994 TU ₄	1994 10 11.16196	00 39 49.31	+02 24 16.7	691	1994 TC ₅	1994 10 06.19854	00 45 23.87	+03 05 18.9		691	
1994 TU ₄	1994 10 11.18507	00 39 48.32	+02 24 03.7	20.5 V	691	1994 TC ₅	1994 10 11.16265	00 40 49.16	+02 26 51.8	691	
1994 TU ₄	1994 10 11.20820	00 39 47.33	+02 23 51.1	691	1994 TC ₅	1994 10 11.18575	00 40 47.83	+02 26 40.9	18.7 V	691	
1994 TV ₄	* 1994 10 02.35983	00 46 01.62	+03 30 34.5	20.6 V	691	1994 TC ₅	1994 10 11.20889	00 40 46.51	+02 26 30.4	691	
1994 TV ₄	1994 10 02.38280	00 46 00.49	+03 30 26.8	691	1994 TD ₅	* 1994 10 02.36189	00 48 59.98	+03 28 34.2	19.3 V	691	
1994 TV ₄	1994 10 02.40583	00 45 59.42	+03 30 19.2	691	1994 TD ₅	1994 10 02.38486	00 48 58.73	+03 28 24.0		691	
1994 TV ₄	1994 10 11.16150	00 39 09.76	+02 42 40.5	20.7 V	691	1994 TD ₅	1994 10 02.40789	00 48 57.50	+03 28 13.4	691	
1994 TV ₄	1994 10 11.18461	00 39 08.59	+02 42 33.1	691	1994 TD ₅	1994 10 06.14607	00 45 44.05	+03 00 21.9		691	
1994 TW ₄	* 1994 10 02.35984	00 46 02.51	+03 27 28.5	18.0 V	691	1994 TD ₅	1994 10 06.16931	00 45 42.75	+03 00 13.7	691	
1994 TW ₄	1994 10 02.38282	00 46 01.47	+03 27 20.5	691	1994 TD ₅	1994 10 06.19874	00 45 41.18	+02 59 58.6	19.4 V	691	
1994 TW ₄	1994 10 02.40585	00 46 00.50	+03 27 12.5	691	1994 TD ₅	1994 10 11.16307	00 41 25.91	+02 23 40.4		691	
1994 TW ₄	1994 10 06.14443	00 43 21.93	+03 05 23.1	18.2 V	691	1994 TD ₅	1994 10 11.18618	00 41 24.70	+02 23 30.4	19.4 V	691
1994 TW ₄	1994 10 06.16768	00 43 20.91	+03 05 15.2	691	1994 TD ₅	1994 10 11.20931	00 41 23.47	+02 23 20.6		691	
1994 TW ₄	1994 10 06.19710	00 43 19.65	+03 05 04.5	691	1994 TE ₅	* 1994 10 02.36207	00 49 15.32	+03 43 32.5		691	
1994 TX ₄	* 1994 10 02.35991	00 46 08.52	+03 23 44.4	20.4 V	691	1994 TE ₅	1994 10 02.38504	00 49 14.27	+03 43 23.5	20.2 V	691
1994 TX ₄	1994 10 02.38288	00 46 07.17	+03 23 38.9	691	1994 TE ₅	1994 10 02.40807	00 49 13.25	+03 43 14.3		691	
1994 TX ₄	1994 10 02.40591	00 46 05.96	+03 23 33.0	691	1994 TE ₅	1994 10 11.16407	00 42 52.70	+02 46 47.0		691	
1994 TX ₄	1994 10 06.14400	00 42 45.11	+03 08 14.3	20.5 V	691	1994 TE ₅	1994 10 11.18718	00 42 51.67	+02 46 37.9	20.5 V	691
1994 TX ₄	1994 10 06.16725	00 42 43.84	+03 08 08.7	691	1994 TE ₅	1994 10 11.21032	00 42 50.62	+02 46 29.4		691	
1994 TX ₄	1994 10 06.19667	00 42 42.21	+03 08 02.0	691	1994 TF ₅	* 1994 10 02.36265	00 50 05.60	+03 38 44.1		691	
1994 TX ₄	1994 10 11.16090	00 38 17.38	+02 48 07.0	20.4 V	691	1994 TF ₅	1994 10 02.38562	00 50 04.43	+03 38 31.4	691	
1994 TX ₄	1994 10 11.18400	00 38 16.14	+02 48 01.9	691	1994 TF ₅	1994 10 02.40865	00 50 03.29	+03 38 18.8	18.3 V	691	
1994 TX ₄	1994 10 11.20714	00 38 14.90	+02 47 56.3	691	1994 TF ₅	1994 10 06.14700	00 47 04.31	+03 04 18.0	18.6 V	691	
1994 TY ₄	* 1994 10 02.36034	00 46 45.25	+03 40 06.1	19.7 V	691	1994 TF ₅	1994 10 06.17024	00 47 03.08	+03 04 05.3	691	
1994 TY ₄	1994 10 02.38331	00 46 44.14	+03 39 56.8	691	1994 TF ₅	1994 10 06.19966	00 47 01.59	+03 03 49.7		691	
1994 TY ₄	1994 10 02.40634	00 46 43.02	+03 39 46.6	691	1994 TF ₅	1994 10 11.16418	00 43 01.67	+02 18 53.8	19.0 V	691	

1994 TF ₅	1994 10 11.18729	00 43 00.48	+02 18 41.4	691	1994 TO ₅	1994 10 11.28421	00 34 06.16	+01 49 58.1	691
1994 TF ₅	1994 10 11.21042	00 42 59.29	+02 18 29.0	691	1994 TO ₅	1994 10 12.19158	00 33 26.42	+01 47 09.2	18.9 V 691
1994 TF ₅	1994 10 11.24354	00 42 57.58	+02 18 11.2	691	1994 TO ₅	1994 10 12.21505	00 33 25.39	+01 47 04.1	691
1994 TF ₅	1994 10 11.26709	00 42 56.38	+02 17 58.2	691	1994 TO ₅	1994 10 12.23823	00 33 24.43	+01 47 00.4	691
1994 TF ₅	1994 10 11.29032	00 42 55.22	+02 17 45.6	19.0 V 691	1994 TP ₅	* 1994 10 04.26655	00 40 09.03	+01 48 44.5	18.7 V 691
1994 TG ₅	* 1994 10 02.36404	00 52 06.05	+03 26 44.6	691	1994 TP ₅	1994 10 04.28957	00 40 07.77	+01 48 35.3	691
1994 TG ₅	1994 10 02.38701	00 52 04.79	+03 26 34.5	18.5 V 691	1994 TP ₅	1994 10 04.31428	00 40 06.38	+01 48 25.9	691
1994 TG ₅	1994 10 02.41004	00 52 03.54	+03 26 25.1	691	1994 TP ₅	1994 10 06.22813	00 38 25.12	+01 35 55.3	691
1994 TG ₅	1994 10 11.16506	00 44 18.40	+02 24 38.5	691	1994 TP ₅	1994 10 06.25140	00 38 23.85	+01 35 46.6	691
1994 TG ₅	1994 10 11.18817	00 44 17.11	+02 24 28.6	18.5 V 691	1994 TP ₅	1994 10 06.27859	00 38 22.37	+01 35 35.3	18.8 V 691
1994 TG ₅	1994 10 11.21130	00 44 15.80	+02 24 19.1	691	1994 TP ₅	1994 10 12.31969	00 33 09.03	+00 57 30.4	691
1994 TH ₅	* 1994 10 04.25989	00 30 32.55	+01 58 36.6	20.2 V 691	1994 TP ₅	1994 10 12.34269	00 33 07.84	+00 57 23.1	691
1994 TH ₅	1994 10 04.28291	00 30 31.24	+01 58 24.4	691	1994 TP ₅	1994 10 12.36568	00 33 06.65	+00 57 13.7	18.8 V 691
1994 TH ₅	1994 10 04.30763	00 30 29.85	+01 58 10.8	691	1994 TQ ₅	* 1994 10 04.26835	00 42 44.87	+02 05 56.4	691
1994 TH ₅	1994 10 06.22146	00 28 47.38	+01 41 02.0	691	1994 TQ ₅	1994 10 04.29136	00 42 43.45	+02 05 53.5	691
1994 TH ₅	1994 10 06.24473	00 28 46.08	+01 40 50.4	691	1994 TQ ₅	1994 10 04.31608	00 42 41.94	+02 05 50.9	20.8 V 691
1994 TH ₅	1994 10 06.27192	00 28 44.55	+01 40 35.9	20.1 V 691	1994 TQ ₅	1994 10 11.23872	00 36 00.05	+01 52 11.2	691
1994 TJ ₅	* 1994 10 04.26249	00 34 17.94	+02 13 21.8	691	1994 TQ ₅	1994 10 11.26226	00 35 58.63	+01 52 09.2	21.4 V 691
1994 TJ ₅	1994 10 04.28552	00 34 16.96	+02 13 10.7	691	1994 TQ ₅	1994 10 11.28550	00 35 57.30	+01 52 07.1	691
1994 TJ ₅	1994 10 04.31024	00 34 15.93	+02 12 57.9	20.6 V 691	1994 TR ₅	* 1994 10 04.26845	00 42 54.25	+02 16 34.0	691
1994 TJ ₅	1994 10 12.31686	00 29 04.14	+01 05 23.4	691	1994 TR ₅	1994 10 04.29147	00 42 52.88	+02 16 29.1	691
1994 TJ ₅	1994 10 12.33987	00 29 03.27	+01 05 12.4	20.7 V 691	1994 TR ₅	1994 10 04.31619	00 42 51.38	+02 16 24.2	17.2 V 691
1994 TJ ₅	1994 10 12.36286	00 29 02.33	+01 05 00.9	691	1994 TR ₅	1994 10 11.23907	00 36 30.43	+01 54 36.8	691
1994 TK ₅	* 1994 10 04.26276	00 34 41.21	+02 12 50.0	691	1994 TR ₅	1994 10 11.26262	00 36 29.09	+01 54 32.8	691
1994 TK ₅	1994 10 04.28578	00 34 40.07	+02 12 41.3	691	1994 TR ₅	1994 10 11.28585	00 36 27.80	+01 54 28.8	17.6 V 691
1994 TK ₅	1994 10 04.31050	00 34 38.94	+02 12 30.3	20.2 V 691	1994 TS ₅	* 1994 10 04.26886	00 43 29.01	+02 10 54.4	19.7 V 691
1994 TK ₅	1994 10 12.31669	00 28 48.69	+01 15 42.3	691	1994 TS ₅	1994 10 04.29188	00 43 27.81	+02 10 48.4	691
1994 TK ₅	1994 10 12.33969	00 28 47.69	+01 15 32.6	691	1994 TS ₅	1994 10 04.31659	00 43 26.49	+02 10 42.9	691
1994 TK ₅	1994 10 12.36267	00 28 46.69	+01 15 23.4	20.8 V 691	1994 TS ₅	1994 10 12.19388	00 36 45.81	+01 38 45.1	691
1994 TL ₅	* 1994 10 04.26323	00 35 21.54	+01 51 02.5	16.2 V 691	1994 TS ₅	1994 10 12.21735	00 36 44.66	+01 38 39.1	20.2 V 691
1994 TL ₅	1994 10 04.28625	00 35 20.33	+01 50 50.3	691	1994 TS ₅	1994 10 12.24052	00 36 43.47	+01 38 34.0	691
1994 TL ₅	1994 10 04.31096	00 35 19.01	+01 50 37.3	691	1994 TT ₅	* 1994 10 04.26891	00 43 34.08	+02 13 20.3	20.5 V 691
1994 TL ₅	1994 10 06.22490	00 33 44.81	+01 33 39.8	16.2 V 691	1994 TT ₅	1994 10 04.29193	00 43 32.87	+02 13 17.3	691
1994 TL ₅	1994 10 06.24816	00 33 43.58	+01 33 27.5	691	1994 TT ₅	1994 10 04.31665	00 43 31.56	+02 13 14.9	691
1994 TL ₅	1994 10 06.27536	00 33 42.16	+01 33 13.1	691	1994 TT ₅	1994 10 11.23989	00 37 41.42	+01 59 48.7	20.5 V 691
1994 TM ₅	* 1994 10 04.26379	00 36 10.21	+02 06 44.0	20.3 V 691	1994 TT ₅	1994 10 11.28667	00 37 39.02	+01 59 44.6	691
1994 TM ₅	1994 10 04.28681	00 36 09.30	+02 06 30.3	691	1994 TU ₅	* 1994 10 04.26896	00 43 37.72	+02 09 40.8	20.1 V 691
1994 TM ₅	1994 10 04.31153	00 36 08.23	+02 06 15.4	691	1994 TU ₅	1994 10 04.31669	00 43 35.42	+02 09 27.9	691
1994 TM ₅	1994 10 06.22569	00 34 53.53	+01 47 21.2	691	1994 TU ₅	1994 10 12.19434	00 37 26.22	+01 35 25.4	691
1994 TM ₅	1994 10 06.24896	00 34 52.60	+01 47 07.0	20.4 V 691	1994 TU ₅	1994 10 12.21782	00 37 25.09	+01 35 19.6	20.0 V 691
1994 TM ₅	1994 10 06.27616	00 34 51.45	+01 46 52.4	691	1994 TU ₅	1994 10 12.24099	00 37 24.02	+01 35 13.9	691
1994 TN ₅	* 1994 10 04.26488	00 37 44.81	+01 54 13.2	19.3 V 691	1994 TV ₅	* 1994 10 04.26939	00 44 15.58	+02 10 15.6	20.3 V 691
1994 TN ₅	1994 10 04.28790	00 37 43.79	+01 54 04.9	691	1994 TV ₅	1994 10 04.29241	00 44 14.33	+02 10 03.2	691
1994 TN ₅	1994 10 04.31262	00 37 42.50	+01 53 56.0	691	1994 TV ₅	1994 10 04.31713	00 44 12.90	+02 09 50.1	691
1994 TN ₅	1994 10 12.31860	00 31 34.67	+01 05 39.5	19.6 V 691	1994 TV ₅	1994 10 12.32258	00 37 18.90	+01 03 34.5	20.3 V 691
1994 TN ₅	1994 10 12.34160	00 31 33.63	+01 05 31.3	691	1994 TV ₅	1994 10 12.34558	00 37 17.70	+01 03 23.8	691
1994 TN ₅	1994 10 12.36459	00 31 32.56	+01 05 23.4	691	1994 TV ₅	1994 10 12.36856	00 37 16.52	+01 03 12.6	691
1994 TO ₅	* 1994 10 04.26600	00 39 22.07	+02 13 06.0	18.7 V 691	1994 TW ₅	* 1994 10 04.27061	00 46 00.93	+02 18 45.8	18.7 V 691
1994 TO ₅	1994 10 04.28903	00 39 21.02	+02 13 01.3	691	1994 TW ₅	1994 10 04.29363	00 45 59.95	+02 18 37.5	691
1994 TO ₅	1994 10 04.31374	00 39 19.88	+02 12 56.2	691	1994 TW ₅	1994 10 04.31835	00 45 58.90	+02 18 29.3	691
1994 TO ₅	1994 10 11.23743	00 34 08.33	+01 50 08.1	18.8 V 691	1994 TW ₅	1994 10 04.34264	00 45 57.83	+02 18 21.3	19.2 V 691
1994 TO ₅	1994 10 11.26098	00 34 07.25	+01 50 03.8	691	1994 TW ₅	1994 10 04.36596	00 45 56.81	+02 18 12.8	691

1994 TW ₅	1994 10 12.19646	00 40 29.33	+01 33 22.2	19.1 V	691	1994 TG ₆	1994 10 11.23444	00 29 49.28	+02 09 50.8		691
1994 TW ₅	1994 10 12.21993	00 40 28.32	+01 33 14.2		691	1994 TG ₆	1994 10 11.25799	00 29 48.22	+02 09 44.4		691
1994 TW ₅	1994 10 12.24311	00 40 27.36	+01 33 06.6		691	1994 TG ₆	1994 10 11.28122	00 29 47.16	+02 09 38.5	20.4 V	691
1994 TX ₅	* 1994 10 04.27077	00 46 14.62	+02 05 15.0		691	1994 TH ₆	* 1994 10 04.33632	00 36 50.76	+02 41 38.3	19.9 V	691
1994 TX ₅	1994 10 04.29379	00 46 13.26	+02 05 05.3	18.8 V	691	1994 TH ₆	1994 10 04.35964	00 36 49.71	+02 41 31.4		691
1994 TX ₅	1994 10 04.31850	00 46 11.85	+02 04 55.6		691	1994 TH ₆	1994 10 11.23581	00 31 47.79	+02 12 13.4	20.3 V	691
1994 TX ₅	1994 10 13.29248	00 38 05.12	+01 07 09.8	19.1 V	691	1994 TH ₆	1994 10 11.25936	00 31 46.78	+02 12 08.3		691
1994 TX ₅	1994 10 13.30048	00 38 04.69	+01 07 06.7		691	1994 TH ₆	1994 10 11.28259	00 31 45.71	+02 12 02.5		691
1994 TX ₅	1994 10 13.30798	00 38 04.28	+01 07 04.1		691	1994 TJ ₆	* 1994 10 04.33695	00 37 45.19	+02 41 38.0	19.5 V	691
1994 TY ₅	* 1994 10 04.27129	00 46 59.98	+02 14 25.1		691	1994 TJ ₆	1994 10 04.36027	00 37 43.88	+02 41 28.3		691
1994 TY ₅	1994 10 04.29431	00 46 58.77	+02 14 16.2	19.6 V	691	1994 TJ ₆	1994 10 11.23569	00 31 37.53	+01 55 59.4	19.7 V	691
1994 TY ₅	1994 10 04.31903	00 46 57.46	+02 14 07.1		691	1994 TJ ₆	1994 10 11.25924	00 31 36.27	+01 55 50.6		691
1994 TY ₅	1994 10 12.19656	00 40 37.98	+01 27 32.4	20.1 V	691	1994 TJ ₆	1994 10 11.28247	00 31 35.02	+01 55 41.4		691
1994 TY ₅	1994 10 12.22003	00 40 36.83	+01 27 24.6		691	1994 TK ₆	* 1994 10 04.33766	00 38 46.88	+02 46 25.5	19.7 V	691
1994 TY ₅	1994 10 12.24320	00 40 35.67	+01 27 16.9		691	1994 TK ₆	1994 10 04.36098	00 38 45.69	+02 46 15.0		691
1994 TZ ₅	* 1994 10 04.32629	00 22 21.28	+02 37 10.7		691	1994 TK ₆	1994 10 11.23667	00 33 02.28	+01 53 40.8		691
1994 TZ ₅	1994 10 04.34961	00 22 20.33	+02 37 05.6	20.4 V	691	1994 TK ₆	1994 10 11.26022	00 33 01.08	+01 53 30.0	20.0 V	691
1994 TZ ₅	1994 10 11.22623	00 17 57.89	+02 14 04.8	20.5 V	691	1994 TK ₆	1994 10 11.28345	00 32 59.89	+01 53 19.8		691
1994 TZ ₅	1994 10 11.24978	00 17 57.01	+02 14 00.1		691	1994 TK ₆	1994 10 12.19077	00 32 16.21	+01 46 37.0		691
1994 TZ ₅	1994 10 11.27301	00 17 56.12	+02 13 55.7		691	1994 TK ₆	1994 10 12.21424	00 32 15.06	+01 46 27.3		691
1994 TA ₆	* 1994 10 04.32632	00 22 24.57	+02 39 52.4	18.0 V	691	1994 TK ₆	1994 10 12.23741	00 32 13.87	+01 46 16.2	20.1 V	691
1994 TA ₆	1994 10 04.34964	00 22 23.32	+02 39 45.5		691	1994 TL ₆	* 1994 10 04.33800	00 39 15.94	+02 45 58.1	19.9 V	691
1994 TA ₆	1994 10 11.22546	00 16 51.49	+02 08 41.5	18.3 V	691	1994 TL ₆	1994 10 04.36132	00 39 14.88	+02 45 48.7		691
1994 TA ₆	1994 10 11.24901	00 16 50.38	+02 08 35.7		691	1994 TL ₆	1994 10 11.23761	00 34 23.91	+02 00 47.9	20.1 V	691
1994 TA ₆	1994 10 11.27224	00 16 49.26	+02 08 29.5		691	1994 TL ₆	1994 10 11.26116	00 34 22.89	+02 00 39.1		691
1994 TB ₆	* 1994 10 04.32664	00 22 52.14	+02 42 28.3	19.8 V	691	1994 TL ₆	1994 10 11.28439	00 34 21.90	+02 00 29.9		691
1994 TB ₆	1994 10 04.34996	00 22 51.12	+02 42 18.2		691	1994 TM ₆	* 1994 10 04.33880	00 40 24.94	+02 42 18.9	20.2 V	691
1994 TB ₆	1994 10 11.22634	00 18 07.82	+01 54 13.7		691	1994 TM ₆	1994 10 04.36211	00 40 23.68	+02 42 13.1		691
1994 TB ₆	1994 10 11.24989	00 18 06.83	+01 54 04.4	19.8 V	691	1994 TM ₆	1994 10 11.23765	00 34 27.50	+02 15 41.1	20.3 V	691
1994 TB ₆	1994 10 11.27313	00 18 05.84	+01 53 54.4		691	1994 TM ₆	1994 10 11.26120	00 34 26.27	+02 15 36.1		691
1994 TC ₆	* 1994 10 04.33004	00 27 46.53	+02 33 18.4	19.6 V	691	1994 TM ₆	1994 10 11.28443	00 34 25.08	+02 15 31.5		691
1994 TC ₆	1994 10 04.35336	00 27 45.37	+02 33 07.8		691	1994 TN ₆	* 1994 10 04.34007	00 42 15.09	+02 44 35.8	18.7 V	691
1994 TC ₆	1994 10 12.18393	00 22 20.20	+01 34 45.4		691	1994 TN ₆	1994 10 04.36338	00 42 13.64	+02 44 29.2		691
1994 TC ₆	1994 10 12.20742	00 22 19.23	+01 34 36.1	20.2 V	691	1994 TN ₆	1994 10 11.23833	00 35 26.23	+02 13 04.0	18.9 V	691
1994 TC ₆	1994 10 12.23059	00 22 18.26	+01 34 26.5		691	1994 TN ₆	1994 10 11.26187	00 35 24.85	+02 12 57.8		691
1994 TD ₆	* 1994 10 04.33102	00 29 11.29	+02 44 23.7	18.0 V	691	1994 TN ₆	1994 10 11.28510	00 35 23.44	+02 12 51.5		691
1994 TD ₆	1994 10 04.35434	00 29 10.06	+02 44 20.7		691	1994 TO ₆	* 1994 10 04.34015	00 42 22.44	+02 20 50.5	19.8 V	691
1994 TD ₆	1994 10 11.15068	00 23 32.10	+02 30 43.6	18.3 V	691	1994 TO ₆	1994 10 04.36347	00 42 21.03	+02 20 47.5		691
1994 TD ₆	1994 10 11.17378	00 23 30.95	+02 30 41.3		691	1994 TO ₆	1994 10 11.23849	00 35 40.27	+02 07 42.4		691
1994 TD ₆	1994 10 11.19692	00 23 29.80	+02 30 38.5		691	1994 TO ₆	1994 10 11.26204	00 35 38.86	+02 07 40.1		691
1994 TE ₆	* 1994 10 04.33445	00 34 08.20	+02 41 20.9	20.4 V	691	1994 TO ₆	1994 10 11.28527	00 35 37.52	+02 07 37.6	19.9 V	691
1994 TE ₆	1994 10 04.35776	00 34 06.92	+02 41 08.2		691	1994 TP ₆	* 1994 10 04.34016	00 42 23.31	+02 40 11.7	20.2 V	691
1994 TE ₆	1994 10 12.18742	00 27 26.01	+01 34 02.2	20.6 V	691	1994 TP ₆	1994 10 04.36348	00 42 21.90	+02 40 01.8		691
1994 TE ₆	1994 10 12.21089	00 27 24.81	+01 33 50.6		691	1994 TP ₆	1994 10 11.23863	00 35 52.09	+01 54 15.5	20.9 V	691
1994 TE ₆	1994 10 12.23406	00 27 23.66	+01 33 39.1		691	1994 TP ₆	1994 10 11.26217	00 35 50.71	+01 54 06.9		691
1994 TF ₆	* 1994 10 04.33448	00 34 10.85	+02 42 07.7	20.3 V	691	1994 TP ₆	1994 10 11.28540	00 35 49.43	+01 53 58.2		691
1994 TF ₆	1994 10 04.35779	00 34 09.50	+02 41 59.1		691	1994 TQ ₆	* 1994 10 04.34017	00 42 24.04	+02 23 47.8	19.2 V	691
1994 TF ₆	1994 10 11.23309	00 27 52.70	+01 58 46.4		691	1994 TQ ₆	1994 10 04.36349	00 42 22.64	+02 23 43.0		691
1994 TF ₆	1994 10 11.25664	00 27 51.38	+01 58 37.5	20.4 V	691	1994 TQ ₆	1994 10 11.23853	00 35 43.97	+02 00 39.8		691
1994 TF ₆	1994 10 11.27987	00 27 50.11	+01 58 29.3		691	1994 TQ ₆	1994 10 11.26208	00 35 42.57	+02 00 35.4		691
1994 TG ₆	* 1994 10 04.33506	00 35 01.51	+02 40 40.4	20.0 V	691	1994 TQ ₆	1994 10 11.28531	00 35 41.17	+02 00 31.1	19.3 V	691
1994 TG ₆	1994 10 04.35838	00 35 00.39	+02 40 33.5		691	1994 TR ₆	* 1994 10 04.34047	00 42 50.25	+02 20 03.8	18.0 V	691

1994 TR ₆	1994 10 04.36379	00 42 49.07	+02 19 53.5		691	1994 TA ₇	1994 10 12.19660	00 40 41.59	+01 40 13.9	17.4 V	691
1994 TR ₆	1994 10 12.19398	00 36 54.84	+01 24 22.6	18.1 V	691	1994 TA ₇	1994 10 12.22007	00 40 40.47	+01 40 06.4		691
1994 TR ₆	1994 10 12.21746	00 36 53.78	+01 24 13.4		691	1994 TA ₇	1994 10 12.24325	00 40 39.39	+01 39 59.1		691
1994 TR ₆	1994 10 12.24063	00 36 52.75	+01 24 04.2		691	1994 TB ₇	* 1994 10 04.34331	00 46 56.29	+02 30 55.4	20.7 V	691
1994 TR ₆	1994 10 13.29113	00 36 07.90	+01 17 09.4	18.1 V	691	1994 TB ₇	1994 10 04.36663	00 46 55.30	+02 30 43.0		691
1994 TR ₆	1994 10 13.29913	00 36 07.55	+01 17 06.0		691	1994 TB ₇	1994 10 12.19741	00 41 51.88	+01 24 16.3	20.1 V	691
1994 TR ₆	1994 10 13.30663	00 36 07.20	+01 17 03.2		691	1994 TB ₇	1994 10 12.22089	00 41 50.83	+01 24 04.6		691
1994 TS ₆	* 1994 10 04.34063	00 43 03.63	+02 27 09.7		691	1994 TB ₇	1994 10 12.24406	00 41 50.03	+01 23 52.9		691
1994 TS ₆	1994 10 04.36395	00 43 02.32	+02 27 01.9	20.6 V	691	1994 TC ₇	* 1994 10 04.34343	00 47 06.35	+02 48 01.8	21.2 V	691
1994 TS ₆	1994 10 11.23940	00 36 59.12	+01 49 15.7		691	1994 TC ₇	1994 10 04.36675	00 47 04.95	+02 48 00.1		691
1994 TS ₆	1994 10 11.26295	00 36 57.83	+01 49 08.5	20.6 V	691	1994 TC ₇	1994 10 11.16237	00 40 24.69	+02 38 31.3	20.7 V	691
1994 TS ₆	1994 10 11.28618	00 36 56.60	+01 49 01.1		691	1994 TC ₇	1994 10 11.18547	00 40 23.32	+02 38 29.0		691
1994 TS ₆	1994 10 12.19346	00 36 09.64	+01 44 11.2		691	1994 TC ₇	1994 10 11.20860	00 40 21.90	+02 38 27.9		691
1994 TS ₆	1994 10 12.21693	00 36 08.43	+01 44 02.4	20.7 V	691	1994 TD ₇	* 1994 10 04.34351	00 47 13.48	+02 43 39.9	19.6 V	691
1994 TS ₆	1994 10 12.24011	00 36 07.18	+01 43 55.3		691	1994 TD ₇	1994 10 04.36683	00 47 11.86	+02 43 37.2		691
1994 TT ₆	* 1994 10 04.34079	00 43 17.87	+02 25 53.1	20.7 V	691	1994 TD ₇	1994 10 11.16199	00 39 52.15	+02 32 14.3		691
1994 TT ₆	1994 10 04.36411	00 43 16.88	+02 25 43.2		691	1994 TD ₇	1994 10 11.18509	00 39 50.62	+02 32 12.2	19.8 V	691
1994 TT ₆	1994 10 12.19477	00 38 02.95	+01 31 01.3		691	1994 TD ₇	1994 10 11.20822	00 39 49.08	+02 32 10.2		691
1994 TT ₆	1994 10 12.21824	00 38 02.01	+01 30 51.8		691	1994 TE ₇	* 1994 10 06.12763	00 19 06.90	+03 09 28.7		691
1994 TT ₆	1994 10 12.24142	00 38 01.09	+01 30 41.8	20.9 V	691	1994 TE ₇	1994 10 06.15088	00 19 05.65	+03 09 24.6		691
1994 TU ₆	* 1994 10 04.34091	00 43 27.80	+02 38 53.1		691	1994 TE ₇	1994 10 06.18030	00 19 04.04	+03 09 19.2	18.8 V	691
1994 TU ₆	1994 10 04.36423	00 43 26.65	+02 38 46.8	19.3 V	691	1994 TE ₇	1994 10 11.36782	00 14 36.46	+02 53 57.1	18.9 V	691
1994 TU ₆	1994 10 11.24025	00 38 12.48	+02 09 26.2	19.4 V	691	1994 TE ₇	1994 10 11.38749	00 14 35.48	+02 53 53.9		691
1994 TU ₆	1994 10 11.26380	00 38 11.37	+02 09 20.2		691	1994 TE ₇	1994 10 11.40705	00 14 34.49	+02 53 50.7		691
1994 TU ₆	1994 10 11.28703	00 38 10.28	+02 09 14.6		691	1994 TF ₇	* 1994 10 06.12807	00 19 44.93	+03 12 51.1	19.9 V	691
1994 TV ₆	* 1994 10 04.34148	00 44 17.73	+02 35 12.6	19.2 V	691	1994 TF ₇	1994 10 06.15132	00 19 43.65	+03 12 48.6		691
1994 TV ₆	1994 10 04.36480	00 44 16.16	+02 35 12.5		691	1994 TF ₇	1994 10 06.18074	00 19 42.13	+03 12 43.7		691
1994 TV ₆	1994 10 11.16017	00 37 14.92	+02 36 35.8		691	1994 TF ₇	1994 10 11.36830	00 15 18.22	+03 00 27.4		691
1994 TV ₆	1994 10 11.18328	00 37 13.41	+02 36 36.5	19.5 V	691	1994 TF ₇	1994 10 11.38797	00 15 17.24	+03 00 24.8	20.0 V	691
1994 TV ₆	1994 10 11.20641	00 37 12.00	+02 36 36.9		691	1994 TF ₇	1994 10 11.40753	00 15 16.27	+03 00 22.4		691
1994 TW ₆	* 1994 10 04.34157	00 44 25.03	+02 42 58.2	21.0 V	691	1994 TG ₇	* 1994 10 06.12906	00 21 10.26	+03 15 42.4		691
1994 TW ₆	1994 10 04.36489	00 44 23.91	+02 42 52.5		691	1994 TG ₇	1994 10 06.15230	00 21 09.16	+03 15 35.5	20.6 V	691
1994 TW ₆	1994 10 11.24081	00 39 00.84	+02 13 32.3		691	1994 TG ₇	1994 10 06.18173	00 21 07.77	+03 15 26.5		691
1994 TW ₆	1994 10 11.26435	00 38 59.60	+02 13 27.2		691	1994 TG ₇	1994 10 11.36968	00 17 18.02	+02 49 03.8	20.5 V	691
1994 TW ₆	1994 10 11.28759	00 38 58.53	+02 13 21.9	20.8 V	691	1994 TG ₇	1994 10 11.38935	00 17 17.13	+02 48 58.6		691
1994 TX ₆	* 1994 10 04.34226	00 45 25.40	+02 26 37.9	20.4 V	691	1994 TG ₇	1994 10 11.40892	00 17 16.30	+02 48 52.4		691
1994 TX ₆	1994 10 04.36558	00 45 24.16	+02 26 30.5		691	1994 TH ₇	* 1994 10 06.12950	00 21 48.62	+03 18 05.6		691
1994 TX ₆	1994 10 11.24112	00 39 28.41	+01 50 59.0	20.5 V	691	1994 TH ₇	1994 10 06.15274	00 21 47.08	+03 18 02.9		691
1994 TX ₆	1994 10 11.26467	00 39 27.16	+01 50 51.7		691	1994 TH ₇	1994 10 06.18216	00 21 45.15	+03 17 57.4	18.8 V	691
1994 TX ₆	1994 10 11.28790	00 39 25.91	+01 50 45.5		691	1994 TH ₇	1994 10 11.36905	00 16 22.92	+03 03 53.4	19.4 V	691
1994 TY ₆	* 1994 10 04.34251	00 45 46.61	+02 46 27.1	19.4 V	691	1994 TH ₇	1994 10 11.38871	00 16 21.71	+03 03 50.5		691
1994 TY ₆	1994 10 04.36583	00 45 45.34	+02 46 19.4		691	1994 TH ₇	1994 10 11.40827	00 16 20.51	+03 03 47.7		691
1994 TY ₆	1994 10 11.24142	00 39 53.77	+02 03 50.8	19.4 V	691	1994 TJ ₇	* 1994 10 06.13021	00 22 49.73	+02 54 11.6		691
1994 TY ₆	1994 10 11.26497	00 39 52.57	+02 03 42.4		691	1994 TJ ₇	1994 10 06.15345	00 22 48.54	+02 54 01.9	20.0 V	691
1994 TY ₆	1994 10 11.28820	00 39 51.31	+02 03 34.5		691	1994 TJ ₇	1994 10 06.18287	00 22 46.98	+02 53 48.1		691
1994 TZ ₆	* 1994 10 04.34258	00 45 52.77	+02 29 37.7	18.5 V	691	1994 TJ ₇	1994 10 11.14731	00 18 40.45	+02 17 34.5		691
1994 TZ ₆	1994 10 04.36590	00 45 51.48	+02 29 26.6		691	1994 TJ ₇	1994 10 11.17042	00 18 39.28	+02 17 25.0		691
1994 TZ ₆	1994 10 13.29249	00 38 06.12	+01 20 35.5		691	1994 TJ ₇	1994 10 11.19355	00 18 38.08	+02 17 15.2	19.9 V	691
1994 TZ ₆	1994 10 13.30050	00 38 05.71	+01 20 32.0		691	1994 TJ ₇	1994 10 11.22667	00 18 36.36	+02 16 59.4		691
1994 TZ ₆	1994 10 13.30799	00 38 05.30	+01 20 28.1	18.8 V	691	1994 TJ ₇	1994 10 11.25022	00 18 35.20	+02 16 49.6	20.0 V	691
1994 TA ₇	* 1994 10 04.34322	00 46 47.90	+02 24 12.4		691	1994 TJ ₇	1994 10 11.27345	00 18 34.04	+02 16 40.0		691
1994 TA ₇	1994 10 04.36654	00 46 46.79	+02 24 04.1	17.5 V	691	1994 TK ₇	* 1994 10 06.13046	00 23 11.53	+02 48 55.5		691

1994 TK ₇	1994 10 06.15370	00 23 10.25	+02 48 44.2	18.1 V	691	1994 TS ₇	1994 10 11.19711	00 23 46.33	+02 24 07.9	20.2 V	691
1994 TK ₇	1994 10 06.18312	00 23 08.64	+02 48 29.4		691	1994 TT ₇	* 1994 10 06.13412	00 28 28.99	+02 48 19.4		691
1994 TK ₇	1994 10 11.22681	00 18 48.55	+02 07 23.4	18.8 V	691	1994 TT ₇	1994 10 06.15736	00 28 27.62	+02 48 12.2	19.8 V	691
1994 TK ₇	1994 10 11.25036	00 18 47.34	+02 07 12.2		691	1994 TT ₇	1994 10 06.18678	00 28 25.86	+02 48 01.9		691
1994 TK ₇	1994 10 11.27359	00 18 46.15	+02 07 01.1		691	1994 TT ₇	1994 10 11.15083	00 23 45.38	+02 21 20.3		691
1994 TL ₇	* 1994 10 06.13084	00 23 44.33	+02 53 22.3	18.5 V	691	1994 TT ₇	1994 10 11.17394	00 23 44.04	+02 21 13.4		691
1994 TL ₇	1994 10 06.15408	00 23 42.98	+02 53 15.7		691	1994 TT ₇	1994 10 11.19707	00 23 42.72	+02 21 06.0	19.7 V	691
1994 TL ₇	1994 10 06.18350	00 23 41.27	+02 53 07.3		691	1994 TU ₇	* 1994 10 06.13631	00 31 38.64	+02 59 38.7	20.0 V	691
1994 TL ₇	1994 10 11.14766	00 19 10.71	+02 30 22.0	18.7 V	691	1994 TU ₇	1994 10 06.15955	00 31 37.12	+02 59 34.6		691
1994 TL ₇	1994 10 11.17077	00 19 09.39	+02 30 16.4		691	1994 TU ₇	1994 10 06.18897	00 31 35.27	+02 59 29.3		691
1994 TL ₇	1994 10 11.19390	00 19 08.09	+02 30 10.5		691	1994 TU ₇	1994 10 11.15274	00 26 30.95	+02 44 58.6		691
1994 TM ₇	* 1994 10 06.13154	00 24 45.60	+03 03 52.1		691	1994 TU ₇	1994 10 11.17585	00 26 29.56	+02 44 53.9	20.2 V	691
1994 TM ₇	1994 10 06.15479	00 24 44.60	+03 03 41.6	18.6 V	691	1994 TU ₇	1994 10 11.19898	00 26 28.18	+02 44 49.9		691
1994 TM ₇	1994 10 06.18421	00 24 43.21	+03 03 28.6		691	1994 TV ₇	* 1994 10 06.13953	00 36 17.81	+03 18 43.6		691
1994 TM ₇	1994 10 11.14895	00 21 02.84	+02 28 17.7	18.8 V	691	1994 TV ₇	1994 10 06.16278	00 36 16.55	+03 18 34.6		691
1994 TM ₇	1994 10 11.17206	00 21 01.81	+02 28 08.8		691	1994 TV ₇	1994 10 06.19220	00 36 14.86	+03 18 24.8	18.6 V	691
1994 TM ₇	1994 10 11.19520	00 21 00.74	+02 27 58.9		691	1994 TV ₇	1994 10 11.15642	00 31 49.86	+02 48 19.0		691
1994 TN ₇	* 1994 10 06.13175	00 25 03.22	+02 59 12.9		691	1994 TV ₇	1994 10 11.17953	00 31 48.63	+02 48 10.6		691
1994 TN ₇	1994 10 06.15499	00 25 02.13	+02 59 06.6	17.5 V	691	1994 TV ₇	1994 10 11.20266	00 31 47.39	+02 48 02.6	18.8 V	691
1994 TN ₇	1994 10 06.18442	00 25 00.72	+02 58 58.5		691	1994 TW ₇	* 1994 10 06.14150	00 39 07.96	+02 49 55.1		691
1994 TN ₇	1994 10 11.14918	00 21 22.37	+02 36 23.8		691	1994 TW ₇	1994 10 06.16474	00 39 06.38	+02 49 53.9		691
1994 TN ₇	1994 10 11.17229	00 21 21.33	+02 36 18.4	17.5 V	691	1994 TW ₇	1994 10 06.19415	00 39 04.39	+02 49 53.3	20.3 V	691
1994 TN ₇	1994 10 11.19542	00 21 20.27	+02 36 12.4		691	1994 TW ₇	1994 10 11.15766	00 33 37.10	+02 47 02.9	20.9 V	691
1994 TO ₇	* 1994 10 06.13226	00 25 47.43	+03 07 24.5	18.3 V	691	1994 TW ₇	1994 10 11.18077	00 33 35.60	+02 47 02.3		691
1994 TO ₇	1994 10 06.15550	00 25 46.27	+03 07 13.1		691	1994 TW ₇	1994 10 11.20389	00 33 34.01	+02 47 02.6		691
1994 TO ₇	1994 10 06.18492	00 25 44.76	+03 06 58.3		691	1994 TX ₇	* 1994 10 06.14211	00 40 01.10	+02 54 14.7		691
1994 TO ₇	1994 10 11.14947	00 21 47.25	+02 26 14.3	17.8 V	691	1994 TX ₇	1994 10 06.16536	00 39 59.95	+02 54 04.8	20.2 V	691
1994 TO ₇	1994 10 11.17258	00 21 46.16	+02 26 03.5		691	1994 TX ₇	1994 10 06.19478	00 39 58.57	+02 53 50.9		691
1994 TO ₇	1994 10 11.19571	00 21 45.02	+02 25 52.3		691	1994 TX ₇	1994 10 11.23879	00 36 06.36	+02 16 42.8		691
1994 TP ₇	* 1994 10 06.13233	00 25 53.79	+02 59 58.5		691	1994 TX ₇	1994 10 11.26234	00 36 05.24	+02 16 33.1	19.9 V	691
1994 TP ₇	1994 10 06.15557	00 25 52.51	+02 59 51.7		691	1994 TX ₇	1994 10 11.28557	00 36 04.17	+02 16 23.0		691
1994 TP ₇	1994 10 06.18499	00 25 50.89	+02 59 42.9	19.3 V	691	1994 TY ₇	* 1994 10 06.14250	00 40 35.20	+02 53 30.0	20.2 V	691
1994 TP ₇	1994 10 11.14935	00 21 37.54	+02 35 52.7		691	1994 TY ₇	1994 10 06.16575	00 40 33.99	+02 53 25.1		691
1994 TP ₇	1994 10 11.17246	00 21 36.35	+02 35 46.8		691	1994 TY ₇	1994 10 06.19517	00 40 32.39	+02 53 18.8		691
1994 TP ₇	1994 10 11.19559	00 21 35.15	+02 35 40.1	19.3 V	691	1994 TY ₇	1994 10 11.15965	00 36 29.89	+02 37 15.6		691
1994 TQ ₇	* 1994 10 06.13265	00 26 21.10	+03 10 21.0		691	1994 TY ₇	1994 10 11.18276	00 36 28.81	+02 37 10.5		691
1994 TQ ₇	1994 10 06.15589	00 26 20.12	+03 10 12.7		691	1994 TY ₇	1994 10 11.20590	00 36 27.64	+02 37 06.8	21.6 V	691
1994 TQ ₇	1994 10 06.18532	00 26 18.88	+03 10 02.3	19.3 V	691	1994 TZ ₇	* 1994 10 06.14311	00 41 27.86	+02 53 28.8	18.6 V	691
1994 TQ ₇	1994 10 11.15026	00 22 55.80	+02 41 48.8	18.9 V	691	1994 TZ ₇	1994 10 06.16636	00 41 26.71	+02 53 24.3		691
1994 TQ ₇	1994 10 11.17337	00 22 54.86	+02 41 41.5		691	1994 TZ ₇	1994 10 06.19578	00 41 25.27	+02 53 18.7		691
1994 TQ ₇	1994 10 11.19650	00 22 53.89	+02 41 33.4		691	1994 TZ ₇	1994 10 11.16033	00 37 28.25	+02 38 01.9		691
1994 TQ ₇	* 1994 10 06.13301	00 26 52.63	+03 08 21.3		691	1994 TZ ₇	1994 10 11.18344	00 37 27.15	+02 37 57.6	18.7 V	691
1994 TR ₇	1994 10 06.15625	00 26 51.52	+03 08 12.6		691	1994 TZ ₇	1994 10 11.20657	00 37 26.06	+02 37 53.4		691
1994 TR ₇	1994 10 06.18568	00 26 49.93	+03 08 02.4	19.5 V	691	1994 TA ₈	* 1994 10 06.14344	00 41 55.88	+02 55 00.3		691
1994 TR ₇	1994 10 11.15010	00 22 41.93	+02 39 30.5		691	1994 TA ₈	1994 10 06.16668	00 41 54.68	+02 54 46.9	17.1 V	691
1994 TR ₇	1994 10 11.17321	00 22 40.76	+02 39 22.8	19.7 V	691	1994 TA ₈	1994 10 06.19610	00 41 53.20	+02 54 29.7		691
1994 TR ₇	1994 10 11.19634	00 22 39.59	+02 39 15.2		691	1994 TA ₈	1994 10 11.23994	00 37 46.02	+02 05 59.9	17.2 V	691
1994 TS ₇	* 1994 10 06.13347	00 27 32.86	+03 06 58.2		691	1994 TA ₈	1994 10 11.26349	00 37 44.83	+02 05 46.3		691
1994 TS ₇	1994 10 06.15672	00 27 31.71	+03 06 45.7	20.1 V	691	1994 TA ₈	1994 10 11.28672	00 37 43.68	+02 05 33.4		691
1994 TS ₇	1994 10 06.18614	00 27 30.27	+03 06 30.4		691	1994 TB ₈	* 1994 10 06.14470	00 43 45.32	+02 53 00.5	18.7 V	691
1994 TS ₇	1994 10 11.15086	00 23 48.40	+02 24 30.4		691	1994 TB ₈	1994 10 06.16794	00 43 44.04	+02 52 58.9		691
1994 TS ₇	1994 10 11.17397	00 23 47.38	+02 24 19.8		691	1994 TB ₈	1994 10 06.19736	00 43 42.44	+02 52 56.4		691

1994 TB ₈	1994 10 11.16165	00 39 22.70	+02 46 46.2		691	1994 TL ₈	1994 10 06.25591	00 44 54.93	+01 49 08.9	18.2 V	691
1994 TB ₈	1994 10 11.18476	00 39 21.46	+02 46 44.3	18.9 V	691	1994 TL ₈	1994 10 06.28310	00 44 53.05	+01 49 11.2		691
1994 TB ₈	1994 10 11.20789	00 39 20.22	+02 46 42.7		691	1994 TL ₈	1994 10 11.24107	00 39 24.04	+01 58 17.0		691
1994 TC ₈	* 1994 10 06.14561	00 45 04.57	+02 49 41.0		691	1994 TL ₈	1994 10 11.26462	00 39 22.42	+01 58 19.8	18.5 V	691
1994 TC ₈	1994 10 06.16886	00 45 03.28	+02 49 39.3	19.8 V	691	1994 TL ₈	1994 10 11.28785	00 39 20.88	+01 58 22.6		691
1994 TC ₈	1994 10 06.19828	00 45 01.72	+02 49 36.4		691	1994 TM ₈	* 1994 10 06.29927	00 37 40.84	+01 11 42.9		691
1994 TC ₈	1994 10 11.16254	00 40 39.54	+02 41 41.4	19.6 V	691	1994 TM ₈	1994 10 06.32267	00 37 39.58	+01 11 37.4		691
1994 TC ₈	1994 10 11.18564	00 40 38.29	+02 41 38.9		691	1994 TM ₈	1994 10 06.34605	00 37 38.30	+01 11 32.4	19.3 V	691
1994 TC ₈	1994 10 11.20878	00 40 37.02	+02 41 37.0		691	1994 TM ₈	1994 10 12.31927	00 32 32.27	+00 51 57.5		691
1994 TD ₈	* 1994 10 06.22503	00 33 56.20	+01 31 28.7		691	1994 TM ₈	1994 10 12.34227	00 32 31.08	+00 51 54.4	19.7 V	691
1994 TD ₈	1994 10 06.24829	00 33 54.85	+01 31 23.7		691	1994 TM ₈	1994 10 12.36525	00 32 29.90	+00 51 50.0		691
1994 TD ₈	1994 10 06.27548	00 33 53.25	+01 31 17.1	19.0 V	691	1994 TN ₈	* 1994 10 06.30066	00 39 41.40	+01 07 56.8	19.5 V	691
1994 TD ₈	1994 10 12.31638	00 28 22.03	+01 09 15.5	19.2 V	691	1994 TN ₈	1994 10 06.32406	00 39 39.80	+01 08 00.3		691
1994 TD ₈	1994 10 12.33938	00 28 20.78	+01 09 10.5		691	1994 TN ₈	1994 10 06.34743	00 39 38.16	+01 08 04.3		691
1994 TD ₈	1994 10 12.36236	00 28 19.49	+01 09 05.5		691	1994 TN ₈	1994 10 12.19144	00 33 14.88	+01 24 58.7		691
1994 TE ₈	* 1994 10 06.22568	00 34 52.17	+01 19 59.9	20.7 V	691	1994 TN ₈	1994 10 12.21491	00 33 13.29	+01 25 03.0		691
1994 TE ₈	1994 10 06.24894	00 34 51.07	+01 19 54.2		691	1994 TN ₈	1994 10 12.23808	00 33 11.79	+01 25 06.9	19.7 V	691
1994 TE ₈	1994 10 06.27614	00 34 49.70	+01 19 46.7		691	1994 TO ₈	* 1994 10 06.30421	00 44 48.59	+01 00 28.3	19.5 V	691
1994 TE ₈	1994 10 12.31767	00 30 13.98	+00 53 44.5		691	1994 TO ₈	1994 10 06.32761	00 44 47.01	+01 00 31.9		691
1994 TE ₈	1994 10 12.34067	00 30 12.89	+00 53 38.9	20.6 V	691	1994 TO ₈	1994 10 06.35098	00 44 45.55	+01 00 36.4		691
1994 TE ₈	1994 10 12.36366	00 30 11.82	+00 53 32.7		691	1994 TO ₈	1994 10 12.32359	00 38 46.80	+01 18 45.7		691
1994 TF ₈	* 1994 10 06.22694	00 36 41.94	+01 35 23.5		691	1994 TO ₈	1994 10 12.34659	00 38 45.39	+01 18 49.8	20.4 V	691
1994 TF ₈	1994 10 06.25020	00 36 40.65	+01 35 18.9		691	1994 TO ₈	1994 10 12.36957	00 38 43.99	+01 18 53.9		691
1994 TF ₈	1994 10 06.27740	00 36 39.13	+01 35 14.4	19.4 V	691	1994 TO ₈	1994 10 13.29232	00 37 51.01	+01 21 55.8		691
1994 TF ₈	1994 10 12.19020	00 31 27.28	+01 18 21.4	19.7 V	691	1994 TO ₈	1994 10 13.30032	00 37 50.51	+01 21 56.7	20.5 V	691
1994 TF ₈	1994 10 12.21367	00 31 25.99	+01 18 17.4		691	1994 TO ₈	1994 10 13.30782	00 37 50.07	+01 21 58.7		691
1994 TF ₈	1994 10 12.23685	00 31 24.80	+01 18 13.3		691	1994 TP ₈	* 1994 10 06.30422	00 44 49.81	+01 05 35.5		691
1994 TG ₈	* 1994 10 06.22706	00 36 51.95	+01 40 42.6		691	1994 TP ₈	1994 10 06.32762	00 44 48.33	+01 05 31.4	18.6 V	691
1994 TG ₈	1994 10 06.25032	00 36 50.60	+01 40 39.4	17.2 V	691	1994 TP ₈	1994 10 06.35099	00 44 46.86	+01 05 27.1		691
1994 TG ₈	1994 10 06.27751	00 36 48.99	+01 40 36.0		691	1994 TP ₈	1994 10 12.32355	00 38 43.02	+00 47 33.5		691
1994 TG ₈	1994 10 12.19009	00 31 17.63	+01 28 27.0	17.5 V	691	1994 TP ₈	1994 10 12.34654	00 38 41.55	+00 47 29.9		691
1994 TG ₈	1994 10 12.21356	00 31 16.34	+01 28 24.5		691	1994 TP ₈	1994 10 12.36953	00 38 40.12	+00 47 25.7	18.8 V	691
1994 TG ₈	1994 10 12.23673	00 31 15.04	+01 28 21.5		691	1994 TQ ₈	* 1994 10 06.30514	00 46 08.90	+00 53 19.4		691
1994 TH ₈	* 1994 10 06.22829	00 38 38.64	+01 30 27.1		691	1994 TQ ₈	1994 10 06.32854	00 46 07.53	+00 53 18.9	19.1 V	691
1994 TH ₈	1994 10 06.25155	00 38 37.53	+01 30 21.3	18.7 V	691	1994 TQ ₈	1994 10 06.35191	00 46 06.16	+00 53 17.8		691
1994 TH ₈	1994 10 06.27875	00 38 36.23	+01 30 13.8		691	1994 TQ ₈	1994 10 12.32480	00 40 31.85	+00 51 25.1	19.4 V	691
1994 TH ₈	1994 10 13.28918	00 33 19.55	+01 00 54.0	18.9 V	691	1994 TQ ₈	1994 10 12.34780	00 40 30.51	+00 51 25.7		691
1994 TH ₈	1994 10 13.29719	00 33 19.20	+01 00 52.3		691	1994 TQ ₈	1994 10 12.37079	00 40 29.23	+00 51 25.1		691
1994 TH ₈	1994 10 13.30468	00 33 18.84	+01 00 50.4		691	1994 TR ₈	* 1994 10 06.30539	00 46 30.65	+00 57 59.9		691
1994 TJ ₈	* 1994 10 06.22973	00 40 43.59	+01 40 10.4	18.0 V	691	1994 TR ₈	1994 10 06.32879	00 46 29.09	+00 57 59.7	19.6 V	691
1994 TJ ₈	1994 10 06.25299	00 40 42.33	+01 40 01.4		691	1994 TR ₈	1994 10 06.35216	00 46 27.56	+00 57 58.2		691
1994 TJ ₈	1994 10 06.28019	00 40 40.85	+01 39 50.8		691	1994 TR ₈	1994 10 12.32464	00 40 18.02	+00 54 13.1		691
1994 TJ ₈	1994 10 12.32148	00 35 44.06	+01 02 57.2	18.2 V	691	1994 TR ₈	1994 10 12.34764	00 40 16.58	+00 54 12.5	19.6 V	691
1994 TJ ₈	1994 10 12.34448	00 35 42.91	+01 02 49.2		691	1994 TR ₈	1994 10 12.37062	00 40 15.10	+00 54 11.8		691
1994 TJ ₈	1994 10 12.36747	00 35 41.76	+01 02 41.5		691	1994 TS ₈	* 1994 10 06.30834	00 50 46.18	+01 09 29.5		691
1994 TK ₈	* 1994 10 06.23179	00 43 41.94	+01 30 24.3	19.5 V	691	1994 TS ₈	1994 10 06.33174	00 50 44.69	+01 09 23.7	18.0 V	691
1994 TK ₈	1994 10 06.25505	00 43 40.60	+01 30 17.3		691	1994 TS ₈	1994 10 06.35511	00 50 43.23	+01 09 18.6		691
1994 TK ₈	1994 10 06.28225	00 43 39.00	+01 30 07.7		691	1994 TS ₈	1994 10 12.32779	00 44 50.26	+00 48 05.0		691
1994 TK ₈	1994 10 12.32307	00 38 02.01	+00 58 19.1	19.5 V	691	1994 TS ₈	1994 10 12.35078	00 44 48.85	+00 48 00.8	18.1 V	691
1994 TK ₈	1994 10 12.34607	00 38 00.75	+00 58 10.7		691	1994 TS ₈	1994 10 12.37377	00 44 47.47	+00 47 56.3		691
1994 TK ₈	1994 10 12.36906	00 37 59.44	+00 58 05.1		691	1994 TT ₈	1994 10 06.23701	00 51 14.18	+01 17 58.9	19.8 V	691
1994 TL ₈	* 1994 10 06.23265	00 44 56.53	+01 49 06.1		691	1994 TT ₈	1994 10 06.26028	00 51 13.09	+01 17 53.4		691

1994 TT ₈	1994 10 06.28747	00 51 11.87	+01 17 45.9	691	1994 TA ₉	1994 10 10.32426	02 00 22.35	+11 18 08.8	17.5 V	691
1994 TT ₈	* 1994 10 06.30862	00 51 10.73	+01 17 39.8	691	1994 TA ₉	1994 10 10.34600	02 00 21.10	+11 18 03.4		691
1994 TT ₈	1994 10 06.33203	00 51 09.74	+01 17 33.7	691	1994 TA ₉	1994 10 12.40090	01 58 20.82	+11 09 20.7	17.6 V	691
1994 TT ₈	1994 10 06.35540	00 51 08.60	+01 17 26.9	19.3 V	691	1994 TA ₉	1994 10 12.42072	01 58 19.60	+11 09 15.0	691
1994 TT ₈	1994 10 12.32910	00 46 43.67	+00 51 37.2	19.5 V	691	1994 TA ₉	1994 10 12.44061	01 58 18.38	+11 09 10.0	691
1994 TT ₈	1994 10 12.35210	00 46 42.59	+00 51 31.7	691	1994 TB ₉	* 1994 10 08.27650	02 02 28.75	+11 31 32.7		691
1994 TT ₈	1994 10 12.37508	00 46 41.63	+00 51 26.1	691	1994 TB ₉	1994 10 08.31552	02 02 26.91	+11 31 23.6		691
1994 TU ₈	* 1994 10 06.30916	00 51 57.64	+01 19 01.3	19.5 V	691	1994 TB ₉	1994 10 08.35423	02 02 25.12	+11 31 17.0	20.7 V
1994 TU ₈	1994 10 06.33256	00 51 56.26	+01 18 59.2	691	1994 TB ₉	1994 10 10.29582	02 00 55.64	+11 24 30.9	20.8 V	691
1994 TU ₈	1994 10 06.35593	00 51 54.91	+01 18 55.6	691	1994 TB ₉	1994 10 10.32463	02 00 54.21	+11 24 24.4		691
1994 TU ₈	1994 10 12.32886	00 46 23.32	+01 08 07.9	19.5 V	691	1994 TB ₉	1994 10 10.34637	02 00 53.14	+11 24 20.3	691
1994 TU ₈	1994 10 12.35186	00 46 22.01	+01 08 05.9	691	1994 TC ₉	* 1994 10 08.27691	02 03 04.17	+11 26 27.6		691
1994 TU ₈	1994 10 12.37484	00 46 20.71	+01 08 04.0	691	1994 TC ₉	1994 10 08.31592	02 03 02.24	+11 26 20.4		691
1994 TV ₈	* 1994 10 07.39273	01 41 07.69	+09 48 36.0	691	1994 TC ₉	1994 10 08.35464	02 03 00.30	+11 26 13.3	17.8 V	691
1994 TV ₈	1994 10 07.44592	01 41 01.87	+09 49 15.1	691	1994 TC ₉	1994 10 10.29619	02 01 27.48	+11 20 01.5		691
1994 TV ₈	1994 10 07.46950	01 40 59.25	+09 49 32.4	19.4 V	691	1994 TC ₉	1994 10 10.32500	02 01 25.94	+11 19 55.9	17.5 V
1994 TV ₈	1994 10 10.42949	01 35 36.90	+10 24 57.3	19.3 V	691	1994 TC ₉	1994 10 10.34673	02 01 24.85	+11 19 51.6	691
1994 TV ₈	1994 10 10.45290	01 35 34.16	+10 25 13.3	691	1994 TD ₉	* 1994 10 08.27712	02 03 22.59	+11 28 23.2	20.1 V	691
1994 TW ₈	* 1994 10 08.27432	01 59 08.92	+11 33 05.7	19.6 V	691	1994 TD ₉	1994 10 08.31613	02 03 20.44	+11 28 10.0	691
1994 TW ₈	1994 10 08.31334	01 59 06.65	+11 33 04.5	691	1994 TD ₉	1994 10 08.35485	02 03 18.38	+11 27 56.8		691
1994 TW ₈	1994 10 08.35207	01 59 04.37	+11 33 02.0	691	1994 TD ₉	1994 10 10.29630	02 01 36.87	+11 16 44.2	20.2 V	691
1994 TW ₈	1994 10 10.29325	01 57 13.17	+11 31 25.3	19.1 V	691	1994 TD ₉	1994 10 10.32510	02 01 35.22	+11 16 34.6	691
1994 TW ₈	1994 10 10.32206	01 57 11.44	+11 31 23.8	691	1994 TD ₉	1994 10 10.34684	02 01 34.07	+11 16 26.7		691
1994 TW ₈	1994 10 10.34379	01 57 10.11	+11 31 22.7	691	1994 TD ₉	1994 10 12.40185	01 59 43.45	+11 04 19.3		691
1994 TX ₈	* 1994 10 08.27457	01 59 42.03	+11 43 27.2	19.9 V	691	1994 TD ₉	1994 10 12.42168	01 59 42.31	+11 04 11.0	20.0 V
1994 TX ₈	1994 10 08.31359	01 59 39.92	+11 43 14.1	691	1994 TD ₉	1994 10 12.44157	01 59 41.17	+11 04 03.9		691
1994 TX ₈	1994 10 08.35230	01 59 37.84	+11 43 00.3	691	1994 TE ₉	* 1994 10 08.27728	02 03 36.35	+11 33 49.2		691
1994 TX ₈	1994 10 10.29374	01 57 55.28	+11 31 45.2	19.9 V	691	1994 TE ₉	1994 10 08.31629	02 03 33.95	+11 33 42.2	19.4 V
1994 TX ₈	1994 10 10.32255	01 57 53.72	+11 31 35.2	691	1994 TE ₉	1994 10 08.35500	02 03 31.56	+11 33 35.1		691
1994 TX ₈	1994 10 10.34428	01 57 52.47	+11 31 26.7	691	1994 TE ₉	1994 10 10.29628	02 01 35.06	+11 27 23.9		691
1994 TX ₈	1994 10 12.39928	01 56 00.46	+11 19 10.4	691	1994 TE ₉	1994 10 10.32508	02 01 33.23	+11 27 18.3	19.5 V	691
1994 TX ₈	1994 10 12.41910	01 55 59.23	+11 19 03.5	19.6 V	691	1994 TE ₉	1994 10 10.34681	02 01 31.90	+11 27 14.5	691
1994 TX ₈	1994 10 12.43899	01 55 58.11	+11 18 57.1	691	1994 TE ₉	1994 10 12.40164	01 59 25.40	+11 20 25.8	19.3 V	691
1994 TY ₈	* 1994 10 08.27554	02 01 06.11	+11 30 02.7	691	1994 TE ₉	1994 10 12.42147	01 59 24.14	+11 20 21.0		691
1994 TY ₈	1994 10 08.31456	02 01 04.26	+11 29 49.7	691	1994 TE ₉	1994 10 12.44136	01 59 22.87	+11 20 16.9		691
1994 TY ₈	1994 10 08.35327	02 01 02.34	+11 29 34.4	18.0 V	691	1994 TF ₉	* 1994 10 08.27825	02 05 00.80	+11 54 05.2	691
1994 TY ₈	1994 10 10.29484	01 59 30.77	+11 17 38.1	18.0 V	691	1994 TF ₉	1994 10 08.31727	02 04 58.68	+11 54 02.6	18.7 V
1994 TY ₈	1994 10 10.32365	01 59 29.28	+11 17 27.5	691	1994 TF ₉	1994 10 08.35598	02 04 56.55	+11 53 59.5		691
1994 TY ₈	1994 10 10.34539	01 59 28.24	+11 17 19.3	691	1994 TF ₉	1994 10 10.23122	02 03 15.80	+11 51 35.9	18.9 V	691
1994 TY ₈	1994 10 12.40052	01 57 48.37	+11 04 25.2	691	1994 TF ₉	1994 10 10.25301	02 03 14.56	+11 51 33.8		691
1994 TY ₈	1994 10 12.42035	01 57 47.36	+11 04 17.2	18.1 V	691	1994 TF ₉	1994 10 10.27502	02 03 13.32	+11 51 32.2	691
1994 TY ₈	1994 10 12.44024	01 57 46.34	+11 04 09.8	691	1994 TG ₉	* 1994 10 08.27856	02 05 27.77	+11 48 01.2	18.9 V	691
1994 TZ ₈	* 1994 10 08.27597	02 01 43.02	+11 52 59.7	19.3 V	691	1994 TG ₉	1994 10 08.31758	02 05 25.73	+11 47 44.8	691
1994 TZ ₈	1994 10 08.31499	02 01 41.14	+11 52 51.7	691	1994 TG ₉	1994 10 08.35629	02 05 23.72	+11 47 28.4		691
1994 TZ ₈	1994 10 08.35370	02 01 39.23	+11 52 44.8	691	1994 TG ₉	1994 10 10.29777	02 03 44.67	+11 33 37.3	19.3 V	691
1994 TZ ₈	1994 10 10.22907	02 00 09.34	+11 46 40.2	691	1994 TG ₉	1994 10 10.32658	02 03 43.14	+11 33 24.2		691
1994 TZ ₈	1994 10 10.25086	02 00 08.22	+11 46 35.7	19.4 V	691	1994 TG ₉	1994 10 10.34832	02 03 41.99	+11 33 15.1	691
1994 TZ ₈	1994 10 10.27287	02 00 07.10	+11 46 31.3	691	1994 TH ₉	* 1994 10 08.27871	02 05 40.39	+11 33 19.0		691
1994 TA ₉	* 1994 10 08.27639	02 02 19.41	+11 26 34.2	17.6 V	691	1994 TH ₉	1994 10 08.31773	02 05 38.81	+11 33 04.8	20.4 V
1994 TA ₉	1994 10 08.31540	02 02 17.12	+11 26 24.6	691	1994 TH ₉	1994 10 08.35645	02 05 37.20	+11 32 50.1		691
1994 TA ₉	1994 10 08.35411	02 02 14.84	+11 26 14.1	691	1994 TH ₉	1994 10 10.29818	02 04 19.79	+11 20 44.5	20.3 V	691
1994 TA ₉	1994 10 10.29546	02 00 24.14	+11 18 15.9	691	1994 TH ₉	1994 10 10.32699	02 04 18.55	+11 20 33.4		691

1994 TH ₉	1994 10 10.34873	02 04 17.64	+11 20 25.2	691	1994 TR ₉	1994 10 10.30115	02 08 37.04	+11 33 28.8	691
1994 TJ ₉	* 1994 10 08.27908	02 06 12.48	+11 31 02.7	691	1994 TR ₉	1994 10 10.32996	02 08 35.59	+11 33 17.8	19.3 V 691
1994 TJ ₉	1994 10 08.31810	02 06 10.52	+11 30 57.2	17.5 V 691	1994 TR ₉	1994 10 10.35169	02 08 34.55	+11 33 09.7	691
1994 TJ ₉	1994 10 08.35681	02 06 08.59	+11 30 51.7	691	1994 TS ₉	* 1994 10 08.28197	02 10 22.37	+11 43 17.0	18.5 V 691
1994 TJ ₉	1994 10 10.29834	02 04 34.29	+11 26 09.1	691	1994 TS ₉	1994 10 08.32098	02 10 20.54	+11 42 59.5	691
1994 TJ ₉	1994 10 10.32715	02 04 32.75	+11 26 04.6	17.5 V 691	1994 TS ₉	1994 10 08.35970	02 10 18.70	+11 42 42.2	691
1994 TJ ₉	1994 10 10.34889	02 04 31.64	+11 26 01.4	691	1994 TS ₉	1994 10 10.30128	02 08 48.86	+11 27 55.7	691
1994 TK ₉	* 1994 10 08.27910	02 06 14.27	+11 33 31.7	691	1994 TS ₉	1994 10 10.33009	02 08 47.43	+11 27 41.9	18.7 V 691
1994 TK ₉	1994 10 08.31812	02 06 12.60	+11 33 23.2	691	1994 TS ₉	1994 10 10.35183	02 08 46.35	+11 27 32.4	691
1994 TK ₉	1994 10 08.35683	02 06 10.56	+11 33 09.1	19.1 V 691	1994 TT ₉	* 1994 10 08.28208	02 10 32.47	+11 40 26.0	20.7 V 691
1994 TK ₉	1994 10 10.29843	02 04 42.14	+11 23 36.8	691	1994 TT ₉	1994 10 08.32110	02 10 30.76	+11 40 19.8	691
1994 TK ₉	1994 10 10.32724	02 04 40.67	+11 23 28.0	19.2 V 691	1994 TT ₉	1994 10 08.35982	02 10 29.10	+11 40 11.5	691
1994 TK ₉	1994 10 10.34898	02 04 39.61	+11 23 21.6	691	1994 TT ₉	1994 10 10.30148	02 09 06.34	+11 34 06.4	691
1994 TL ₉	* 1994 10 08.27924	02 06 26.12	+11 50 39.4	691	1994 TT ₉	1994 10 10.33030	02 09 05.06	+11 34 00.9	691
1994 TL ₉	1994 10 08.31826	02 06 24.58	+11 50 19.6	19.6 V 691	1994 TT ₉	1994 10 10.35203	02 09 04.11	+11 33 56.1	21.0 V 691
1994 TL ₉	1994 10 08.35698	02 06 23.03	+11 50 00.5	691	1994 TU ₉	* 1994 10 08.28813	01 59 58.23	+12 15 12.1	19.6 V 691
1994 TL ₉	1994 10 10.29872	02 05 06.88	+11 33 38.9	691	1994 TU ₉	1994 10 08.32655	01 59 56.75	+12 14 49.5	691
1994 TL ₉	1994 10 10.32753	02 05 05.63	+11 33 23.9	19.3 V 691	1994 TU ₉	1994 10 08.36525	01 59 55.19	+12 14 25.3	691
1994 TL ₉	1994 10 10.34927	02 05 04.77	+11 33 13.0	691	1994 TU ₉	1994 10 10.22810	01 58 45.30	+11 55 10.2	19.7 V 691
1994 TM ₉	* 1994 10 08.28066	02 08 29.44	+11 35 39.3	19.1 V 691	1994 TU ₉	1994 10 10.24990	01 58 44.42	+11 54 56.0	691
1994 TM ₉	1994 10 08.31966	02 08 25.89	+11 36 11.3	691	1994 TU ₉	1994 10 10.27190	01 58 43.54	+11 54 42.4	691
1994 TM ₉	1994 10 08.35835	02 08 22.33	+11 36 42.8	691	1994 TV ₉	* 1994 10 08.28859	02 00 38.32	+12 06 31.6	19.8 V 691
1994 TM ₉	1994 10 10.23280	02 05 32.47	+12 02 13.9	19.3 V 691	1994 TV ₉	1994 10 08.32701	02 00 36.49	+12 06 24.5	691
1994 TM ₉	1994 10 10.25458	02 05 30.39	+12 02 32.2	691	1994 TV ₉	1994 10 08.36570	02 00 34.65	+12 06 17.0	691
1994 TM ₉	1994 10 10.27657	02 05 28.28	+12 02 50.5	691	1994 TV ₉	1994 10 10.22837	01 59 09.29	+12 00 22.2	19.9 V 691
1994 TN ₉	* 1994 10 08.28086	02 08 46.52	+11 32 14.8	691	1994 TV ₉	1994 10 10.25017	01 59 08.22	+12 00 17.9	691
1994 TN ₉	1994 10 08.31988	02 08 44.62	+11 32 06.6	691	1994 TV ₉	1994 10 10.27218	01 59 07.16	+12 00 13.8	691
1994 TN ₉	1994 10 08.35859	02 08 42.64	+11 31 55.2	20.0 V 691	1994 TW ₉	* 1994 10 08.28870	02 00 47.93	+12 10 15.6	19.6 V 691
1994 TN ₉	1994 10 10.30012	02 07 08.31	+11 23 37.0	691	1994 TW ₉	1994 10 08.32712	02 00 46.31	+12 10 06.9	691
1994 TN ₉	1994 10 10.32893	02 07 06.83	+11 23 30.0	19.8 V 691	1994 TW ₉	1994 10 08.36582	02 00 44.62	+12 09 57.6	691
1994 TN ₉	1994 10 10.35067	02 07 05.75	+11 23 24.0	691	1994 TW ₉	1994 10 10.22857	01 59 26.83	+12 02 30.2	691
1994 TO ₉	* 1994 10 08.28112	02 09 09.42	+11 35 08.8	19.4 V 691	1994 TW ₉	1994 10 10.25037	01 59 25.82	+12 02 25.3	19.8 V 691
1994 TO ₉	1994 10 08.32014	02 09 07.69	+11 35 02.6	691	1994 TW ₉	1994 10 10.27238	01 59 24.85	+12 02 20.0	691
1994 TO ₉	1994 10 08.35886	02 09 05.96	+11 34 57.2	691	1994 TX ₉	* 1994 10 08.28883	02 00 59.47	+11 58 22.3	691
1994 TO ₉	1994 10 10.30050	02 07 40.92	+11 30 06.3	691	1994 TX ₉	1994 10 08.32725	02 00 57.32	+11 58 10.5	18.6 V 691
1994 TO ₉	1994 10 10.32931	02 07 39.47	+11 29 58.5	691	1994 TX ₉	1994 10 08.36594	02 00 55.11	+11 57 58.5	691
1994 TO ₉	1994 10 10.35105	02 07 38.60	+11 29 58.3	19.4 V 691	1994 TX ₉	1994 10 10.22841	01 59 12.97	+11 48 13.1	18.6 V 691
1994 TP ₉	* 1994 10 08.28138	02 09 31.98	+11 28 41.9	691	1994 TX ₉	1994 10 10.25021	01 59 11.71	+11 48 05.9	691
1994 TP ₉	1994 10 08.32041	02 09 30.49	+11 28 24.1	18.2 V 691	1994 TX ₉	1994 10 10.27221	01 59 10.43	+11 47 58.9	691
1994 TP ₉	1994 10 08.35912	02 09 28.98	+11 28 06.3	691	1994 TY ₉	* 1994 10 08.28892	02 01 07.03	+12 10 28.7	18.5 V 691
1994 TP ₉	1994 10 10.30091	02 08 16.72	+11 13 02.1	18.1 V 691	1994 TY ₉	1994 10 08.32734	02 01 05.18	+12 10 28.5	691
1994 TP ₉	1994 10 10.32972	02 08 15.55	+11 12 48.8	691	1994 TY ₉	1994 10 08.36603	02 01 03.31	+12 10 28.2	691
1994 TP ₉	1994 10 10.35146	02 08 14.69	+11 12 38.9	691	1994 TY ₉	1994 10 10.22870	01 59 37.57	+12 10 01.3	691
1994 TQ ₉	* 1994 10 08.28164	02 09 54.44	+11 39 14.5	20.0 V 691	1994 TY ₉	1994 10 10.25050	01 59 36.47	+12 10 00.9	18.4 V 691
1994 TQ ₉	1994 10 08.32066	02 09 52.86	+11 39 01.1	691	1994 TY ₉	1994 10 10.27250	01 59 35.36	+12 10 00.3	691
1994 TQ ₉	1994 10 08.35938	02 09 51.22	+11 38 48.9	691	1994 TZ ₉	* 1994 10 08.28914	02 01 26.18	+12 06 12.0	16.9 V 691
1994 TQ ₉	1994 10 10.30110	02 08 33.04	+11 27 48.0	20.5 V 691	1994 TZ ₉	1994 10 08.32756	02 01 24.69	+12 05 59.5	691
1994 TQ ₉	1994 10 10.32991	02 08 31.73	+11 27 37.9	691	1994 TZ ₉	1994 10 08.36626	02 01 23.19	+12 05 46.5	691
1994 TQ ₉	1994 10 10.35165	02 08 30.81	+11 27 30.8	691	1994 TZ ₉	1994 10 10.22912	02 00 13.94	+11 55 20.3	691
1994 TR ₉	* 1994 10 08.28182	02 10 09.42	+11 46 21.4	691	1994 TZ ₉	1994 10 10.25092	02 00 13.07	+11 55 12.7	16.9 V 691
1994 TR ₉	1994 10 08.32083	02 10 07.45	+11 46 06.7	19.3 V 691	1994 TZ ₉	1994 10 10.27293	02 00 12.18	+11 55 05.4	691
1994 TR ₉	1994 10 08.35955	02 10 05.62	+11 45 52.1	691	1994 TA ₁₀	* 1994 10 08.28956	02 02 02.25	+12 06 58.4	691

1994 TA ₁₀	1994 10 08.32797	02 02 00.05	+12 06 51.6	20.6 V	691	1994 TJ ₁₀	1994 10 10.20684	00 22 23.79	+06 02 09.3	20.2 V	691
1994 TA ₁₀	1994 10 08.36666	02 01 57.70	+12 06 44.3		691	1994 TK ₁₀	* 1994 10 09.19757	00 23 18.14	+05 53 18.6		691
1994 TA ₁₀	1994 10 10.22908	02 00 10.32	+12 01 08.0	21.0 V	691	1994 TK ₁₀	1994 10 09.22165	00 23 16.88	+05 53 08.7	18.3 V	691
1994 TA ₁₀	1994 10 10.25087	02 00 08.95	+12 01 04.2		691	1994 TK ₁₀	1994 10 09.24614	00 23 15.59	+05 52 58.6		691
1994 TA ₁₀	1994 10 10.27287	02 00 07.60	+12 01 00.8		691	1994 TK ₁₀	1994 10 10.19078	00 22 28.33	+05 46 36.3	18.4 V	691
1994 TB ₁₀	* 1994 10 08.29066	02 03 37.64	+12 16 47.1	19.1 V	691	1994 TK ₁₀	1994 10 10.20686	00 22 27.51	+05 46 30.1		691
1994 TB ₁₀	1994 10 08.32907	02 03 35.50	+12 16 33.8		691	1994 TK ₁₀	1994 10 10.39640	00 22 17.60	+05 45 12.8		691
1994 TB ₁₀	1994 10 08.36777	02 03 33.34	+12 16 20.4		691	1994 TK ₁₀	1994 10 10.40403	00 22 17.23	+05 45 10.1	18.7 V	691
1994 TB ₁₀	1994 10 10.23025	02 01 51.99	+12 05 30.1		691	1994 TK ₁₀	1994 10 10.41169	00 22 16.83	+05 45 06.8		691
1994 TB ₁₀	1994 10 10.25205	02 01 50.76	+12 05 21.5	19.5 V	691	1994 TK ₁₀	1994 10 11.30044	00 21 33.04	+05 39 08.5		691
1994 TB ₁₀	1994 10 10.27405	02 01 49.51	+12 05 14.0		691	1994 TK ₁₀	1994 10 11.30816	00 21 32.64	+05 39 06.2	18.5 V	691
1994 TC ₁₀	* 1994 10 08.29127	02 04 30.70	+12 02 15.0		691	1994 TK ₁₀	1994 10 11.31583	00 21 32.26	+05 39 02.6		691
1994 TC ₁₀	1994 10 08.32968	02 04 28.32	+12 02 11.3	18.3 V	691	1994 TL ₁₀	* 1994 10 09.19784	00 23 41.57	+05 55 40.2	19.4 V	691
1994 TC ₁₀	1994 10 08.36837	02 04 25.94	+12 02 07.8		691	1994 TL ₁₀	1994 10 09.22192	00 23 40.30	+05 55 32.1		691
1994 TC ₁₀	1994 10 10.23075	02 02 35.55	+11 59 05.3		691	1994 TL ₁₀	1994 10 09.24641	00 23 38.97	+05 55 24.0		691
1994 TC ₁₀	1994 10 10.25255	02 02 34.20	+11 59 02.9	18.4 V	691	1994 TL ₁₀	1994 10 10.19102	00 22 49.63	+05 50 13.8	19.5 V	691
1994 TC ₁₀	1994 10 10.27455	02 02 32.82	+11 59 00.8		691	1994 TL ₁₀	1994 10 10.19931	00 22 49.21	+05 50 10.9		691
1994 TD ₁₀	* 1994 10 08.29147	02 04 47.92	+12 06 52.4	19.7 V	691	1994 TL ₁₀	1994 10 10.20711	00 22 48.77	+05 50 08.1		691
1994 TD ₁₀	1994 10 08.32989	02 04 46.28	+12 06 46.9		691	1994 TL ₁₀	1994 10 10.39660	00 22 38.62	+05 49 06.0		691
1994 TD ₁₀	1994 10 08.36859	02 04 44.59	+12 06 40.8		691	1994 TL ₁₀	1994 10 10.40422	00 22 38.20	+05 49 03.3	19.5 V	691
1994 TD ₁₀	1994 10 10.23133	02 03 25.22	+12 02 04.2		691	1994 TL ₁₀	1994 10 10.41189	00 22 37.78	+05 49 01.1		691
1994 TD ₁₀	1994 10 10.25313	02 03 24.25	+12 02 00.5	20.0 V	691	1994 TL ₁₀	1994 10 11.30055	00 21 52.06	+05 44 10.6		691
1994 TD ₁₀	1994 10 10.27513	02 03 23.29	+12 01 57.6		691	1994 TL ₁₀	1994 10 11.30827	00 21 51.65	+05 44 08.3		691
1994 TE ₁₀	* 1994 10 08.29291	02 06 53.09	+12 00 29.7		691	1994 TL ₁₀	1994 10 11.31594	00 21 51.24	+05 44 05.2	19.7 V	691
1994 TE ₁₀	1994 10 08.33133	02 06 51.19	+12 00 28.1		691	1994 TM ₁₀	* 1994 10 09.19802	00 23 56.49	+05 59 19.6	18.3 V	691
1994 TE ₁₀	1994 10 08.37003	02 06 49.22	+12 00 21.5	19.2 V	691	1994 TM ₁₀	1994 10 09.22210	00 23 55.50	+05 59 03.2		691
1994 TE ₁₀	1994 10 10.23262	02 05 17.09	+11 57 21.8		691	1994 TM ₁₀	1994 10 09.24658	00 23 54.37	+05 58 49.5		691
1994 TE ₁₀	1994 10 10.25441	02 05 15.93	+11 57 19.5		691	1994 TM ₁₀	1994 10 10.19131	00 23 14.54	+05 49 10.1	18.5 V	691
1994 TE ₁₀	1994 10 10.27642	02 05 14.77	+11 57 17.9	19.5 V	691	1994 TM ₁₀	1994 10 10.19960	00 23 14.19	+05 49 04.8		691
1994 TF ₁₀	* 1994 10 08.29293	02 06 54.14	+12 22 18.6		691	1994 TM ₁₀	1994 10 10.20740	00 23 13.86	+05 49 00.1		691
1994 TF ₁₀	1994 10 08.33134	02 06 52.07	+12 22 02.8	19.3 V	691	1994 TM ₁₀	1994 10 10.39691	00 23 05.61	+05 47 03.9		691
1994 TF ₁₀	1994 10 08.37004	02 06 49.97	+12 21 46.9		691	1994 TM ₁₀	1994 10 10.40453	00 23 05.29	+05 46 59.2		691
1994 TF ₁₀	1994 10 10.23255	02 05 11.45	+12 08 58.6		691	1994 TM ₁₀	1994 10 10.41220	00 23 04.96	+05 46 54.6	18.6 V	691
1994 TF ₁₀	1994 10 10.25435	02 05 10.19	+12 08 51.1		691	1994 TM ₁₀	1994 10 11.30077	00 22 28.06	+05 37 51.7	18.4 V	691
1994 TF ₁₀	1994 10 10.27635	02 05 08.95	+12 08 41.8	20.1 V	691	1994 TM ₁₀	1994 10 11.30849	00 22 27.73	+05 37 47.8		691
1994 TG ₁₀	* 1994 10 08.29335	02 07 31.07	+11 55 08.1		691	1994 TM ₁₀	1994 10 11.31616	00 22 27.40	+05 37 42.5		691
1994 TG ₁₀	1994 10 08.33178	02 07 29.45	+11 54 58.4	18.7 V	691	1994 TM ₁₀	1994 10 12.25409	00 21 48.92	+05 28 11.8		691
1994 TG ₁₀	1994 10 08.37047	02 07 27.83	+11 54 48.8		691	1994 TM ₁₀	1994 10 12.26174	00 21 48.59	+05 28 07.1	18.7 V	691
1994 TG ₁₀	1994 10 10.23325	02 06 12.02	+11 46 57.2	18.6 V	691	1994 TM ₁₀	1994 10 12.26943	00 21 48.26	+05 28 02.5		691
1994 TG ₁₀	1994 10 10.25505	02 06 11.10	+11 46 52.0		691	1994 TN ₁₀	* 1994 10 09.19855	00 24 42.79	+06 11 13.4	20.5 V	691
1994 TG ₁₀	1994 10 10.27706	02 06 10.13	+11 46 46.1		691	1994 TN ₁₀	1994 10 09.22263	00 24 41.40	+06 11 05.3		691
1994 TH ₁₀	* 1994 10 08.29400	02 08 27.13	+12 07 20.1	19.8 V	691	1994 TN ₁₀	1994 10 09.24711	00 24 40.04	+06 10 56.3		691
1994 TH ₁₀	1994 10 08.33242	02 08 25.50	+12 07 12.7		691	1994 TN ₁₀	1994 10 10.19170	00 23 47.91	+06 05 34.2	20.8 V	691
1994 TH ₁₀	1994 10 08.37112	02 08 23.95	+12 07 05.4		691	1994 TN ₁₀	1994 10 10.19998	00 23 47.45	+06 05 31.8		691
1994 TH ₁₀	1994 10 10.23389	02 07 06.99	+12 01 01.4	19.8 V	691	1994 TN ₁₀	1994 10 10.20778	00 23 47.00	+06 05 29.7		691
1994 TH ₁₀	1994 10 10.25569	02 07 06.07	+12 00 57.2		691	1994 TO ₁₀	* 1994 10 09.19872	00 24 57.50	+05 56 01.4	19.3 V	691
1994 TH ₁₀	1994 10 10.27769	02 07 05.11	+12 00 53.1		691	1994 TO ₁₀	1994 10 09.22280	00 24 56.18	+05 55 57.5		691
1994 TJ ₁₀	* 1994 10 09.19755	00 23 15.87	+06 07 30.0	19.9 V	691	1994 TO ₁₀	1994 10 10.19188	00 24 03.72	+05 53 16.7	19.3 V	691
1994 TJ ₁₀	1994 10 09.22163	00 23 14.59	+06 07 22.3		691	1994 TO ₁₀	1994 10 10.20016	00 24 03.30	+05 53 15.1		691
1994 TJ ₁₀	1994 10 09.24611	00 23 13.31	+06 07 14.5		691	1994 TO ₁₀	1994 10 10.20797	00 24 02.83	+05 53 13.7		691
1994 TJ ₁₀	1994 10 10.19075	00 22 24.64	+06 02 14.8		691	1994 TO ₁₀	1994 10 11.30119	00 23 04.14	+05 50 12.9		691
1994 TJ ₁₀	1994 10 10.19903	00 22 24.22	+06 02 11.6		691	1994 TO ₁₀	1994 10 11.30890	00 23 03.72	+05 50 12.4	19.7 V	691

1994 TO ₁₀	1994 10 11.31657	00 23 03.29	+05 50 10.3		691	1994 TT ₁₀	1994 10 12.25459	00 23 07.32	+05 25 35.8	20.3 V	691
1994 TP ₁₀	* 1994 10 09.19873	00 24 58.65	+05 58 33.8	19.1 V	691	1994 TT ₁₀	1994 10 12.26224	00 23 07.03	+05 25 31.5		691
1994 TP ₁₀	1994 10 09.22282	00 24 57.57	+05 58 17.4		691	1994 TT ₁₀	1994 10 12.26993	00 23 06.62	+05 25 27.8		691
1994 TP ₁₀	1994 10 09.24730	00 24 56.44	+05 58 01.3		691	1994 TU ₁₀	* 1994 10 09.19903	00 25 24.05	+06 09 01.2	19.9 V	691
1994 TP ₁₀	1994 10 10.19201	00 24 14.84	+05 47 42.2	19.3 V	691	1994 TU ₁₀	1994 10 09.22311	00 25 22.95	+06 08 45.7		691
1994 TP ₁₀	1994 10 10.20029	00 24 14.46	+05 47 36.6		691	1994 TU ₁₀	1994 10 09.24759	00 25 21.79	+06 08 29.7		691
1994 TP ₁₀	1994 10 10.20810	00 24 14.11	+05 47 31.8		691	1994 TU ₁₀	1994 10 10.39789	00 24 30.20	+05 56 09.5	20.2 V	691
1994 TP ₁₀	1994 10 10.39760	00 24 05.45	+05 45 27.6		691	1994 TU ₁₀	1994 10 10.40551	00 24 29.84	+05 56 05.0		691
1994 TP ₁₀	1994 10 10.40523	00 24 05.10	+05 45 22.8		691	1994 TU ₁₀	1994 10 10.41318	00 24 29.49	+05 55 59.7		691
1994 TP ₁₀	1994 10 10.41289	00 24 04.77	+05 45 17.6	19.0 V	691	1994 TV ₁₀	* 1994 10 09.19915	00 25 34.83	+06 01 10.5	18.9 V	691
1994 TP ₁₀	1994 10 11.30144	00 23 26.51	+05 35 40.5	19.2 V	691	1994 TV ₁₀	1994 10 09.22323	00 25 33.70	+06 00 55.7		691
1994 TP ₁₀	1994 10 11.30916	00 23 26.16	+05 35 36.1		691	1994 TV ₁₀	1994 10 09.24772	00 25 32.53	+06 00 39.8		691
1994 TP ₁₀	1994 10 11.31683	00 23 25.81	+05 35 30.8		691	1994 TV ₁₀	1994 10 10.19240	00 24 49.26	+05 51 02.2	19.1 V	691
1994 TP ₁₀	1994 10 12.25442	00 22 46.04	+05 25 26.3	19.1 V	691	1994 TV ₁₀	1994 10 10.20069	00 24 48.87	+05 50 57.4		691
1994 TP ₁₀	1994 10 12.26207	00 22 45.71	+05 25 21.1		691	1994 TV ₁₀	1994 10 10.20849	00 24 48.53	+05 50 52.6		691
1994 TP ₁₀	1994 10 12.26976	00 22 45.36	+05 25 16.1		691	1994 TV ₁₀	1994 10 10.39799	00 24 39.53	+05 48 56.9		691
1994 TQ ₁₀	* 1994 10 09.19883	00 25 06.98	+05 50 09.8	19.2 V	691	1994 TV ₁₀	1994 10 10.40562	00 24 39.16	+05 48 52.3	19.0 V	691
1994 TQ ₁₀	1994 10 09.22291	00 25 05.83	+05 49 56.7		691	1994 TV ₁₀	1994 10 10.41328	00 24 38.80	+05 48 47.5		691
1994 TQ ₁₀	1994 10 09.24739	00 25 04.63	+05 49 43.8		691	1994 TV ₁₀	1994 10 11.30182	00 23 58.88	+05 39 47.3	19.1 V	691
1994 TQ ₁₀	1994 10 10.19208	00 24 21.29	+05 41 29.9	19.5 V	691	1994 TV ₁₀	1994 10 11.30954	00 23 58.54	+05 39 43.9		691
1994 TQ ₁₀	1994 10 10.20036	00 24 20.87	+05 41 25.6		691	1994 TV ₁₀	1994 10 12.25470	00 23 16.63	+05 30 11.0	19.1 V	691
1994 TQ ₁₀	1994 10 10.20817	00 24 20.50	+05 41 22.0		691	1994 TV ₁₀	1994 10 12.26235	00 23 16.26	+05 30 06.5		691
1994 TQ ₁₀	1994 10 10.39767	00 24 11.49	+05 39 41.6	19.3 V	691	1994 TV ₁₀	1994 10 12.27004	00 23 15.91	+05 30 01.9		691
1994 TQ ₁₀	1994 10 10.40529	00 24 11.11	+05 39 38.1		691	1994 TW ₁₀	* 1994 10 09.19995	00 26 43.89	+05 56 18.3	19.2 V	691
1994 TQ ₁₀	1994 10 10.41296	00 24 10.75	+05 39 35.0		691	1994 TW ₁₀	1994 10 09.22403	00 26 42.72	+05 56 08.1		691
1994 TQ ₁₀	1994 10 11.30149	00 23 30.76	+05 31 52.3	19.1 V	691	1994 TW ₁₀	1994 10 09.24851	00 26 41.53	+05 55 57.3		691
1994 TQ ₁₀	1994 10 11.30921	00 23 30.36	+05 31 49.6		691	1994 TW ₁₀	1994 10 10.19320	00 25 58.32	+05 49 20.0		691
1994 TQ ₁₀	1994 10 11.31688	00 23 29.99	+05 31 43.1		691	1994 TW ₁₀	1994 10 10.20149	00 25 57.93	+05 49 16.5	19.2 V	691
1994 TQ ₁₀	1994 10 12.25443	00 22 48.27	+05 23 41.1	19.6 V	691	1994 TW ₁₀	1994 10 10.20929	00 25 57.56	+05 49 13.4		691
1994 TQ ₁₀	1994 10 12.26208	00 22 47.92	+05 23 37.1		691	1994 TW ₁₀	1994 10 10.39879	00 25 48.52	+05 47 53.6	19.3 V	691
1994 TQ ₁₀	1994 10 12.26977	00 22 47.56	+05 23 33.1		691	1994 TW ₁₀	1994 10 10.40642	00 25 48.16	+05 47 50.4		691
1994 TR ₁₀	* 1994 10 09.19886	00 25 09.70	+06 07 03.8	20.3 V	691	1994 TW ₁₀	1994 10 10.41408	00 25 47.81	+05 47 47.3		691
1994 TR ₁₀	1994 10 09.22294	00 25 08.52	+06 06 52.6		691	1994 TW ₁₀	1994 10 11.30262	00 25 08.02	+05 41 36.5	19.3 V	691
1994 TR ₁₀	1994 10 09.24743	00 25 07.36	+06 06 41.9		691	1994 TW ₁₀	1994 10 11.31033	00 25 07.68	+05 41 33.7		691
1994 TR ₁₀	1994 10 10.19210	00 24 23.12	+05 59 48.7		691	1994 TW ₁₀	1994 10 11.31801	00 25 07.30	+05 41 30.2		691
1994 TR ₁₀	1994 10 10.20039	00 24 22.70	+05 59 45.2	20.8 V	691	1994 TX ₁₀	* 1994 10 09.20013	00 26 59.32	+05 51 56.1		691
1994 TR ₁₀	1994 10 10.20819	00 24 22.35	+05 59 42.0		691	1994 TX ₁₀	1994 10 09.22420	00 26 57.89	+05 51 47.0	20.4 V	691
1994 TS ₁₀	* 1994 10 09.19892	00 25 15.17	+05 51 04.9	20.0 V	691	1994 TX ₁₀	1994 10 09.24868	00 26 56.42	+05 51 40.7		691
1994 TS ₁₀	1994 10 09.22300	00 25 13.73	+05 51 02.7		691	1994 TX ₁₀	1994 10 10.19324	00 26 01.84	+05 46 36.3		691
1994 TS ₁₀	1994 10 09.24748	00 25 12.23	+05 51 01.5		691	1994 TX ₁₀	1994 10 10.20152	00 26 01.35	+05 46 33.7	21.0 V	691
1994 TS ₁₀	1994 10 10.39759	00 24 04.37	+05 49 55.2		691	1994 TX ₁₀	1994 10 10.20933	00 26 00.90	+05 46 31.3		691
1994 TS ₁₀	1994 10 10.40521	00 24 03.95	+05 49 55.1	20.3 V	691	1994 TX ₁₀	1994 10 11.30250	00 24 58.03	+05 40 41.4		691
1994 TS ₁₀	1994 10 10.41288	00 24 03.50	+05 49 55.3		691	1994 TX ₁₀	1994 10 11.31022	00 24 57.60	+05 40 38.7		691
1994 TS ₁₀	1994 10 11.30128	00 23 12.24	+05 49 04.4		691	1994 TX ₁₀	1994 10 11.31789	00 24 57.15	+05 40 36.0	20.7 V	691
1994 TS ₁₀	1994 10 11.30900	00 23 11.75	+05 49 04.3	20.3 V	691	1994 TY ₁₀	* 1994 10 09.20038	00 27 21.12	+06 07 33.3	19.9 V	691
1994 TS ₁₀	1994 10 11.31667	00 23 11.30	+05 49 03.6		691	1994 TY ₁₀	1994 10 09.22446	00 27 19.99	+06 07 23.8		691
1994 TT ₁₀	* 1994 10 09.19894	00 25 16.83	+05 53 27.0	20.6 V	691	1994 TY ₁₀	1994 10 09.24894	00 27 18.82	+06 07 14.5		691
1994 TT ₁₀	1994 10 09.22303	00 25 15.75	+05 53 13.2		691	1994 TY ₁₀	1994 10 10.19363	00 26 35.66	+06 01 06.5	19.9 V	691
1994 TT ₁₀	1994 10 09.24751	00 25 14.68	+05 52 59.4		691	1994 TY ₁₀	1994 10 10.20192	00 26 35.25	+06 01 03.3		691
1994 TT ₁₀	1994 10 11.30168	00 23 47.08	+05 34 13.6	20.6 V	691	1994 TY ₁₀	1994 10 10.20972	00 26 34.89	+06 01 00.2		691
1994 TT ₁₀	1994 10 11.30940	00 23 46.73	+05 34 10.0		691	1994 TZ ₁₀	* 1994 10 09.20067	00 27 46.67	+05 58 12.5	20.3 V	691
1994 TT ₁₀	1994 10 11.31707	00 23 46.38	+05 34 05.5		691	1994 TZ ₁₀	1994 10 09.22475	00 27 45.48	+05 58 03.6		691

1994 TZ ₁₀	1994 10 10.19389	00 26 58.01	+05 52 27.7	20.7 V	691	1994 TE ₁₁	1994 10 12.26467	00 26 37.26	+05 33 08.2	20.0 V	691
1994 TZ ₁₀	1994 10 10.20217	00 26 57.58	+05 52 24.4		691	1994 TE ₁₁	1994 10 12.27236	00 26 36.84	+05 33 05.6		691
1994 TZ ₁₀	1994 10 10.20998	00 26 57.21	+05 52 21.8		691	1994 TF ₁₁	* 1994 10 10.19112	00 22 57.67	+05 37 52.1	19.0 V	691
1994 TZ ₁₀	1994 10 11.30326	00 26 04.08	+05 46 03.8	21.1 V	691	1994 TF ₁₁	1994 10 10.19940	00 22 57.14	+05 37 52.3		691
1994 TZ ₁₀	1994 10 11.31098	00 26 03.73	+05 46 01.6		691	1994 TF ₁₁	1994 10 10.20720	00 22 56.66	+05 37 51.9		691
1994 TZ ₁₀	1994 10 11.31865	00 26 03.32	+05 45 58.6		691	1994 TF ₁₁	1994 10 10.39667	00 22 44.72	+05 37 54.0	19.4 V	691
1994 TA ₁₁	* 1994 10 09.20081	00 27 58.59	+05 53 28.4	16.7 V	691	1994 TF ₁₁	1994 10 10.40429	00 22 44.27	+05 37 54.2		691
1994 TA ₁₁	1994 10 09.22487	00 27 55.95	+05 53 39.8		691	1994 TF ₁₁	1994 10 10.41196	00 22 43.75	+05 37 54.8		691
1994 TA ₁₁	1994 10 09.24934	00 27 53.26	+05 53 51.6		691	1994 TF ₁₁	1994 10 11.30054	00 21 50.40	+05 38 07.2		691
1994 TA ₁₁	1994 10 10.19339	00 26 14.21	+06 01 16.8	16.8 V	691	1994 TF ₁₁	1994 10 11.31593	00 21 49.45	+05 38 07.5	19.6 V	691
1994 TA ₁₁	1994 10 10.20166	00 26 13.31	+06 01 20.7		691	1994 TG ₁₁	* 1994 10 10.19113	00 22 58.60	+05 36 59.7		691
1994 TA ₁₁	1994 10 10.20946	00 26 12.49	+06 01 24.5		691	1994 TG ₁₁	1994 10 10.19941	00 22 58.13	+05 36 57.2	20.5 V	691
1994 TA ₁₁	1994 10 10.39883	00 25 52.01	+06 02 53.3	16.8 V	691	1994 TG ₁₁	1994 10 10.20721	00 22 57.50	+05 36 49.7		691
1994 TA ₁₁	1994 10 10.40645	00 25 51.20	+06 02 57.0		691	1994 TG ₁₁	1994 10 10.39669	00 22 46.81	+05 35 42.8	20.5 V	691
1994 TA ₁₁	1994 10 10.41411	00 25 50.39	+06 03 00.7		691	1994 TG ₁₁	1994 10 10.40432	00 22 46.41	+05 35 39.7		691
1994 TB ₁₁	* 1994 10 09.20116	00 28 29.10	+06 02 51.1	18.6 V	691	1994 TG ₁₁	1994 10 10.41198	00 22 45.95	+05 35 37.3		691
1994 TB ₁₁	1994 10 09.22524	00 28 27.64	+06 02 48.0		691	1994 TG ₁₁	1994 10 11.30059	00 21 58.19	+05 30 09.9		691
1994 TB ₁₁	1994 10 09.24972	00 28 26.12	+06 02 45.1		691	1994 TG ₁₁	1994 10 11.30831	00 21 57.73	+05 30 07.9	20.1 V	691
1994 TB ₁₁	1994 10 10.19429	00 27 32.57	+06 00 47.9		691	1994 TG ₁₁	1994 10 11.31598	00 21 57.32	+05 30 04.3		691
1994 TB ₁₁	1994 10 10.20257	00 27 32.06	+06 00 46.7	18.8 V	691	1994 TH ₁₁	* 1994 10 10.19264	00 25 09.33	+05 45 02.9		691
1994 TB ₁₁	1994 10 10.21038	00 27 31.61	+06 00 45.8		691	1994 TH ₁₁	1994 10 10.20092	00 25 08.77	+05 45 04.2	20.1 V	691
1994 TB ₁₁	1994 10 10.39985	00 27 20.24	+06 00 22.6	18.9 V	691	1994 TH ₁₁	1994 10 10.20872	00 25 08.28	+05 45 05.0		691
1994 TB ₁₁	1994 10 10.40747	00 27 19.79	+06 00 21.6		691	1994 TH ₁₁	1994 10 10.39819	00 24 56.16	+05 45 21.7	20.2 V	691
1994 TB ₁₁	1994 10 10.41514	00 27 19.30	+06 00 20.5		691	1994 TH ₁₁	1994 10 10.40581	00 24 55.68	+05 45 22.2		691
1994 TC ₁₁	* 1994 10 09.20154	00 29 01.67	+05 53 20.6		691	1994 TH ₁₁	1994 10 10.41347	00 24 55.24	+05 45 23.2		691
1994 TC ₁₁	1994 10 09.22562	00 29 00.21	+05 53 19.3		691	1994 TH ₁₁	1994 10 11.30185	00 24 01.42	+05 46 42.0	20.3 V	691
1994 TC ₁₁	1994 10 09.25010	00 28 58.77	+05 53 18.2	20.4 V	691	1994 TH ₁₁	1994 10 11.30956	00 24 00.98	+05 46 42.3		691
1994 TC ₁₁	1994 10 10.19467	00 28 05.24	+05 52 53.6	20.4 V	691	1994 TH ₁₁	1994 10 11.31723	00 24 00.48	+05 46 42.5		691
1994 TC ₁₁	1994 10 10.20295	00 28 04.75	+05 52 53.1		691	1994 TJ ₁₁	* 1994 10 10.19296	00 25 37.72	+05 35 54.4		691
1994 TC ₁₁	1994 10 10.21076	00 28 04.30	+05 52 53.6		691	1994 TJ ₁₁	1994 10 10.20125	00 25 37.33	+05 35 50.1	19.7 V	691
1994 TC ₁₁	1994 10 10.40023	00 27 53.26	+05 52 49.0		691	1994 TJ ₁₁	1994 10 10.20905	00 25 36.98	+05 35 46.5		691
1994 TC ₁₁	1994 10 10.40785	00 27 52.81	+05 52 48.6		691	1994 TJ ₁₁	1994 10 10.39856	00 25 28.36	+05 34 12.1		691
1994 TC ₁₁	1994 10 10.41552	00 27 52.38	+05 52 48.6	20.3 V	691	1994 TJ ₁₁	1994 10 10.40618	00 25 27.81	+05 34 06.2	19.5 V	691
1994 TD ₁₁	* 1994 10 09.20156	00 29 03.27	+06 01 54.4	19.3 V	691	1994 TJ ₁₁	1994 10 10.41384	00 25 27.44	+05 34 01.6		691
1994 TD ₁₁	1994 10 09.22564	00 29 02.17	+06 01 40.8		691	1994 TJ ₁₁	1994 10 11.30239	00 24 48.32	+05 26 32.1		691
1994 TD ₁₁	1994 10 09.25012	00 29 01.03	+06 01 27.3		691	1994 TJ ₁₁	1994 10 11.31011	00 24 47.97	+05 26 28.2	19.6 V	691
1994 TD ₁₁	1994 10 11.30430	00 27 33.80	+05 42 14.3		691	1994 TJ ₁₁	1994 10 11.31778	00 24 47.62	+05 26 24.0		691
1994 TD ₁₁	1994 10 11.31202	00 27 33.45	+05 42 09.6	19.4 V	691	1994 TJ ₁₁	1994 10 12.25528	00 24 06.71	+05 18 30.9		691
1994 TD ₁₁	1994 10 11.31969	00 27 33.10	+05 42 05.6		691	1994 TJ ₁₁	1994 10 12.26293	00 24 06.34	+05 18 26.6		691
1994 TD ₁₁	1994 10 12.25721	00 26 54.61	+05 33 22.9	19.4 V	691	1994 TJ ₁₁	1994 10 12.27062	00 24 06.00	+05 18 22.8	19.4 V	691
1994 TD ₁₁	1994 10 12.26487	00 26 54.27	+05 33 19.8		691	1994 TJ ₁₁	1994 10 13.31335	00 23 20.85	+05 09 39.1		691
1994 TD ₁₁	1994 10 12.27256	00 26 53.94	+05 33 14.6		691	1994 TJ ₁₁	1994 10 13.32144	00 23 20.53	+05 09 33.6		691
1994 TE ₁₁	* 1994 10 09.20170	00 29 15.66	+05 48 27.2		691	1994 TJ ₁₁	1994 10 13.32886	00 23 20.18	+05 09 30.4	19.1 V	691
1994 TE ₁₁	1994 10 09.22578	00 29 14.36	+05 48 20.2	19.8 V	691	1994 TK ₁₁	* 1994 10 10.19332	00 26 08.46	+05 39 28.2	17.0 V	691
1994 TE ₁₁	1994 10 09.25026	00 29 12.94	+05 48 12.9		691	1994 TK ₁₁	1994 10 10.20160	00 26 08.03	+05 39 24.9		691
1994 TE ₁₁	1994 10 10.19488	00 28 23.73	+05 43 28.1	19.8 V	691	1994 TK ₁₁	1994 10 10.20941	00 26 07.64	+05 39 21.8		691
1994 TE ₁₁	1994 10 10.20316	00 28 23.25	+05 43 25.3		691	1994 TK ₁₁	1994 10 10.39890	00 25 57.78	+05 38 07.3		691
1994 TE ₁₁	1994 10 10.21097	00 28 22.83	+05 43 23.2		691	1994 TK ₁₁	1994 10 10.40652	00 25 57.41	+05 38 04.2	17.0 V	691
1994 TE ₁₁	1994 10 11.30421	00 27 26.03	+05 37 55.5		691	1994 TK ₁₁	1994 10 10.41419	00 25 57.06	+05 38 01.6		691
1994 TE ₁₁	1994 10 11.31193	00 27 25.63	+05 37 52.7		691	1994 TK ₁₁	1994 10 11.30268	00 25 13.53	+05 32 17.9	17.0 V	691
1994 TE ₁₁	1994 10 11.31960	00 27 25.21	+05 37 50.9	19.8 V	691	1994 TK ₁₁	1994 10 11.31040	00 25 13.15	+05 32 15.0		691
1994 TE ₁₁	1994 10 12.25702	00 26 37.67	+05 33 10.7		691	1994 TK ₁₁	1994 10 11.31807	00 25 12.73	+05 32 12.0		691

1994 TK ₁₁	1994 10 12.25552	00 24 27.38	+05 26 11.1	17.1 V	691	1994 TP ₁₁	1994 10 10.25912	02 12 03.37	+11 54 28.6	691
1994 TK ₁₁	1994 10 12.26317	00 24 26.98	+05 26 07.6		691	1994 TP ₁₁	1994 10 10.28112	02 12 02.18	+11 54 21.9	691
1994 TK ₁₁	1994 10 12.27085	00 24 26.62	+05 26 05.2		691	1994 TP ₁₁	1994 10 12.28054	02 10 14.53	+11 43 57.7	691
1994 TL ₁₁	* 1994 10 10.19346	00 26 20.34	+05 40 56.7		691	1994 TP ₁₁	1994 10 12.28997	02 10 13.99	+11 43 54.3	18.6 V 691
1994 TL ₁₁	1994 10 10.20174	00 26 19.95	+05 40 49.8	18.0 V	691	1994 TP ₁₁	1994 10 12.29953	02 10 13.45	+11 43 51.1	691
1994 TL ₁₁	1994 10 10.20955	00 26 19.62	+05 40 43.3		691	1994 TQ ₁₁	* 1994 10 10.23760	02 12 28.78	+11 55 40.0	691
1994 TL ₁₁	1994 10 10.39906	00 26 11.49	+05 38 06.1	18.1 V	691	1994 TQ ₁₁	1994 10 10.25940	02 12 27.49	+11 55 39.8	20.3 V 691
1994 TL ₁₁	1994 10 10.40668	00 26 11.18	+05 38 00.1		691	1994 TQ ₁₁	1994 10 10.28140	02 12 26.30	+11 55 39.0	691
1994 TL ₁₁	1994 10 10.41435	00 26 10.85	+05 37 53.5		691	1994 TQ ₁₁	1994 10 12.28072	02 10 36.51	+11 54 27.9	691
1994 TL ₁₁	1994 10 11.30293	00 25 35.39	+05 25 38.2		691	1994 TQ ₁₁	1994 10 12.29014	02 10 35.95	+11 54 27.8	20.1 V 691
1994 TL ₁₁	1994 10 11.31065	00 25 35.06	+05 25 31.9	18.0 V	691	1994 TQ ₁₁	1994 10 12.29969	02 10 35.38	+11 54 27.2	691
1994 TL ₁₁	1994 10 11.31832	00 25 34.74	+05 25 25.3		691	1994 TR ₁₁	* 1994 10 10.23871	02 14 04.98	+12 03 22.1	17.6 V 691
1994 TL ₁₁	1994 10 12.25587	00 24 57.75	+05 12 32.0		691	1994 TR ₁₁	1994 10 10.26051	02 14 03.89	+12 03 20.7	691
1994 TL ₁₁	1994 10 12.26352	00 24 57.43	+05 12 25.1	17.9 V	691	1994 TR ₁₁	1994 10 10.28251	02 14 02.78	+12 03 18.6	691
1994 TL ₁₁	1994 10 12.27121	00 24 57.12	+05 12 19.0		691	1994 TR ₁₁	1994 10 11.33686	02 13 11.47	+12 01 34.2	16.9 V 691
1994 TL ₁₁	1994 10 13.31399	00 24 16.41	+04 58 01.4	17.4 V	691	1994 TR ₁₁	1994 10 11.34478	02 13 11.06	+12 01 33.3	691
1994 TL ₁₁	1994 10 13.32208	00 24 16.07	+04 57 54.3		691	1994 TR ₁₁	1994 10 11.35264	02 13 10.64	+12 01 32.4	691
1994 TL ₁₁	1994 10 13.32951	00 24 15.75	+04 57 48.5		691	1994 TR ₁₁	1994 10 11.43432	02 13 06.37	+12 01 23.9	16.8 V 691
1994 TM ₁₁	* 1994 10 10.19395	00 27 03.48	+05 35 51.9		691	1994 TR ₁₁	1994 10 11.44216	02 13 05.96	+12 01 22.9	691
1994 TM ₁₁	1994 10 10.20224	00 27 03.14	+05 35 47.0	15.6 V	691	1994 TR ₁₁	1994 10 11.45000	02 13 05.54	+12 01 22.2	691
1994 TM ₁₁	1994 10 10.21005	00 27 02.84	+05 35 42.4		691	1994 TR ₁₁	1994 10 12.28196	02 12 24.63	+11 59 55.0	691
1994 TM ₁₁	1994 10 10.39956	00 26 55.12	+05 33 50.0		691	1994 TR ₁₁	1994 10 12.29139	02 12 24.13	+11 59 53.8	17.3 V 691
1994 TM ₁₁	1994 10 10.40718	00 26 54.82	+05 33 45.3	15.6 V	691	1994 TR ₁₁	1994 10 12.30094	02 12 23.62	+11 59 52.9	691
1994 TM ₁₁	1994 10 10.41485	00 26 54.50	+05 33 40.7		691	1994 TR ₁₁	1994 10 12.45400	02 12 15.45	+11 59 36.3	691
1994 TM ₁₁	1994 10 11.30346	00 26 21.33	+05 24 55.4		691	1994 TR ₁₁	1994 10 12.46174	02 12 15.05	+11 59 35.2	17.7 V 691
1994 TM ₁₁	1994 10 11.31118	00 26 21.02	+05 24 50.6	15.4 V	691	1994 TR ₁₁	1994 10 12.46955	02 12 14.64	+11 59 34.3	691
1994 TM ₁₁	1994 10 11.31885	00 26 20.71	+05 24 46.1		691	1994 TS ₁₁	* 1994 10 10.23876	02 14 08.82	+12 04 39.2	20.0 V 691
1994 TM ₁₁	1994 10 12.25642	00 25 46.18	+05 15 34.1	15.3 V	691	1994 TS ₁₁	1994 10 10.26055	02 14 07.70	+12 04 34.4	691
1994 TM ₁₁	1994 10 12.26408	00 25 45.88	+05 15 29.6		691	1994 TS ₁₁	1994 10 10.28256	02 14 06.60	+12 04 30.1	691
1994 TM ₁₁	1994 10 12.27177	00 25 45.58	+05 15 25.2		691	1994 TS ₁₁	1994 10 11.33690	02 13 14.47	+12 00 30.0	691
1994 TM ₁₁	1994 10 13.31458	00 25 07.67	+05 05 14.8	15.1 V	691	1994 TS ₁₁	1994 10 11.34481	02 13 14.09	+12 00 28.2	19.2 V 691
1994 TM ₁₁	1994 10 13.32267	00 25 07.32	+05 05 09.8		691	1994 TS ₁₁	1994 10 11.35268	02 13 13.67	+12 00 26.3	691
1994 TM ₁₁	1994 10 13.33010	00 25 07.04	+05 05 05.5		691	1994 TS ₁₁	1994 10 11.43436	02 13 09.43	+12 00 07.4	19.2 V 691
1994 TN ₁₁	* 1994 10 10.19428	00 27 32.10	+05 37 30.4		691	1994 TS ₁₁	1994 10 11.44220	02 13 09.04	+12 00 05.5	691
1994 TN ₁₁	1994 10 10.20257	00 27 31.74	+05 37 27.0	17.4 V	691	1994 TS ₁₁	1994 10 11.45003	02 13 08.61	+12 00 03.7	691
1994 TN ₁₁	1994 10 10.21038	00 27 31.42	+05 37 23.9		691	1994 TS ₁₁	1994 10 12.28199	02 12 27.14	+11 56 49.8	19.6 V 691
1994 TN ₁₁	1994 10 10.39988	00 27 23.29	+05 36 11.7	17.4 V	691	1994 TS ₁₁	1994 10 12.29142	02 12 26.65	+11 56 47.8	691
1994 TN ₁₁	1994 10 10.40751	00 27 22.96	+05 36 08.7		691	1994 TS ₁₁	1994 10 12.30097	02 12 26.16	+11 56 45.5	691
1994 TN ₁₁	1994 10 10.41517	00 27 22.59	+05 36 05.7		691	1994 TT ₁₁	* 1994 10 10.23895	02 14 25.71	+12 10 22.3	18.7 V 691
1994 TN ₁₁	1994 10 11.30376	00 26 46.76	+05 30 28.0	17.4 V	691	1994 TT ₁₁	1994 10 10.26075	02 14 24.56	+12 10 21.9	691
1994 TN ₁₁	1994 10 11.31147	00 26 46.45	+05 30 24.7		691	1994 TT ₁₁	1994 10 10.28275	02 14 23.33	+12 10 21.3	691
1994 TN ₁₁	1994 10 11.31915	00 26 46.12	+05 30 22.1		691	1994 TT ₁₁	1994 10 11.33704	02 13 27.00	+12 09 36.5	19.0 V 691
1994 TN ₁₁	1994 10 13.31480	00 25 26.76	+05 17 49.3		691	1994 TT ₁₁	1994 10 11.34495	02 13 26.58	+12 09 36.0	691
1994 TN ₁₁	1994 10 13.32289	00 25 26.39	+05 17 46.2	17.1 V	691	1994 TT ₁₁	1994 10 11.35282	02 13 26.13	+12 09 35.7	691
1994 TN ₁₁	1994 10 13.33032	00 25 26.10	+05 17 43.3		691	1994 TT ₁₁	1994 10 11.43450	02 13 21.58	+12 09 31.9	18.5 V 691
1994 TO ₁₁	* 1994 10 10.23659	02 11 01.47	+12 05 04.0		691	1994 TT ₁₁	1994 10 11.44234	02 13 21.16	+12 09 31.4	691
1994 TO ₁₁	1994 10 10.25839	02 11 00.17	+12 05 00.6		691	1994 TT ₁₁	1994 10 11.45017	02 13 20.71	+12 09 31.0	691
1994 TO ₁₁	1994 10 10.28039	02 10 58.87	+12 04 57.8	20.0 V	691	1994 TT ₁₁	1994 10 12.28209	02 12 35.88	+12 08 52.4	691
1994 TO ₁₁	1994 10 11.33496	02 09 56.51	+12 02 23.1		691	1994 TT ₁₁	1994 10 12.29152	02 12 35.35	+12 08 52.2	18.7 V 691
1994 TO ₁₁	1994 10 11.34288	02 09 55.99	+12 02 21.4		691	1994 TT ₁₁	1994 10 12.30107	02 12 34.79	+12 08 51.9	691
1994 TO ₁₁	1994 10 11.35075	02 09 55.51	+12 02 20.6	20.3 V	691	1994 TU ₁₁	* 1994 10 10.23953	02 15 15.87	+11 45 47.8	691
1994 TP ₁₁	* 1994 10 10.23732	02 12 04.58	+11 54 34.9	18.5 V	691	1994 TU ₁₁	1994 10 10.26133	02 15 14.92	+11 45 43.8	18.9 V 691

1994 TU ₁₁	1994 10 10.28333	02 15 13.93	+11 45 39.7		691	1994 TZ ₁₁	1994 10 12.46296	02 14 15.45	+11 39 10.7	19.3 V	691
1994 TU ₁₁	1994 10 13.25916	02 13 07.21	+11 35 23.3	19.1 V	691	1994 TZ ₁₁	1994 10 12.47077	02 14 15.09	+11 39 08.0		691
1994 TU ₁₁	1994 10 13.26730	02 13 06.82	+11 35 21.8		691	1994 TZ ₁₁	1994 10 13.25934	02 13 38.28	+11 34 21.2	19.5 V	691
1994 TU ₁₁	1994 10 13.27506	02 13 06.47	+11 35 20.2		691	1994 TZ ₁₁	1994 10 13.26748	02 13 37.87	+11 34 18.6		691
1994 TV ₁₁	* 1994 10 10.23953	02 15 15.97	+11 57 55.4		691	1994 TZ ₁₁	1994 10 13.27524	02 13 37.46	+11 34 15.8		691
1994 TV ₁₁	1994 10 10.26133	02 15 15.06	+11 57 50.1	20.2 V	691	1994 TA ₁₂	* 1994 10 10.24015	02 16 09.55	+12 08 05.2		691
1994 TV ₁₁	1994 10 10.28334	02 15 13.99	+11 57 45.2		691	1994 TA ₁₂	1994 10 10.26194	02 16 08.21	+12 08 07.3	18.0 V	691
1994 TV ₁₁	1994 10 12.28293	02 13 48.65	+11 49 43.6	20.0 V	691	1994 TA ₁₂	1994 10 10.28395	02 16 06.88	+12 08 09.2		691
1994 TV ₁₁	1994 10 12.29236	02 13 48.25	+11 49 40.9		691	1994 TA ₁₂	1994 10 11.33816	02 15 03.85	+12 09 26.5		691
1994 TV ₁₁	1994 10 12.30191	02 13 47.79	+11 49 38.8		691	1994 TA ₁₂	1994 10 11.34607	02 15 03.36	+12 09 27.1	17.4 V	691
1994 TV ₁₁	1994 10 12.45482	02 13 40.89	+11 49 00.8		691	1994 TA ₁₂	1994 10 11.35394	02 15 02.87	+12 09 27.7		691
1994 TV ₁₁	1994 10 12.46256	02 13 40.53	+11 48 58.9	20.9 V	691	1994 TA ₁₂	1994 10 11.43561	02 14 57.77	+12 09 33.5	17.3 V	691
1994 TV ₁₁	1994 10 12.47037	02 13 40.18	+11 48 57.0		691	1994 TA ₁₂	1994 10 11.44345	02 14 57.29	+12 09 33.8		691
1994 TW ₁₁	* 1994 10 10.23958	02 15 20.61	+12 03 16.7		691	1994 TA ₁₂	1994 10 11.45128	02 14 56.79	+12 09 34.3		691
1994 TW ₁₁	1994 10 10.26138	02 15 19.80	+12 03 22.2	20.1 V	691	1994 TA ₁₂	1994 10 12.28314	02 14 06.66	+12 10 32.1	17.9 V	691
1994 TW ₁₁	1994 10 10.28339	02 15 19.02	+12 03 28.2		691	1994 TA ₁₂	1994 10 12.29256	02 14 06.06	+12 10 32.6		691
1994 TW ₁₁	1994 10 11.34585	02 14 44.47	+12 07 45.5		691	1994 TA ₁₂	1994 10 12.30212	02 14 05.44	+12 10 33.2		691
1994 TW ₁₁	1994 10 11.35372	02 14 44.17	+12 07 47.5	19.6 V	691	1994 TB ₁₂	* 1994 10 10.24033	02 16 25.12	+11 44 29.0	18.1 V	691
1994 TW ₁₁	1994 10 11.43542	02 14 41.12	+12 08 06.8	19.7 V	691	1994 TB ₁₂	1994 10 10.26213	02 16 24.13	+11 44 23.6		691
1994 TW ₁₁	1994 10 11.44326	02 14 40.84	+12 08 08.6		691	1994 TB ₁₂	1994 10 10.28413	02 16 23.16	+11 44 18.0		691
1994 TW ₁₁	1994 10 11.45109	02 14 40.53	+12 08 10.4		691	1994 TB ₁₂	1994 10 13.25961	02 14 12.45	+11 30 49.8	17.6 V	691
1994 TW ₁₁	1994 10 12.28321	02 14 12.87	+12 11 29.3	20.1 V	691	1994 TB ₁₂	1994 10 13.26774	02 14 12.08	+11 30 47.8		691
1994 TW ₁₁	1994 10 12.29264	02 14 12.51	+12 11 31.0		691	1994 TB ₁₂	1994 10 13.27551	02 14 11.71	+11 30 45.6		691
1994 TW ₁₁	1994 10 12.30220	02 14 12.16	+12 11 33.7		691	1994 TC ₁₂	* 1994 10 10.24043	02 16 33.97	+12 04 50.8	19.9 V	691
1994 TX ₁₁	* 1994 10 10.23960	02 15 21.64	+12 10 03.9	19.5 V	691	1994 TC ₁₂	1994 10 10.26223	02 16 33.02	+12 04 43.7		691
1994 TX ₁₁	1994 10 10.26139	02 15 20.62	+12 09 56.6		691	1994 TC ₁₂	1994 10 10.28424	02 16 31.99	+12 04 38.7		691
1994 TX ₁₁	1994 10 10.28340	02 15 19.51	+12 09 50.0		691	1994 TC ₁₂	1994 10 11.33864	02 15 45.68	+11 59 39.7		691
1994 TX ₁₁	1994 10 11.43524	02 14 26.22	+12 03 09.4	18.8 V	691	1994 TC ₁₂	1994 10 11.34656	02 15 45.32	+11 59 37.0	19.1 V	691
1994 TX ₁₁	1994 10 11.44309	02 14 25.83	+12 03 06.3		691	1994 TC ₁₂	1994 10 11.35442	02 15 44.96	+11 59 35.1		691
1994 TX ₁₁	1994 10 11.45092	02 14 25.43	+12 03 03.5		691	1994 TC ₁₂	1994 10 11.43611	02 15 41.17	+11 59 11.5		691
1994 TX ₁₁	1994 10 12.28291	02 13 46.74	+11 58 08.8	19.3 V	691	1994 TC ₁₂	1994 10 11.44395	02 15 40.79	+11 59 08.9	19.2 V	691
1994 TX ₁₁	1994 10 12.29234	02 13 46.25	+11 58 05.3		691	1994 TC ₁₂	1994 10 11.45179	02 15 40.40	+11 59 06.6		691
1994 TX ₁₁	1994 10 12.30189	02 13 45.77	+11 58 02.0		691	1994 TC ₁₂	1994 10 12.28380	02 15 03.47	+11 55 06.1	19.7 V	691
1994 TX ₁₁	1994 10 12.45479	02 13 38.00	+11 57 06.9		691	1994 TC ₁₂	1994 10 12.29322	02 15 03.02	+11 55 03.2		691
1994 TX ₁₁	1994 10 12.46253	02 13 37.60	+11 57 03.9	19.0 V	691	1994 TC ₁₂	1994 10 12.30278	02 15 02.55	+11 55 00.5		691
1994 TX ₁₁	1994 10 12.47034	02 13 37.22	+11 57 01.5		691	1994 TC ₁₂	1994 10 12.45568	02 14 55.31	+11 54 15.7		691
1994 TX ₁₁	1994 10 13.25912	02 12 59.81	+11 52 16.5		691	1994 TC ₁₂	1994 10 12.46342	02 14 54.95	+11 54 14.1	19.6 V	691
1994 TX ₁₁	1994 10 13.26725	02 12 59.36	+11 52 13.2		691	1994 TC ₁₂	1994 10 12.47123	02 14 54.60	+11 54 11.2		691
1994 TX ₁₁	1994 10 13.27502	02 12 58.95	+11 52 10.7	19.6 V	691	1994 TD ₁₂	* 1994 10 10.28792	01 49 05.38	+11 23 15.6	18.9 V	691
1994 TY ₁₁	* 1994 10 10.23982	02 15 41.24	+11 57 51.2		691	1994 TD ₁₂	1994 10 10.31675	01 49 04.21	+11 23 06.3		691
1994 TY ₁₁	1994 10 10.26162	02 15 40.19	+11 57 50.3	20.7 V	691	1994 TD ₁₂	1994 10 10.33850	01 49 03.36	+11 22 58.5		691
1994 TY ₁₁	1994 10 10.28363	02 15 39.09	+11 57 48.6		691	1994 TD ₁₂	1994 10 12.39356	01 47 44.89	+11 10 56.3	18.2 V	691
1994 TY ₁₁	1994 10 12.28312	02 14 04.49	+11 55 15.6	20.9 V	691	1994 TD ₁₂	1994 10 12.41338	01 47 44.07	+11 10 49.9		691
1994 TY ₁₁	1994 10 12.29254	02 14 04.04	+11 55 15.0		691	1994 TD ₁₂	1994 10 12.43328	01 47 43.30	+11 10 42.9		691
1994 TY ₁₁	1994 10 12.30210	02 14 03.55	+11 55 13.9		691	1994 TE ₁₂	* 1994 10 10.28800	01 49 18.39	+11 12 31.2		691
1994 TY ₁₁	1994 10 12.45500	02 13 56.13	+11 55 02.7		691	1994 TE ₁₂	1994 10 10.31682	01 49 16.61	+11 12 27.8	18.3 V	691
1994 TY ₁₁	1994 10 12.46273	02 13 55.63	+11 55 01.8	20.0 V	691	1994 TE ₁₂	1994 10 10.33856	01 49 15.31	+11 12 24.4		691
1994 TY ₁₁	1994 10 12.47055	02 13 55.25	+11 55 00.7		691	1994 TE ₁₂	1994 10 12.39323	01 47 16.31	+11 07 22.3	18.1 V	691
1994 TZ ₁₁	* 1994 10 10.24002	02 15 58.16	+11 52 23.3		691	1994 TE ₁₂	1994 10 12.41305	01 47 15.11	+11 07 20.1		691
1994 TZ ₁₁	1994 10 10.26182	02 15 57.11	+11 52 15.5	19.6 V	691	1994 TE ₁₂	1994 10 12.43294	01 47 13.91	+11 07 17.0		691
1994 TZ ₁₁	1994 10 10.28382	02 15 56.07	+11 52 08.6		691	1994 TF ₁₂	* 1994 10 10.28836	01 50 09.55	+11 15 22.7	19.1 V	691
1994 TZ ₁₁	1994 10 12.45523	02 14 15.84	+11 39 13.4		691	1994 TF ₁₂	1994 10 10.31717	01 50 07.60	+11 15 20.7		691

1994 TF ₁₂	1994 10 10.33890	01 50 06.15	+11 15 18.4		691	1994 TP ₁₂	* 1994 10 10.29428	01 58 42.36	+11 19 40.4		691
1994 TF ₁₂	1994 10 12.39368	01 47 55.32	+11 11 55.2		691	1994 TP ₁₂	1994 10 10.32309	01 58 40.91	+11 19 31.2	20.8 V	691
1994 TF ₁₂	1994 10 12.41350	01 47 53.97	+11 11 53.6	19.0 V	691	1994 TP ₁₂	1994 10 10.34483	01 58 39.88	+11 19 23.7		691
1994 TF ₁₂	1994 10 12.43339	01 47 52.64	+11 11 51.4		691	1994 TP ₁₂	1994 10 12.40000	01 57 03.50	+11 07 57.5	20.7 V	691
1994 TG ₁₂	* 1994 10 10.28896	01 51 01.14	+11 14 47.1		691	1994 TP ₁₂	1994 10 12.41983	01 57 02.49	+11 07 50.2		691
1994 TG ₁₂	1994 10 10.31777	01 50 59.87	+11 14 42.9	20.6 V	691	1994 TP ₁₂	1994 10 12.43972	01 57 01.44	+11 07 44.2		691
1994 TG ₁₂	1994 10 10.33951	01 50 58.80	+11 14 39.6		691	1994 TQ ₁₂	* 1994 10 10.29520	02 00 01.60	+11 10 15.0		691
1994 TG ₁₂	1994 10 12.39474	01 49 27.81	+11 08 41.3	20.8 V	691	1994 TQ ₁₂	1994 10 10.32401	02 00 00.13	+11 10 03.4		691
1994 TG ₁₂	1994 10 12.41457	01 49 26.87	+11 08 37.5		691	1994 TQ ₁₂	1994 10 10.34574	01 59 59.11	+11 09 54.9	19.5 V	691
1994 TG ₁₂	1994 10 12.43447	01 49 26.00	+11 08 34.2		691	1994 TQ ₁₂	1994 10 12.40087	01 58 18.85	+10 56 44.9	19.8 V	691
1994 TH ₁₂	* 1994 10 10.28909	01 51 12.15	+11 28 43.7		691	1994 TQ ₁₂	1994 10 12.42070	01 58 17.83	+10 56 36.8		691
1994 TH ₁₂	1994 10 10.31790	01 51 10.93	+11 28 33.6	19.7 V	691	1994 TQ ₁₂	1994 10 12.44059	01 58 16.80	+10 56 29.0		691
1994 TH ₁₂	1994 10 10.33963	01 51 09.97	+11 28 25.3		691	1994 TR ₁₂	* 1994 10 10.36127	01 36 41.89	+11 39 25.9	18.6 V	691
1994 TH ₁₂	1994 10 12.39494	01 49 44.50	+11 15 31.4	19.6 V	691	1994 TR ₁₂	1994 10 10.37258	01 36 41.39	+11 39 20.7		691
1994 TH ₁₂	1994 10 12.41477	01 49 43.63	+11 15 23.8		691	1994 TR ₁₂	1994 10 10.38377	01 36 40.92	+11 39 16.4		691
1994 TH ₁₂	1994 10 12.43466	01 49 42.79	+11 15 16.5		691	1994 TR ₁₂	1994 10 12.38499	01 35 16.94	+11 25 35.0	18.7 V	691
1994 TJ ₁₂	* 1994 10 10.28971	01 52 06.58	+11 21 43.7	18.0 V	691	1994 TR ₁₂	1994 10 12.40482	01 35 16.03	+11 25 26.6		691
1994 TJ ₁₂	1994 10 10.31852	01 52 04.73	+11 21 46.3		691	1994 TR ₁₂	1994 10 12.42472	01 35 15.11	+11 25 18.3		691
1994 TJ ₁₂	1994 10 10.34025	01 52 03.30	+11 21 47.7		691	1994 TS ₁₂	* 1994 10 10.36129	01 36 45.24	+11 30 32.9	19.7 V	691
1994 TJ ₁₂	1994 10 12.39503	01 49 52.60	+11 24 20.1	18.0 V	691	1994 TS ₁₂	1994 10 10.37260	01 36 44.55	+11 30 27.4		691
1994 TJ ₁₂	1994 10 12.41485	01 49 51.30	+11 24 21.1		691	1994 TS ₁₂	1994 10 10.38379	01 36 43.87	+11 30 22.3		691
1994 TJ ₁₂	1994 10 12.43474	01 49 50.01	+11 24 22.8		691	1994 TS ₁₂	1994 10 12.38482	01 34 47.41	+11 14 30.4	19.4 V	691
1994 TK ₁₂	* 1994 10 10.29108	01 54 05.03	+11 32 57.7		691	1994 TS ₁₂	1994 10 12.40465	01 34 46.20	+11 14 20.7		691
1994 TK ₁₂	1994 10 10.31989	01 54 03.89	+11 32 46.5		691	1994 TS ₁₂	1994 10 12.42455	01 34 44.97	+11 14 11.6		691
1994 TK ₁₂	1994 10 10.34163	01 54 02.98	+11 32 37.2	20.4 V	691	1994 TT ₁₂	* 1994 10 10.36144	01 37 11.09	+11 32 24.1	19.4 V	691
1994 TK ₁₂	1994 10 12.39698	01 52 41.23	+11 18 12.0		691	1994 TT ₁₂	1994 10 10.37274	01 37 10.33	+11 32 21.7		691
1994 TK ₁₂	1994 10 12.41681	01 52 40.44	+11 18 02.6	20.8 V	691	1994 TT ₁₂	1994 10 10.38394	01 37 09.56	+11 32 19.0		691
1994 TK ₁₂	1994 10 12.43670	01 52 39.63	+11 17 54.8		691	1994 TT ₁₂	1994 10 12.38487	01 34 56.33	+11 24 53.5		691
1994 TL ₁₂	* 1994 10 10.29142	01 54 34.37	+11 35 51.3		691	1994 TT ₁₂	1994 10 12.40470	01 34 54.96	+11 24 48.6	19.3 V	691
1994 TL ₁₂	1994 10 10.32023	01 54 33.21	+11 35 34.7		691	1994 TT ₁₂	1994 10 12.42460	01 34 53.56	+11 24 45.0		691
1994 TL ₁₂	1994 10 10.34197	01 54 32.26	+11 35 22.8	20.5 V	691	1994 TU ₁₂	* 1994 10 10.36162	01 37 35.46	+11 34 32.7	20.3 V	691
1994 TL ₁₂	1994 10 12.39729	01 53 08.63	+11 16 28.7	20.6 V	691	1994 TU ₁₂	1994 10 10.37293	01 37 34.84	+11 34 29.7		691
1994 TL ₁₂	1994 10 12.41712	01 53 07.83	+11 16 17.1		691	1994 TU ₁₂	1994 10 10.38412	01 37 34.28	+11 34 27.1		691
1994 TL ₁₂	1994 10 12.43702	01 53 06.97	+11 16 05.8		691	1994 TU ₁₂	1994 10 12.38529	01 35 48.75	+11 25 41.3	20.3 V	691
1994 TM ₁₂	* 1994 10 10.29184	01 55 10.57	+11 28 08.3	18.7 V	691	1994 TU ₁₂	1994 10 12.40511	01 35 47.65	+11 25 34.6		691
1994 TM ₁₂	1994 10 10.32065	01 55 09.22	+11 28 02.5		691	1994 TU ₁₂	1994 10 12.42501	01 35 46.54	+11 25 29.9		691
1994 TM ₁₂	1994 10 10.34238	01 55 08.15	+11 27 57.9		691	1994 TV ₁₂	* 1994 10 10.36614	01 44 06.88	+11 27 06.9		691
1994 TM ₁₂	1994 10 12.39756	01 53 31.51	+11 20 58.8		691	1994 TV ₁₂	1994 10 10.37744	01 44 06.18	+11 27 06.7	19.4 V	691
1994 TM ₁₂	1994 10 12.41738	01 53 30.53	+11 20 54.0	18.8 V	691	1994 TV ₁₂	1994 10 10.38863	01 44 05.55	+11 27 06.3		691
1994 TM ₁₂	1994 10 12.43728	01 53 29.57	+11 20 49.8		691	1994 TV ₁₂	1994 10 12.38979	01 42 18.51	+11 26 25.3		691
1994 TN ₁₂	* 1994 10 10.29310	01 57 00.37	+11 17 19.9		691	1994 TV ₁₂	1994 10 12.40961	01 42 17.42	+11 26 24.0		691
1994 TN ₁₂	1994 10 10.32192	01 56 58.93	+11 17 19.4		691	1994 TV ₁₂	1994 10 12.42951	01 42 16.29	+11 26 23.9	19.5 V	691
1994 TN ₁₂	1994 10 10.34365	01 56 57.69	+11 17 20.1	20.8 V	691	1994 TW ₁₂	* 1994 10 10.36618	01 44 10.16	+11 36 30.1	18.3 V	691
1994 TN ₁₂	1994 10 12.39876	01 55 15.27	+11 16 47.7		691	1994 TW ₁₂	1994 10 10.37748	01 44 09.54	+11 36 26.9		691
1994 TN ₁₂	1994 10 12.41858	01 55 14.18	+11 16 47.0		691	1994 TW ₁₂	1994 10 10.38867	01 44 08.92	+11 36 23.8		691
1994 TN ₁₂	1994 10 12.43847	01 55 13.15	+11 16 46.3	21.3 V	691	1994 TW ₁₂	1994 10 12.38983	01 42 22.35	+11 27 10.1	18.2 V	691
1994 TO ₁₂	* 1994 10 10.29324	01 57 12.02	+11 31 23.6		691	1994 TW ₁₂	1994 10 12.40966	01 42 21.24	+11 27 04.7		691
1994 TO ₁₂	1994 10 10.32205	01 57 10.70	+11 31 16.0		691	1994 TW ₁₂	1994 10 12.42955	01 42 20.11	+11 26 59.2		691
1994 TO ₁₂	1994 10 10.34379	01 57 09.64	+11 31 12.0	18.8 V	691	1994 TX ₁₂	* 1994 10 10.36691	01 45 13.66	+11 32 17.1	17.5 V	691
1994 TO ₁₂	1994 10 12.39898	01 55 35.04	+11 23 26.1		691	1994 TX ₁₂	1994 10 10.37822	01 45 13.12	+11 32 14.3		691
1994 TO ₁₂	1994 10 12.41881	01 55 34.10	+11 23 20.9	19.0 V	691	1994 TX ₁₂	1994 10 10.38941	01 45 12.59	+11 32 11.6		691
1994 TO ₁₂	1994 10 12.43871	01 55 33.16	+11 23 16.2		691	1994 TX ₁₂	1994 10 12.39073	01 43 40.07	+11 24 03.0		691

1994 TX ₁₂	1994 10 12.41056	01 43 39.12	+11 23 58.4	17.3 V	691	1994 TF ₁₃	1994 10 12.25709	00 26 44.03	+05 11 19.1		691
1994 TX ₁₂	1994 10 12.43045	01 43 38.17	+11 23 53.5		691	1994 TF ₁₃	1994 10 12.26474	00 26 43.72	+05 11 14.5	19.2 V	691
1994 TY ₁₂	* 1994 10 10.36888	01 48 04.20	+11 26 46.7	19.5 V	691	1994 TF ₁₃	1994 10 12.27243	00 26 43.35	+05 11 10.3		691
1994 TY ₁₂	1994 10 10.38018	01 48 03.41	+11 26 43.3		691	1994 TF ₁₃	1994 10 13.31518	00 25 59.81	+05 01 10.3	18.8 V	691
1994 TY ₁₂	1994 10 10.39137	01 48 02.77	+11 26 40.5		691	1994 TF ₁₃	1994 10 13.32327	00 25 59.40	+05 01 05.3		691
1994 TY ₁₂	1994 10 12.39238	01 46 02.77	+11 17 34.4	19.5 V	691	1994 TF ₁₃	1994 10 13.33070	00 25 59.11	+05 01 01.3		691
1994 TY ₁₂	1994 10 12.41220	01 46 01.54	+11 17 29.5		691	1994 TF ₁₃	1994 10 14.38991	00 25 15.48	+04 50 54.4	19.5 V	691
1994 TY ₁₂	1994 10 12.43209	01 46 00.30	+11 17 24.3		691	1994 TF ₁₃	1994 10 14.39725	00 25 15.15	+04 50 51.0		691
1994 TZ ₁₂	* 1994 10 10.36909	01 48 22.96	+11 38 12.6		691	1994 TF ₁₃	1994 10 14.40504	00 25 14.85	+04 50 46.4		691
1994 TZ ₁₂	1994 10 10.38040	01 48 22.45	+11 38 05.4		691	1994 TG ₁₃	* 1994 10 11.30463	00 28 02.16	+05 18 41.6		691
1994 TZ ₁₂	1994 10 10.39159	01 48 21.90	+11 37 58.0	20.7 V	691	1994 TG ₁₃	1994 10 11.31234	00 28 01.84	+05 18 37.6	18.8 V	691
1994 TZ ₁₂	1994 10 12.39293	01 46 50.54	+11 17 28.7	20.7 V	691	1994 TG ₁₃	1994 10 11.32002	00 28 01.50	+05 18 34.1		691
1994 TZ ₁₂	1994 10 12.41276	01 46 49.58	+11 17 16.7		691	1994 TG ₁₃	1994 10 12.25755	00 27 23.50	+05 11 06.4		691
1994 TZ ₁₂	1994 10 12.43265	01 46 48.65	+11 17 04.7		691	1994 TG ₁₃	1994 10 12.26520	00 27 23.17	+05 11 02.7		691
1994 TA ₁₃	* 1994 10 10.39716	00 23 27.10	+05 40 52.2		691	1994 TG ₁₃	1994 10 12.27289	00 27 22.84	+05 10 59.0	18.7 V	691
1994 TA ₁₃	1994 10 10.40478	00 23 26.72	+05 40 47.6		691	1994 TG ₁₃	1994 10 13.31566	00 26 40.89	+05 02 43.2	18.4 V	691
1994 TA ₁₃	1994 10 10.41245	00 23 26.33	+05 40 43.7	21.0 V	691	1994 TG ₁₃	1994 10 13.32375	00 26 40.59	+05 02 39.3		691
1994 TA ₁₃	1994 10 11.30094	00 22 42.48	+05 32 35.4	20.8 V	691	1994 TG ₁₃	1994 10 13.33117	00 26 40.29	+05 02 35.7		691
1994 TA ₁₃	1994 10 11.30865	00 22 42.03	+05 32 32.1		691	1994 TH ₁₃	* 1994 10 11.30482	00 28 18.91	+05 32 49.1		691
1994 TA ₁₃	1994 10 11.31632	00 22 41.65	+05 32 26.7		691	1994 TH ₁₃	1994 10 11.31254	00 28 18.39	+05 32 48.5	16.2 V	691
1994 TB ₁₃	* 1994 10 10.39732	00 23 41.11	+05 37 36.4	19.1 V	691	1994 TH ₁₃	1994 10 11.32021	00 28 17.99	+05 32 47.3		691
1994 TB ₁₃	1994 10 10.40494	00 23 40.70	+05 37 34.3		691	1994 TH ₁₃	1994 10 12.25749	00 27 18.65	+05 32 21.0		691
1994 TB ₁₃	1994 10 10.41261	00 23 40.27	+05 37 32.5		691	1994 TH ₁₃	1994 10 12.26514	00 27 18.15	+05 32 21.5		691
1994 TB ₁₃	1994 10 11.30108	00 22 54.70	+05 33 25.2	19.3 V	691	1994 TH ₁₃	1994 10 12.27283	00 27 17.72	+05 32 21.5	19.3 V	691
1994 TB ₁₃	1994 10 11.30879	00 22 54.27	+05 33 23.7		691	1994 TJ ₁₃	* 1994 10 11.30515	00 28 47.22	+05 18 55.5		691
1994 TB ₁₃	1994 10 11.31647	00 22 53.85	+05 33 20.8		691	1994 TJ ₁₃	1994 10 11.31286	00 28 46.85	+05 18 53.0		691
1994 TB ₁₃	1994 10 12.25419	00 22 06.39	+05 29 01.1	19.2 V	691	1994 TJ ₁₃	1994 10 11.32054	00 28 46.55	+05 18 49.9	20.7 V	691
1994 TB ₁₃	1994 10 12.26184	00 22 05.99	+05 28 59.2		691	1994 TJ ₁₃	1994 10 13.31614	00 27 22.97	+05 06 54.2		691
1994 TB ₁₃	1994 10 12.26953	00 22 05.56	+05 28 56.8		691	1994 TJ ₁₃	1994 10 13.32423	00 27 22.63	+05 06 51.5		691
1994 TC ₁₃	* 1994 10 10.39871	00 25 41.37	+05 37 15.6	20.0 V	691	1994 TJ ₁₃	1994 10 13.33166	00 27 22.32	+05 06 49.1	20.2 V	691
1994 TC ₁₃	1994 10 10.40633	00 25 40.93	+05 37 13.8		691	1994 TK ₁₃	* 1994 10 11.33589	02 11 46.92	+12 08 25.9	20.2 V	691
1994 TC ₁₃	1994 10 10.41400	00 25 40.50	+05 37 11.7		691	1994 TK ₁₃	1994 10 11.34380	02 11 46.43	+12 08 23.4		691
1994 TC ₁₃	1994 10 11.30241	00 24 50.03	+05 33 16.7		691	1994 TK ₁₃	1994 10 11.35167	02 11 46.14	+12 08 22.5		691
1994 TC ₁₃	1994 10 11.31013	00 24 49.57	+05 33 14.9	20.1 V	691	1994 TK ₁₃	1994 10 11.43335	02 11 42.12	+12 08 08.2	20.2 V	691
1994 TC ₁₃	1994 10 11.31780	00 24 49.09	+05 33 12.3		691	1994 TK ₁₃	1994 10 11.44119	02 11 41.76	+12 08 06.8		691
1994 TC ₁₃	1994 10 12.25516	00 23 56.26	+05 29 05.2		691	1994 TK ₁₃	1994 10 11.44903	02 11 41.33	+12 08 05.4		691
1994 TC ₁₃	1994 10 12.26281	00 23 55.81	+05 29 03.7	20.0 V	691	1994 TK ₁₃	1994 10 12.28101	02 11 02.03	+12 05 35.7		691
1994 TC ₁₃	1994 10 12.27049	00 23 55.37	+05 29 01.4		691	1994 TK ₁₃	1994 10 12.29043	02 11 01.56	+12 05 33.6		691
1994 TD ₁₃	* 1994 10 10.44774	02 01 57.34	+10 43 16.3	16.9 V	691	1994 TK ₁₃	1994 10 12.29999	02 11 01.06	+12 05 31.9	20.9 V	691
1994 TD ₁₃	1994 10 10.47115	02 01 54.99	+10 43 25.7		691	1994 TL ₁₃	* 1994 10 11.33598	02 11 54.54	+12 08 15.7	19.6 V	691
1994 TD ₁₃	1994 10 12.40119	01 58 46.22	+10 57 35.3		691	1994 TL ₁₃	1994 10 11.34389	02 11 54.18	+12 08 13.5		691
1994 TD ₁₃	1994 10 12.42101	01 58 44.19	+10 57 43.3	16.9 V	691	1994 TL ₁₃	1994 10 11.35176	02 11 53.79	+12 08 11.9		691
1994 TD ₁₃	1994 10 12.44089	01 58 42.15	+10 57 51.8		691	1994 TL ₁₃	1994 10 12.28112	02 11 11.20	+12 04 44.7		691
1994 TE ₁₃	* 1994 10 11.30136	00 23 18.93	+05 21 14.4	19.0 V	691	1994 TL ₁₃	1994 10 12.29054	02 11 10.76	+12 04 42.5		691
1994 TE ₁₃	1994 10 11.30907	00 23 18.48	+05 21 15.6		691	1994 TL ₁₃	1994 10 12.30010	02 11 10.28	+12 04 40.2	20.3 V	691
1994 TE ₁₃	1994 10 11.31674	00 23 18.01	+05 21 15.3		691	1994 TM ₁₃	* 1994 10 11.33610	02 12 05.63	+12 19 37.8	17.5 V	691
1994 TE ₁₃	1994 10 12.25429	00 22 23.79	+05 21 58.8	19.1 V	691	1994 TM ₁₃	1994 10 11.34401	02 12 05.16	+12 19 34.4		691
1994 TE ₁₃	1994 10 12.26194	00 22 23.33	+05 21 59.1		691	1994 TM ₁₃	1994 10 11.35188	02 12 04.69	+12 19 31.0		691
1994 TE ₁₃	1994 10 12.26963	00 22 22.87	+05 21 59.7		691	1994 TM ₁₃	1994 10 11.43355	02 11 59.78	+12 18 57.2		691
1994 TF ₁₃	* 1994 10 11.30419	00 27 24.21	+05 20 29.8		691	1994 TM ₁₃	1994 10 11.44139	02 11 59.33	+12 18 53.7	17.6 V	691
1994 TF ₁₃	1994 10 11.31191	00 27 23.87	+05 20 24.6	19.2 V	691	1994 TM ₁₃	1994 10 11.44923	02 11 58.84	+12 18 50.6		691
1994 TF ₁₃	1994 10 11.31958	00 27 23.55	+05 20 20.6		691	1994 TM ₁₃	1994 10 12.28112	02 11 11.27	+12 13 06.1		691

1994 TM ₁₃	1994 10 12.29054	02 11 10.70	+12 13 02.2	17.9 V	691	1994 TS ₁₃	1994 10 12.30353	02 16 08.00	+11 50 21.5	20.5 V	691
1994 TM ₁₃	1994 10 12.30009	02 11 10.12	+12 12 58.2		691	1994 TS ₁₃	1994 10 12.45643	02 16 00.16	+11 49 17.6	20.2 V	691
1994 TN ₁₃	* 1994 10 11.33632	02 12 23.98	+12 08 13.6		691	1994 TS ₁₃	1994 10 12.46417	02 15 59.74	+11 49 13.9		691
1994 TN ₁₃	1994 10 11.34423	02 12 23.60	+12 08 13.6	19.4 V	691	1994 TS ₁₃	1994 10 12.47198	02 15 59.36	+11 49 10.8		691
1994 TN ₁₃	1994 10 11.35209	02 12 23.17	+12 08 13.5		691	1994 TT ₁₃	* 1994 10 11.33950	02 16 59.60	+12 03 28.0	19.8 V	691
1994 TN ₁₃	1994 10 11.43377	02 12 18.92	+12 08 14.0	19.1 V	691	1994 TT ₁₃	1994 10 11.34741	02 16 59.23	+12 03 24.7		691
1994 TN ₁₃	1994 10 11.44162	02 12 18.52	+12 08 14.3		691	1994 TT ₁₃	1994 10 11.35528	02 16 58.89	+12 03 21.0		691
1994 TN ₁₃	1994 10 11.44945	02 12 18.10	+12 08 14.2		691	1994 TT ₁₃	1994 10 11.43696	02 16 55.34	+12 02 47.5	20.2 V	691
1994 TN ₁₃	1994 10 12.28140	02 11 36.01	+12 08 18.8	19.8 V	691	1994 TT ₁₃	1994 10 11.44481	02 16 55.04	+12 02 43.1		691
1994 TN ₁₃	1994 10 12.29083	02 11 35.49	+12 08 19.2		691	1994 TT ₁₃	1994 10 11.45264	02 16 54.62	+12 02 40.8		691
1994 TN ₁₃	1994 10 12.30038	02 11 35.01	+12 08 19.2		691	1994 TT ₁₃	1994 10 12.28468	02 16 19.53	+11 56 51.1		691
1994 TO ₁₃	* 1994 10 11.33635	02 12 27.19	+12 14 27.7		691	1994 TT ₁₃	1994 10 12.29410	02 16 19.10	+11 56 46.7		691
1994 TO ₁₃	1994 10 11.34426	02 12 26.75	+12 14 27.3	18.1 V	691	1994 TT ₁₃	1994 10 12.30366	02 16 18.68	+11 56 43.0	20.6 V	691
1994 TO ₁₃	1994 10 11.35213	02 12 26.29	+12 14 26.8		691	1994 TT ₁₃	1994 10 12.45657	02 16 11.95	+11 55 38.2	20.0 V	691
1994 TO ₁₃	1994 10 11.43381	02 12 21.60	+12 14 22.6		691	1994 TT ₁₃	1994 10 12.46430	02 16 11.61	+11 55 34.8		691
1994 TO ₁₃	1994 10 11.44165	02 12 21.14	+12 14 22.0	17.9 V	691	1994 TT ₁₃	1994 10 12.47212	02 16 11.26	+11 55 31.6		691
1994 TO ₁₃	1994 10 11.44948	02 12 20.69	+12 14 21.9		691	1994 TU ₁₃	* 1994 10 11.33983	02 17 28.66	+12 01 56.4	19.1 V	691
1994 TO ₁₃	1994 10 12.28139	02 11 34.77	+12 13 39.8	18.5 V	691	1994 TU ₁₃	1994 10 11.34774	02 17 28.06	+12 01 57.7		691
1994 TO ₁₃	1994 10 12.29081	02 11 34.21	+12 13 39.3		691	1994 TU ₁₃	1994 10 11.35561	02 17 27.65	+12 01 56.1		691
1994 TO ₁₃	1994 10 12.30037	02 11 33.64	+12 13 38.9		691	1994 TU ₁₃	1994 10 11.43728	02 17 22.73	+12 01 54.7		691
1994 TP ₁₃	* 1994 10 11.33712	02 13 33.21	+12 08 47.8	19.6 V	691	1994 TU ₁₃	1994 10 11.44512	02 17 22.25	+12 01 53.9		691
1994 TP ₁₃	1994 10 11.34503	02 13 32.84	+12 08 45.1		691	1994 TU ₁₃	1994 10 11.45296	02 17 21.79	+12 01 54.3	19.3 V	691
1994 TP ₁₃	1994 10 11.35289	02 13 32.43	+12 08 43.0		691	1994 TU ₁₃	1994 10 12.28484	02 16 34.10	+12 01 35.4		691
1994 TP ₁₃	1994 10 11.43458	02 13 28.44	+12 08 18.1	19.7 V	691	1994 TU ₁₃	1994 10 12.29426	02 16 33.34	+12 01 39.9		691
1994 TP ₁₃	1994 10 11.44242	02 13 28.04	+12 08 15.9		691	1994 TU ₁₃	1994 10 12.30382	02 16 32.75	+12 01 39.7	19.9 V	691
1994 TP ₁₃	1994 10 11.45025	02 13 27.67	+12 08 13.5		691	1994 TU ₁₃	1994 10 12.45670	02 16 23.60	+12 01 37.5		691
1994 TP ₁₃	1994 10 12.28224	02 12 48.82	+12 04 00.8	20.1 V	691	1994 TU ₁₃	1994 10 12.46443	02 16 22.93	+12 01 36.4	19.7 V	691
1994 TP ₁₃	1994 10 12.29167	02 12 48.38	+12 03 58.3		691	1994 TU ₁₃	1994 10 12.47224	02 16 22.43	+12 01 36.2		691
1994 TP ₁₃	1994 10 12.30122	02 12 47.90	+12 03 55.1		691	1994 TV ₁₃	* 1994 10 11.43464	02 13 33.67	+12 13 13.8		691
1994 TQ ₁₃	* 1994 10 11.33740	02 13 58.24	+12 12 04.7		691	1994 TV ₁₃	1994 10 11.44248	02 13 33.33	+12 13 09.7	18.9 V	691
1994 TQ ₁₃	1994 10 11.34532	02 13 57.87	+12 12 04.3		691	1994 TV ₁₃	1994 10 11.45031	02 13 32.94	+12 13 06.3		691
1994 TQ ₁₃	1994 10 11.35318	02 13 57.48	+12 12 04.2	18.8 V	691	1994 TV ₁₃	1994 10 12.28230	02 12 53.98	+12 06 45.7	19.6 V	691
1994 TQ ₁₃	1994 10 11.43486	02 13 53.41	+12 12 02.1		691	1994 TV ₁₃	1994 10 12.29173	02 12 53.51	+12 06 41.4		691
1994 TQ ₁₃	1994 10 11.44271	02 13 53.01	+12 12 01.8		691	1994 TV ₁₃	1994 10 12.30128	02 12 53.03	+12 06 37.1		691
1994 TQ ₁₃	1994 10 11.45054	02 13 52.60	+12 12 01.5	18.8 V	691	1994 TV ₁₃	1994 10 12.46192	02 12 45.14	+12 05 22.4	19.4 V	691
1994 TQ ₁₃	1994 10 12.28252	02 13 12.33	+12 11 40.8		691	1994 TV ₁₃	1994 10 12.46973	02 12 44.74	+12 05 18.7		691
1994 TQ ₁₃	1994 10 12.29194	02 13 11.84	+12 11 40.6	19.4 V	691	1994 TW ₁₃	* 1994 10 11.43498	02 14 03.61	+12 07 11.8	20.4 V	691
1994 TQ ₁₃	1994 10 12.30149	02 13 11.40	+12 11 40.4		691	1994 TW ₁₃	1994 10 11.44282	02 14 03.23	+12 07 09.3		691
1994 TR ₁₃	* 1994 10 11.33883	02 16 02.11	+11 53 21.0		691	1994 TW ₁₃	1994 10 11.45066	02 14 02.85	+12 07 06.3		691
1994 TR ₁₃	1994 10 11.34674	02 16 01.69	+11 53 21.4		691	1994 TW ₁₃	1994 10 12.28266	02 13 25.23	+12 02 14.7		691
1994 TR ₁₃	1994 10 11.35461	02 16 01.22	+11 53 20.3	20.5 V	691	1994 TW ₁₃	1994 10 12.29209	02 13 24.77	+12 02 11.5	20.7 V	691
1994 TR ₁₃	1994 10 12.28391	02 15 12.89	+11 53 25.0		691	1994 TW ₁₃	1994 10 12.30164	02 13 24.33	+12 02 07.7		691
1994 TR ₁₃	1994 10 12.29333	02 15 12.30	+11 53 24.5		691	1994 TW ₁₃	1994 10 12.45455	02 13 16.97	+12 01 14.0		691
1994 TR ₁₃	1994 10 12.30288	02 15 11.78	+11 53 25.3	21.2 V	691	1994 TW ₁₃	1994 10 12.46228	02 13 16.56	+12 01 10.3	20.8 V	691
1994 TR ₁₃	1994 10 12.45577	02 15 03.05	+11 53 24.8	20.9 V	691	1994 TW ₁₃	1994 10 12.47009	02 13 16.19	+12 01 07.7		691
1994 TR ₁₃	1994 10 12.46351	02 15 02.63	+11 53 27.3		691	1994 TX ₁₃	* 1994 10 11.43541	02 14 40.51	+12 05 01.0	20.5 V	691
1994 TR ₁₃	1994 10 12.47132	02 15 02.14	+11 53 25.0		691	1994 TX ₁₃	1994 10 11.44325	02 14 40.11	+12 04 58.2		691
1994 TS ₁₃	* 1994 10 11.33944	02 16 54.84	+11 56 58.8		691	1994 TX ₁₃	1994 10 11.45109	02 14 39.69	+12 04 55.4		691
1994 TS ₁₃	1994 10 11.34735	02 16 54.46	+11 56 55.9	20.0 V	691	1994 TX ₁₃	1994 10 12.28303	02 13 56.86	+12 00 12.0		691
1994 TS ₁₃	1994 10 11.35522	02 16 54.03	+11 56 52.4		691	1994 TX ₁₃	1994 10 12.29245	02 13 56.34	+12 00 09.2		691
1994 TS ₁₃	1994 10 12.28455	02 16 08.94	+11 50 29.5		691	1994 TX ₁₃	1994 10 12.30201	02 13 55.82	+12 00 05.1	20.8 V	691
1994 TS ₁₃	1994 10 12.29398	02 16 08.46	+11 50 24.9		691	1994 TX ₁₃	1994 10 12.45490	02 13 47.46	+11 59 12.5		691

1994 TX ₁₃	1994 10 12.46264	02 13 47.05	+11 59 09.5	20.7 V	691	1994 TE ₁₄	1994 10 13.27885	02 19 01.51	+11 38 32.9	691
1994 TX ₁₃	1994 10 12.47045	02 13 46.64	+11 59 07.0		691	1994 TE ₁₄	1994 10 13.36731	02 18 56.78	+11 38 08.0	691
1994 TY ₁₃	* 1994 10 12.25768	00 27 34.51	+05 20 30.2	18.8 V	691	1994 TE ₁₄	1994 10 13.37308	02 18 56.47	+11 38 06.2	19.9 V 691
1994 TY ₁₃	1994 10 12.26532	00 27 34.03	+05 20 28.7		691	1994 TE ₁₄	1994 10 13.37917	02 18 56.17	+11 38 04.7	691
1994 TY ₁₃	1994 10 12.27301	00 27 33.57	+05 20 27.4		691	1994 TF ₁₄	* 1994 10 12.31494	00 26 06.20	+00 49 30.5	19.1 V 691
1994 TY ₁₃	1994 10 13.31556	00 26 32.20	+05 17 22.3		691	1994 TF ₁₄	1994 10 12.33794	00 26 05.28	+00 48 51.8	691
1994 TY ₁₃	1994 10 13.32365	00 26 31.78	+05 17 21.3		691	1994 TF ₁₄	1994 10 12.36094	00 26 04.37	+00 48 13.5	691
1994 TY ₁₃	1994 10 13.33107	00 26 31.33	+05 17 19.5	18.7 V	691	1994 TF ₁₄	1994 10 13.34140	00 25 29.26	+00 21 08.7	691
1994 TZ ₁₃	* 1994 10 12.25900	00 29 29.49	+05 15 06.4	19.7 V	691	1994 TF ₁₄	1994 10 13.35005	00 25 28.92	+00 20 54.3	691
1994 TZ ₁₃	1994 10 12.26665	00 29 29.10	+05 15 03.2		691	1994 TF ₁₄	1994 10 13.35789	00 25 28.63	+00 20 41.4	19.3 V 691
1994 TZ ₁₃	1994 10 12.27434	00 29 28.69	+05 15 00.3		691	1994 TG ₁₄	* 1994 10 12.31909	00 32 17.16	+00 47 33.8	17.6 V 691
1994 TZ ₁₃	1994 10 13.31699	00 28 36.12	+05 07 54.1		691	1994 TG ₁₄	1994 10 12.34209	00 32 15.64	+00 47 39.3	691
1994 TZ ₁₃	1994 10 13.32508	00 28 35.69	+05 07 50.8	19.1 V	691	1994 TG ₁₄	1994 10 12.36507	00 32 14.11	+00 47 45.1	691
1994 TZ ₁₃	1994 10 13.33250	00 28 35.24	+05 07 47.2		691	1994 TG ₁₄	1994 10 13.28803	00 31 15.76	+00 51 32.1	18.0 V 691
1994 TA ₁₄	* 1994 10 12.28428	02 15 45.46	+11 45 54.4	19.7 V	691	1994 TG ₁₄	1994 10 13.29603	00 31 15.23	+00 51 34.7	691
1994 TA ₁₄	1994 10 12.29371	02 15 45.02	+11 45 50.7		691	1994 TG ₁₄	1994 10 13.30353	00 31 14.75	+00 51 35.9	691
1994 TA ₁₄	1994 10 12.30326	02 15 44.58	+11 45 47.0		691	1994 TH ₁₄	* 1994 10 12.32014	00 33 47.72	+01 05 02.1	18.5 V 691
1994 TA ₁₄	1994 10 13.26019	02 15 02.39	+11 39 59.3	19.8 V	691	1994 TH ₁₄	1994 10 12.34314	00 33 46.66	+01 04 56.4	691
1994 TA ₁₄	1994 10 13.26832	02 15 02.03	+11 39 56.6		691	1994 TH ₁₄	1994 10 12.36613	00 33 45.60	+01 04 50.7	691
1994 TA ₁₄	1994 10 13.27608	02 15 01.65	+11 39 53.7		691	1994 TH ₁₄	1994 10 13.28901	00 33 04.66	+01 01 01.8	18.6 V 691
1994 TB ₁₄	* 1994 10 12.28445	02 15 59.62	+11 43 35.8		691	1994 TH ₁₄	1994 10 13.29702	00 33 04.30	+01 01 00.0	691
1994 TB ₁₄	1994 10 12.29387	02 15 59.07	+11 43 35.7	20.1 V	691	1994 TH ₁₄	1994 10 13.30451	00 33 03.94	+01 00 58.3	691
1994 TB ₁₄	1994 10 12.30342	02 15 58.43	+11 43 37.2		691	1994 TJ ₁₄	* 1994 10 12.32259	00 37 19.72	+00 58 23.6	691
1994 TB ₁₄	1994 10 12.45630	02 15 49.03	+11 43 49.5		691	1994 TJ ₁₄	1994 10 12.34559	00 37 18.60	+00 58 23.7	691
1994 TB ₁₄	1994 10 12.46404	02 15 48.55	+11 43 49.9		691	1994 TJ ₁₄	1994 10 12.36856	00 37 16.84	+00 58 23.1	18.9 V 691
1994 TB ₁₄	1994 10 12.47185	02 15 48.09	+11 43 50.5	20.2 V	691	1994 TJ ₁₄	1994 10 13.29129	00 36 21.72	+00 58 17.6	691
1994 TB ₁₄	1994 10 13.26019	02 15 02.14	+11 44 55.1	20.0 V	691	1994 TJ ₁₄	1994 10 13.29929	00 36 21.21	+00 58 17.1	19.8 V 691
1994 TB ₁₄	1994 10 13.26832	02 15 01.61	+11 44 56.4		691	1994 TJ ₁₄	1994 10 13.30678	00 36 20.77	+00 58 17.1	691
1994 TB ₁₄	1994 10 13.27608	02 15 01.16	+11 44 56.4		691	1994 TK ₁₄	* 1994 10 12.32277	00 37 35.96	+00 51 24.1	19.1 V 691
1994 TC ₁₄	* 1994 10 12.28594	02 18 08.97	+11 51 53.8		691	1994 TK ₁₄	1994 10 12.34576	00 37 33.25	+00 51 47.1	691
1994 TC ₁₄	1994 10 12.29536	02 18 08.51	+11 51 49.7	18.7 V	691	1994 TK ₁₄	1994 10 12.36872	00 37 30.52	+00 52 09.7	691
1994 TC ₁₄	1994 10 12.30492	02 18 08.05	+11 51 46.0		691	1994 TK ₁₄	1994 10 13.29087	00 35 45.38	+01 07 19.1	691
1994 TC ₁₄	1994 10 12.45782	02 18 00.82	+11 50 45.6		691	1994 TK ₁₄	1994 10 13.29887	00 35 44.45	+01 07 26.9	20.0 V 691
1994 TC ₁₄	1994 10 12.46556	02 18 00.46	+11 50 42.6	18.5 V	691	1994 TK ₁₄	1994 10 13.30635	00 35 43.56	+01 07 34.0	691
1994 TC ₁₄	1994 10 12.47337	02 18 00.09	+11 50 39.6		691	1994 TL ₁₄	* 1994 10 12.45716	02 17 03.12	+11 40 59.7	20.1 V 691
1994 TC ₁₄	1994 10 13.26183	02 17 24.23	+11 45 27.7	18.5 V	691	1994 TL ₁₄	1994 10 12.46489	02 17 02.68	+11 40 58.4	691
1994 TC ₁₄	1994 10 13.26996	02 17 23.86	+11 45 24.9		691	1994 TL ₁₄	1994 10 12.47270	02 17 02.22	+11 40 56.4	691
1994 TC ₁₄	1994 10 13.27772	02 17 23.49	+11 45 21.4		691	1994 TL ₁₄	1994 10 13.26106	02 16 17.94	+11 38 17.4	20.3 V 691
1994 TD ₁₄	* 1994 10 12.28688	02 19 30.07	+11 56 51.2	18.5 V	691	1994 TL ₁₄	1994 10 13.26919	02 16 17.47	+11 38 15.2	691
1994 TD ₁₄	1994 10 12.29630	02 19 29.64	+11 56 45.3		691	1994 TL ₁₄	1994 10 13.27695	02 16 17.00	+11 38 13.7	691
1994 TD ₁₄	1994 10 12.30586	02 19 29.19	+11 56 39.4		691	1994 TM ₁₄	* 1994 10 12.45725	02 17 11.22	+11 44 49.1	16.1 V 691
1994 TD ₁₄	1994 10 12.45876	02 19 22.26	+11 55 07.5		691	1994 TM ₁₄	1994 10 12.46499	02 17 10.84	+11 44 45.4	691
1994 TD ₁₄	1994 10 12.46650	02 19 21.92	+11 55 02.9	18.4 V	691	1994 TM ₁₄	1994 10 12.47280	02 17 10.46	+11 44 41.7	691
1994 TD ₁₄	1994 10 12.47431	02 19 21.56	+11 54 58.2		691	1994 TM ₁₄	1994 10 14.41358	02 15 37.90	+11 29 35.6	16.3 V 691
1994 TD ₁₄	1994 10 13.26280	02 18 48.83	+11 47 03.3		691	1994 TM ₁₄	1994 10 14.42099	02 15 37.53	+11 29 31.4	691
1994 TD ₁₄	1994 10 13.27093	02 18 48.44	+11 46 58.2	18.4 V	691	1994 TM ₁₄	1994 10 14.42900	02 15 37.08	+11 29 27.5	691
1994 TD ₁₄	1994 10 13.27870	02 18 48.09	+11 46 54.0		691	1994 TM ₁₄	1994 10 14.45281	02 15 35.91	+11 29 16.2	16.2 V 691
1994 TE ₁₄	* 1994 10 12.28704	02 19 44.66	+11 45 00.9	17.2 V	691	1994 TM ₁₄	1994 10 14.46023	02 15 35.52	+11 29 12.7	691
1994 TE ₁₄	1994 10 12.29647	02 19 44.25	+11 44 58.2		691	1994 TM ₁₄	1994 10 14.46802	02 15 35.14	+11 29 09.1	691
1994 TE ₁₄	1994 10 12.30602	02 19 43.82	+11 44 55.4		691	1994 TN ₁₄	* 1994 10 12.45736	02 17 20.62	+11 40 27.5	19.6 V 691
1994 TE ₁₄	1994 10 13.26296	02 19 02.35	+11 38 37.6		691	1994 TN ₁₄	1994 10 12.46510	02 17 20.25	+11 40 26.5	691
1994 TE ₁₄	1994 10 13.27109	02 19 01.89	+11 38 35.5	19.7 V	691	1994 TN ₁₄	1994 10 12.47291	02 17 19.81	+11 40 25.8	691

1994 TN ₁₄	1994 10 13.26132	02 16 40.76	+11 38 45.3		691	1994 UG	1994 10 29.36764	01 48 31.81	+16 34 46.0	21.3 V	691
1994 TN ₁₄	1994 10 13.26946	02 16 40.30	+11 38 44.3	19.6 V	691	1994 UG	1994 10 29.37563	01 48 30.69	+16 34 42.5	21.2 V	691
1994 TN ₁₄	1994 10 13.27722	02 16 39.92	+11 38 43.3		691	1994 UG	1994 10 31.26740	01 44 16.42	+16 21 07.3		691
1994 TN ₁₄	1994 10 13.36568	02 16 35.22	+11 38 32.3		691	1994 UG	1994 10 31.27229	01 44 15.93	+16 21 05.3		691
1994 TN ₁₄	1994 10 13.37145	02 16 34.93	+11 38 31.0		691	1994 UG	1994 10 31.27726	01 44 15.26	+16 21 03.6		691
1994 TN ₁₄	1994 10 13.37753	02 16 34.60	+11 38 30.7	19.8 V	691	1994 UG	1994 11 01.39734	01 41 47.82	+16 12 55.5	21.1 V	691
1994 TO ₁₄	* 1994 10 13.26310	02 19 14.79	+11 23 13.7	18.5 V	691	1994 UG	1994 11 01.40523	01 41 46.78	+16 12 51.8	20.9 V	691
1994 TO ₁₄	1994 10 13.27123	02 19 14.37	+11 23 12.2		691	1994 UG	1994 11 01.41312	01 41 45.73	+16 12 47.7	21.1 V	691
1994 TO ₁₄	1994 10 13.27899	02 19 13.96	+11 23 11.3		691	1994 US	* 1994 10 29.31874	01 42 54.30	+16 28 44.4	19.8 V	691
1994 TO ₁₄	1994 10 14.41536	02 18 16.03	+11 20 33.1	18.8 V	691	1994 US	1994 10 29.32703	01 42 54.70	+16 28 31.4	19.8 V	691
1994 TO ₁₄	1994 10 14.42277	02 18 15.60	+11 20 31.4		691	1994 US	1994 10 29.33609	01 42 55.13	+16 28 17.3	19.7 V	691
1994 TO ₁₄	1994 10 14.43077	02 18 15.21	+11 20 30.5		691	1994 US	1994 10 31.28133	01 44 45.81	+15 39 49.2		691
1994 TO ₁₄	1994 10 14.45457	02 18 13.94	+11 20 27.1		691	1994 US	1994 10 31.28448	01 44 45.97	+15 39 44.4		691
1994 TO ₁₄	1994 10 14.46199	02 18 13.53	+11 20 26.2	18.7 V	691	1994 US	1994 10 31.28760	01 44 46.12	+15 39 40.2		691
1994 TO ₁₄	1994 10 14.46978	02 18 13.16	+11 20 25.1		691	1994 US	1994 11 01.42954	01 45 47.67	+15 12 32.2	19.9 V	691
1994 TP ₁₄	* 1994 10 13.26363	02 20 00.29	+11 26 57.3	20.0 V	691	1994 US	1994 11 01.43747	01 45 48.10	+15 12 20.8	20.2 V	691
1994 TP ₁₄	1994 10 13.27176	02 19 59.92	+11 26 55.4		691	1994 US	1994 11 01.44537	01 45 48.47	+15 12 10.1	20.7 V	691
1994 TP ₁₄	1994 10 13.27952	02 19 59.57	+11 26 52.8		691	1994 US	1994 11 05.28483	01 49 12.53	+13 48 34.2		691
1994 TP ₁₄	1994 10 14.45517	02 19 05.47	+11 21 23.8		691	1994 US	1994 11 05.28801	01 49 12.71	+13 48 29.9		691
1994 TP ₁₄	1994 10 14.46259	02 19 05.09	+11 21 22.1	20.4 V	691	1994 US	1994 11 05.29119	01 49 12.87	+13 48 26.3		691
1994 TP ₁₄	1994 10 14.47038	02 19 04.76	+11 21 20.5		691	1994 VA ₁	* 1994 11 05.18128	01 45 45.67	+15 36 27.6	20.6 V	691
1994 TQ ₁₄	* 1994 10 13.26394	02 20 27.49	+11 36 13.9		691	1994 VA ₁	1994 11 05.20337	01 45 43.85	+15 36 08.4	20.6 V	691
1994 TQ ₁₄	1994 10 13.27207	02 20 27.08	+11 36 12.4		691	1994 VA ₁	1994 11 05.22544	01 45 42.07	+15 35 48.8	20.5 V	691
1994 TQ ₁₄	1994 10 13.27983	02 20 26.66	+11 36 10.9	18.6 V	691	1994 VA ₁	1994 11 06.20078	01 44 27.12	+15 21 23.9	19.8 V	691
1994 TQ ₁₄	1994 10 14.45540	02 19 25.52	+11 32 21.2		691	1994 VA ₁	1994 11 06.20845	01 44 26.56	+15 21 16.7	19.4 V	691
1994 TQ ₁₄	1994 10 14.46282	02 19 25.09	+11 32 19.1		691	1994 VA ₁	1994 11 07.27748	01 43 05.76	+15 05 31.7	20.0 V	691
1994 TQ ₁₄	1994 10 14.47061	02 19 24.65	+11 32 18.1	18.8 V	691	1994 VA ₁	1994 11 07.28508	01 43 05.20	+15 05 25.0	20.1 V	691
1994 TR ₁₄	* 1994 10 13.31516	00 25 58.23	+04 53 54.0	19.2 V	691	1994 VA ₁	1994 11 07.29293	01 43 04.56	+15 05 18.3	20.1 V	691
1994 TR ₁₄	1994 10 13.32325	00 25 57.67	+04 53 53.0		691	2666 P-L	1994 10 05.42648	01 57 38.32	+05 57 12.7	17.9 V	691
1994 TR ₁₄	1994 10 13.33068	00 25 57.22	+04 53 52.6		691	2666 P-L	1994 10 05.44879	01 57 37.76	+05 57 01.6		691
1994 TR ₁₄	1994 10 14.38966	00 24 53.90	+04 52 47.7		691	2666 P-L	1994 10 05.47093	01 57 37.21	+05 56 50.4		691
1994 TR ₁₄	1994 10 14.39700	00 24 53.45	+04 52 48.0	20.1 V	691	2808 P-L	1994 10 09.27576	01 04 27.76	+05 50 59.0	18.0 V	691
1994 TR ₁₄	1994 10 14.40479	00 24 53.00	+04 52 48.3		691	2808 P-L	1994 10 09.29996	01 04 26.38	+05 50 49.4		691
1994 TS ₁₄	* 1994 10 13.31595	00 27 06.52	+04 57 47.8	19.0 V	691	4026 P-L	1994 09 27.24587	00 07 44.84	+02 12 02.8	16.4 V	691
1994 TS ₁₄	1994 10 13.32404	00 27 06.10	+04 57 45.2		691	4026 P-L	1994 09 27.26883	00 07 43.42	+02 12 00.5		691
1994 TS ₁₄	1994 10 13.33147	00 27 05.71	+04 57 43.0		691	4026 P-L	1994 09 27.29199	00 07 41.99	+02 11 58.4		691
1994 TS ₁₄	1994 10 14.39057	00 26 12.41	+04 52 20.3		691	4247 P-L	1994 10 14.38906	00 24 01.87	+04 35 31.1	18.5 V	691
1994 TS ₁₄	1994 10 14.39790	00 26 12.01	+04 52 17.4	19.8 V	691	4247 P-L	1994 10 14.39640	00 24 01.49	+04 35 29.1		691
1994 TS ₁₄	1994 10 14.40569	00 26 11.58	+04 52 15.2		691	4247 P-L	1994 10 14.40419	00 24 01.10	+04 35 26.0		691
1994 TT ₁₄	* 1994 10 13.36612	02 17 13.63	+11 20 03.6	20.8 V	691	6104 P-L	1994 10 09.13888	23 36 35.56	-00 41 44.1	18.8 V	691
1994 TT ₁₄	1994 10 13.37189	02 17 13.25	+11 20 03.4		691	6104 P-L	1994 10 09.16361	23 36 34.68	-00 41 52.0		691
1994 TT ₁₄	1994 10 13.37797	02 17 12.91	+11 20 04.7		691	6104 P-L	1994 10 09.18816	23 36 33.78	-00 41 59.5		691
1994 TT ₁₄	1994 10 14.45314	02 16 09.74	+11 21 37.3		691	9511 P-L	1994 10 08.40050	01 28 17.66	+08 24 28.4		691
1994 TT ₁₄	1994 10 14.46056	02 16 09.33	+11 21 37.8	20.5 V	691	9511 P-L	1994 10 08.43281	01 28 16.20	+08 24 19.7	17.5 V	691
1994 TT ₁₄	1994 10 14.46835	02 16 08.81	+11 21 38.4		691	9511 P-L	1994 10 08.46512	01 28 14.73	+08 24 10.8		691
1994 UG	* 1994 10 28.39713	01 50 45.78	+16 41 36.9	20.7 V	691	3109 T-3	1994 10 11.14908	00 21 13.57	+02 23 49.3		691
1994 UG	1994 10 28.41962	01 50 42.58	+16 41 26.3	21.3 V	691	3109 T-3	1994 10 11.17219	00 21 12.58	+02 23 43.8	18.7 V	691
1994 UG	1994 10 28.44201	01 50 39.30	+16 41 15.3	20.8 V	691	3109 T-3	1994 10 11.19532	00 21 11.60	+02 23 38.1		691
1994 UG	1994 10 29.32221	01 48 38.29	+16 35 05.5	21.0 V	691	3220 T-3	1994 10 13.41964	02 59 02.95	+16 02 26.9	18.7 V	691
1994 UG	1994 10 29.33048	01 48 37.12	+16 35 02.3	21.1 V	691	3220 T-3	1994 10 13.44744	02 59 01.88	+16 02 21.9		691
1994 UG	1994 10 29.33951	01 48 35.74	+16 34 58.5	20.1 V	691	3220 T-3	1994 10 13.47501	02 59 00.84	+16 02 16.9		691
1994 UG	1994 10 29.35931	01 48 33.01	+16 34 49.7	21.1 V	691	3398 T-3	1994 10 08.20481	01 12 15.97	+04 18 27.4	16.5 V	691

3398 T-3	1994 10 08.22883	01 12 14.59	+04 18 17.0	691	(2658)	1994 10 13.42048	03 00 16.21	+16 11 18.1	17.4 V	691	
3398 T-3	1994 10 08.26616	01 12 12.45	+04 18 01.4	691	(2658)	1994 10 13.44829	03 00 15.19	+16 11 10.9		691	
(184)	1994 10 12.12803	23 27 12.77	-02 47 12.2	13.2 V	691	(2658)	1994 10 13.47586	03 00 14.19	+16 11 03.5	691	
(184)	1994 10 12.14947	23 27 12.04	-02 47 16.6		691	(2659)	1994 09 28.21522	00 32 30.97	+02 28 46.5	15.7 V	691
(184)	1994 10 12.17085	23 27 11.35	-02 47 21.1		691	(2659)	1994 09 28.24407	00 32 29.69	+02 28 37.8		691
(279)	1994 10 11.24415	00 43 50.18	+01 49 05.4	14.2 V	691	(2659)	1994 10 04.25820	00 28 05.81	+01 58 32.8		691
(279)	1994 10 11.26770	00 43 49.34	+01 49 00.6		691	(2659)	1994 10 04.28122	00 28 04.77	+01 58 25.7	15.8 V	691
(279)	1994 10 11.29094	00 43 48.53	+01 48 55.9		691	(2659)	1994 10 04.30594	00 28 03.66	+01 58 18.2		691
(279)	1994 10 12.19840	00 43 17.79	+01 45 56.1	14.2 V	691	(2659)	1994 10 06.21999	00 26 40.08	+01 48 48.1		691
(279)	1994 10 12.22188	00 43 16.96	+01 45 51.6		691	(2659)	1994 10 06.24326	00 26 39.11	+01 48 41.5	15.6 V	691
(279)	1994 10 12.24506	00 43 16.18	+01 45 46.9		691	(2659)	1994 10 06.27046	00 26 37.91	+01 48 33.5		691
(291)	1994 10 13.26370	02 20 06.52	+11 26 07.1	13.9 V	691	(2677)	1994 10 09.12215	23 12 25.95	-00 14 33.1	15.8 V	691
(291)	1994 10 13.27183	02 20 06.07	+11 26 04.2		691	(2677)	1994 10 09.14688	23 12 25.24	-00 14 42.8		691
(291)	1994 10 13.27959	02 20 05.64	+11 26 01.6		691	(2677)	1994 10 09.17142	23 12 24.52	-00 14 52.4		691
(291)	1994 10 14.41592	02 19 04.77	+11 19 37.0	13.9 V	691	(2678)	1994 10 14.45561	02 19 43.28	+11 09 35.0	14.8 V	691
(291)	1994 10 14.43133	02 19 03.91	+11 19 31.6		691	(2678)	1994 10 14.46302	02 19 42.82	+11 09 33.5		691
(530)	1994 10 05.49024	09 35 27.19	+14 24 35.8	16.0 V	691	(2678)	1994 10 14.47081	02 19 42.37	+11 09 31.9		691
(530)	1994 10 05.49830	09 35 27.64	+14 24 34.0		691	(2680)	1994 09 30.17107	00 09 29.03	+01 10 39.3		691
(530)	1994 10 05.50666	09 35 28.12	+14 24 32.3		691	(2680)	1994 09 30.19414	00 09 27.82	+01 10 34.8	14.4 V	691
(636)	1994 10 12.45421	02 12 47.27	+11 55 26.0	12.5 V	691	(2680)	1994 09 30.21724	00 09 26.55	+01 10 30.2		691
(636)	1994 10 12.46194	02 12 46.86	+11 55 25.3		691	(2919)	1994 09 30.20043	00 18 32.40	+01 06 52.3	16.2 V	691
(636)	1994 10 12.46975	02 12 46.44	+11 55 24.7		691	(2919)	1994 09 30.22353	00 18 31.36	+01 06 45.1		691
(1084)	1994 10 08.12939	23 37 37.67	-01 48 15.4		691	(2932)	1994 10 07.40236	01 55 02.22	+09 48 22.8		691
(1084)	1994 10 08.15404	23 37 36.72	-01 48 24.2	13.8 V	691	(2932)	1994 10 07.45559	01 55 00.20	+09 48 09.9	16.3 V	691
(1084)	1994 10 08.17803	23 37 35.75	-01 48 32.4		691	(2932)	1994 10 07.47920	01 54 59.27	+09 48 03.8		691
(1393)	1994 10 05.42544	01 56 08.58	+06 17 59.5	15.6 V	691	(2981)	1994 09 28.20941	00 24 08.03	+02 38 41.1		691
(1393)	1994 10 05.44775	01 56 07.36	+06 17 54.4		691	(2981)	1994 09 28.23826	00 24 06.70	+02 38 32.6	16.2 V	691
(1393)	1994 10 05.46988	01 56 06.14	+06 17 49.5		691	(2981)	1994 09 28.26462	00 24 05.49	+02 38 24.4		691
(1777)	1994 09 27.23686	23 54 43.80	+01 52 02.8	14.6 V	691	(2981)	1994 10 04.25236	00 19 40.01	+02 08 13.8	16.5 V	691
(1777)	1994 09 27.25982	23 54 42.56	+01 51 56.7		691	(2981)	1994 10 04.27538	00 19 38.99	+02 08 06.5		691
(1777)	1994 09 27.28298	23 54 41.31	+01 51 50.4		691	(2981)	1994 10 04.30010	00 19 37.83	+02 07 59.4		691
(1842)	1994 10 06.42003	01 57 05.04	+04 31 58.1	15.5 V	691	(2994)	1994 10 09.21026	00 41 36.84	+05 52 38.3		691
(1842)	1994 10 06.44406	01 57 03.70	+04 31 47.1		691	(2994)	1994 10 09.23434	00 41 35.44	+05 52 32.5	15.9 V	691
(1842)	1994 10 06.46747	01 57 02.39	+04 31 36.4		691	(2994)	1994 10 09.25882	00 41 34.01	+05 52 26.5		691
(1984)	1994 10 08.41321	01 46 39.37	+08 41 33.9	14.6 V	691	(3008)	1994 10 13.42022	02 59 53.49	+16 07 24.7	16.5 V	691
(1984)	1994 10 08.44553	01 46 37.91	+08 41 22.8		691	(3008)	1994 10 13.44803	02 59 52.49	+16 07 20.2		691
(1984)	1994 10 08.47784	01 46 36.48	+08 41 11.4		691	(3008)	1994 10 13.47560	02 59 51.51	+16 07 15.7		691
(2053)	1994 10 08.41465	01 48 43.90	+08 42 45.1	14.8 V	691	(3035)	1994 09 28.21338	00 29 51.62	+02 44 14.9		691
(2053)	1994 10 08.44696	01 48 42.48	+08 42 29.2		691	(3035)	1994 09 28.24223	00 29 50.17	+02 44 04.3	16.5 V	691
(2053)	1994 10 08.47928	01 48 41.09	+08 42 13.3		691	(3035)	1994 09 28.26859	00 29 48.84	+02 43 54.6		691
(2214)	1994 10 12.18398	00 22 28.15	+01 28 11.2		691	(3035)	1994 10 04.25597	00 24 53.05	+02 07 23.3	16.7 V	691
(2214)	1994 10 12.20746	00 22 27.32	+01 27 56.8	14.9 V	691	(3035)	1994 10 04.27899	00 24 51.89	+02 07 15.0		691
(2214)	1994 10 12.23064	00 22 26.50	+01 27 42.8		691	(3035)	1994 10 04.30371	00 24 50.64	+02 07 05.8		691
(2610)	1994 10 08.39600	01 21 48.49	+08 45 48.7		691	(3170)	1994 10 10.22525	01 54 38.87	+11 40 05.6		691
(2610)	1994 10 08.42831	01 21 46.47	+08 45 35.5		691	(3170)	1994 10 10.24705	01 54 37.82	+11 40 00.8	16.4 V	691
(2610)	1994 10 08.46062	01 21 44.43	+08 45 23.0	15.8 V	691	(3170)	1994 10 10.26905	01 54 36.76	+11 39 56.3		691
(2631)	1994 10 06.23699	00 51 12.03	+01 33 29.1	14.4 V	691	(3170)	1994 10 10.29143	01 54 35.63	+11 39 51.7		691
(2631)	1994 10 06.26025	00 51 10.61	+01 33 28.0		691	(3170)	1994 10 10.32025	01 54 34.28	+11 39 45.4	16.3 V	691
(2631)	1994 10 06.28744	00 51 09.03	+01 33 26.4		691	(3170)	1994 10 10.34198	01 54 33.23	+11 39 40.8		691
(2631)	1994 10 12.19994	00 45 30.61	+01 29 07.4	14.7 V	691	(3865)	1994 10 13.41887	02 57 56.77	+16 33 30.5		691
(2631)	1994 10 12.22341	00 45 29.21	+01 29 06.8		691	(3865)	1994 10 13.44668	02 57 55.52	+16 33 21.0	16.3 V	691
(2631)	1994 10 12.24658	00 45 27.86	+01 29 06.1		691	(3865)	1994 10 13.47424	02 57 54.31	+16 33 11.4		691

(3889)	1994 10 06.41700	01 52 42.02	+04 40 50.5	15.1 V	691	1980 FU	1966 02 21.25358	10 25 29.20	+12 30 37.0	760
(3889)	1994 10 06.44103	01 52 40.90	+04 40 43.2		691	1991 BJ	1966 02 21.25358	10 34 56.31	+17 22 38.6	760
(3889)	1994 10 06.46444	01 52 39.82	+04 40 35.9		691	1991 BJ	1966 02 21.29803	10 34 53.56	+17 22 53.1	760
(4108)	1994 09 27.25160	00 16 00.73	+02 11 43.3	17.5 V	691	(93)	1966 02 21.25358	10 43 24.61	+15 01 46.8	760
(4108)	1994 09 27.27456	00 15 59.57	+02 11 35.4		691	(101)	1966 02 21.25358	10 28 29.13	+12 34 58.9	760
(4108)	1994 09 27.29773	00 15 58.41	+02 11 27.4		691	(655)	1966 02 21.25358	10 32 33.93	+13 17 04.4	760
(4372)	1994 10 06.13576	00 30 50.66	+03 05 05.7	16.2 V	691	(655)	1966 02 21.29803	10 32 31.86	+13 17 20.1	760
(4372)	1994 10 06.15900	00 30 49.52	+03 04 59.4		691	(1017)	1966 02 21.25358	10 22 43.33	+17 46 06.6	760
(4372)	1994 10 06.18843	00 30 48.06	+03 04 52.1		691	(1017)	1966 02 21.29803	10 22 41.06	+17 46 28.0	760
(4372)	1994 10 11.15302	00 26 55.24	+02 43 30.2	16.3 V	691	(1061)	1966 02 21.25358	10 45 29.68	+11 19 52.1	E 760
(4372)	1994 10 11.17613	00 26 54.16	+02 43 24.2		691	(1128)	1966 02 21.25358	10 24 01.33	+11 40 01.9	760
(4372)	1994 10 11.19927	00 26 53.11	+02 43 18.4		691	(1128)	1966 02 21.29803	10 23 59.08	+11 40 14.1	760
(4410)	1994 10 05.43183	02 05 21.65	+06 20 06.9	15.8 V	691	(1190)	1966 02 21.25358	10 31 42.01	+13 57 30.0	760
(4410)	1994 10 05.45413	02 05 20.57	+06 20 05.4		691	(1190)	1966 02 21.29803	10 31 39.37	+13 57 42.3	760
(4410)	1994 10 05.47627	02 05 19.52	+06 20 04.1		691	(1445)	1966 02 21.29803	10 31 35.82	+12 19 11.2	V 760
(4635)	1994 10 09.27817	01 07 56.80	+06 00 13.5	17.1 V	691	(1568)	1966 02 21.29803	10 39 21.67	+14 43 57.0	760
(4635)	1994 10 09.30238	01 07 55.37	+06 00 08.0		691	(1966)	1966 02 21.25358	10 22 59.83	+12 14 33.3	760
(4635)	1994 10 09.32583	01 07 53.98	+06 00 02.1		691	(1966)	1966 02 21.29803	10 22 57.50	+12 14 50.2	760
(4739)	1994 10 09.34853	01 00 38.21	+05 16 52.4		691	(2633)	1966 02 21.25358	10 31 19.78	+14 48 50.7	760
(4739)	1994 10 09.37191	01 00 37.00	+05 16 44.4	16.1 V	691	(2748)	1966 02 21.25358	10 30 24.69	+11 17 52.9	I 760
(4739)	1994 10 09.39518	01 00 35.82	+05 16 36.2		691	(2770)	1966 02 21.25358	10 40 15.43	+13 49 09.2	760
(4831)	1994 10 08.39597	01 21 45.12	+08 19 10.0	16.9 V	691	(2770)	1966 02 21.29803	10 40 12.63	+13 49 22.5	760
(4831)	1994 10 08.42828	01 21 43.67	+08 19 00.8		691	(3165)	1966 02 21.25358	10 22 29.38	+16 07 52.8	760
(4831)	1994 10 08.46059	01 21 42.22	+08 18 52.6		691	(3448)	1966 02 21.25358	10 45 04.63	+13 57 39.3	760
(5149)	1994 10 08.30222	02 02 00.85	+12 43 19.9	17.0 V	691	(3508)	1966 02 21.25358	10 41 26.00	+13 40 33.4	760
(5149)	1994 10 08.34120	02 01 59.19	+12 43 11.7		691					
(5149)	1994 10 08.37934	02 01 57.57	+12 43 03.8		691					
(5311)	1994 10 07.33028	00 06 02.53	+04 17 47.6		691					
(5311)	1994 10 07.35359	00 06 01.53	+04 17 39.9		691					
(5311)	1994 10 07.37959	00 06 00.40	+04 17 31.2	18.5 V	691					
(5586)	1994 09 27.38007	00 50 10.52	+02 16 18.7	16.6 V	691					
(5586)	1994 09 27.40344	00 50 09.25	+02 16 08.9		691					
(5586)	1994 09 27.42679	00 50 07.97	+02 15 59.4		691					
(5630)	1994 10 09.34546	00 56 11.87	+04 52 26.1		691					
(5630)	1994 10 09.36884	00 56 10.46	+04 52 15.8	16.2 V	691					
(5630)	1994 10 09.39211	00 56 09.08	+04 52 05.2		691					
(6101)	1994 10 06.12776	00 19 18.05	+03 12 15.4		691					
(6101)	1994 10 06.15100	00 19 16.77	+03 12 04.2	16.6 V	691					
(6101)	1994 10 06.18043	00 19 15.14	+03 11 49.4		691					
(6116)	1994 10 08.12344	23 29 02.52	-02 00 06.8		691					
(6116)	1994 10 08.14809	23 29 01.61	-02 00 13.1	16.6 V	691					
(6116)	1994 10 08.17208	23 29 00.70	-02 00 19.0		691					
760 Goethe Link										
E. Bowell, Lowell Observatory, 1400 West Mars Hill Road, Flagstaff, AZ 86001, U.S.A. [elgb@lowell.edu]										
Observer D. V. Pytko										
Measurer B. A. Skiff										
0.25-m refractor										
PDS scanning microdensitometer										
PPM, global solutions										
1966 CM	1966 02 21.25358	10 33 41.78	+11 07 34.8		D 760	1989 GB ₃	1994 10 06.17294	00 07 11.23	+00 49 21.0	r 801
1978 QC ₃	1966 02 21.25358	10 43 58.60	+15 44 31.3		D 760	1989 GB ₃	1994 10 06.18606	00 07 10.53	+00 49 17.2	r 801
801 Oak Ridge										
R. E. McCrosky, Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138, U.S.A. [mccrosky@cfa.harvard.edu]										
Observer R. E. McCrosky										
1.5-m reflector + CCD										
GSC										
						1979 SS	1994 10 08.29455	03 14 55.92	+28 02 52.9	801
						1979 SS	1994 10 08.32807	03 14 54.95	+28 02 59.2	801
						1983 XG	1994 10 04.26043	02 09 04.26	+13 26 24.1	801
						1985 QH ₅	1994 10 08.24058	02 28 46.93	+12 48 23.4	801
						1985 QH ₅	1994 10 08.26227	02 28 46.20	+12 48 18.1	801
						1985 QH ₅	1994 10 09.25681	02 28 14.59	+12 44 08.5	801
						1986 PX ₄	1994 10 03.33399	03 03 16.31	+17 20 24.0	V 801
						1986 PX ₄	1994 10 04.31712	03 02 51.21	+17 19 29.6	801
						1986 TW ₉	1994 10 08.03081	21 14 57.60	-09 33 54.1	V 801
						1987 SC ₄	1994 10 02.38179	04 54 32.90	+28 52 07.1	801
						1987 SC ₄	1994 10 04.34000	04 55 59.67	+28 56 04.8	801
						1987 SC ₄	1994 10 04.35659	04 56 00.30	+28 56 06.6	801
						1987 SU ₁₇	1994 10 04.10950	22 36 56.12	-00 42 51.1	801
						1987 SU ₁₇	1994 10 04.13267	22 36 55.60	-00 43 03.5	801
						1987 SU ₁₇	1994 10 07.08995	22 36 12.70	-01 05 33.5	801
						1987 SU ₁₇	1994 10 07.11814	22 36 12.24	-01 05 45.7	801
						1987 WF	1994 10 03.34575	05 34 11.59	+25 49 56.6	801
						1988 RD ₅	1994 10 01.25962	01 53 26.93	+09 54 40.1	801
						1989 BG	1994 10 05.15571	00 46 48.80	+14 54 51.8	801
						1989 GB ₃	1994 10 06.17294	00 07 11.23	+00 49 21.0	r 801
						1989 GB ₃	1994 10 06.18606	00 07 10.53	+00 49 17.2	r 801

1989 GB ₃	1994 10 07.18863	00 06 17.17	+00 45 56.3		801	1988 CH ₃	1988 02 16.15972	10 14 24.61	-04 23 00.1		4 809
1989 GB ₃	1994 10 07.20683	00 06 16.16	+00 45 53.5		801	1988 CH ₃	1988 02 17.17083	10 13 23.98	-04 23 24.4		4 809
1990 OE ₂	1994 08 08.16653	20 11 07.13	-24 05 59.4		801	1988 CH ₃	1988 02 17.18125	10 13 23.30	-04 23 25.2		4 809
1990 QP ₁	1994 10 03.22091	01 32 30.76	+13 07 01.6		801	1988 CW ₇	* 1988 02 13.16146	10 15 01.36	-04 12 25.7	18.0	4 809
1990 QP ₁	1994 10 03.23935	01 32 29.80	+13 06 54.4		F 801	1988 CW ₇	1988 02 13.17431	10 15 02.61	-04 12 35.3		4 809
1990 QP ₁	1994 10 07.22126	01 28 41.33	+12 48 48.5		801	1988 CW ₇	1988 02 13.18472	10 15 03.54	-04 12 40.7		4 809
1990 QP ₁	1994 10 07.23572	01 28 40.46	+12 48 44.1		U 801	1988 CW ₇	1988 02 14.18403	10 16 11.13	-04 24 28.4		4 809
1990 RE ₂	1994 10 04.25634	02 07 59.18	+12 01 12.7		U 801	1988 CW ₇	1988 02 14.19444	10 16 12.50	-04 24 41.6		4 809
1991 AF ₁	1994 10 31.06758	00 08 59.61	+15 31 15.9		801	1988 CW ₇	1988 02 14.20486	10 16 13.40	-04 24 47.2		4 809
1991 AF ₁	1994 10 31.08734	00 08 59.05	+15 31 09.4		801	1988 CX ₇	* 1988 02 13.16146	10 15 57.71	-04 14 44.3	18.0	4 809
1991 BY ₂	1994 10 03.97949	19 11 26.23	-03 03 46.6		801	1988 CX ₇	1988 02 13.17431	10 15 57.09	-04 14 44.4		4 809
1991 TO ₁₃	1994 10 07.14214	23 20 33.23	+04 31 24.4		801	1988 CX ₇	1988 02 13.18472	10 15 56.46	-04 14 45.7		4 809
1991 TO ₁₃	1994 10 07.16447	23 20 32.50	+04 31 11.5		801	1988 CY ₇	* 1988 02 14.18403	10 14 23.34	-04 08 59.3		4 809
1991 TO ₁₃	1994 10 08.14721	23 20 03.32	+04 21 44.7		801	1988 CY ₇	1988 02 14.19444	10 14 22.57	-04 08 57.6		4 809
1991 TO ₁₃	1994 10 08.16521	23 20 02.76	+04 21 34.5		801	1988 CY ₇	1988 02 14.20486	10 14 22.07	-04 08 56.8		4 809
1991 UU ₃	1994 10 04.07336	20 53 08.47	-18 45 16.4		W 801	1990 VK ₁₀	1990 11 15.22708	03 36 59.42	+09 06 29.9		4 809
1991 UU ₃	1994 10 07.05635	20 55 16.95	-18 30 42.8		W 801	1990 VY ₁₅	* 1990 11 14.22778	03 31 18.83	+09 46 49.6	17.8	4 809
1991 VF ₅	1994 10 08.19411	00 18 44.72	-06 46 54.9		801	1990 VY ₁₅	1990 11 14.23819	03 31 18.33	+09 46 50.1		4 809
1991 YF	1993 07 22.14897	18 40 47.93	-25 15 33.3		801	1990 VY ₁₅	1990 11 14.24861	03 31 17.68	+09 46 48.6		4 809
1991 YG	1994 10 01.24536	01 58 56.83	+16 23 40.8		801	1990 VY ₁₅	1990 11 15.22708	03 30 16.83	+09 45 59.9		4 809
1991 YG	1994 10 01.26528	01 58 55.94	+16 23 35.4		801	1990 VZ ₁₅	* 1990 11 14.22778	03 31 56.13	+09 35 20.7		4 809
1991 YG	1994 10 03.28860	01 57 24.67	+16 13 57.6		801	1990 VZ ₁₅	1990 11 14.23819	03 31 55.52	+09 35 17.3		4 809
1993 FB ₁	1994 08 09.31249	23 46 11.86	-15 41 18.4		801	1990 VZ ₁₅	1990 11 14.24861	03 31 55.19	+09 35 11.7		4 809
1993 FB ₁	1994 08 09.33552	23 46 11.17	-15 41 26.6		801	1990 VZ ₁₅	1990 11 15.22708	03 31 08.70	+09 29 26.7		4 809
1993 FB ₁	1994 10 07.15896	23 00 07.38	-19 40 22.1		801	1990 VZ ₁₅	1990 11 17.26528	03 28 48.90	+09 26 02.4		4 809
1994 LC ₁	1994 10 04.15256	23 08 56.86	-15 38 13.4		w 801	1990 VA ₁₆	* 1990 11 14.22778	03 38 01.27	+09 11 13.6	18.0	4 809
1994 LC ₁	1994 10 07.14545	23 09 40.97	-13 46 52.4		F 801	1990 VA ₁₆	1990 11 14.23819	03 38 00.90	+09 11 10.6		4 809
1994 PP	1994 10 04.05088	21 15 02.28	+18 20 28.7		801	1990 VA ₁₆	1990 11 14.24861	03 38 00.42	+09 11 07.4		4 809
1994 PP	1994 10 04.07593	21 15 01.36	+18 20 35.4		801	1990 VA ₁₆	1990 11 17.26528	03 35 03.47	+09 01 44.4		4 809
1994 PP	1994 10 07.01591	21 13 31.27	+18 33 10.2		801	1990 VA ₁₆	* 1990 11 15.22708	03 30 20.04	+09 54 09.6		4 809
1994 PP	1994 10 07.04344	21 13 30.48	+18 33 17.1		801	1990 VB ₁₆	* 1990 11 15.22708	03 31 46.23	+10 13 15.3	18.0	4 809
(4045)	1994 10 08.28578	03 04 06.55	+20 34 02.9		801	1990 VC ₁₆	1990 11 12.19896	03 37 22.71	+10 10 20.6		4 809
(4045)	1994 10 08.31084	03 04 05.87	+20 33 52.8		801	1990 WO ₃	1990 11 12.20972	03 37 22.03	+10 10 17.5		4 809
809 European Southern Observatory						1990 WO ₃	1990 11 12.22014	03 37 21.39	+10 10 14.8		4 809
E. W. Elst, Observatoire Royal de Belgique, Avenue Circulaire 3, B-1180 Brussels, Belgium [elst@atmos.oma.be] (4)						1990 WO ₃	1990 11 14.22778	03 35 22.54	+10 00 03.9		4 809
R. M. West, European Southern Observatory, Karl-Schwarzschild-Strasse 2, D-85748 Garching bei München, Germany [rwest@eso.org] (5)						1990 WO ₃	1990 11 14.23819	03 35 21.99	+10 00 00.6		4 809
C.-I. Lagerkvist, Uppsala Observatory, Box 515, S-75120 Uppsala, Sweden [classe@laban.uu.se] (8)						1990 WO ₃	1990 11 14.24861	03 35 21.23	+09 59 57.7		4 809
Observers G. Pizarro, O. Pizarro, M. Lindgren, O. Hainaut						1990 WO ₃	1990 11 15.22708	03 34 23.15	+09 55 12.1		4 809
Measurers E. W. Elst, O. Hernius, R. West						1990 WO ₃	1990 11 17.26528	03 32 21.81	+09 45 42.2		4 809
1.0-m Schmidt, 3.6-m NTT + CCD						1990 WO ₃	1990 11 23.16458	03 26 39.06	+09 21 57.1		4 809
1981 EO ₉	1992 03 04.09375	10 16 14.65	+07 38 02.0	17.5	8 809	1990 WO ₃	1990 11 23.17500	03 26 38.58	+09 21 55.8		4 809
1986 XT	1992 03 01.28750	11 12 21.21	+06 02 57.2	19.7	8 809	1990 WO ₃	1990 11 23.18542	03 26 37.87	+09 21 53.2		4 809
1988 CH ₃	1988 02 14.18403	10 16 21.41	-04 21 35.1		4 809	1990 WQ ₃	1990 11 12.19896	03 40 14.87	+10 00 08.4		4 809
1988 CH ₃	1988 02 14.19444	10 16 20.69	-04 21 36.4		4 809	1990 WQ ₃	1990 11 12.20972	03 40 14.18	+10 00 05.9		4 809
1988 CH ₃	1988 02 14.20486	10 16 19.98	-04 21 35.5		4 809	1990 WQ ₃	1990 11 12.22014	03 40 13.42	+10 00 06.0		4 809
1988 CH ₃	1988 02 15.16181	10 15 23.74	-04 22 22.6		4 809	1990 WQ ₃	1990 11 14.22778	03 37 59.72	+09 56 05.6		4 809
1988 CH ₃	1988 02 15.17222	10 15 23.13	-04 22 23.9		4 809	1990 WQ ₃	1990 11 14.23819	03 37 58.93	+09 56 05.4		4 809
1988 CH ₃	1988 02 15.18264	10 15 22.59	-04 22 26.4		4 809	1990 WQ ₃	1990 11 14.24861	03 37 58.21	+09 56 05.0		4 809
1988 CH ₃	1988 02 16.14931	10 14 25.20	-04 23 00.2		4 809	1990 WQ ₃	1990 11 15.22708	03 36 52.85	+09 54 14.7		4 809
						1990 WQ ₃	1990 11 17.26528	03 34 36.56	+09 50 39.8		4 809
						1990 WQ ₃	1990 11 23.16458	03 28 08.33	+09 42 27.5		4 809
						1990 WQ ₃	1990 11 23.17500	03 28 07.78	+09 42 26.1		4 809

1990 WQ ₃	1990 11 23.18542	03 28 07.18	+09 42 25.7		4 809	(3870)	1988 02 16.14931	10 10 59.58	-04 23 03.4		4 809
1990 WY ₁₅	* 1990 11 23.16458	03 23 40.40	+09 56 51.7		4 809	(3870)	1988 02 16.15972	10 10 59.08	-04 22 59.5		4 809
1990 WY ₁₅	1990 11 23.17500	03 23 39.78	+09 56 51.0		4 809	(3870)	1988 02 17.17083	10 10 08.55	-04 16 40.6		4 809
1990 WY ₁₅	1990 11 23.18542	03 23 39.25	+09 56 46.7		4 809	(3870)	1988 02 17.18125	10 10 08.03	-04 16 36.7		4 809
1990 WZ ₁₅	* 1990 11 23.16458	03 29 50.59	+09 11 54.9	18.0	4 809	(3870)	1990 11 12.19896	03 37 59.82	+09 39 00.7		4 809
1990 WZ ₁₅	1990 11 23.17500	03 29 49.97	+09 11 58.2		4 809	(3870)	1990 11 12.20972	03 37 59.17	+09 38 56.5		4 809
1990 WZ ₁₅	1990 11 23.18542	03 29 49.28	+09 12 01.4		4 809	(3870)	1990 11 12.22014	03 37 58.58	+09 38 52.7		4 809
1992 DC ₁₁	1993 07 23.12708	19 13 49.37	-18 57 05.4	18.5	4 809	(3870)	1990 11 14.22778	03 36 10.92	+09 26 06.5		4 809
1992 DC ₁₁	1993 07 23.14028	19 13 48.55	-18 57 08.2		4 809	(3870)	1990 11 14.23819	03 36 10.39	+09 26 03.1		4 809
1992 DC ₁₁	1993 07 23.15347	19 13 47.84	-18 57 12.0		4 809	(3870)	1990 11 14.24861	03 36 09.73	+09 25 58.8		4 809
1992 EV ₂₁	1990 11 12.19896	03 39 31.70	+10 23 35.7		4 809	(3870)	1990 11 15.22708	03 35 17.24	+09 19 51.3		4 809
1992 EV ₂₁	1990 11 12.20972	03 39 31.04	+10 23 34.9		4 809	(3870)	1990 11 17.26528	03 33 27.52	+09 07 22.2		4 809
1992 EV ₂₁	1990 11 12.22014	03 39 30.29	+10 23 34.1		4 809						
1992 EV ₂₁	1990 11 14.22778	03 37 13.84	+10 17 34.1		4 809						
1992 EV ₂₁	1990 11 14.23819	03 37 13.04	+10 17 32.1		4 809						
1992 EV ₂₁	1990 11 14.24861	03 37 12.26	+10 17 28.9		4 809						
1992 EV ₂₁	1990 11 15.22708	03 36 05.90	+10 14 44.4		4 809						
1992 EV ₂₁	1990 11 17.26528	03 33 47.22	+10 09 10.6		4 809						
1992 EV ₂₁	1990 11 23.16458	03 27 14.08	+09 55 44.6		4 809						
1992 EV ₂₁	1990 11 23.17500	03 27 13.39	+09 55 42.4		4 809						
1992 EV ₂₁	1990 11 23.18542	03 27 12.66	+09 55 42.1		4 809						
1992 EW ₃₅	* 1992 03 01.28750	11 09 50.31	+05 13 58.8	18.6	8 809						
1992 EW ₃₅	1992 03 06.23750	11 05 16.55	+05 39 00.3	20.8	8 809						
1992 EX ₃₅	* 1992 03 06.09722	10 45 06.43	+08 46 46.3	20.8	8 809						
1992 EX ₃₅	1992 04 06.11007	10 25 30.62	+10 46 24.6	20.9	8 809						
1993 FY ₇₉	* 1993 03 26.20174	12 43 20.83	-10 38 39.9	17.3	8 809						
1993 RO	1994 10 08.03252	23 28 57.97	-03 29 19.3	23	5 809						
1993 RO	1994 10 08.20222	23 28 57.09	-03 29 24.9		5 809						
1993 RO	1994 10 09.15667	23 28 52.27	-03 29 57.4		5 809						
1993 RO	1994 10 09.28323	23 28 51.61	-03 30 01.7		5 809						
1994 QV	1992 03 02.21389	10 38 05.07	+14 43 40.1	17.5	8 809						
4630 P-L	1992 03 04.16597	10 23 03.08	+16 09 17.3	17.5	8 809						
4630 P-L	1992 04 04.06979	10 02 15.45	+16 18 39.8	18.8	8 809						
(4)	1990 11 12.20972	03 36 31.92	+09 59 19.7		4 809						
(4)	1990 11 14.23819	03 34 24.30	+09 54 59.4		4 809						
(4)	1990 11 15.22708	03 33 22.11	+09 53 01.0		4 809						
(4)	1990 11 17.26528	03 31 13.26	+09 49 09.2		4 809						
(4)	1990 11 23.17500	03 25 03.83	+09 40 13.5		4 809						
(1085)	1990 11 14.22778	03 31 58.25	+09 24 01.8		4 809						
(1085)	1990 11 14.23819	03 31 57.69	+09 23 59.9		4 809						
(1085)	1990 11 14.24861	03 31 57.19	+09 23 58.0		4 809						
(1085)	1990 11 15.22708	03 31 11.13	+09 21 12.1		4 809						
(1085)	1990 11 17.26528	03 29 34.58	+09 15 39.8		4 809						
(1085)	1990 11 23.16458	03 24 58.70	+09 01 13.7		4 809						
(1085)	1990 11 23.17500	03 24 58.22	+09 01 12.4		4 809						
(1085)	1990 11 23.18542	03 24 57.66	+09 01 11.2		4 809						
(3870)	1988 02 14.18403	10 12 36.71	-04 34 46.6		4 809						
(3870)	1988 02 14.19444	10 12 36.18	-04 34 42.8		4 809						
(3870)	1988 02 14.20486	10 12 35.63	-04 34 38.8		4 809						
(3870)	1988 02 15.16181	10 11 48.53	-04 29 02.3		4 809						
(3870)	1988 02 15.17222	10 11 47.99	-04 28 58.4		4 809						
(3870)	1988 02 15.18264	10 11 47.49	-04 28 55.3		4 809						
							816 Rand Observatory				
							G. R. Viscome, 100 Sentinel Road, Lake Placid, NY 12946, U.S.A.				
							[73023.561@compuserve.com]				
							0.37-m <i>f</i> /6 reflector + telecompressor + CCD				
							GSC				
							1988 CT ₅	1994 10 08.01023	00 16 07.02	+22 37 23.0	15.3 V 816
							1988 CT ₅	1994 10 08.03135	00 16 05.71	+22 37 19.3	15.1 V 816
							1988 CT ₅	1994 10 08.03250	00 16 05.62	+22 37 18.6	15.1 V 816
							1988 CT ₅	1994 10 09.19712	00 14 55.00	+22 33 38.0	15.1 V 816
							1988 CT ₅	1994 10 09.20896	00 14 54.27	+22 33 35.7	15.2 V 816
							1988 CT ₅	1994 10 09.21278	00 14 54.05	+22 33 34.5	15.2 V 816
							1988 CT ₅	1994 10 15.07021	00 09 21.47	+22 11 03.5	15.6 V 816
							1988 CT ₅	1994 10 15.07787	00 09 21.04	+22 11 01.7	15.4 V 816
							1988 CT ₅	1994 10 15.08347	00 09 20.73	+22 11 00.1	15.3 V 816
							1988 CT ₅	1994 10 16.03737	00 08 30.51	+22 06 47.7	15.3 V 816
							1988 CT ₅	1994 10 16.04120	00 08 30.33	+22 06 46.5	15.2 V 816
							1988 CT ₅	1994 10 16.04485	00 08 30.14	+22 06 45.7	15.3 V 816
							1990 YA	1994 10 08.20935	23 42 24.92	+07 43 54.9	15.7 V 816
							1990 YA	1994 10 08.21748	23 42 24.59	+07 43 51.7	15.6 V 816
							1990 YA	1994 10 08.22593	23 42 24.27	+07 43 48.5	15.8 V 816
							1994 PL	1994 10 08.13668	23 48 58.50	+26 28 01.1	15.5 V 816
							1994 PL	1994 10 08.15078	23 48 58.18	+26 27 38.1	15.6 V 816
							1994 PL	1994 10 08.15322	23 48 58.13	+26 27 34.3	15.8 V 816
							1994 PL	1994 10 08.15441	23 48 58.09	+26 27 32.3	15.8 V 816
							1994 PL	1994 10 16.00712	23 47 13.11	+22 51 47.9	15.7 V 816
							1994 PL	1994 10 16.01245	23 47 13.07	+22 51 39.6	15.7 V 816
							1994 PL	1994 10 16.01368	23 47 13.09	+22 51 36.9	15.6 V 816
							1076 T-3	1994 10 29.11137	02 27 40.11	+29 18 33.7	16.3 V 816
							1076 T-3	1994 10 29.11594	02 27 39.83	+29 18 32.8	16.3 V 816
							1076 T-3	1994 10 29.12262	02 27 39.35	+29 18 31.0	16.2 V 816
							(895)	1994 10 08.32133	00 19 03.95	+40 39 45.6	13.0 V 816
							(895)	1994 10 08.32400	00 19 03.81	+40 39 44.7	13.0 V 816
							(895)	1994 10 08.32819	00 19 03.60	+40 39 43.0	13.0 V 816
							(2725)	1994 10 08.35656	06 20 10.80	+26 33 19.6	15.6 V 816
							(2725)	1994 10 08.35793	06 20 10.85	+26 33 20.2	15.3 V 816
							(2725)	1994 10 08.37310	06 20 11.59	+26 33 25.5	15.3 V 816
							(2805)	1994 10 09.23308	01 52 00.12	+05 46 33.0	15.7 V 816
							(2805)	1994 10 09.23426	01 52 00.03	+05 46 32.8	15.6 V 816
							(2805)	1994 10 09.24206	01 51 59.64	+05 46 32.2	15.6 V 816
							(2805)	1994 10 16.15977	01 45 40.64	+05 33 26.0	15.5 V 816

(2805)	1994 10 16.16427	01 45 40.40	+05 33 25.8	15.7 V	816
(4410)	1994 10 08.26020	02 03 08.73	+06 17 02.4	16.6 V	816
(4410)	1994 10 08.26343	02 03 08.56	+06 17 02.2	16.5 V	816
(4410)	1994 10 15.15925	01 57 19.82	+06 09 22.6	16.1 V	816
(4410)	1994 10 15.16049	01 57 19.75	+06 09 22.8	16.0 V	816
(4410)	1994 10 15.16174	01 57 19.72	+06 09 22.8	16.2 V	816
(4410)	1994 10 15.16961	01 57 19.30	+06 09 21.9	16.3 V	816
(6137)	1994 10 08.09763	23 46 18.34	+10 06 30.8	15.9 V	816
(6137)	1994 10 08.09981	23 46 18.27	+10 06 30.5	15.9 V	816
(6137)	1994 10 08.10926	23 46 17.78	+10 06 29.2	16.0 V	816

817 Sudbury

D. di Cicco, Sky & Telescope, Cambridge, MA 02138, U.S.A.

[dicicco@cfa.harvard.edu]

0.28-m Schmidt-Cassegrain + CCD

GSC

1994 TV ₁	1994 10 23.01407	23 02 33.91	-10 40 36.6	18.4 R	817
1994 TV ₁	1994 10 24.99699	23 02 16.87	-10 40 12.0	18.4 R	817
1994 TV ₁	1994 10 25.02391	23 02 16.55	-10 40 12.2	18.3 R	817
1994 TV ₁	1994 10 25.03444	23 02 16.55	-10 40 09.9	18.4 R	817
1994 TV ₁	1994 10 25.04498	23 02 16.47	-10 40 11.5	18.7 R	817
1994 TV ₁	1994 10 25.06603	23 02 16.32	-10 40 09.7	18.4 R	817
1994 TV ₁	1994 10 25.07655	23 02 16.23	-10 40 09.8	18.3 R	817
1994 UB	* 1994 10 26.04863	22 53 18.95	-14 03 58.6	17.8 R	817
1994 UB	1994 10 26.08387	22 53 19.62	-14 03 58.5	18.7 R	817
1994 UB	1994 10 26.12116	22 53 20.14	-14 03 58.6	18.3 R	817
1994 UB	1994 10 26.16677	22 53 20.98	-14 03 58.2	18.8 R	817
1994 UB	1994 10 29.06531	22 54 24.63	-14 02 04.8	18.4 R	817
1994 UB	1994 10 29.08950	22 54 25.21	-14 02 04.0	18.1 R	817
1994 UB	1994 10 29.09654	22 54 25.34	-14 02 03.3	18.2 R	817
1994 UB	1994 10 29.11772	22 54 25.76	-14 02 02.1	18.3 R	817
1994 UB	1994 10 29.13788	22 54 26.29	-14 01 58.9	18.0 R	817
(2897)	1994 10 26.04863	22 52 44.55	-14 04 58.1	17.7 R	817
(2897)	1994 10 26.06281	22 52 44.39	-14 04 54.2	17.7 R	817
(2897)	1994 10 26.07333	22 52 44.31	-14 04 53.2	17.6 R	817
(2897)	1994 10 26.08387	22 52 44.18	-14 04 51.6	17.7 R	817
(2897)	1994 10 26.12116	22 52 43.80	-14 04 43.9	18.3 R	817
(2897)	1994 10 26.13520	22 52 43.60	-14 04 41.0	17.9 R	817
(2897)	1994 10 26.15046	22 52 43.48	-14 04 38.0	17.6 R	817
(2897)	1994 10 26.16677	22 52 43.27	-14 04 34.3	17.5 R	817
(3226)	1994 10 24.99699	23 01 43.00	-10 45 04.8	18.7 R	817
(3226)	1994 10 25.02391	23 01 42.66	-10 45 04.6	18.5 R	817
(3226)	1994 10 25.03444	23 01 42.66	-10 45 04.4	18.6 R	817
(3226)	1994 10 25.04498	23 01 42.44	-10 45 04.7	18.9 R	817
(3226)	1994 10 25.06603	23 01 42.32	-10 45 03.0	18.3 R	817
(3226)	1994 10 25.07655	23 01 42.17	-10 45 03.4	18.3 R	817

868 Hidaka Observatory

S. Shirai, 13-2, Nishi-Kagaya 2 Chome, Suminoe-Ku, Osaka 559, Japan

Observer S. Shirai

Measurer S. Hayakawa

0.25-m $f/3.4$ hyperboloid astrocamera

GSC

1977 AW ₂	1994 10 01.62744	02 32 18.97	+18 43 35.9	17.0	868
1977 AW ₂	1994 10 01.65285	02 32 18.06	+18 43 34.7		868
1977 AW ₂	1994 10 02.59929	02 31 45.87	+18 42 55.9		868
1977 AW ₂	1994 10 02.62503	02 31 44.99	+18 42 54.4		868

886 Susono

T. Furuta, Mitsuike 17-2, Kakiya-Cho, Tokai, Aichi-Ken 477, Japan

Observer M. Akiyama

Measurer T. Furuta

0.25-m $f/4.2$ Wright-Schmidt camera

GSC

1994 UN	1994 11 01.55347	03 07 18.9	+20 15 50	16.5	886
1994 UN	1994 11 01.56424	03 07 18.2	+20 15 46		886
1994 UN	1994 11 02.52465	03 06 13.19	+20 13 54.1	16.5	886
1994 UN	1994 11 02.53785	03 06 12.25	+20 13 52.6		886

887 Ojima

T. Urata, Shiinoki House 203, 28-6, Chuo 3 Chome, Nakano-Ku, Tokyo 164, Japan

Observer T. Nijjima

Measurer T. Urata

0.30-m $f/5.8$ reflector + CCD

GSC

1991 VB ₃	1994 10 24.51947	01 01 13.70	+14 22 42.2	15.5 V	887
1991 VB ₃	1994 10 24.53086	01 01 13.04	+14 22 36.0		887
1991 VB ₃	1994 10 24.53935	01 01 12.60	+14 22 31.4		887
1991 VB ₃	1994 10 24.54969	01 01 11.97	+14 22 26.1		887
1991 VB ₃	1994 11 04.57965	00 52 39.51	+12 45 44.4	16 V	887
1991 VB ₃	1994 11 04.58793	00 52 39.16	+12 45 40.5		887
1991 VB ₃	1994 11 04.59455	00 52 38.89	+12 45 37.3		887

893 Sendai Astronomical Observatory

M. Koishikawa, 1-1, Sakuragaoka Koen, Aoba-Ku, Sendai 980, Japan

Observer K. Cross

0.41-m $f/5.2$ reflector + CCD

GSC

1994 UN	1994 11 08.56355	02 59 28.17	+20 00 23.7		893
1994 UN	1994 11 08.57372	02 59 27.49	+20 00 22.1		893
1994 VC ₁	* 1994 11 04.64987	04 11 13.04	+24 46 41.7	16.5	893
1994 VC ₁	1994 11 04.69448	04 11 10.65	+24 46 41.4		893
1994 VC ₁	1994 11 04.72515	04 11 08.99	+24 46 41.4		893
1994 VC ₁	1994 11 06.82845	04 09 19.34	+24 46 50.5		893
1994 VC ₁	1994 11 06.83567	04 09 18.98	+24 46 50.4		893
1994 VC ₁	1994 11 08.61301	04 07 42.52	+24 46 38.1		893
1994 VC ₁	1994 11 08.62543	04 07 41.79	+24 46 38.2		893
(5081)	1994 11 08.71547	04 37 52.68	+13 59 15.6		893
(5081)	1994 11 08.72316	04 37 52.25	+13 59 16.0		893
(5114)	1994 11 08.58155	03 02 05.53	+20 00 07.5	16.5	893
(5114)	1994 11 08.59162	03 02 04.85	+20 00 06.0		893

894 Otomo

S. Otomo, Kiyosato 3545-3902, Takane-cho, Kitakoma-gun, Yamanashi-Ken, 407-03, Japan

0.25-m $f/3.4$ reflector

PPM

1994 TS ₃	1994 10 15.59479	03 31 50.20	+22 22 31.1		905	1994 UD ₁	1994 11 03.57679	02 40 40.06	+15 16 00.0		905
1994 TS ₃	1994 10 31.62488	03 16 19.38	+23 41 18.8	16	905	1994 UE ₁	* 1994 10 31.64317	03 14 51.64	+21 14 46.1	17.5	905
1994 TS ₃	1994 10 31.63611	03 16 18.62	+23 41 22.3		905	1994 UE ₁	1994 10 31.65440	03 14 51.07	+21 14 42.4		905
1994 TB ₁₅	* 1994 10 14.54549	01 08 21.94	+15 46 51.5	16	905	1994 UE ₁	1994 11 03.59797	03 12 20.40	+20 56 35.2	17	905
1994 TB ₁₅	1994 10 14.55278	01 08 21.53	+15 46 50.4		905	1994 UE ₁	1994 11 03.61476	03 12 19.55	+20 56 28.0		905
1994 TB ₁₅	1994 10 23.48484	01 00 30.43	+15 15 58.9	16	905	1994 VZ	1994 10 31.59988	02 39 52.96	+15 54 04.4	17.3	905
1994 TB ₁₅	1994 10 23.49045	01 00 30.24	+15 15 58.9		905	1994 VZ	1994 10 31.61319	02 39 52.30	+15 53 59.6		905
1994 TB ₁₅	1994 10 31.50741	00 54 30.53	+14 44 26.6	16.5	905	1994 VZ	* 1994 11 03.56875	02 37 00.33	+15 28 59.9	16.8	905
1994 TB ₁₅	1994 10 31.52141	00 54 29.93	+14 44 23.8		905	1994 VZ	1994 11 03.57679	02 36 59.90	+15 28 55.3		905
1994 UT	* 1994 10 31.55642	01 33 58.19	+17 45 09.3	17	905	950 La Palma					
1994 UT	1994 10 31.57031	01 33 57.40	+17 45 02.6		905	A. A. Kaas, Stockholm Observatory, S-133 36 Saltsjöbaden, Sweden					
1994 UT	1994 11 03.52020	01 31 35.86	+17 21 51.9	17	905	[amanda@njord.astro.su.se]					
1994 UT	1994 11 03.52859	01 31 35.47	+17 21 48.6		905	Observer A. A. Kaas					
1994 UU	* 1994 10 31.57824	01 56 35.55	+17 23 57.7	17	905	Measurer O. C. Dahl					
1994 UU	1994 10 31.59196	01 56 34.62	+17 23 53.9		905	2.6-m Nordic Optical Telescope + CCD					
1994 UU	1994 11 03.55064	01 53 21.79	+17 14 10.6	17	905	GSC					
1994 UU	1994 11 03.55891	01 53 21.27	+17 14 09.2		905	1994 DW	* 1994 02 22.22656	16 50 06.22	-11 54 22.2	21 V	950
1994 UV	* 1994 10 31.57824	01 57 01.75	+16 46 23.0	17	905	1994 DW	1994 02 22.23565	16 50 06.84	-11 54 22.3		950
1994 UV	1994 10 31.59196	01 57 01.05	+16 46 15.8		905	1994 DW	1994 02 22.25139	16 50 07.86	-11 54 22.7		950
1994 UV	1994 11 03.54225	01 54 35.79	+16 20 18.5	17	905	1994 DW	1994 02 22.26939	16 50 09.10	-11 54 22.8		950
1994 UV	1994 11 03.55064	01 54 35.31	+16 20 15.7		905	1994 DW	1994 02 25.27295	16 53 28.60	-11 54 18.1		950
1994 UW	* 1994 10 31.57824	01 57 40.75	+16 56 35.8	17	905	1994 DW	1994 02 25.28152	16 53 29.13	-11 54 18.0		950
1994 UW	1994 10 31.59196	01 57 39.86	+16 56 34.6		905	1994 DW	1994 02 28.22880	16 56 37.75	-11 53 37.9		950
1994 UW	1994 11 03.54225	01 54 38.92	+16 51 59.8	17	905	1994 DW	1994 02 28.23745	16 56 38.27	-11 53 37.7		950
1994 UW	1994 11 03.55064	01 54 38.34	+16 51 58.6		905	967 Greens Norton					
1994 UX	* 1994 10 31.57824	02 00 32.42	+17 39 58.6	17	905	R. J. Neville, 19 Bradden Way, Greens Norton, Towcester, Northants NN12 8BY,					
1994 UX	1994 10 31.59196	02 00 31.51	+17 39 52.1		905	England					
1994 UX	1994 11 03.54225	01 57 45.63	+17 16 51.5	17	905	Observer R. J. Neville					
1994 UX	1994 11 03.55064	01 57 45.14	+17 16 47.7		905	Measurer N. D. James					
1994 UY	* 1994 10 31.57824	02 01 44.75	+18 01 09.7	17	905	0.22-m f/4.3 reflector + CCD					
1994 UY	1994 10 31.59196	02 01 43.87	+18 01 07.2		905	GSC					
1994 UY	1994 11 03.54225	01 59 04.23	+17 46 52.0	17	905	(1620)	1994 09 02.95489	21 27 56.43	-08 08 39.0		967
1994 UY	1994 11 03.55064	01 59 03.67	+17 46 48.7		905	(1620)	1994 09 02.98131	21 27 56.03	-08 04 08.7		967
1994 UZ	* 1994 10 31.57824	02 02 17.54	+15 56 35.9	16.5	905	(1620)	1994 09 10.97413	21 30 37.32	+04 35 29.2		967
1994 UZ	1994 10 31.59196	02 02 16.77	+15 56 31.9		905	970 Chelmsford					
1994 UZ	1994 11 03.54225	01 59 40.67	+15 45 14.0	16.5	905	N. D. James, 11 Tavistock Road, Chelmsford, Essex CM1 5JL, England					
1994 UZ	1994 11 03.55064	01 59 40.24	+15 45 12.2		905	[ndj@astro1.demon.co.uk]					
1994 UA ₁	* 1994 10 31.59988	02 39 07.20	+15 29 00.8	17.3	905	0.30-m f/5.25 reflector + CCD					
1994 UA ₁	1994 10 31.61319	02 39 06.50	+15 29 01.3		905	GSC					
1994 UA ₁	1994 11 03.56875	02 36 42.28	+15 17 48.6	17	905	(1608)	1994 10 23.75336	01 12 00.23	+11 31 59.7		970
1994 UA ₁	1994 11 03.58490	02 36 41.51	+15 17 46.4		905	(1608)	1994 10 23.76170	01 11 59.72	+11 31 57.6		970
1994 UB ₁	* 1994 10 31.59988	02 41 45.03	+16 37 59.1	17	905	(1608)	1994 10 23.77847	01 11 58.73	+11 31 53.7		970
1994 UB ₁	1994 10 31.61319	02 41 43.98	+16 37 58.4		905	(1608)	1994 10 23.79256	01 11 57.87	+11 31 50.5		970
1994 UB ₁	1994 11 03.56875	02 38 25.46	+16 34 41.2	17	905	(1608)	1994 10 25.86556	01 09 57.39	+11 23 38.4		970
1994 UB ₁	1994 11 03.57679	02 38 25.03	+16 34 41.4		905	(1608)	1994 10 25.88069	01 09 56.51	+11 23 34.8		970
1994 UC ₁	* 1994 10 31.59988	02 41 59.79	+16 00 41.7	16.5	905	(1620)	1994 10 23.80344	22 08 08.06	+13 03 39.8		970
1994 UC ₁	1994 10 31.61319	02 41 58.84	+16 00 38.5		905	(1620)	1994 10 23.81008	22 08 08.57	+13 03 40.9		970
1994 UC ₁	1994 11 03.56875	02 38 59.83	+15 48 52.1	17	905	(1620)	1994 10 23.81615	22 08 09.02	+13 03 41.8		970
1994 UC ₁	1994 11 03.57679	02 38 59.32	+15 48 52.0		905	(3145)	1994 10 24.77855	00 36 20.25	+15 21 05.0		970
1994 UD ₁	* 1994 10 31.59988	02 43 05.50	+15 24 11.4	16.5	905	(3145)	1994 10 24.78913	00 36 19.88	+15 21 00.4		970
1994 UD ₁	1994 10 31.61319	02 43 04.89	+15 24 08.0		905						
1994 UD ₁	1994 11 03.56875	02 40 40.47	+15 16 01.7	16.8	905						

(3145)	1994 10 24.80214	00 36 19.39	+15 20 53.9	970
(3145)	1994 10 24.81142	00 36 19.02	+15 20 49.3	970
(3145)	1994 10 24.82404	00 36 18.56	+15 20 43.6	970
(3145)	1994 10 25.77663	00 35 45.48	+15 13 06.3	970
(3145)	1994 10 25.79057	00 35 45.01	+15 12 59.7	970
(3145)	1994 10 25.81127	00 35 44.26	+15 12 49.9	970
(3145)	1994 10 25.83079	00 35 43.53	+15 12 40.7	970

ORBITAL ELEMENTS

Orbital elements have been computed by the following contributors:

- D. D. Balam, Dept. of Physics and Astronomy, University of Victoria, Victoria, BC V8W 2Y2, Canada [cosmos@uvvm.uvic.ca]
 C. M. Bardwell, Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138, U.S.A. [bardwell@cfa.harvard.edu]
 E. Bowell, Lowell Observatory, 1400 West Mars Hill Road, Flagstaff, AZ 86001, U.S.A. [elgb@lowell.edu]
 K. Ichikawa, 45 Shiromae Kamiwada-cho, Okazaki-shi, Aichi, 444-02 Japan
 K. Kinoshita, 4-21, Mitakihoncho 2 Chome, Nishi-Ku, Hiroshima, 733 Japan
 T. Kobayashi, 1717-2 Shimo-Koizumi, Oizumi-machi, Ora-gun, Gunma-ken, 370-05 Japan [kobataka@furusato.infopd.sanyo.co.jp]
 B. G. Marsden, Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138, U.S.A. [marsden@cfa.harvard.edu] (M)
 S. Nakano, 3-19, 1 chome, Takenokuchi, Sumoto, Hyogo-ken 656, Japan [nakano@cfa.harvard.edu] (N)
 J. E. Rogers, 441 Rowland Avenue, Camarillo, CA 93010, U.S.A. [72401.3174@compuserve.com] (R)
 L. D. Schmadel, Astronomisches Rechen-Institut, Mönchhofstrasse 12-14, D-69120 Heidelberg, Federal Republic of Germany [s21@mvs.urz.uni-heidelberg.de]
 P. Sicoli, Via Valli 9, I-22040 Garbagnate Monastero (Como), Italy [sormano@icil64.cilea.it]
 G. V. Williams, Harvard-Smithsonian Center for Astrophysics, 60 Garden Street, Cambridge, MA 02138, U.S.A. [williams@cfa.harvard.edu] (W)

Periodic Comet Harrington (1994g)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

<i>T</i>	1994 Aug. 23.23376 TT		Nakano	
<i>q</i>	1.5718885	(2000.0)	P	Q
<i>n</i>	0.14529998	ω 233.45503	+0.98395107	+0.12084312
<i>a</i>	3.5833758	Ω 119.26259	-0.07230926	+0.94268575
<i>e</i>	0.5613386	<i>i</i> 8.65565	-0.16313084	+0.31103137
<i>P</i>	6.78			

From 101 observations 1980–1994, mean residual 0".81. Nongravitational parameters $A_1 = +0.86 \pm 0.06$, $A_2 = +0.0611 \pm 0.0007$.

Periodic Comet Machholz 2 (1994o) Nucleus A

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

<i>T</i>	1994 Sept. 18.80411 TT		Marsden	
<i>q</i>	0.7525481	(2000.0)	P	Q
<i>n</i>	0.18855316	ω 149.26231	+0.80313376	-0.56034377
<i>a</i>	3.0119436	Ω 246.17716	+0.49169631	+0.81526814
<i>e</i>	0.7501454	<i>i</i> 12.78652	+0.33646828	+0.14612570
<i>P</i>	5.23			

From 178 observations 1994 Aug. 15–Nov. 9, mean residual 0".72.

Periodic Comet Machholz 2 (1994o) Nucleus B

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

<i>T</i>	1994 Sept. 18.86652 TT		Marsden	
<i>q</i>	0.7525563	(2000.0)	P	Q
<i>n</i>	0.18859245	ω 149.25897	+0.80320540	-0.56024558
<i>a</i>	3.0115252	Ω 246.17341	+0.49160181	+0.81532842
<i>e</i>	0.7501079	<i>i</i> 12.78609	+0.33643534	+0.14616584
<i>P</i>	5.23			

From 25 observations 1994 Aug. 30–Nov. 9, mean residual 1".19.

Periodic Comet Machholz 2 (1994o) Nucleus D

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

<i>T</i>	1994 Sept. 19.20388 TT		Marsden	
<i>q</i>	0.7525582	(2000.0)	P	Q
<i>n</i>	0.18845490	ω 149.25125	+0.80317897	-0.56026461
<i>a</i>	3.0129905	Ω 246.18297	+0.49160839	+0.81531988
<i>e</i>	0.7502288	<i>i</i> 12.78849	+0.33648883	+0.14614056
<i>P</i>	5.23			

From 47 observations 1994 Aug. 30–Nov. 9, mean residual 1".00.

Comet Machholz (1994r)

T 1994 Oct. 2.58727 TT

<i>q</i>	1.8455702	(2000.0)	P	Q
		ω 142.79939	+0.15757949	+0.35963250
		Ω 249.94315	+0.48972879	+0.78027281
<i>e</i>	1.0	<i>i</i> 101.74318	+0.85751643	-0.51170187

From 88 observations 1994 Oct. 9–Nov. 7.

Periodic Comet McNaught-Hartley (1994n)

Epoch 1994 Nov. 24.0 TT = JDT 2449680.5

<i>T</i>	1994 Dec. 8.14552 TT		Nakano	
<i>q</i>	2.4846555	(2000.0)	P	Q
<i>n</i>	0.04745275	ω 312.17725	+0.95833240	+0.22320833
<i>a</i>	7.5560549	Ω 36.01502	-0.07249233	+0.79364862
<i>e</i>	0.6711703	<i>i</i> 17.64790	-0.27630394	+0.56595044
<i>P</i>	20.77			

From 40 observations 1994 July 5–Nov. 6, mean residual 0".81.

One-opposition minor planets

Planet	<i>H</i>	Epoch	<i>M</i>	ω	Ω	<i>i</i>	<i>e</i>	<i>a</i>	Arc	O	N	C
1987 OO	14.0	870724	354.62	81.10	243.48	10.67	0.2294	2.5416	26	9	W	
1990 WO ₃	15.0	901105	25.86	207.65	166.20	4.92	0.1602	2.2787	11	0	W	
1992 GC ₈	13.5	920408	266.31	206.78	96.35	5.83	0.0484	2.6235	34	9	W	
1992 HY ₆	15.5	920428	326.20	165.85	90.18	4.95	0.1566	2.1978	6	6	W	
1992 UM ₉	12.3	921114	32.52	164.41	186.66	6.44	0.1310	3.1865	30	8	N	
1992 WK ₉	13.0	921025	7.90	322.47	53.88	0.87	0.2277	3.1443	30	8	N	

1993 FL ₄	13.2	930314	92.52	292.92	139.27	2.19	0.1431	2.5542	30	8	N	1994 SF ₅	15.5	940925	56.45	114.08	184.96	15.77	0.1085	2.6430	8	9	W
1993 FL ₆	14.0	930314	292.64	154.23	98.08	2.04	0.0465	2.1415	30	6	N	1994 SG ₅	17.0	940925	39.69	292.51	30.50	1.95	0.0473	2.4258	6	9	E W
1993 FO ₆	12.0	930314	149.74	322.23	68.32	3.06	0.0484	2.9267	30	6	W	1994 SJ ₅	16.0	940925	124.37	219.80	11.47	11.58	0.1312	2.5769	13	9	W
1993 FT ₃₇	11.9	930423	26.69	1.79	161.35	2.57	0.1543	3.0390	51	0	N	1994 SK ₅	16.0	940925	275.20	72.36	28.60	2.16	0.0784	3.0094	14	9	W
1993 FE ₄₉	12.4	930403	295.48	70.40	184.38	1.57	0.0256	2.9294	7	5	N	1994 SL ₅	16.0	940925	265.04	96.56	11.92	11.23	0.0592	2.5650	13	9	W
1994 AH	11.4	940108	145.45	177.85	136.47	2.76	0.0776	2.9322	30	0	N	1994 SM ₅	17.5	940925	12.72	327.14	18.26	4.72	0.2390	3.0367	6	8	W
1994 DW	15.5	940217	328.24	149.33	116.49	11.42	0.0663	2.9005	6	8	W	1994 SP ₅	15.5	940925	164.28	28.58	173.22	3.95	0.0602	2.9681	14	0	W
1994 LJ ₁	12.4	940617	51.01	92.52	84.36	12.28	0.2162	2.6927	10	6	N	1994 SQ ₅	15.5	940925	195.61	153.29	20.46	4.35	0.0592	2.7921	14	0	W
1994 RA	14.5	940905	321.08	240.26	176.42	10.32	0.1768	2.8034	39	0	W	1994 SU ₅	15.5	940925	9.40	175.63	180.02	6.21	0.1158	3.0077	14	0	W
1994 RG	16.0	940905	332.83	138.80	234.57	2.65	0.2017	2.6717	33	0	W	1994 SV ₅	16.5	940925	340.64	243.33	151.61	1.93	0.1734	3.1091	14	0	W
1994 RU	13.6	940905	16.58	276.22	47.44	3.01	0.1937	2.4272	31	6	N	1994 SW ₅	15.5	940925	324.76	36.52	18.71	6.49	0.1567	3.2130	13	9	W
1994 RM ₁	11.4	940925	55.98	97.25	199.53	16.73	0.0955	3.2352	58	0	N	1994 SC ₆	16.0	940925	329.04	246.40	167.90	3.02	0.2164	2.5289	14	9	W
1994 RT ₁	14.0	940905	347.61	202.02	167.89	20.45	0.2905	2.5624	38	8	W	1994 SG ₆	16.0	940925	61.68	278.42	17.26	10.64	0.1025	3.0127	13	0	W
1994 RL ₂	13.0	940816	12.85	337.40	334.46	10.28	0.1790	3.1484	30	0	W	1994 SH ₆	15.0	940925	212.79	138.42	24.92	5.45	0.1292	3.1642	13	8	W
1994 RB ₅	18.0	940905	330.37	18.19	17.50	7.96	0.1100	2.2462	31	0	W	1994 SL ₆	16.0	940925	340.83	217.82	177.36	5.23	0.1860	2.4174	8	8	W
1994 RN ₅	15.5	940905	85.14	61.84	199.47	2.84	0.1047	2.4326	24	0	W	1994 SQ ₆	17.0	940925	19.22	192.95	150.89	2.43	0.1211	2.9686	15	0	W
1994 RS ₅	17.5	940905	21.33	74.33	245.98	1.41	0.2135	2.3147	17	0	W	1994 SS ₆	16.0	940925	76.02	230.18	54.73	2.19	0.0718	3.1961	14	9	W
1994 RF ₆	16.0	940905	271.61	266.10	192.97	4.32	0.0998	2.7388	17	0	W	1994 SC ₇	17.0	940925	277.81	86.80	12.81	5.27	0.1018	2.3097	8	9	W
1994 RH ₆	19.0	940905	28.19	97.42	212.90	1.14	0.2289	2.2578	17	0	W	1994 SE ₇	15.0	940925	169.05	154.01	39.98	1.79	0.2457	3.1283	8	9	W
1994 RO ₆	16.5	940905	237.24	178.18	304.76	2.55	0.0419	2.8051	17	0	W	1994 SF ₇	17.5	940925	314.65	69.90	10.81	11.83	0.2849	2.7479	13	9	W
1994 RD ₇	18.0	940905	17.70	71.82	258.61	1.12	0.1729	2.6210	17	0	W	1994 SH ₇	18.5	940925	2.71	191.90	169.43	2.67	0.2062	2.4720	15	9	W
1994 RG ₇	14.5	940905	75.89	324.11	315.42	1.48	0.0325	3.0732	17	0	W	1994 SJ ₇	16.0	940925	19.60	314.77	19.90	4.02	0.2312	3.0265	8	0	W
1994 RL ₇	14.5	940905	245.66	169.19	322.69	1.86	0.1954	2.7525	17	0	W	1994 SK ₇	18.5	940925	357.26	204.00	165.80	2.24	0.2312	2.3168	8	8	W
1994 RE ₈	15.5	940905	350.18	19.69	347.84	10.18	0.0738	3.0854	17	0	W	1994 SL ₇	14.5	940925	28.72	313.03	14.13	6.82	0.1540	2.3971	13	0	W
1994 RW ₈	16.5	940905	12.56	350.56	351.80	8.17	0.0749	2.8524	17	0	W	1994 SO ₇	18.0	940925	58.72	104.58	172.39	3.58	0.2724	2.3892	15	0	W
1994 RX ₈	15.0	940905	282.61	112.19	351.58	7.59	0.2478	2.9173	17	0	W	1994 SF ₇	15.0	940925	250.84	52.07	74.91	1.23	0.0993	3.0781	14	0	W
1994 RH ₉	14.3	941015	18.64	340.29	353.51	9.88	0.3472	2.4112	48	0	N	1994 SQ ₇	16.0	940925	159.15	117.00	86.89	1.08	0.1096	2.2782	8	9	W
1994 RJ ₁₁	13.9	940925	12.53	351.31	345.83	6.68	0.1399	2.3750	19	6	N	1994 SR ₇	16.0	940925	111.29	69.74	179.67	9.55	0.0678	3.1958	8	9	W
1994 RK ₁₁	14.4	940925	354.61	66.21	297.86	1.26	0.2281	2.3969	19	9	N	1994 ST ₇	15.0	940925	63.33	126.38	158.72	2.66	0.1661	2.3670	15	0	W
1994 SB	12.6	941015	237.50	201.00	297.87	6.27	0.1017	2.1997	36	0	N	1994 SU ₇	16.0	940925	87.11	242.25	14.06	13.76	0.2180	3.0829	13	9	W
1994 SD	15.0	940925	26.44	129.39	201.92	12.89	0.1771	2.6733	12	6	W	1994 SV ₇	14.0	940925	355.19	349.47	23.77	5.58	0.0456	3.0715	8	9	W
1994 SG	16.5	940925	46.88	324.34	342.13	5.01	0.1637	2.3887	14	0	W	1994 SD ₈	17.0	940925	355.11	169.84	202.30	0.82	0.1985	2.3905	13	8	W
1994 SZ	16.0	940925	3.97	168.29	191.72	11.52	0.1376	2.7620	14	9	W	1994 SM ₈	17.0	940925	4.76	350.97	5.97	6.93	0.2405	2.5393	13	9	W
1994 SC ₁	17.0	940925	341.86	201.31	192.00	8.22	0.2049	2.6402	14	9	W	1994 SO ₈	15.0	940925	345.10	213.61	179.11	0.86	0.2876	2.5418	13	8	E W
1994 SK ₁	15.5	940925	267.10	75.17	55.94	2.86	0.2655	3.2789	16	9	W	1994 SR ₈	15.0	940925	69.40	235.36	40.72	0.25	0.1792	2.2614	13	7	W
1994 SL ₁	16.0	940925	294.96	10.28	77.17	2.06	0.1229	2.9756	15	9	W	1994 SS ₈	16.0	940925	299.24	264.78	177.46	0.47	0.1388	2.7707	13	8	W
1994 SM ₁	17.0	940925	118.85	212.43	26.82	5.73	0.1092	2.3317	15	9	W	1994 ST ₈	16.5	940925	326.48	230.46	182.82	1.62	0.1791	2.5947	13	8	W
1994 SN ₁	16.5	940925	347.16	357.16	25.24	6.42	0.0374	2.7155	15	9	W	1994 SU ₈	18.5	940925	344.91	16.79	10.88	1.35	0.1850	2.3764	13	0	W
1994 SP ₁	19.0	940925	28.51	296.41	27.65	4.31	0.2036	2.1638	15	0	W	1994 SY ₈	17.0	940925	358.02	358.70	9.81	5.57	0.2514	2.3290	13	9	W
1994 SR ₁	16.0	940925	313.61	343.30	88.96	1.80	0.1877	2.3161	9	9	W	1994 SZ ₈	17.5	940925	77.18	258.62	13.64	2.44	0.1459	2.1921	13	8	W
1994 SU ₁	18.5	940925	50.28	139.06	160.90	3.50	0.1732	2.2181	9	9	W	1994 SC ₉	14.0	940925	170.99	182.99	11.93	5.23	0.1143	3.1773	13	9	W
1994 SY ₁	17.5	940925	79.94	198.84	71.18	2.23	0.1648	2.4275	15	9	W	1994 SD ₉	17.0	940925	25.18	164.47	170.56	1.21	0.1218	2.9741	13	8	W
1994 SZ ₁	17.0	940925	30.82	279.92	43.95	3.07	0.1851	2.4482	15	8	W	1994 SF ₉	16.0	940925	355.34	194.78	177.31	2.48	0.0449	2.6468	14	8	W
1994 SB ₂	15.0	940925	23.16	260.22	72.45	2.33	0.2243	3.1242	15	9	W	1994 SH ₉	13.5	940925	92.83	242.12	28.05	2.26	0.0402	2.9370	13	8	W
1994 SE ₂	14.5	940925	325.07	12.95	38.84	3.98	0.1155	2.1646	15	9	W	1994 SK ₉	17.0	940925	344.94	204.49	184.17	8.53	0.1801	2.6468	8	9	R
1994 SO ₂	17.5	940905	25.06	352.44	335.59	4.16	0.0376	2.3881	15	8	W	1994 SL ₉	14.5	940925	246.19	346.68	159.94	1.79	0.2749	2.9205	14	9	R
1994 SP ₂	17.5	940905	350.80	27.71	339.97	4.95	0.1644	2.7750	15	9	W	1994 SN ₉	14.0	940925	53.75	119.53	182.15	6.82	0.1129	2.1850	15	0	R
1994 SS ₂	17.0	940905	300.86	187.61	233.50	2.29	0.0531	2.8158	15	9	W	1994 SO ₉	15.5	940925	167.24	174.44	20.47	4.55	0.3482	2.3481	14	9	R
1994 ST ₂	15.0	940905	88.51	267.29	351.57	10.98	0.0895	2.9747	17	9	W	1994 SP ₉	15.0	940925	170.97	11.18	184.49	13.06	0.1027	2.7781	14	0	W
1994 SW ₂	15.0	940905	117.07	237.71	350.07	6.80	0.1466	2.7842	17	9	W	1994 SS ₉	15.5	940925	47.05	151.87	149.58	1.01	0.1893	2.4146	14	8	W
1994 SY ₂	17.5	940905	144.27	350.21	216.48	2.01	0.1084	2.1501	18	9	W	1994 ST ₉	16.0	940925	256.26	307.98	176.57	3.71	0.1234	2.3203	14	8	W
1994 SC ₃	15.0	940905	168.56	191.15																			

1994 SJ ₁₀	18.0	940925	24.60	309.81	21.24	4.55	0.1916	2.3975	13	8	W	1994 TM ₂	13.5	940925	310.03	302.92	121.45	3.33	0.0253	2.1505	5	6	E	N	
1994 SK ₁₀	17.0	940925	14.03	329.72	14.63	1.51	0.1945	2.3489	13	7	W	1994 TO ₂	13.7	940925	17.01	308.89	35.20	6.84	0.2378	2.5982	5	6	E	N	
1994 SW ₁₀	15.5	940925	354.80	226.83	147.08	1.96	0.1847	3.2017	14	0	W	1994 TP ₂	13.6	941015	23.56	164.01	183.05	8.00	0.1668	2.2160	8	8	N		
1994 SC ₁₁	15.0	940925	73.31	133.86	154.29	2.49	0.0529	2.9051	14	9	W	1994 TQ ₂	13.3	940925	2.81	333.64	35.02	14.02	0.1487	2.6801	5	6	E	N	
1994 SD ₁₁	14.5	940925	352.40	323.21	54.92	2.30	0.1728	3.2050	7	9	W	1994 TS ₂	15.3	940925	17.59	221.49	114.49	3.08	0.3081	2.2753	5	6	N		
1994 SF ₁₁	15.0	940905	285.50	64.91	15.21	14.12	0.0255	2.7323	37	0	W	1994 TT ₂	12.6	941015	1.40	348.56	28.11	23.04	0.1387	2.8911	5	6	E	N	
1994 SG ₁₁	17.0	940925	1.02	349.45	14.98	10.20	0.2634	2.7273	12	9	W	1994 TW ₂	13.6	940925	12.64	341.85	11.61	13.17	0.2800	2.6577	5	6	N		
1994 SH ₁₁	14.0	940925	139.34	202.21	21.49	6.62	0.0593	2.3318	13	9	W	1994 TX ₂	12.4	941015	314.43	232.24	208.58	11.15	0.1175	2.7623	8	8	N		
1994 SL ₁₁	16.0	940925	329.19	23.79	29.16	5.12	0.1958	3.1833	13	9	W	1994 TZ ₂	15.5	940925	23.29	146.48	187.21	2.51	0.2853	2.4414	5	9	W		
1994 SN ₁₁	16.5	940925	252.63	90.85	30.38	4.96	0.0539	2.7251	13	9	W	1994 TC ₃	13.0	940925	302.05	257.73	211.13	1.76	0.2779	2.4125	8	9	E	W	
1994 SP ₁₁	15.0	940925	326.09	30.38	19.88	11.33	0.1110	3.0273	14	9	W	1994 TD ₃	13.2	940925	25.31	313.10	15.88	6.50	0.3410	3.0673	5	6	N		
1994 SQ ₁₁	17.0	940925	343.11	9.83	19.81	9.99	0.1269	2.6137	13	9	W	1994 TK ₃	13.0	941015	77.94	202.92	111.77	3.22	0.0547	2.8846	28	0	W		
1994 ST ₁₁	17.5	940925	354.21	294.26	83.06	2.19	0.2201	3.0190	7	9	W	1994 TL ₃	14.0	940925	4.41	164.51	222.33	9.58	0.1351	2.3735	2	9	W		
1994 SV ₁₁	16.0	940925	329.36	11.06	31.55	5.65	0.0491	2.9430	14	0	W	1994 TM ₃	13.0	941015	347.98	195.30	211.63	6.61	0.2351	2.6890	20	0	N		
1994 SB ₁₂	18.0	940925	29.92	150.43	176.61	4.68	0.1372	2.2815	14	9	W	1994 TS ₃	12.2	941015	35.49	315.14	34.31	14.30	0.2064	2.6841	18	8	N		
1994 SD ₁₂	17.5	940925	57.76	278.15	14.18	8.87	0.1529	2.2911	13	9	W	1994 TX ₃	17.0	940925	252.14	302.73	190.23	4.74	0.1799	2.2966	9	9	W		
1994 SE ₁₂	17.0	940925	92.02	116.14	155.70	1.91	0.0307	2.6194	13	0	W	1994 TY ₃	17.0	940925	99.14	61.51	188.53	4.78	0.1665	2.4012	9	8	W		
1994 SF ₁₂	14.0	940925	28.79	246.70	86.84	1.29	0.0800	2.7393	13	9	W	1994 TZ ₃	17.0	940925	356.31	186.46	184.99	0.74	0.1088	2.6797	9	9	W		
1994 ST ₁₂	13.4	940925	33.76	292.50	28.74	3.71	0.1488	2.5814	14	0	N	1994 TA ₄	17.0	940925	280.00	265.78	190.35	0.76	0.0788	2.4113	9	9	E	W	
1994 SU ₁₂	16.5	940925	276.46	64.33	37.00	2.63	0.1005	2.2692	14	9	W	1994 TB ₄	16.5	940925	353.21	188.04	189.40	1.77	0.2266	2.6193	9	9	E	W	
1994 SW ₁₂	16.5	940925	318.85	44.11	17.27	9.69	0.1558	3.0318	7	9	W	1994 TO ₄	15.0	940925	48.37	117.82	188.60	14.55	0.1360	2.5818	10	0	W		
1994 SC ₁₃	15.5	940925	29.85	302.32	19.65	16.73	0.2288	3.1700	12	8	W	1994 TX ₄	16.5	940925	179.52	168.42	21.50	5.15	0.1290	2.6010	9	9	W		
1994 TA	11.5	941015	48.41	147.11	138.28	5.43	0.3933	17.4743	30	0	M	1994 TC ₅	16.0	940925	199.56	353.52	178.36	4.02	0.0613	2.2604	9	9	W		
1994 TC	15.0	941015	326.56	233.98	171.85	22.99	0.2202	2.3234	20	9	W	1994 TD ₅	16.0	940925	159.45	26.13	180.22	5.38	0.1124	2.4471	9	9	E	W	
1994 TD	13.0	941015	323.74	247.38	179.08	4.09	0.0498	3.0383	20	0	W	1994 TF ₅	17.0	940925	324.03	239.73	181.64	4.96	0.2039	2.4025	9	0	W		
1994 TE	13.5	940925	305.69	259.81	164.98	3.10	0.1235	2.4006	8	0	E	W	1994 TO ₅	14.5	940925	338.92	8.30	27.47	4.11	0.1323	3.3209	8	0	W	
1994 TF	15.0	940925	19.74	246.85	75.41	0.73	0.2883	2.3626	8	0	W	1994 TP ₅	15.5	940925	149.42	56.62	158.63	2.69	0.0647	2.4455	8	9	W		
1994 TJ	15.5	940925	12.14	9.35	345.08	5.43	0.0977	2.4681	8	0	W	1994 TK ₆	17.0	940925	129.40	56.51	181.71	5.09	0.0050	2.4707	8	8	E	W	
1994 TL	15.0	941015	30.05	335.18	355.09	1.86	0.2499	2.3068	9	7	N	1994 TR ₆	16.0	940925	23.64	156.59	172.87	3.52	0.2338	2.5891	9	8	W		
1994 TN	12.0	940925	247.81	255.72	247.74	2.99	0.1606	2.5180	5	6	N	1994 TS ₆	16.5	940925	210.57	74.12	93.44	1.33	0.1843	2.5052	8	8	E	W	
1994 TP	12.0	940925	281.26	266.17	201.71	9.50	0.1107	3.1434	9	9	E	W	1994 TO ₈	18.0	940925	10.53	327.15	21.16	10.74	0.2713	2.7223	7	9	W	
1994 TQ	13.4	941015	42.51	310.68	21.14	4.21	0.0668	2.4902	9	8	N	1994 TX ₈	17.0	940925	73.63	101.53	196.45	1.83	0.0825	2.3436	4	9	E	W	
1994 TS	15.0	941015	37.75	353.01	333.05	1.18	0.1988	2.1427	9	7	N	1994 TD ₉	16.0	940925	188.40	3.82	195.45	3.41	0.2587	2.3179	4	9	E	W	
1994 TX	14.0	940925	351.61	343.79	41.56	3.35	0.2343	2.6236	9	0	W	1994 TE ₉	16.0	940925	82.33	242.39	31.92	5.11	0.2250	2.3856	4	9	W		
1994 TY	14.3	940925	337.99	33.08	20.35	15.32	0.3068	2.7761	9	7	N	1994 TK ₁₀	15.0	940925	115.71	12.68	227.92	3.19	0.1163	2.4685	2	0	E	W	
1994 TZ	12.1	940925	283.20	283.88	176.23	10.01	0.0724	3.0607	9	6	N	1994 TL ₁₀	15.5	940925	152.75	258.27	311.24	2.29	0.1198	2.4702	2	0	W		
1994 TA ₁	12.8	940925	11.97	336.11	18.73	38.63	0.1917	2.8439	9	8	N	1994 TM ₁₀	14.5	940925	165.43	3.00	197.77	15.94	0.0477	2.7297	3	0	W		
1994 TC ₁	12.8	941015	46.34	288.82	36.08	10.74	0.1126	2.6950	5	6	E	N	1994 TO ₁₀	15.5	940925	95.73	266.66	358.47	8.70	0.0625	2.6793	2	8	E	W
1994 TF ₁	11.4	940925	284.44	61.29	50.30	10.43	0.1512	3.0699	5	6	N	1994 TP ₁₀	15.5	940925	61.14	75.89	199.02	13.07	0.2751	2.6645	3	0	W		
1994 TG ₁	14.5	940925	21.66	277.81	58.30	3.39	0.2600	2.2241	5	6	E	N	1994 TQ ₁₀	15.5	940925	78.45	67.74	203.41	8.18	0.1563	2.5769	3	0	W	
1994 TH ₁	12.5	941015	12.79	323.72	42.26	13.32	0.1133	2.9346	29	8	W	1994 TS ₁₀	17.5	940925	345.61	24.43	1.45	9.13	0.1265	2.5719	2	9	E	W	
1994 TJ ₁	13.7	940925	1.21	191.05	182.35	6.43	0.2523	2.5978	5	6	N	1994 TT ₁₀	16.0	940925	98.81	45.47	197.59	15.76	0.2497	2.8096	3	9	W		
1994 TK ₁	12.7	940925	289.65	32.45	95.32	1.76	0.3353	2.3846	5	6	E	N	1994 TV ₁₀	15.5	940925	82.19	73.27	200.88	10.61	0.0975	2.4764	3	0	W	
1994 TN ₁	11.9	940925	321.87	43.80	39.93	14.67	0.2849	3.3193	5	6	E	N	1994 TW ₁₀	16.5	940925	38.38	91.30	220.25	3.33	0.2003	2.6461	2	0	W	
1994 TQ ₁	14.0	940925	42.94	248.73	61.35	5.66	0.2522	2.4316	5	6	E	W	1994 TX ₁₀	17.5	940925	223.58	175.07	335.21	2.70	0.0806	2.2858	2	9	E	W
1994 TR ₁	13.0	940925	30.49	121.31	205.83	14.91	0.2495	2.6091	5	6	E	W	1994 TZ ₁₀	17.0	940925	94.90	3.03	258.27	1.88	0.1072	2.6422	2	8	E	W
1994 TT ₁	14.0	940925	331.40	66.81	336.25	10.58	0.2199	2.5849	6	0	E	W	1994 TD ₁₁	17.5	940925	351.04	173.59	206.45	5.49	0.1795	2.4382	3	9	W	
1994 TU ₁	14.5	941015	46.52	357.55	331.64	6.87	0.1436	2.3541	29	0	W	1994 TE ₁₁	18.0	940925	331.89	93.80	315.74	1.41	0.2097	2.3538	3	0	W		
1994 TV ₁	14.0	941015	358.17	254.46	103.89	3.12	0.0667	2.9359	17	0	M	1994 TJ ₁₁	16.0	940925	279.62	255.66	202.09	8.68	0.0839	2.7020	3	0	W		
1994 TW₁	14.7	941015	340.02	62.29	3.66	35.99	0.5756	2.5813	21	0	N	1994 TK ₁₁	14.0	940925	56.63	63.67	235.84	2.18	0.1112	2.4839	2	0	E	W	
1994 TX																									

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(211) Isolda Obs. 112 *M* 211.00661 ω 175.66689
H 7.89 *G* 0.12 Opp. 38 *n* 0.18574145 Ω 263.89358
 rms res. 0".92 (M-C) 1894–1993 *e* 0.1592923 *i* 3.88323

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(247) Eukrate Obs. 74 *M* 139.04495 ω 54.56709
H 8.04 *G* 0.15 Opp. 27 *n* 0.21699354 Ω 0.52896
 rms res. 0".92 (M-C) 1894–1989 *e* 0.2432294 *i* 25.00306

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(308) Polyxo Obs. 261 *M* 140.95752 ω 115.54760
H 8.17 *G* 0.21 Opp. 43 *n* 0.21614619 Ω 182.05631
 rms res. 0".77 (M-C) 1902–1994 *e* 0.0382273 *i* 4.35462

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(340) Eduarda Obs. 110 *M* 92.35882 ω 40.68522
H 9.9 *G* 0.15 Opp. 21 *n* 0.21661567 Ω 27.45344
 rms res. 0".86 (M-C) 1926–1994 *e* 0.1163690 *i* 4.68668

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(344) Desiderata Obs. 100 *M* 214.35653 ω 236.63419
H 8.08 *G* 0.15 Opp. 22 *n* 0.23632342 Ω 48.61876
 rms res. 0".86 (M-C) 1892–1988 *e* 0.3185037 *i* 18.40684

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(360) Carlova Obs. 79 *M* 270.90020 ω 289.53101
H 8.48 *G* 0.15 Opp. 31 *n* 0.18976223 Ω 132.74926
 rms res. 0".99 (M-C) 1904–1991 *e* 0.1805455 *i* 11.70385

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(386) Siegena Obs. 149 *M* 265.30944 ω 220.47131
H 7.43 *G* 0.16 Opp. 40 *n* 0.19991510 Ω 167.07067
 rms res. 0".83 (M-C) 1894–1994 *e* 0.1701645 *i* 20.23582

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(393) Lampetia Obs. 100 *M* 271.50315 ω 89.26801
H 8.39 *G* 0.15 Opp. 28 *n* 0.21315751 Ω 213.41091
 rms res. 0".83 (M-C) 1903–1993 *e* 0.3325148 *i* 14.88357

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(419) Aurelia Obs. 171 *M* 211.31243 ω 44.05390
H 8.42 *G* 0.15 Opp. 40 *n* 0.23608681 Ω 229.71975
 rms res. 0".84 (M-C) 1899–1993 *e* 0.2560042 *i* 3.93198

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(451) Patientia Obs. 465 *M* 240.32162 ω 343.49470
H 6.65 *G* 0.19 Opp. 53 *n* 0.18409359 Ω 89.49378
 rms res. 0".65 (M-C) 1899–1993 *e* 0.0740137 *i* 15.23214

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(538) Friederike Obs. 103 *M* 315.81528 ω 227.72956
H 9.3 *G* 0.15 Opp. 28 *n* 0.17461120 Ω 141.51958
 rms res. 0".94 (M-C) 1904–1994 *e* 0.1554445 *i* 6.48187

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(623) Chimaera Obs. 28 *M* 304.12568 ω 124.24574
H 10.97 *G* 0.15 Opp. 14 *n* 0.25539081 Ω 308.50181
 rms res. 0".84 (M-C) 1909–1994 *e* 0.1151429 *i* 14.15275

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(694) Ekard Obs. 119 *M* 195.06635 ω 110.39565
H 9.17 *G* 0.15 Opp. 22 *n* 0.22593195 Ω 230.81718
 rms res. 0".69 (M-C) 1917–1992 *e* 0.3227169 *i* 15.84968

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(1152) Pawona Obs. 72 *M* 325.58169 ω 218.80023
H 11.3 *G* 0.15 Opp. 17 *n* 0.26080775 Ω 332.34661
 rms res. 0".80 (M-C) 1926–1992 *e* 0.0429865 *i* 5.08032

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(1170) Siva Obs. 22 *M* 336.37554 ω 58.91787
H 12.43 *G* 0.15 Opp. 11 *n* 0.27798242 Ω 1.23254
 rms res. 0".94 (M-C) 1930–1994 *e* 0.3013181 *i* 22.20536

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(1391) Carelia Obs. 67 *M* 110.83867 ω 83.78076
H 12.07 *G* 0.15 Opp. 10 *n* 0.24280910 Ω 103.89863
 rms res. 0".69 (M-C) 1936–1994 *e* 0.1697130 *i* 7.58077

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(1445) Konkolya Obs. 79 *M* 219.27298 ω 268.17718
H 11.84 *G* 0.15 Opp. 14 *n* 0.17901755 Ω 89.64730
 rms res. 0".83 (M-C) 1952–1993 *e* 0.1856376 *i* 2.28348

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(1482) Sebastiana Obs. 77 *M* 98.26464 ω 216.65714
H 11.04 *G* 0.15 Opp. 22 *n* 0.20237393 Ω 71.30330
 rms res. 0".93 (M-C) 1938–1992 *e* 0.0350831 *i* 2.97455

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(1608) Muñoz Obs. 65 *M* 40.04009 ω 315.93719
H 12.9 *G* 0.15 Opp. 12 *n* 0.29917464 Ω 357.20551
 rms res. 0".85 (M-C) 1951–1994 *e* 0.1693721 *i* 3.94590

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(1766) Slipher Obs. 61 *M* 7.78670 ω 171.61698
H 11.7 *G* 0.15 Opp. 7 *n* 0.21618119 Ω 189.01323
 rms res. 0".84 (M-C) 1953–1994 *e* 0.0869434 *i* 5.22369

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(1778) Alfvén Obs. 57 *M* 155.59612 ω 125.30464
H 11.6 *G* 0.15 Opp. 14 *n* 0.17613564 Ω 107.14532
 rms res. 0".93 (M-C) 1959–1994 *e* 0.1202035 *i* 2.45924

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(1825) Klare Obs. 34 *M* 340.60593 ω 142.78315
H 11.8 *G* 0.15 Opp. 11 *n* 0.22506439 Ω 289.17497
 rms res. 0".88 (M-C) 1934–1994 *e* 0.1167565 *i* 4.04050

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(1976) Kaverin Obs. 49 *M* 227.31542 ω 119.89078
H 13.5 *G* 0.15 Opp. 13 *n* 0.26827720 Ω 90.98919
 rms res. 0''92 (M-C) 1960–1993 *e* 0.0754995 *i* 2.37313

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2035) Stearns Obs. 45 *M* 96.67619 ω 200.41296
H 12.61 *G* 0.15 Opp. 11 *n* 0.38108865 Ω 77.15805
 rms res. 0''90 (M-C) 1954–1994 *e* 0.1311513 *i* 27.75284

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2044) Wirt Obs. 73 *M* 321.40404 ω 49.50808
H 13. *G* 0.15 Opp. 7 *n* 0.26824444 Ω 54.04941
 rms res. 0''82 (M-C) 1950–1994 *e* 0.3422420 *i* 24.06421

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2071) Nadezhda Obs. 47 *M* 310.33019 ω 0.37019
H 13.3 *G* 0.15 Opp. 9 *n* 0.29156768 Ω 302.49622
 rms res. 0''75 (M-C) 1954–1990 *e* 0.1573561 *i* 3.63709

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2191) Uppsala Obs. 35 *M* 357.07290 ω 177.11481
H 11.3 *G* 0.15 Opp. 8 *n* 0.18808828 Ω 247.94064
 rms res. 0''77 (M-C) 1954–1994 *e* 0.0905815 *i* 9.03969

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2269) Efremiana Obs. 23 *M* 220.57501 ω 41.40809
H 10.5 *G* 0.15 Opp. 6 *n* 0.17845774 Ω 66.96866
 rms res. 0''82 (M-C) 1929–1994 *e* 0.0874129 *i* 15.39958

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2348) Michkovitch Obs. 26 *M* 350.16880 ω 295.01039
H 12.4 *G* 0.15 Opp. 9 *n* 0.26541713 Ω 186.75156
 rms res. 0''98 (M-C) 1939–1993 *e* 0.1689359 *i* 4.66954

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2500) Alascattalo Obs. 31 *M* 130.54465 ω 160.00544
H 12.8 *G* 0.15 Opp. 7 *n* 0.29390577 Ω 48.20342
 rms res. 0''89 (M-C) 1926–1994 *e* 0.0988653 *i* 6.99266

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2530) Shipka Obs. 20 *M* 342.07197 ω 157.80570
H 11.7 *G* 0.15 Opp. 9 *n* 0.18785419 Ω 199.04081
 rms res. 0''88 (M-C) 1963–1994 *e* 0.1226481 *i* 10.09955

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2538) Vanderlinden Obs. 25 *M* 291.36388 ω 28.49797
H 13.7 *G* 0.15 Opp. 6 *n* 0.29416414 Ω 50.53398
 rms res. 0''84 (M-C) 1954–1994 *e* 0.1306226 *i* 4.77128

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2540) Blok Obs. 57 *M* 303.04690 ω 260.77515
H 13.1 *G* 0.15 Opp. 11 *n* 0.30274572 Ω 183.73162
 rms res. 0''76 (M-C) 1950–1994 *e* 0.0518595 *i* 1.26041

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2546) Libitina Obs. 42 *M* 215.37325 ω 232.49886
H 12.0 *G* 0.15 Opp. 6 *n* 0.23468421 Ω 315.74112
 rms res. 0''80 (M-C) 1937–1994 *e* 0.1881144 *i* 10.38046

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2554) Skiff Obs. 38 *M* 89.06911 ω 333.22133
H 13.0 *G* 0.15 Opp. 9 *n* 0.28937312 Ω 296.68280
 rms res. 0''86 (M-C) 1954–1994 *e* 0.1448498 *i* 4.85854

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2558) Viv Obs. 30 *M* 4.05549 ω 281.97939
H 13.3 *G* 0.15 Opp. 9 *n* 0.29880473 Ω 46.35453
 rms res. 1''00 (M-C) 1915–1994 *e* 0.1555058 *i* 5.15487

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2631) Zhejiang Obs. 22 *M* 330.86319 ω 18.53181
H 12.0 *G* 0.15 Opp. 9 *n* 0.21068983 Ω 25.12321
 rms res. 0''96 (M-C) 1973–1994 *e* 0.1619830 *i* 9.60776

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2684) Douglas Obs. 37 *M* 84.94232 ω 98.80232
H 11.6 *G* 0.15 Opp. 9 *n* 0.18509330 Ω 151.38812
 rms res. 0''78 (M-C) 1960–1994 *e* 0.0407204 *i* 9.91712

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2704) Julian Loewe Obs. 33 *M* 242.52650 ω 251.61296
H 13.2 *G* 0.15 Opp. 8 *n* 0.26767698 Ω 207.75406
 rms res. 0''84 (M-C) 1956–1994 *e* 0.0978426 *i* 4.50878

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2725) David Bender Obs. 29 *M* 343.18486 ω 24.79976
H 10.4 *G* 0.15 Opp. 7 *n* 0.18673876 Ω 62.20966
 rms res. 0''80 (M-C) 1904–1994 *e* 0.1548061 *i* 15.60360

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2770) Tsvet Obs. 37 *M* 315.51573 ω 135.42802
H 13.0 *G* 0.15 Opp. 12 *n* 0.30834323 Ω 38.92555
 rms res. 0''65 (M-C) 1953–1993 *e* 0.0634999 *i* 2.86568

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2793) Valdaj Obs. 30 *M* 180.87120 ω 181.71611
H 10.8 *G* 0.15 Opp. 7 *n* 0.17525487 Ω 356.88424
 rms res. 0''86 (M-C) 1949–1994 *e* 0.0409863 *i* 22.15821

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2805) Kalle Obs. 29 *M* 9.29252 ω 310.51019
H 12.2 *G* 0.15 Opp. 5 *n* 0.22289790 Ω 49.35038
 rms res. 0''66 (M-C) 1941–1994 *e* 0.1458045 *i* 6.89183

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2822) Sacajawea Obs. 28 *M* 252.83467 ω 20.74666
H 12.4 *G* 0.15 Opp. 6 *n* 0.23772597 Ω 93.62516
 rms res. 1''00 (M-C) 1978–1994 *e* 0.1268484 *i* 14.72683

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2856) Rösler Obs. 24 *M* 230.79929 ω 172.23443
H 11.0 *G* 0.15 Opp. 11 *n* 0.18699431 Ω 17.29482
 rms res. 0".96 (M-C) 1933–1994 *e* 0.0002533 *i* 9.91172

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2876) Aeschylus Obs. 36 *M* 304.58578 ω 96.57591
H 12.9 *G* 0.15 Opp. 5 *n* 0.23490014 Ω 3.16427
 rms res. 0".74 (M-C) 1960–1994 *e* 0.1199322 *i* 14.87716

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2897) Ole Römer Obs. 16 *M* 200.20987 ω 100.44813
H 13.4 *G* 0.15 Opp. 6 *n* 0.29254358 Ω 48.52738
 rms res. 0".83 (M-C) 1932–1994 *e* 0.1003904 *i* 5.84253

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2967) Vladisvyat Obs. 50 *M* 332.79203 ω 3.40687
H 11.0 *G* 0.15 Opp. 6 *n* 0.17194038 Ω 32.72425
 rms res. 0".86 (M-C) 1948–1994 *e* 0.1286625 *i* 18.02441

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(2974) Holden Obs. 18 *M* 22.76646 ω 130.29597
H 13.9 *G* 0.15 Opp. 6 *n* 0.28029813 Ω 215.23041
 rms res. 0".87 (M-C) 1949–1994 *e* 0.1401954 *i* 6.42207

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3145) Walter Adams Obs. 39 *M* 22.04720 ω 41.62671
H 14.4 *G* 0.15 Opp. 5 *n* 0.30361429 Ω 283.87347
 rms res. 0".55 (M-C) 1955–1994 *e* 0.2354351 *i* 5.03513

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3239) Meizhou Obs. 18 *M* 15.10485 ω 239.13055
H 14.3 *G* 0.15 Opp. 6 *n* 0.30524824 Ω 93.86406
 rms res. 0".66 (M-C) 1977–1994 *e* 0.2207256 *i* 3.02072

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3267) Glo Obs. 35 *M* 333.74299 ω 307.25802
H 13.0 *G* 0.15 Opp. 7 *n* 0.27727990 Ω 110.73253
 rms res. 0".80 (M-C) 1981–1994 *e* 0.2972056 *i* 23.99104

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3317) Paris Obs. 28 *M* 254.37304 ω 147.83270
H 8.4 *G* 0.15 Opp. 6 *n* 0.08305014 Ω 135.98919
 rms res. 0".77 (M-C) 1963–1994 *e* 0.1252165 *i* 27.87394

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3413) Andriana Obs. 34 *M* 91.45693 ω 287.24549
H 13.4 *G* 0.15 Opp. 8 *n* 0.29169282 Ω 307.22884
 rms res. 0".93 (M-C) 1981–1994 *e* 0.1275235 *i* 5.79883

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3452) Hawke Obs. 27 *M* 19.56081 ω 290.13557
H 13.2 *G* 0.15 Opp. 7 *n* 0.28831898 Ω 58.92086
 rms res. 0".84 (M-C) 1980–1994 *e* 0.0805184 *i* 2.32007

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3686) 1987 EB Obs. 31 *M* 186.46016 ω 77.80585
H 12.0 *G* 0.15 Opp. 8 *n* 0.21704166 Ω 134.97973
 rms res. 0".74 (M-C) 1954–1994 *e* 0.1449799 *i* 5.71784

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3720) Hokkaido Obs. 20 *M* 62.61630 ω 284.85656
H 13.0 *G* 0.15 Opp. 5 *n* 0.27898521 Ω 19.57043
 rms res. 0".49 (M-C) 1969–1994 *e* 0.1263329 *i* 6.79690

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3792) Preston Obs. 31 *M* 316.81879 ω 50.56537
H 13.3 *G* 0.15 Opp. 4 *n* 0.28393509 Ω 63.52065
 rms res. 0".95 (M-C) 1980–1994 *e* 0.2193023 *i* 23.71379

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3873) Roddy Obs. 39 *M* 199.86068 ω 267.43783
H 11.8 *G* 0.15 Opp. 7 *n* 0.37869911 Ω 250.20850
 rms res. 0".89 (M-C) 1953–1994 *e* 0.1337741 *i* 23.35600

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3926) Ramirez Obs. 22 *M* 274.81377 ω 234.76252
H 14.2 *G* 0.15 Opp. 8 *n* 0.24155649 Ω 239.64407
 rms res. 0".73 (M-C) 1949–1994 *e* 0.1264402 *i* 9.17311

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(3996) 1988 XG₁ Obs. 31 *M* 61.13393 ω 155.79438
H 12.8 *G* 0.15 Opp. 6 *n* 0.29025334 Ω 90.85082
 rms res. 0".94 (M-C) 1939–1994 *e* 0.1034205 *i* 2.28520

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(4045) 1953 RG Obs. 19 *M* 290.73076 ω 249.74091
H 11.2 *G* 0.15 Opp. 6 *n* 0.17045348 Ω 224.55237
 rms res. 0".94 (M-C) 1948–1994 *e* 0.1130802 *i* 21.34947

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(4277) 1982 AF Obs. 25 *M* 355.95969 ω 94.42455
H 12.8 *G* 0.15 Opp. 6 *n* 0.21926728 Ω 300.56944
 rms res. 0".98 (M-C) 1962–1994 *e* 0.1408459 *i* 10.64012

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(4309) Marvin Obs. 23 *M* 347.59087 ω 208.28640
H 13.0 *G* 0.15 Opp. 7 *n* 0.18939336 Ω 191.85003
 rms res. 0".93 (M-C) 1973–1994 *e* 0.2693384 *i* 1.55333

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(4317) Garibaldi Obs. 33 *M* 320.48287 ω 97.80541
H 10.3 *G* 0.15 Opp. 4 *n* 0.12344225 Ω 38.86251
 rms res. 0".87 (M-C) 1980–1994 *e* 0.1589647 *i* 9.80725

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5
(4340) Dence Obs. 22 *M* 82.87313 ω 175.81149
H 13.4 *G* 0.15 Opp. 6 *n* 0.26620786 Ω 81.21778
 rms res. 0".85 (M-C) 1979–1994 *e* 0.2323629 *i* 25.19154

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Williams
(4402) 1987 DP Obs. 33 *M* 308.34234 ω 227.93847
H 11.7 *G* 0.15 Opp. 7 *n* 0.20047321 Ω 178.30099
 rms res. 0".82 (M-C) 1975–1994 *e* 0.0232132 *i* 7.71394

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Bowell
(4454) Kumiko Obs. 34 *M* 1.03511 ω 132.39471
H 12.0 *G* 0.15 Opp. 7 *n* 0.17281682 Ω 278.62720
 rms res. 0".95 (M-C) 1953–1994 *e* 0.1001645 *i* 0.70430

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Bowell
(4588) 1931 EE Obs. 17 *M* 252.44254 ω 122.62032
H 12.1 *G* 0.15 Opp. 6 *n* 0.19509595 Ω 334.14645
 rms res. 0".90 (M-C) 1931–1994 *e* 0.0996397 *i* 9.75644

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Williams
(4618) 1977 RJ₃ Obs. 19 *M* 324.14758 ω 60.48175
H 12.8 *G* 0.15 Opp. 4 *n* 0.23169529 Ω 343.57758
 rms res. 0".89 (M-C) 1977–1994 *e* 0.2917594 *i* 11.54815

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Williams
(4749) 1989 WE₁ Obs. 35 *M* 6.27221 ω 288.15572
H 11.4 *G* 0.15 Opp. 5 *n* 0.18897266 Ω 93.34418
 rms res. 0".85 (M-C) 1976–1994 *e* 0.1077054 *i* 10.76093

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Nakano
(4783) Wasson Obs. 30 *M* 315.65453 ω 356.59851
H 13.7 *G* 0.15 Opp. 4 *n* 0.24183628 Ω 109.56072
 rms res. 0".77 (M-C) 1983–1994 *e* 0.2096635 *i* 16.63328

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Bowell
(4887) 1981 EV₂₆ Obs. 43 *M* 49.48568 ω 92.52222
H 13.3 *G* 0.15 Opp. 7 *n* 0.19752346 Ω 289.83750
 rms res. 0".84 (M-C) 1954–1993 *e* 0.0277104 *i* 1.00425

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Bowell
(5049) Sherlock Obs. 33 *M* 352.78407 ω 316.43193
H 13.6 *G* 0.15 Opp. 7 *n* 0.30225238 Ω 50.30230
 rms res. 0".82 (M-C) 1971–1994 *e* 0.1609533 *i* 2.94575

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Bowell
(5242) Kenreimonin Obs. 36 *M* 103.99301 ω 67.22694
H 12.4 *G* 0.15 Opp. 6 *n* 0.21020593 Ω 227.17904
 rms res. 1".00 (M-C) 1979–1994 *e* 0.0665092 *i* 2.86417

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Bowell
(5284) 1989 CK₂ Obs. 25 *M* 212.10552 ω 342.03718
H 9.9 *G* 0.15 Opp. 5 *n* 0.08297519 Ω 102.77156
 rms res. 0".88 (M-C) 1953–1992 *e* 0.0837839 *i* 20.23759

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Williams
(5751) 1992 AC Obs. 191 *M* 300.75897 ω 25.14797
H 13.4 *G* 0.15 Opp. 4 *n* 0.32281578 Ω 121.81234
 rms res. 0".86 (M-C) 1989–1994 *e* 0.4211280 *i* 16.05550

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Bowell
(6050) 1992 AE Obs. 49 *M* 317.00890 ω 284.58937
H 15.4 *G* 0.15 Opp. 4 *n* 0.30147717 Ω 88.54821
 rms res. 0".64 (M-C) 1953–1994 *e* 0.4363227 *i* 6.40080

(6149)* 1979 SS = 1977 AA₃ = 1990 QD₄

Discovered 1979 Sept. 25 by A. Mrkos at Kletř.

Id. E. Bowell (k, *MPC* 12312), B. G. Marsden (*MPC* 17198), R. Nagata (*ibid.*)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Marsden

<i>M</i>	21.87053	(2000.0)	P	Q
<i>n</i>	0.26711833	ω 17.78913	+0.99172624	+0.11966590
<i>a</i>	2.3878127	Ω 335.19618	-0.12707274	+0.86378251
<i>e</i>	0.1731042	<i>i</i> 6.35931	-0.01820947	+0.48944851
<i>P</i>	3.69	<i>H</i> 14.2	<i>G</i> 0.15	

Residuals in seconds of arc

770112 675	2.1+	0.7-	900816 809	0.6+	0.3+	900918 675	1.0+	0.9-
770113 675	2.2+	0.6-	900818 809	1.2+	0.9+	900919 675	(0.6+	2.3+)
790923 095	(2.9-	5.5+)	900818 809	0.0	1.0+	900919 675	0.3+	1.1+
790925 046	2.2-	0.2-	900818 809	0.3-	1.3+	900924 046	(2.3-	0.5-)
790925 046	0.5+	0.3+	900822 675	0.9-	0.8-	900924 046	0.9-	0.6-
790926 046	0.8-	0.0	900822 675	0.5-	0.6-	920112 372	1.4-	1.7+
790926 046	1.6-	0.6+	900823 675	0.6+	0.3-	920114 372	1.5-	1.5+
790927 046	1.3+	0.0	900823 675	0.8+	0.2-	941008 801	1.4-	0.7+
790927 046	1.5-	1.0-	900827 675	0.6+	0.9-	941008 801	0.0	0.3+
791011 046	2.2-	0.6-	900827 675	0.2+	0.7-	941019 046	0.1+	0.2-
791011 046	0.7+	0.6-	900829 675	0.2-	0.1+	941019 046	0.5+	0.0
791012 046	0.2+	0.8-	900829 675	0.1+	0.2-	941019 046	0.1+	0.2-
791012 046	1.3+	0.2-	900913 675	0.1+	0.3+	941029 046	0.1-	0.2-
791015 046	2.3+	0.1-	900913 675	0.4+	0.6-	941029 046	0.3+	0.3-
791015 046	0.5-	0.8+	900916 046	1.8-	1.5+	941029 046	0.1+	0.3-
900816 809	0.9+	1.1+	900916 046	1.7-	0.1-			
900816 809	0.1+	0.6+	900918 675	1.4+	0.1+			

(6150)* 1980 FR₁ = 1983 VC₁

Discovered 1980 Mar. 16 by C.-I. Lagerkvist at the European Southern

Observatory.

Id. S. Nakano (*MPC* 10757)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Nakano

<i>M</i>	334.68429	(2000.0)	P	Q
<i>n</i>	0.17582848	ω 70.76718	+0.79203043	-0.60946525
<i>a</i>	3.1555609	Ω 326.75673	+0.53321067	+0.71871589
<i>e</i>	0.1374563	<i>i</i> 3.68282	+0.29727795	+0.33466339
<i>P</i>	5.61	<i>H</i> 12.2	<i>G</i> 0.15	

Residuals in seconds of arc

540731 675	0.8-	0.3-	831103 046	0.1-	0.7-	910313 809	0.6+	1.3+
540731 675	0.9+	0.3-	831103 046	0.9-	1.5-	910313 809	0.5+	1.5+
800316 809	0.2-	0.1+	831106 046	1.3+	1.9-	910313 809	0.4+	1.6+
800316 809	0.1+	0.6-	831106 046	1.3+	1.1-	940904 411	0.2+	0.4+
800316 809	0.2+	0.1+	831107 046	(3.2+	1.6+)	940904 411	0.2+	0.5+
800316 809	0.2-	0.7-	831107 046	0.5+	0.0	941013 894	0.3-	1.9+
800317 809	0.3-	0.5-	910213 675	0.2+	1.6-	941013 894	0.4+	1.2-
800317 809	0.3-	0.8-	910213 675	2.2+	0.2+	941024 894	1.6-	0.2+
800317 809	0.1+	0.6-	910311 809	1.0-	1.1+	941024 894	0.5-	1.0+

800317 809 0.3- 0.9- 910311 809 0.7- 0.8+ 941025 894 1.1- 1.2+
 800323 809 0.5- 0.5- 910311 809 0.0 0.8+ 941025 894 0.1- 1.9+

(6151)* 1987 WF = 1977 XH = 1990 QY₄

Discovered 1987 Nov. 19 by E. Bowell at the Anderson Mesa station of the Lowell Observatory.

Id. E. Bowell (*MPC* 17019), G. V. Williams (*ibid.*)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams			
<i>M</i>	310.41944	(2000.0)		P	Q
<i>n</i>	0.29013843	ω	64.09544	-0.26941556	-0.95934253
<i>a</i>	2.2597786	Ω	41.81941	+0.83225682	-0.27589329
<i>e</i>	0.0887443	<i>i</i>	7.24812	+0.48452434	-0.05953825
<i>P</i>	3.40	<i>H</i>	13.2	<i>G</i>	0.15

Residuals in seconds of arc

550416 675	0.4- 0.2+	871124 688	(3.4- 0.3+)	920226 894	0.5+ 0.1-
550416 675	0.1- 0.0	871124 688	0.3+ 0.5+	940810 381	0.5- 0.2-
771210 069	(3.3- 1.2+)	900824 675	0.2- 0.6-	940810 381	0.3- 0.2-
871020 688	(4.9- 1.2-)	900824 675	0.5+ 0.2+	940810 381	0.2- 0.0
871020 688	0.1+ 1.0-	900826 675	0.1+ 0.0	940811 381	0.4+ 0.2+
871022 657	(4.4+ 1.1+)	900829 675	0.1+ 0.9-	940811 381	0.1+ 0.1-
871022 657	(4.9+ 0.5+)	920102 801	0.4- 0.0	940813 381	0.4- 0.0
871027 095	1.4+ 0.6-	920102 801	0.2- 0.1+	940813 381	0.5- 0.0
871115 327	1.5- 2.1+	920106 801	0.3- 0.3-	940813 381	0.4- 0.1+
871115 327	0.0 1.7+	920106 801	0.1- 0.4-	940813 381	0.3- 0.1+
871119 688	0.6+ 0.1-	920206 801	0.2- 0.4-	941003 801	1.1- 0.1-
871119 688	0.5+ 0.2-	920206 801	0.0 0.3-	941009 689	1.0- 0.0
871121 095	0.4+ 1.6-	920226 894	0.6+ 0.3-		

(6152)* 1989 GB₃ = 1980 BE₆ = 1985 JY₁

Discovered 1989 Apr. 3 by E. W. Elst at the European Southern Observatory.

Id. S. Nakano (*MPC* 14795)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Nakano			
<i>M</i>	72.83436	(2000.0)		P	Q
<i>n</i>	0.23913854	ω	257.17715	-0.12154876	+0.99253437
<i>a</i>	2.5706108	Ω	5.86933	-0.86821142	-0.10139545
<i>e</i>	0.1986081	<i>i</i>	5.65168	-0.48107673	-0.06778261
<i>P</i>	4.12	<i>H</i>	13.1	<i>G</i>	0.15

Residuals in seconds of arc

800123 095	0.3+ 1.2+	890408 809	0.5+ 0.0	930421 413	1.1+ 0.5+
850511 675	0.3+ 0.6+	890410 809	(0.2+ 2.4-)	940903 801	0.2+ 0.5-
850514 675	0.1+ 0.7-	890410 809	(0.2- 2.3-)	940903 801	0.8- 0.2-
890403 809	(0.1- 2.3+)	890410 809	0.4- 1.5-	940907 801	0.6- 0.1-
890403 809	0.3- 1.4+	930319 809	0.8- 0.6+	940907 801	0.4- 0.2-
890403 809	0.5- 1.3+	930320 809	0.2- 0.3+	941006 801	0.7+ 1.1+
890405 809	0.1- 1.1+	930320 894	0.1+ 0.5-	941006 801	1.1+ 0.0
890405 809	0.0 0.3+	930320 894	0.1+ 1.4-	941007 801	0.6- 0.5+
890405 809	0.0 0.7+	930322 894	0.5- 0.3+	941007 801	0.9- 1.3+
890408 809	0.7+ 0.2-	930322 894	0.4- 1.8-		
890408 809	0.5+ 0.1-	930324 809	0.4+ 0.6+		

(6153)* 1990 OB = 1952 UN₁

Discovered 1990 July 19 by E. F. Helin at Palomar.

Id. C. M. Bardwell (*MPC* 17445)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Bardwell			
<i>M</i>	255.27754	(2000.0)		P	Q
<i>n</i>	0.20555449	ω	192.63025	+0.85519960	-0.50914284
<i>a</i>	2.8434880	Ω	198.94452	+0.49772249	+0.85894492
<i>e</i>	0.2789440	<i>i</i>	17.38271	+0.14458898	+0.05465522
<i>P</i>	4.79	<i>H</i>	11.4	<i>G</i>	0.15

Residuals in seconds of arc

521017 024	(71.0+ 14.7+)	901022 801	0.1+ 0.8-	920306 675	(1.3- 3.7-)
900719 675	0.1+ 0.8+	901022 801	0.4+ 0.7-	930321 809	0.2+ 0.3-
900719 675	0.8- 0.0	901114 801	0.4+ 0.4-	930322 809	0.9+ 0.1+
900722 675	0.6- 0.0	901114 801	0.2+ 0.2-	930326 809	1.0+ 0.6+
900722 675	0.3+ 0.6-	901116 801	0.9+ 0.3+	930418 413	0.2- 0.3+
900816 675	0.2- 0.2-	901116 801	0.3- 0.9-	940507 801	0.4+ 0.3-
900816 675	0.1+ 0.8+	920106 801	0.1+ 0.6+	940507 801	0.7- 0.1-
900819 675	0.4- 1.0+	920106 801	0.0 0.7+	940509 801	0.4+ 1.2-
900819 675	0.6- 0.7+	920107 801	0.1+ 0.5+	940509 801	0.0 0.5-
901016 801	1.1+ 0.8+	920107 801	0.1+ 0.8+	940612 675	0.9- 1.4+
901016 801	0.6+ 0.0	920305 801	0.4- 0.9-	940612 675	(1.7- 2.9-)
901017 801	0.3+ 0.3-	920305 801	0.9- 0.7-		
901017 801	1.1- 0.5+	920306 675	(0.5+ 3.2-)		

(6154)* 1990 QP₁ = 1983 VM

Discovered 1990 Aug. 22 by H. E. Holt at Palomar.

Id. G. V. Williams (*MPC* 17213)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams			
<i>M</i>	62.99068	(2000.0)		P	Q
<i>n</i>	0.26132807	ω	323.31757	+0.31056874	+0.95026748
<i>a</i>	2.4229550	Ω	324.75912	-0.86227583	+0.27136646
<i>e</i>	0.1830229	<i>i</i>	2.30545	-0.40003431	+0.15281349
<i>P</i>	3.77	<i>H</i>	13.7	<i>G</i>	0.15

Residuals in seconds of arc

831108 801	0.3- 0.8-	900925 809	0.9- 0.7+	940902 801	0.4+ 0.4+
831108 801	1.0- 0.3-	900925 809	0.4- 0.9+	940908 801	0.6- 0.1+
831109 801	1.6+ 0.7-	900925 809	0.2+ 0.9+	940908 801	1.9- 0.2+
900822 675	0.0 0.3-	900926 809	0.3+ 1.5+	941003 801	0.4- 1.5+
900822 675	0.7- 0.8-	900926 809	0.1+ 1.3+	941003 801	1.3+ 0.9-
900828 675	0.6+ 1.9-	900926 809	0.1+ 1.4+	941007 801	0.5+ 0.0
900828 675	0.1- 1.0-	930321 809	1.0- 0.7-	941007 801	0.6+ 0.2-
900914 675	1.6+ 2.3-	930322 809	0.0 0.7-	941015 046	0.1+ 0.1-
900914 675	0.1- 1.5-	930326 809	0.7- 0.1-	941015 046	0.0 0.7-
900919 675	(0.7- 3.3-)	930327 809	0.6+ 0.9-	941015 046	0.1- 0.5-
900919 675	(0.1- 3.5-)	930418 413	(3.9+ 3.0+)		

(6155)* 1990 VY₂ = 1993 MJ₁

Discovered 1990 Nov. 11 by T. Nomura and K. Kawanishi at the Minami-Oda Observatory.

Id. G. V. Williams (*MPC* 22404)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Nakano			
<i>M</i>	32.50591	(2000.0)		P	Q
<i>n</i>	0.24521701	ω	339.54663	+0.96006771	+0.27971835
<i>a</i>	2.5279530	Ω	4.22049	-0.24572907	+0.85209254
<i>e</i>	0.1795893	<i>i</i>	4.09623	-0.13374309	+0.44237534
<i>P</i>	4.02	<i>H</i>	12.4	<i>G</i>	0.15

Residuals in seconds of arc

901111 374	1.0+	1.0+	901124 871	2.2-	0.7-	941008 801	0.3-	0.2+
901111 374	0.6-	0.9+	920301 809	0.1+	0.5-	941008 801	0.4-	0.1-
901116 875	0.1-	2.1-	920304 809	0.3-	0.1-	941030 410	0.2-	0.0
901116 875	1.3+	0.3+	920404 809	0.2+	0.4+	941030 410	0.0	0.1+
901117 374	1.7+	1.4-	930622 675	0.1+	1.8-	941104 410	0.3+	0.3+
901117 374	1.2-	0.9+	930622 675	0.0	0.7+	941104 410	0.3+	0.1+
901121 875	0.1+	0.3-	930624 675	0.1+	0.7-	941104 410	0.2+	0.7-
901121 875	0.4+	0.0	930624 675	0.7-	0.3+			

(6156)* 1991 AF₁ = 1934 CE₁ = 1958 VF = 1981 EM₁₉

Discovered 1991 Jan. 12 by B. G. W. Manning at Stakenbridge.

Id. G. V. Williams (*MPC* 17832)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams	
<i>M</i>	277.92288	<i>P</i>	<i>Q</i>
		(2000.0)	
<i>n</i>	0.19037183	ω	158.46098
<i>a</i>	2.9927304	Ω	299.33215
<i>e</i>	0.0744158	<i>i</i>	9.42308
<i>P</i>	5.18	<i>H</i>	12.1
		<i>G</i>	0.15

Residuals in seconds of arc

340209 024	2.2+	0.7+	910115 033	0.1+	0.6-	930724 801	0.1+	0.7+
340214 024	1.1-	0.8+	910116 033	0.2-	0.0	930724 809	0.1+	1.9-
581111 760	0.2-	0.0	910207 413	0.6+	0.1-	930724 801	0.0	0.4-
581111 760	0.2-	0.0	910207 413	0.4-	0.1-	930726 809	0.5-	0.1-
810308 095	0.5-	1.6+	910209 675	0.1+	1.7+	930726 809	0.0	0.4-
910112 494	0.0	1.5+	910209 675	0.4+	1.0+	930726 809	1.6-	0.0
910113 494	0.5+	0.5+	910209 413	0.2-	0.6-	941003 801	0.3-	0.2+
910113 886	1.4-	0.2-	Y 910210 413	0.1+	1.1-	941003 801	0.3+	0.3-
910113 886	(3.6-	0.1-	Y) 910210 413	0.3+	0.3-	941004 494	1.4-	0.3-
910113 494	1.2+	1.0+	910211 675	1.4-	0.3-	941004 494	0.6-	0.3-
910114 399	0.2+	0.4-	910211 675	0.7-	0.4-	941005 801	0.2+	0.6+
910114 886	1.9-	0.7-	Y 930712 809	(2.7-	2.9+)	941005 801	0.3-	0.4+
910114 399	0.9+	1.2-	930712 809	(3.1-	3.1+)	941031 801	0.2-	1.0+
910114 399	1.2-	1.5-	930712 809	(3.0-	3.2+)	941031 801	0.6+	0.9+
910115 033	0.9+	0.4-	930722 801	0.3-	0.5+	941106 494	0.4+	0.7-
910115 033	0.8+	1.0-	930723 809	1.5+	0.1-	941106 494	1.0+	1.1-
910115 033	1.0+	0.4-	930723 809	1.7+	0.1+			
910115 494	0.4-	0.4+	930723 809	0.1-	0.7+			

(6157)* 1991 RX₂ = 1984 WM₄

Discovered 1991 Sept. 9 by F. Börngen and L. D. Schmadel at Tautenburg.

Id. H. Kaneda (*MPC* 19313)

Epoch 1994 September 5.0 TT = JDT 244960

		Schmadel	
<i>M</i>	149.56908	<i>P</i>	<i>Q</i>
		(2000.0)	
<i>n</i>	0.26107041	ω	223.18267
<i>a</i>	2.4245489	Ω	280.54096
<i>e</i>	0.0869046	<i>i</i>	3.97497
<i>P</i>	3.78	<i>H</i>	14.0
		<i>G</i>	0.15

Residuals in seconds of arc

501211 675	0.6+	0.5+	911003 033	0.2+	0.5-	930101 033	0.5-	0.4+
501211 675	0.7-	0.6+	911003 033	0.8+	0.3-	930119 801	0.2-	0.7+
841119 675	0.5+	0.3+	911004 033	0.4-	0.4-	930119 801	0.4-	0.1-
841121 675	0.3-	0.1+	911004 033	0.3+	0.3-	930121 801	0.2-	0.3-

910909 033	0.4-	0.3-	911004 033	0.3-	0.2-	930121 801	0.2-	0.3-
910910 033	0.4+	0.6+	911005 033	1.5-	0.4+	930221 801	0.0	0.4+
910912 033	0.1-	0.2-	911007 033	0.3-	0.3-	930221 801	0.2-	1.4-
910912 033	0.5+	0.3+	911007 033	1.4+	0.8-	930223 033	0.2+	0.6+
910913 033	0.1+	0.1-	921230 033	0.1+	0.4-	930225 801	0.2+	0.4-
910914 033	0.0	0.4+	921230 033	0.2-	0.5-	930225 801	0.5+	0.5-

(6158)* 1991 VB₃ = 1978 WZ₁₄ = 1981 UN₁₃ = 1987 QC₈

Discovered 1991 Nov. 12 by T. Nijima and T. Urata at Ojima.

Id. T. Urata (*MPC* 19520)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Nakano	
<i>M</i>	277.86246	<i>P</i>	<i>Q</i>
		(2000.0)	
<i>n</i>	0.30412982	ω	209.65568
<i>a</i>	2.1899290	Ω	249.85018
<i>e</i>	0.0705110	<i>i</i>	5.53752
<i>P</i>	3.24	<i>H</i>	13.3
		<i>G</i>	0.15

Residuals in seconds of arc

551011 760	1.3-	1.4-	900502 413	0.8-	1.5-	930516 385	0.5-	0.1+
551011 760	0.5-	1.2-	911110 885	0.3-	1.6+	930516 385	1.3-	0.7-
781124 049	2.1+	1.6-	911112 887	2.1-	1.8-	941001 801	0.2+	0.2+
781124 049	2.3+	1.2-	911112 887	1.0-	0.5-	941004 801	0.0	0.4+
781124 049	0.4+	1.1-	911204 399	(1.6-	2.9-)	941004 801	0.6-	0.2+
781124 049	1.1+	1.0-	911204 399	0.8+	0.1-	941014 905	1.3-	0.4+
781130 675	0.0	0.0	911205 399	1.4-	0.3-	941014 905	0.2+	0.4+
781201 675	0.3+	0.3+	911205 399	1.7-	0.5+	941024 887	0.5+	0.3+
811023 095	2.3+	0.5-	911212 385	1.2-	1.7-	941024 887	0.1+	0.2+
870817 010	(8.4-	7.2+)	911212 385	0.7+	0.6+	941024 887	0.6+	0.1+
870817 010	(6.9-	6.0+)	930425 385	1.4+	0.9-	941024 887	0.1-	0.3+
870817 010	(7.2-	5.9+)	930425 385	0.7+	2.0-	941104 887	0.3+	0.4+
900429 413	0.8-	1.0-	930425 385	1.2+	0.4-	941104 887	0.1+	0.7+
900501 413	0.7-	0.9-	930516 385	0.5+	0.3+	941104 887	0.1+	0.8+

(6159)* 1991 YH = 1987 UY₄ = 1990 OZ₁ = 1990 SB₁₇

Discovered 1991 Dec. 30 by S. Ueda and H. Kaneda at Kushiro.

Id. S. Nakano (*MPC* 19685)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Nakano	
<i>M</i>	307.91994	<i>P</i>	<i>Q</i>
		(2000.0)	
<i>n</i>	0.28411813	ω	55.89399
<i>a</i>	2.2915891	Ω	30.52721
<i>e</i>	0.0622607	<i>i</i>	6.86559
<i>P</i>	3.47	<i>H</i>	12.8
		<i>G</i>	0.15

Residuals in seconds of arc

871022 095	0.5-	0.9-	900915 675	0.3+	2.1-	920129 399	0.4-	0.3-
871027 095	(6.2+	2.6-)	900915 675	0.2-	1.9-	920129 399	1.8+	0.5+
871122 399	1.8-	0.2-	900916 675	(3.2-	1.7+)	941007 801	0.8+	0.7-
871122 399	1.1-	0.4-	900916 675	1.2-	1.0+	941007 801	0.1-	0.3-
871128 399	1.2+	1.9+	911230 399	0.8-	0.1-	941008 801	0.2-	0.2+
871128 399	2.1+	0.2+	911230 399	0.6-	0.8+	941008 801	0.2-	0.0
900729 675	0.4-	0.6+	920102 399	0.8+	0.0	941031 905	0.3+	0.3+
900729 675	0.2+	0.7+	920102 399	1.7+	0.4-	941031 905	0.3-	0.1-
900730 675	0.1+	1.5+	920128 399	0.0	0.3-			
900730 675	0.3+	1.6+	920128 399	2.1-	1.0+			

(6160)* 1993 JF = 1972 JD₁ = 1980 TB₁₅ = 1980 UB₂

Discovered 1993 May 15 by Y. Shimizu and T. Urata at the Nachi-Katsuura Observatory.

Id. T. Urata (*MPC* 22411)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Nakano	
<i>M</i>	62.96239	(2000.0)		P	Q
<i>n</i>	0.28186376	ω	58.67513	+0.58251215	+0.80912156
<i>a</i>	2.3037918	Ω	247.14898	-0.77139961	+0.52027133
<i>e</i>	0.1875871	<i>i</i>	4.82254	-0.25616837	+0.27320328
<i>P</i>	3.50	<i>H</i>	13.1	<i>G</i>	0.15

Residuals in seconds of arc

720512 805	0.0	0.4-	930417 693	0.7+	0.5-	941004 801	0.4+	0.3-
720512 805	1.5-	0.2+	930417 693	1.0+	0.3+	941004 801	0.5-	0.1-
720512 805	0.7-	0.6-	930418 693	1.8-	0.5-	941007 801	0.3-	0.2-
720514 805	(2.9-	3.1+)	930515 905	0.2+	0.5-	941007 801	0.3-	0.1-
720514 805	(1.3-	2.9+)	930515 905	0.5-	0.2+	941013 905	0.3-	0.1+
720514 805	(1.8-	3.4+)	930520 385	0.7+	0.5+	941013 905	0.6+	0.4-
801015 095	1.6+	0.7+	930520 385	0.3+	0.2-	941031 905	0.5-	0.4+
801017 095	0.8+	0.1-	930525 905	0.1+	0.1+	941031 905	0.1-	0.1-
911207 691	0.6+	0.1-	930525 905	1.5+	1.6+	941103 905	0.7-	0.5+
911207 691	0.1-	0.2+	941001 905	1.1-	0.0	941103 905	0.1+	0.1-
911207 691	0.1-	0.0	941001 905	0.3-	0.1-			

1978 RU₈ = 1992 EN₃₁

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Kobayashi	
<i>M</i>	282.15788	(2000.0)		P	Q
<i>n</i>	0.17839227	ω	225.32696	+0.86637806	-0.49672716
<i>a</i>	3.1252543	Ω	164.22858	+0.49478107	+0.83983587
<i>e</i>	0.1808206	<i>i</i>	10.92008	+0.06768126	+0.21894712
<i>P</i>	5.52	<i>H</i>	13.4	<i>G</i>	0.15

Residuals in seconds of arc

780902 809	0.6-	0.4-	780906 809	0.6+	0.2-	780910 809	0.4+	0.9-
780902 809	0.4-	0.0	780910 809	0.9-	2.1+	920301 809	0.5+	0.7+
780902 809	0.4-	0.3+	780910 809	0.0	1.6-	920303 809	0.5-	0.5-
780902 809	1.1+	0.2+	780910 809	0.2+	0.6+			

1978 VJ₈ = 1988 TY₄ = 1991 AB₃ = 1993 QC₁₀

Id. S. Nakano (*MPC* 15405), G. V. Williams (*MPC* 17954, unpublished)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Williams	
<i>M</i>	114.98933	(2000.0)		P	Q
<i>n</i>	0.17731499	ω	71.89603	-0.21014443	+0.97766911
<i>a</i>	3.1378999	Ω	185.97380	-0.90256674	-0.19461438
<i>e</i>	0.1030044	<i>i</i>	0.85882	-0.37578266	-0.07929917
<i>P</i>	5.56	<i>H</i>	13.5	<i>G</i>	0.15

Residuals in seconds of arc

781105 675	0.3-	0.1+	881005 807	0.8+	1.0-	920430 691	1.3-	0.4+
781106 675	2.1-	0.9-	881008 807	0.7+	0.3-	920430 691	1.0-	0.0
781107 675	0.2+	1.4+	910112 494	(2.1-	1.3-)	920430 691	1.2-	0.1+
781108 675	0.6-	0.1-	910113 494	0.0	0.6-	930818 033	(31.9+	4.2-)
781129 675	0.0	0.3+	910115 033	0.2+	0.2+	930819 033	0.6+	0.5+
781130 675	0.2+	0.3-	910115 033	0.2-	0.2-	930819 033	1.0+	1.0+
880912 675	(2.3-	4.2-)	910116 033	0.6+	0.4+	941008 691	1.9-	0.1-
880912 675	(0.7+	3.2-)	910207 413	0.7+	0.1+	941008 691	1.8-	0.1-

880915 675	1.4+	0.5-	910207 413	2.2+	0.5-	941008 691	1.3-	0.2-
880915 675	1.5+	0.0	910209 413	0.3+	1.4-			
881004 807	0.1-	0.1-	910210 413	1.3+	0.5-			

1979 MZ₆ = 1972 TJ₆

Id. T. Kobayashi (1994 observations), S. Nakano

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Nakano	
<i>M</i>	19.38975	(2000.0)		P	Q
<i>n</i>	0.27041942	ω	100.72553	+0.98205047	+0.17774625
<i>a</i>	2.3683405	Ω	249.05909	-0.18838842	+0.90780116
<i>e</i>	0.2131195	<i>i</i>	3.87474	-0.00930987	+0.37987278
<i>P</i>	3.64	<i>H</i>	14.7	<i>G</i>	0.15

Residuals in seconds of arc

721006 095	0.7+	1.8-	790724 413	0.4-	0.2+	941101 411	0.0	0.8+
790623 413	0.4+	0.4+	790725 675	1.0+	0.8+	941102 411	0.5-	0.7+
790624 413	1.6-	0.8+	790726 675	0.8+	0.2+	941102 411	0.2-	0.2+
790625 413	0.5+	0.3+	790728 413	0.7-	0.5-	941102 411	0.5+	0.5+
790629 413	0.0	0.9-	790823 675	0.4-	0.3-			
790724 675	(3.3+	1.0+)	941101 411	0.4-	0.0			

1981 EQ₂₃ = 1994 SN₁₂

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Williams	
<i>M</i>	94.14143	(2000.0)		P	Q
<i>n</i>	0.17941833	ω	85.08049	-0.20106299	+0.97949736
<i>a</i>	3.1133277	Ω	173.28077	-0.93599968	-0.18831057
<i>e</i>	0.0936682	<i>i</i>	6.17879	-0.28892606	-0.07158243
<i>P</i>	5.49	<i>H</i>	14.0	<i>G</i>	0.15

Residuals in seconds of arc

810209 413	1.3-	0.2+	810311 413	1.4-	0.6+	940929 691	0.0	0.2-
810209 413	0.4-	0.6-	810311 413	1.8+	1.3-	940929 691	0.2-	0.1-
810213 413	0.2+	1.0+	810316 413	0.6+	0.4-	940930 691	0.0	0.1+
810303 413	0.6-	0.5+	810405 413	1.3-	1.5-	940930 691	0.3-	0.2-
810307 413	0.8-	1.1+	810426 413	1.2+	0.1-	940930 691	0.7+	0.0
810307 413	1.7+	0.2-	940929 691	0.0	0.2-			

1981 FG = 1988 AJ₃

Id. T. Kobayashi (1994 observations), S. Nakano

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Nakano	
<i>M</i>	243.12515	(2000.0)		P	Q
<i>n</i>	0.26640106	ω	95.48576	-0.98427341	-0.16777294
<i>a</i>	2.3920968	Ω	74.86469	+0.13071483	-0.90228496
<i>e</i>	0.1451070	<i>i</i>	3.28411	+0.11882546	-0.39715753
<i>P</i>	3.70	<i>H</i>	14.7	<i>G</i>	0.15

Residuals in seconds of arc

810330 688	1.4-	1.1+	810410 688	0.0	0.9+	941031 411	0.7-	0.2-
810330 688	0.4-	1.4-	880111 033	0.0	0.3+	941101 411	0.4+	0.5+
810405 688	0.3+	0.7-	880111 033	0.0	0.2-	941101 411	1.0+	0.2-
810405 688	1.4+	0.0	941031 411	0.4-	0.4-	941101 411	0.3-	0.2+

1981 QR₃ = 1988 FV₁ = 1994 TO₃

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams		P		Q	
<i>M</i>	61.15147	(2000.0)					
<i>n</i>	0.23518346	ω	316.25971	+0.65614590	+0.75431474		
<i>a</i>	2.5993506	Ω	354.61049	-0.61203368	+0.51491495		
<i>e</i>	0.1562150	<i>i</i>	13.51509	-0.44146045	+0.40727370		
<i>P</i>	4.19	<i>H</i>	13.5	<i>G</i>	0.15		

Residuals in seconds of arc

810826 809	0.1-	0.3-	810904 809	0.0	0.2-	810920 809	0.4-	0.2+
810826 809	0.1-	0.2-	810904 809	0.6-	0.6-	810920 809	0.5-	0.4-
810826 809	0.2-	0.1-	810905 809	0.0	0.3-	810920 809	2.1-	0.1+
810827 809	1.2+	0.6-	810905 809	0.1+	0.4-	810920 809	1.7-	0.2+
810827 809	1.1+	0.7-	810905 809	0.6+	0.8-	810920 809	1.2-	0.3+
810827 809	1.0+	0.0	810905 095	0.1-	0.7-	810921 809	1.4-	0.4+
810828 809	0.3+	0.0	810906 809	0.2+	0.6+	810921 809	1.0-	0.1-
810828 809	0.2+	0.6+	810906 809	0.6+	0.7+	810921 809	0.1-	0.1-
810828 809	0.4+	0.4+	810906 809	0.4+	0.2+	880318 033	1.1+	0.0
810902 809	1.0+	0.6+	810907 809	0.2+	0.0	880318 033	1.4-	0.4-
810902 809	0.2+	0.7+	810907 809	0.9+	0.3+	941015 046	0.0	0.1+
810902 809	0.5+	0.1+	810907 809	0.7+	0.1+	941015 046	0.2+	0.3-
810903 809	0.5-	1.1+	810918 809	0.1-	0.7-	941015 046	0.1+	0.2-
810903 809	0.5-	0.4+	810918 809	0.6-	0.7-	941016 046	0.2-	0.1-
810903 809	0.6+	0.5+	810918 809	0.2-	0.5-	941016 046	0.1-	0.1-
810904 809	0.7+	0.2+	810920 809	0.2+	0.3-	941016 046	0.2+	0.0

1981 UZ₉ = 1994 TO₁

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams		P		Q	
<i>M</i>	323.80196	(2000.0)					
<i>n</i>	0.30272140	ω	21.03787	+0.44800085	-0.89038639		
<i>a</i>	2.1967163	Ω	42.45787	+0.80225049	+0.36054672		
<i>e</i>	0.2497644	<i>i</i>	6.86322	+0.39457495	+0.27788150		
<i>P</i>	3.26	<i>H</i>	14.0	<i>G</i>	0.15		

Residuals in seconds of arc

811022 095	0.5+	0.9-	941002 400	0.7-	0.3+	941012 046	0.4+	0.1+
811024 095	0.5+	1.7+	941002 400	0.6-	0.5+	941012 046	0.6+	0.0
811025 330	(0.9+	4.6-)	941003 400	0.9-	1.2-	941013 046	0.4+	0.4+
811028 095	0.3-	0.2+	941003 400	1.3-	0.6-	941013 046	0.5+	0.4+
811029 330	(1.3-	4.6-)	941011 046	0.7+	0.6-	941013 046	0.1+	0.2+
811117 330	0.5-	0.2-	941011 046	0.2+	0.3-	941013 046	0.2+	0.3+
811119 095	0.4-	0.5-	941012 046	0.4+	0.1+			

1982 FY₂ = 1980 TX₁₄ = 1990 WB₁₅

Id. E. Bowell (1956, 1993 observations), G. V. Williams

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams		P		Q	
<i>M</i>	177.99694	(2000.0)					
<i>n</i>	0.30051445	ω	265.34528	+0.42414594	+0.90547302		
<i>a</i>	2.2074581	Ω	29.76523	-0.81860574	+0.39033842		
<i>e</i>	0.0878979	<i>i</i>	1.70749	-0.38727880	+0.16659689		
<i>P</i>	3.28	<i>H</i>	13.5	<i>G</i>	0.15		

Residuals in seconds of arc

560508 675	1.0-	0.2-	820323 809	0.5+	0.2-	820330 809	1.1+	0.0
560508 675	0.0	0.3+	820323 809	0.5+	0.0	820330 809	1.1+	0.4+
801015 095	2.2+	1.6+	820323 809	1.0+	0.7-	820330 809	0.9+	0.2+

820318 809	0.6-	0.2+	820324 809	1.0+	0.1+	820401 809	0.9-	0.3+
820318 809	0.4-	0.1-	820324 809	0.8+	0.1-	820401 809	0.5+	0.1-
820318 809	0.1-	0.0	820324 809	0.2-	0.5+	820401 809	0.0	0.0
820321 809	1.2-	0.6-	820328 809	0.4-	0.1-	901118 049	1.0-	0.3-
820321 809	0.5+	1.7-	820328 809	1.0-	0.1-	901118 049	1.6-	0.4+
820321 809	0.5+	0.8-	820328 809	0.0	0.6-	931013 675	0.4+	0.9-
820322 809	1.3-	0.6+	820329 809	0.1+	0.4-	931013 675	0.2+	0.7-
820322 809	1.3-	0.9+	820329 809	0.3-	0.4-	931015 675	0.1+	0.9-
820322 809	1.1-	0.9+	820329 809	1.0+	0.0			

1982 VN₃ = 1992 EJ₃₀

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Kobayashi		P		Q	
<i>M</i>	299.61800	(2000.0)					
<i>n</i>	0.23710435	ω	327.98362	+0.55187801	-0.83142293		
<i>a</i>	2.5852926	Ω	88.44441	+0.77808362	+0.48553019		
<i>e</i>	0.2301392	<i>i</i>	3.70232	+0.30002757	+0.27017834		
<i>P</i>	4.16	<i>H</i>	15.7	<i>G</i>	0.15		

Residuals in seconds of arc

821114 381	0.2+	0.3+	821213 381	0.6-	0.0	920303 809	0.6+	1.1-
821114 381	0.0	0.6-	821214 381	0.3-	0.9+	920307 809	0.7-	1.0+
821213 381	0.1+	0.1+	821214 381	0.4+	0.8-			

1983 RY = 1972 TZ₄ = 1987 UA₉ = 1990 HV₅ = 1992 AA₆ = 1992 BV₅

Id. K. Kinoshita, S. Nakano (d)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Kinoshita		P		Q	
<i>M</i>	353.34473	(2000.0)					
<i>n</i>	0.26840001	ω	62.99574	+0.99204144	+0.12063026		
<i>a</i>	2.3802050	Ω	290.05761	-0.12478647	+0.90370330		
<i>e</i>	0.1964731	<i>i</i>	2.20156	-0.01679656	+0.41081467		
<i>P</i>	3.67	<i>H</i>	13.7	<i>G</i>	0.15		

Residuals in seconds of arc

721006 095	0.5-	1.2+	830908 046	(0.1-	3.4-)	900502 413	0.5+	0.4-
830902 688	0.7-	0.4-	830912 688	0.8+	0.6-	920112 372	1.7-	0.4+
830902 688	0.5+	1.0-	830912 688	0.1-	0.4-	920112 372	(4.3-	0.2+)
830907 046	(2.1+	6.1-)	871023 095	0.6+	0.4+	920124 894	0.3-	1.2-
830907 046	(3.2+	6.4-)	900429 413	0.3-	0.6-	920124 894	1.2+	1.4-
830908 046	(0.9-	4.6-)	900501 413	0.4+	0.4-			

1986 RR = 1992 EM₃₅

Id. T. Kobayashi

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Nakano		P		Q	
<i>M</i>	118.63283	(2000.0)					
<i>n</i>	0.28506708	ω	121.11796	+0.80997639	+0.58586508		
<i>a</i>	2.2865007	Ω	203.05062	-0.55846031	+0.75673891		
<i>e</i>	0.2950696	<i>i</i>	3.87556	-0.17905402	+0.29001436		
<i>P</i>	3.46	<i>H</i>	14.9	<i>G</i>	0.15		

Residuals in seconds of arc

860812 095	2.2-	2.1+	920303 809	0.2-	1.5-	931011 400	0.6-	1.0-
860905 071	(6.9+	3.0-)	920306 809	0.5-	0.7-	931011 400	1.0-	0.3-
860905 071	1.4+	2.9-	930919 400	2.4+	2.4+			
860906 095	1.6+	1.6-	930919 400	1.4-	0.1-			

1987 SK₁ = 1970 SV = 1994 TP₃

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Nakano	
<i>M</i>	336.33832	(2000.0)		P	Q
<i>n</i>	0.28732125	ω	32.02226	+0.71432714	-0.69948289
<i>a</i>	2.2745259	Ω	12.43616	+0.61921633	+0.61747697
<i>e</i>	0.1555028	<i>i</i>	5.71843	+0.32604889	+0.35978588
<i>P</i>	3.43	<i>H</i>	13.8	<i>G</i>	0.15

Residuals in seconds of arc

700930 095	0.7+	1.7-	870924 809	0.4-	0.6+	871001 809	1.2+	0.4-
870904 095	1.4-	0.1+	870924 809	0.4-	0.5+	871001 809	0.4+	1.0-
870917 809	0.3+	0.3+	870924 809	0.4-	0.1+	871001 809	1.2+	0.5-
870917 809	0.7-	0.9+	870924 809	0.3-	0.5+	871001 809	0.7+	0.7-
870917 809	1.4+	0.2-	870924 809	0.3-	0.6+	871002 809	1.1+	1.3-
870919 809	0.1+	0.3-	870924 809	0.4-	0.6+	871002 809	0.9+	1.3-
870919 809	0.4+	0.2-	870924 095	2.4-	1.6+	871002 809	1.1+	1.5-
870919 809	0.5+	0.1-	870927 809	0.5-	0.7+	941005 400	1.3-	0.5+
870921 688	2.6-	0.2-	870927 809	0.4-	0.4+	941005 400	0.4+	0.1+
870921 688	0.1-	0.1+	870927 809	0.2-	0.2+	941006 400	0.5-	0.4+
870923 809	0.3-	0.0	870927 095	(3.3-	0.3+)	941006 400	0.0	2.0+
870923 809	0.1-	0.1+	871001 809	1.2+	0.5-			
870923 809	0.1+	0.0	871001 809	1.1+	0.5-			

1987 UE₁

Id. R. H. McNaught (1994 observations)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Williams	
<i>M</i>	343.46982	(2000.0)		P	Q
<i>n</i>	0.28064931	ω	188.95115	+0.90870008	-0.40068546
<i>a</i>	2.3104331	Ω	196.26492	+0.40420168	+0.91464349
<i>e</i>	0.1930012	<i>i</i>	24.71726	+0.10433196	-0.05365117
<i>P</i>	3.51	<i>H</i>	15.0	<i>G</i>	0.15

Residuals in seconds of arc

870925 675	0.4+	0.0	871020 675	0.5-	0.5-	941024 413	0.3-	0.6+
870925 675	0.3+	0.2+	871021 675	0.2+	0.2+	941030 413	1.2+	2.0-
871017 675	0.3+	0.7+	871122 675	0.2+	0.3-	941030 413	0.3-	2.0+
871018 675	0.1-	0.0	871124 675	1.1-	0.2+			
871019 675	0.3+	1.8+	941024 413	0.6-	3.0-			

1988 CO₁ = 1994 VW

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Williams	
<i>M</i>	321.25415	(2000.0)		P	Q
<i>n</i>	0.26995435	ω	315.04853	+0.14510760	-0.98784537
<i>a</i>	2.3710597	Ω	126.52881	+0.92614674	+0.11579593
<i>e</i>	0.1411226	<i>i</i>	3.97655	+0.34813216	+0.10369581
<i>P</i>	3.65	<i>H</i>	14.0	<i>G</i>	0.15

Residuals in seconds of arc

880118 071	0.1-	0.3-	880216 809	0.4-	0.3-	880223 809	0.3+	0.3+
880118 071	0.5+	0.3+	880217 809	0.3+	0.2+	880223 809	0.3+	1.1-
880118 071	1.4-	0.4+	880217 809	0.0	0.5-	880223 809	0.1+	1.2-
880211 809	1.1+	0.8+	880217 809	0.4-	0.2-	941105 670	0.0	0.1+
880215 809	1.4+	2.1-	880221 809	0.4-	0.8+	941105 670	0.3-	0.5+
880216 809	0.9+	0.2+	880221 809	0.8-	1.4+	941106 670	0.5+	0.3-
880216 809	0.5+	0.2+	880221 809	1.7-	1.2+	941106 670	0.2-	0.5-

1988 RZ₁₁ = 1994 UH₁

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Nakano	
<i>M</i>	19.05976	(2000.0)		P	Q
<i>n</i>	0.17469072	ω	340.02733	+0.97456972	+0.22379968
<i>a</i>	3.1692475	Ω	7.06906	-0.19110256	+0.85639157
<i>e</i>	0.3045315	<i>i</i>	5.26568	-0.11701995	+0.46530331
<i>P</i>	5.64	<i>H</i>	13.0	<i>G</i>	0.15

Residuals in seconds of arc

880913 675	0.3+	0.4-	880916 675	0.3+	0.2-	941025 399	1.5+	1.3+
880913 675	0.1+	0.1-	880916 675	0.7+	0.3-	941025 399	0.2-	0.0
880914 807	0.5-	0.7+	881006 807	0.1-	0.3+	941026 399	0.3-	0.3-
880915 807	0.2+	0.3+	881007 807	0.6-	0.5-	941026 399	0.9-	0.9-
880915 095	(3.0-	3.7+)	881104 807	0.4+	0.0			
880915 095	0.7-	0.2+	881106 807	0.0	0.1-			

1989 TA₃ = 1976 GY₈ = 1993 LH₂

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Ichikawa	
<i>M</i>	89.90016	(2000.0)		P	Q
<i>n</i>	0.17743476	ω	89.77995	-0.53475635	+0.84326763
<i>a</i>	3.1364876	Ω	147.70572	-0.81001249	-0.49329581
<i>e</i>	0.1244642	<i>i</i>	5.82022	-0.24065620	-0.21344542
<i>P</i>	5.55	<i>H</i>	13.4	<i>G</i>	0.15

Residuals in seconds of arc

760404 095	0.4-	1.2-	891007 809	1.0-	0.1-	930528 010	0.5-	1.1+
891003 809	1.9-	0.7-	891008 809	1.7+	0.5+	930529 010	(3.8+	1.1+)
891003 809	1.2-	0.3-	891008 809	1.5+	1.9+	930529 010	0.5+	0.5+
891003 809	1.2-	0.8-	891008 809	0.4+	0.7+	930529 010	1.0+	0.9+
891007 809	0.0	1.5-	891008 809	0.9+	1.4+	930615 675	(1.2+	4.2-)
891007 809	0.1+	1.1-	891008 809	0.2+	1.3+	930615 675	0.2-	2.6-
891007 809	0.1-	0.9-	891008 809	0.5+	0.6+	930616 675	0.2-	1.7-
891007 809	0.6+	1.3-	930527 010	0.8+	0.8+			
891007 809	0.2-	0.4-	930527 010	1.3-	1.3+			

1989 XH = 1987 KL₁ = 1993 TR₃₉

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Kobayashi	
<i>M</i>	24.14488	(2000.0)		P	Q
<i>n</i>	0.21493497	ω	173.25823	+0.49167192	-0.86140628
<i>a</i>	2.7601414	Ω	247.22287	+0.79233303	+0.50326305
<i>e</i>	0.1406826	<i>i</i>	7.94404	+0.36120228	+0.06859686
<i>P</i>	4.59	<i>H</i>	12.4	<i>G</i>	0.15

Residuals in seconds of arc

870530 413	0.2+	0.3-	891203 400	0.4+	0.3-	900102 400	0.5+	0.4-
870530 413	0.4-	1.1-	891203 400	0.3-	1.5-	931012 675	0.2-	0.2-
891201 400	(3.4-	1.1-)	891203 400	0.3-	0.5+	931012 675	0.4-	0.3+
891201 400	0.7-	0.2-	900102 400	0.8+	0.1+	931014 675	0.6+	0.2-
891201 400	0.6-	0.0	900102 400	0.2+	0.8+	931014 675	0.1+	0.2-

1990 QN₇ = 1994 TA₉

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

				Williams	
<i>M</i>	92.82653	(2000.0)		P	Q
<i>n</i>	0.26857241	ω	226.04193	-0.10635313	+0.99389970
<i>a</i>	2.3791863	Ω	37.88174	-0.89812319	-0.08342162
<i>e</i>	0.1900764	<i>i</i>	2.72529	-0.42668929	-0.07214021
<i>P</i>	3.67	<i>H</i>	14.5	<i>G</i>	0.15

Residuals in seconds of arc

900816 809	0.4-	1.1+	900826 809	0.3+	0.4-	941010 691	0.3+	0.1-
900816 809	1.1-	0.2+	900826 809	0.3+	1.0-	941010 691	0.7-	0.0
900816 809	1.7-	0.3+	900914 675	0.1-	0.1+	941010 691	0.0	0.0
900820 809	0.8+	0.2-	900914 675	0.1-	0.5-	941012 691	0.3-	0.5+
900820 809	0.8+	0.7+	941008 691	0.9+	0.4+	941012 691	0.5-	0.1-
900820 809	1.4+	0.2+	941008 691	0.6+	0.2+	941012 691	0.7-	0.1+
900826 809	0.2-	0.6-	941008 691	0.3+	0.9-			

1990 QY₈ = 1951 WW₂ = 1993 FL₃₁

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Ichikawa	
<i>M</i>	(2000.0)	P	Q
<i>n</i>	0.19763363	ω 317.11236	+0.15043589 -0.98695618
<i>a</i>	2.9189646	Ω 124.15703	+0.92476342 +0.11997942
<i>e</i>	0.1209764	<i>i</i> 3.97256	+0.34954494 +0.10734258
<i>P</i>	4.99	<i>H</i> 12.8	<i>G</i> 0.15

Residuals in seconds of arc

511128 675	0.5+	0.2-	900818 809	0.0	0.4+	930319 809	1.1+	0.2-
511128 675	0.5-	0.0	900824 809	1.5+	0.8-	930320 809	0.9+	1.4+
900816 809	0.1+	0.4-	900824 809	1.2+	2.0-	930324 809	0.3+	0.4-
900816 809	0.4-	1.7-	900824 809	0.2+	1.6-	930325 691	0.9-	0.4-
900816 809	1.3-	0.6-	900826 809	0.9-	2.4+	930325 691	0.8-	0.4-
900818 809	0.8+	0.2-	900826 809	0.4-	2.3+	930325 691	0.7-	0.3-
900818 809	0.0	0.3+	900826 809	0.8-	1.7+	930416 413	(1.0+ 11.2+)	

1990 SG₁₁ = 1990 SQ₂₉ = 1986 PQ₅ = 1993 FS₂₅

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Ichikawa	
<i>M</i>	(2000.0)	P	Q
<i>n</i>	0.25703751	ω 94.41283	+0.49981093 +0.86593981
<i>a</i>	2.4498437	Ω 205.60042	-0.81056765 +0.46016804
<i>e</i>	0.1920358	<i>i</i> 2.43595	-0.30523617 +0.19594289
<i>P</i>	3.83	<i>H</i> 14.0	<i>G</i> 0.15

Residuals in seconds of arc

860809 095	0.1+	0.4-	900920 675	0.1+	0.5-	900928 809	0.8-	0.1-
900916 675	0.5-	0.5+	900927 809	0.3+	0.4+	930321 809	0.5-	0.8+
900916 675	0.2-	0.0	900927 809	0.5+	0.2+	930322 809	0.6+	0.4+
900919 675	0.2+	0.1-	900927 809	1.2+	0.4+	930326 809	1.2-	0.1-
900919 675	1.0+	1.1+	900928 809	1.1-	0.2+	930421 413	1.4+	0.1-
900920 675	0.1-	1.0-	900928 809	0.9-	0.0			

1990 TD₈ = 1990 WO₉ = 1993 FE₄₇

Id. S. Nakano (d, MPC 20913), K. Ichikawa

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Ichikawa	
<i>M</i>	(2000.0)	P	Q
<i>n</i>	0.17326444	ω 214.26597	+0.97088986 -0.23948794
<i>a</i>	3.1866162	Ω 159.58907	+0.22242514 +0.89477907
<i>e</i>	0.2082283	<i>i</i> 0.70506	+0.08888164 +0.37685003
<i>P</i>	5.69	<i>H</i> 12.0	<i>G</i> 0.15

Residuals in seconds of arc

901013 033	0.0	0.2+	901121 809	0.3+	0.2-	930320 809	0.4-	0.4+
901013 033	0.2+	0.4+	901121 809	0.3-	0.5-	930324 809	0.1+	0.1+
901014 033	0.1+	0.6+	901121 809	0.4-	0.4-	930417 413	0.8+	0.3-
901018 033	0.0	0.2+	930319 809	0.3-	0.2+			

1990 WR₂ = 1979 BY = 1994 VT₁

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Nakano	
<i>M</i>	(2000.0)	P	Q
<i>n</i>	0.24340103	ω 335.53107	+0.34229723 -0.92652248
<i>a</i>	2.5405112	Ω 94.14101	+0.88580014 +0.26278132
<i>e</i>	0.2523337	<i>i</i> 9.00830	+0.31335398 +0.26926209
<i>P</i>	4.05	<i>H</i> 13.6	<i>G</i> 0.15

Residuals in seconds of arc

790124 095	0.0	0.4+	901207 877	0.0	1.4+	901226 413	1.0+	1.4-
901121 400	0.9+	0.6-	901210 877	0.0	0.3+	941104 391	0.4-	0.4-
901121 400	0.5-	1.4+	901210 877	0.3-	1.1-	941104 391	2.7-	0.6-
901124 400	1.7-	0.5-	901220 400	(4.3+ 0.4-)		941108 391	0.5+	0.6+
901124 400	0.8+	0.4+	901220 400	(5.2+ 1.1+)		941108 391	2.5+	0.2+

1990 WQ₃ = 1993 TD₂₉

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams	
<i>M</i>	(2000.0)	P	Q
<i>n</i>	0.28634415	ω 177.17215	+0.15560371 +0.97933361
<i>a</i>	2.2796972	Ω 101.75516	-0.90887687 +0.19317382
<i>e</i>	0.2127516	<i>i</i> 7.58343	-0.38695002 -0.05991285
<i>P</i>	3.44	<i>H</i> 14.0	<i>G</i> 0.15

Residuals in seconds of arc

901111 809	0.7-	1.1+	901114 809	0.6+	0.2+	901123 809	0.2+	1.8-
901111 809	0.1-	0.5+	901114 809	0.5+	1.0+	901123 809	1.6+	1.5-
901111 809	1.5-	0.5+	901115 809	0.0	1.3+	931009 675	0.9+	0.4+
901112 809	1.2+	1.9-	901117 809	1.1-	1.4+	931009 675	0.3-	0.3+
901112 809	(1.9+ 3.0-)		901121 809	(0.7+ 4.4-)		931014 675	0.4-	0.8-
901112 809	1.2+	1.6-	901122 809	1.7-	2.7+	931014 675	0.2-	0.0
901114 809	1.7+	0.8-	901123 809	1.9-	1.0-			

1991 VP₂ = 1989 AB₁ = 1994 TQ₄

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams	
<i>M</i>	(2000.0)	P	Q
<i>n</i>	0.31155475	ω 348.27821	+0.51015425 -0.86006922
<i>a</i>	2.1549960	Ω 71.04752	+0.78952494 +0.46605640
<i>e</i>	0.1526631	<i>i</i> 0.29414	+0.34116421 +0.20753881
<i>P</i>	3.16	<i>H</i> 15.0	<i>G</i> 0.15

Residuals in seconds of arc

890102 402	0.2-	0.2-	911112 691	0.5-	0.1-	941006 691	0.4-	0.1+
890102 402	1.6-	1.8-	911112 691	0.6-	0.0	941006 691	0.5-	0.1-
890105 402	1.0-	1.4+	911112 691	0.4-	0.3-	941006 691	0.5-	0.4+
890105 402	2.8+	2.3+	911112 494	0.2+	0.6-	941011 691	0.4-	0.0
911108 691	0.2+	1.1-	911112 494	0.4+	0.6-	941011 691	0.4-	0.1+
911108 691	0.3+	0.2+	941002 691	0.4+	0.6+	941011 691	0.3+	0.2-
911108 691	0.1+	0.0	941002 691	0.4+	0.5+			
911111 494	0.9+	0.0	941002 691	0.2+	0.5+			

1992 AA

Id. A. Nakamura (1994 observations), R. H. McNaught (1981 observation)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

M		(2000.0)		P		Q	
<i>n</i>	344.13085	ω	354.34350	-0.12558841	-0.98206825		
<i>a</i>	1.9816735	Ω	102.81323	+0.91577781	-0.16926560		
<i>e</i>	0.3898000	<i>i</i>	8.29065	+0.38154757	+0.08301267		
<i>P</i>	2.79	<i>H</i>	16.1	<i>G</i>	0.15		

Residuals in seconds of arc

810303 413	0.5-	0.4-	920111 413	0.0	1.8+	920207 658	0.6-	0.6+
911012 413	1.9-	1.7+	920112 413	0.9+	1.2+	920225 675	1.1-	0.2-
911012 413	2.1+	0.5-	920113 688	0.6+	0.6+	920225 675	0.2+	0.3+
911208 413	0.6+	0.8+	920113 688	0.7+	0.5+	920227 675	1.4-	2.0-
911208 413	1.1+	0.6-	920126 657	0.6+	1.1+	920311 658	0.4-	0.1-
920101 675	0.1+	1.9-	920126 657	0.2+	0.4+	920311 658	0.1+	0.1-
920101 675	0.4+	1.7-	920204 675	0.2+	0.8-	920312 658	0.5+	0.1-
920104 675	0.3-	0.3-	920204 675	(2.7-	2.6-)	920312 658	0.4+	0.3-
920107 372	1.2-	1.4-	920205 675	1.3+	0.2+	920313 658	1.1+	0.1+
920107 885	0.1+	0.5+	920206 801	0.9+	1.2-	920313 658	1.4+	0.1+
920107 885	1.1-	1.6+	920206 801	(0.8-	2.8-)	920524 413	0.5-	0.1+
920107 896	0.7-	0.4-	920206 658	(6.9-	2.3-)	920524 413	1.5-	0.4+
920107 896	0.4-	1.7-	920206 658	0.4-	0.9+	941108 360	0.1-	0.1-
920109 894	1.2-	0.3-	920206 658	0.1-	1.1+	941108 360	0.9-	1.1-
920110 413	0.5+	1.0+	920207 658	0.0	0.9+	941108 360	0.7-	1.2-
920110 886	1.9-	1.2-	920207 658	0.2-	0.9+			

1992 DC₁₁ = 1980 WJ₄

Id. G. V. Williams, T. Kobayashi

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

M		(2000.0)		P		Q	
<i>n</i>	301.92723	ω	314.50420	-0.29304400	-0.95574398		
<i>a</i>	2.3076068	Ω	152.50465	+0.89243419	-0.28320566		
<i>e</i>	0.1320408	<i>i</i>	3.23473	+0.34305456	-0.07967430		
<i>P</i>	3.51	<i>H</i>	15.5	<i>G</i>	0.15		

Residuals in seconds of arc

801129 675	1.2+	0.5+	920309 809	0.1-	1.1-	930723 809	0.2-	0.7+
801201 675	1.2-	0.5-	920311 691	0.3+	0.0	930723 809	0.5-	0.3+
920229 809	0.1-	0.5+	920311 691	0.1-	0.2-	930723 809	0.8+	1.0-
920303 809	0.0	0.6+	920406 809	0.1+	0.2+			

1992 FA₂ = 1994 TL₁

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

M		(2000.0)		P		Q	
<i>n</i>	315.45616	ω	348.26630	+0.46009163	-0.88153435		
<i>a</i>	2.7383781	Ω	74.26398	+0.82324686	+0.37889048		
<i>e</i>	0.0487909	<i>i</i>	6.31613	+0.33253618	+0.28167215		
<i>P</i>	4.53	<i>H</i>	12.2	<i>G</i>	0.15		

Residuals in seconds of arc

920328 399	0.1-	2.4+	920407 399	0.1-	1.5+	941003 400	1.8-	0.9-
920328 399	0.2+	0.8-	920407 399	0.2+	1.3+	941003 400	0.4-	0.6+
920403 399	0.0	2.0-	941002 400	1.4+	0.0			
920403 399	0.2-	2.4-	941002 400	0.8+	0.3+			

1992 SL₂₃ = 1992 US₉ = 1992 XS

Id. S. Nakano

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

M		(2000.0)		P		Q	
<i>n</i>	133.45807	ω	32.54916	+0.44383492	-0.88705697		
<i>a</i>	2.6133533	Ω	31.63803	+0.76159088	+0.29868906		
<i>e</i>	0.1467844	<i>i</i>	14.01631	+0.47221806	+0.35201532		
<i>P</i>	4.22	<i>H</i>	14.0	<i>G</i>	0.15		

From 13 observations 1992 Sept. 30-Dec. 14, mean residual 0''.88.

1993 FB₁

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

M		(2000.0)		P		Q	
<i>n</i>	102.22627	ω	160.13702	-0.68958265	+0.71111781		
<i>a</i>	0.23926423	Ω	65.98724	-0.68307853	-0.57579135		
<i>e</i>	2.5697105	<i>i</i>	8.62999	-0.24058158	-0.40345482		
<i>P</i>	4.12	<i>H</i>	12.5	<i>G</i>	0.15		

Residuals in seconds of arc

930119 801	0.4+	1.0-	930410 411	0.4-	0.3-	930424 411	0.2-	0.3+
930318 868	1.9-	2.0+	930410 411	0.1+	0.7-	930618 801	0.3-	0.2-
930318 868	2.2-	1.4+	930410 411	0.3-	0.1-	930618 801	0.2-	0.7-
930319 868	1.0+	0.6+	930417 868	1.4+	0.9+	940809 801	0.1+	0.6+
930319 868	1.5+	1.7-	930417 868	0.1-	0.7-	940809 801	0.0	0.8+
930320 868	0.4+	0.5-	930424 411	0.2+	0.4+	941007 801	0.1-	1.5-
930320 868	(5.1-	3.2+)	930424 411	0.4+	0.4-			

1993 FF₄ = 1982 DM₃

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

M		(2000.0)		P		Q	
<i>n</i>	163.71557	ω	58.92744	-0.18753386	-0.98187649		
<i>a</i>	0.18415790	Ω	41.90951	+0.88666336	-0.18121138		
<i>e</i>	3.0596786	<i>i</i>	2.34916	+0.42268089	-0.05550664		
<i>P</i>	5.35	<i>H</i>	13.1	<i>G</i>	0.15		

Residuals in seconds of arc

820220 033	0.3+	0.4-	820221 033	0.0	0.0	930323 691	1.1-	0.7-
820220 033	0.6-	0.1+	930317 809	0.2-	0.0	930323 691	1.0-	0.7-
820220 033	0.1+	0.2-	930318 809	1.2+	1.4+	930323 691	0.8-	0.6-
820221 033	0.2+	0.5+	930323 809	1.4+	0.2+	930416 413	0.5+	0.4+

1993 FS₁₃ = 1994 TL₂

Id. S. Nakano, G. V. Williams

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

M		(2000.0)		P		Q	
<i>n</i>	40.86595	ω	256.83800	+0.63707533	+0.76624992		
<i>a</i>	0.28259681	Ω	53.05448	-0.66045215	+0.59859514		
<i>e</i>	2.2998061	<i>i</i>	6.00740	-0.39741411	+0.23354852		
<i>P</i>	3.49	<i>H</i>	13.5	<i>G</i>	0.15		

Residuals in seconds of arc

930317 809	0.9-	0.8+	930416 413	1.8-	0.3-	941002 400	1.3+	1.3-
930318 809	0.3-	0.5+	930416 413	1.3+	1.0+	941003 400	1.2-	1.0+
930323 809	1.7+	1.8-	941002 400	0.2+	0.2-	941003 400	0.4-	0.6+

1993 FD₂₂ = 1991 XO

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Ichikawa

<i>M</i>	166.57111	(2000.0)	P	Q
<i>n</i>	0.18212762	ω 243.73349	-0.08716632	-0.99614394
<i>a</i>	3.0823753	Ω 211.27205	+0.92070008	-0.07673732
<i>e</i>	0.2479213	<i>i</i> 1.09980	+0.38041213	-0.04252793
<i>P</i>	5.41	<i>H</i> 13.6	<i>G</i> 0.15	

Residuals in seconds of arc

911204 399	0.7+	0.5-	911205 399	0.4-	0.2+	930326 809	0.5+	0.9-
911204 399	1.6-	0.2+	930321 809	0.7-	0.6+	930416 413	0.1-	0.2+
911205 399	1.2+	0.1+	930322 809	0.3+	0.1+			

1993 FH₄₃ = 1976 SH₄ = 1983 QQ₁ = 1990 HC₂

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Ichikawa

<i>M</i>	57.70805	(2000.0)	P	Q
<i>n</i>	0.27670379	ω 252.85611	+0.51214391	+0.85887295
<i>a</i>	2.3323442	Ω 47.95260	-0.78451760	+0.47098691
<i>e</i>	0.2312959	<i>i</i> 0.52259	-0.34962946	+0.20126744
<i>P</i>	3.56	<i>H</i> 14.1	<i>G</i> 0.15	

Residuals in seconds of arc

760924 095	0.2+	0.7-	900427 413	1.6+	1.3-	930324 809	0.3-	0.1-
760929 095	(1.1+	4.1-)	900430 413	1.4-	0.0	930417 413	0.8-	0.2+
830816 095	0.5-	1.5+	930319 809	0.8-	0.5+			
900427 413	(6.0+	1.5+)	930320 809	2.4+	0.4+			

1993 GA = 4187 T-1 = 1994 SN₅

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Williams

<i>M</i>	73.28243	(2000.0)	P	Q
<i>n</i>	0.26952875	ω 259.08129	+0.07626497	+0.99663322
<i>a</i>	2.3735551	Ω 15.38923	-0.86478841	+0.08114089
<i>e</i>	0.1186467	<i>i</i> 6.51231	-0.49631106	+0.01176379
<i>P</i>	3.66	<i>H</i> 15.5	<i>G</i> 0.15	

Residuals in seconds of arc

710324 675	1.7+	0.2+	930402 695	1.1+	1.0-	930404 695	0.4-	0.3+
710326 675	2.3-	1.3-	930402 695	0.1-	1.0-	940928 691	0.1+	0.0
710326 675	1.9-	1.1-	930402 695	0.4+	0.6-	940928 691	0.3+	0.2-
710402 675	1.2+	0.1-	930402 695	0.0	0.1+	940928 691	0.1+	0.2-
930321 809	0.2-	2.0+	930404 695	0.6-	0.1-	940929 691	0.2+	0.4-
930322 809	0.9+	1.3+	930404 695	1.0-	0.1-	940929 691	0.0	0.3-
930402 695	0.4+	0.3-	930404 695	0.1+	0.5+	940929 691	0.1+	0.3-

1993 GB₁ = 1978 UK

Id. T. Kobayashi (1994 observations), S. Nakano

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Nakano

<i>M</i>	97.98840	(2000.0)	P	Q
<i>n</i>	0.31099189	ω 106.24938	+0.18474070	+0.98278164
<i>a</i>	2.1575954	Ω 174.39345	-0.91422218	+0.17309613
<i>e</i>	0.1459105	<i>i</i> 1.95588	-0.36065035	+0.06463725
<i>P</i>	3.17	<i>H</i> 13.8	<i>G</i> 0.15	

Residuals in seconds of arc

781028 688	0.1+	0.4-	930425 809	0.7-	0.2+	930426 809	0.4+	0.2-
930415 675	0.1-	0.2+	930425 809	0.2+	0.1-	941104 411	0.4+	0.3-
930415 675	0.4-	0.4-	930425 809	0.9+	0.2-	941104 411	0.3-	0.3+

930416 675	0.3-	0.0	930426 809	0.1-	0.2-	941108 411	0.5+	0.0
930416 675	0.3-	0.2+	930426 809	0.2+	0.1+	941108 411	0.6-	0.2+

1993 HH₇ = 1976 JY₆ = 1994 TM

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Nakano

<i>M</i>	21.83075	(2000.0)	P	Q
<i>n</i>	0.28762639	ω 344.87873	+0.93046551	+0.36634774
<i>a</i>	2.2729169	Ω 353.62449	-0.33147704	+0.83614367
<i>e</i>	0.1068773	<i>i</i> 2.49033	-0.15606703	+0.40823167
<i>P</i>	3.43	<i>H</i> 13.7	<i>G</i> 0.15	

Residuals in seconds of arc

760502 809	0.0	0.1-	930425 809	0.4+	0.2+	941002 400	1.1+	0.4-
930424 809	0.9+	0.3-	930425 809	0.8-	0.0	941003 400	2.2-	1.6-
930424 809	0.8+	0.4-	930425 809	0.8-	0.2+	941003 400	0.3+	0.4+
930425 809	0.2-	0.3+	930426 809	0.4-	0.1+	941011 397	1.1+	0.8-
930425 809	0.0	0.2-	941002 400	0.5-	1.8+	941011 397	0.3+	0.4+

1993 LC = 1963 MG = 1990 XA₂ = 1994 UV

Id. T. Urata (k), S. Nakano

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Nakano

<i>M</i>	104.91349	(2000.0)	P	Q
<i>n</i>	0.23081378	ω 36.00287	-0.10791201	+0.98132019
<i>a</i>	2.6320546	Ω 228.38325	-0.95467193	-0.14698991
<i>e</i>	0.1301121	<i>i</i> 12.30029	-0.27741037	+0.12411545
<i>P</i>	4.27	<i>H</i> 12.6	<i>G</i> 0.15	

Residuals in seconds of arc

630620 690	(9.4-	7.2-)	Y	930613 675	0.3+	0.4+	941031 905	0.6-	0.0
630620 690	0.1+	1.1-	Y	930616 675	0.6+	0.1+	941103 905	1.2+	0.7-
901210 372	0.8+	0.5-		930620 675	0.9-	0.1-	941103 905	0.3+	0.9+
901210 372	1.0-	0.5-		941031 905	0.7-	0.0			

1993 NJ

Id. J. E. Rogers (1994 observations)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Williams

<i>M</i>	134.40421	(2000.0)	P	Q
<i>n</i>	0.24391643	ω 44.47476	-0.40851254	+0.90998352
<i>a</i>	2.5369312	Ω 201.71624	-0.88179895	-0.41356011
<i>e</i>	0.1306790	<i>i</i> 11.07012	-0.23568647	-0.02996694
<i>P</i>	4.04	<i>H</i> 12.0	<i>G</i> 0.15	

Residuals in seconds of arc

930715 675	1.2+	0.6+	930821 675	0.3+	0.5-	941105 670	0.0	1.4+
930715 675	1.1+	0.2+	930823 675	1.5-	0.7+	941105 670	0.5+	0.2+
930717 675	2.3-	0.5-	930823 675	(4.5+	1.4-)	941105 670	0.3-	0.6+
930717 675	0.1-	0.3-	941104 670	1.1+	1.2-			
930821 675	1.4+	0.1-	941104 670	1.3-	1.0-			

1993 NO = 1990 VB₇

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Ichikawa

<i>M</i>	350.46510	(2000.0)	P	Q
<i>n</i>	0.24445290	ω 80.46349	+0.56370223	-0.82596852
<i>a</i>	2.5332181	Ω 335.22300	+0.75405170	+0.51657261
<i>e</i>	0.1254732	<i>i</i> 0.54332	+0.33711398	+0.22567396
<i>P</i>	4.03	<i>H</i> 14.0	<i>G</i> 0.15	

Residuals in seconds of arc

901112 675	0.5+	1.1+	930719 809	1.7-	1.3-	930723 809	0.6-	1.3+
901112 675	0.4-	0.3+	930719 809	2.1-	1.2-	930723 809	0.7+	1.5+
901114 675	0.4-	0.3-	930719 809	2.2-	1.0-	930726 809	0.6+	1.3-
901114 675	0.4+	0.9-	930719 809	0.4+	0.5-	930726 809	0.1+	1.0-
930712 809	0.5+	1.1+	930719 809	0.7+	0.1-	930726 809	0.6+	0.7-
930712 809	0.4+	1.2+	930719 809	1.5+	0.3+			
930712 809	0.5+	0.5+	930723 809	0.5+	1.3+			

1993 NS₁ = 1989 YN₂

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Ichikawa

<i>M</i>	11.14601		(2000.0)	P	Q
<i>n</i>	0.18169899	ω	271.80535	+0.86237833	-0.48827898
<i>a</i>	3.0872209	Ω	117.44315	+0.50336947	+0.79877483
<i>e</i>	0.2731613	<i>i</i>	8.66761	+0.05406290	+0.35148600
<i>P</i>	5.42	<i>H</i>	13.4	<i>G</i>	0.15

Residuals in seconds of arc

891230 413	1.6-	0.6-	930712 809	0.6-	0.5+	930723 809	1.0+	0.2+
891231 413	0.1-	0.6+	930719 809	0.5+	0.7-	930723 809	2.5+	1.7+
891231 413	1.7+	0.2-	930719 809	0.6-	1.0-	930726 809	0.1-	0.1+
930712 809	0.2+	0.1+	930719 809	1.4-	1.5-	930726 809	0.9-	0.4-
930712 809	0.2+	1.1+	930723 809	0.4-	0.7-	930726 809	0.3-	0.6+

1993 OB₁₃ = 1994 TB₁₂

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Williams

<i>M</i>	85.15158		(2000.0)	P	Q
<i>n</i>	0.19486532	ω	112.26372	+0.29663399	+0.95498554
<i>a</i>	2.9465445	Ω	174.98836	-0.88951270	+0.27755190
<i>e</i>	0.0905623	<i>i</i>	2.16602	-0.34752760	+0.10472615
<i>P</i>	5.06	<i>H</i>	14.0	<i>G</i>	0.15

Residuals in seconds of arc

930712 809	1.6-	1.0-	930719 809	(2.7+	2.8+)	930726 809	1.3+	1.1+
930712 809	0.7-	1.2-	930719 809	(2.7+	3.0+)	930726 809	0.4-	0.5+
930712 809	1.1-	0.4-	930719 809	(2.5+	2.7+)	930726 809	0.5-	0.2+
930712 809	1.0+	0.3+	930723 809	(4.0-	4.8-)	941010 691	0.7+	0.5-
930712 809	1.7+	1.2+	930723 809	(3.5-	4.7-)	941010 691	0.3+	0.1-
930712 809	0.8+	0.7+	930723 809	(3.6-	4.2-)	941010 691	0.4+	0.1+
930719 809	(3.7-	4.3-)	930723 809	0.2-	0.3-	941013 691	0.5-	0.0
930719 809	(3.8-	3.3-)	930723 809	0.2-	0.6-	941013 691	0.4-	0.3+
930719 809	(3.7-	4.0-)	930723 809	0.0	0.4-	941013 691	0.5-	0.2+

1993 PE

Id. D. D. Balam (1994 observations)

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Balam

<i>M</i>	84.89334		(2000.0)	P	Q
<i>n</i>	0.26817135	ω	77.33133	+0.96105754	+0.26774576
<i>a</i>	2.3815578	Ω	267.10790	-0.27260317	+0.87790105
<i>e</i>	0.0996342	<i>i</i>	3.92797	-0.04534223	+0.39699113
<i>P</i>	3.68	<i>H</i>	14.0	<i>G</i>	0.15

Residuals in seconds of arc

930811 587	0.2+	0.1+	930817 657	0.2+	0.1-	930916 658	0.4-	0.1+
930811 587	0.2+	0.1-	930817 657	0.4-	0.9-	930920 658	0.5+	0.1-
930812 657	1.0-	1.0-	930817 657	0.2+	0.3-	930920 658	0.4+	0.1-
930812 657	0.6-	0.1-	930817 657	0.1+	0.4-	930920 658	0.5+	0.2-

930812 657	0.3+	0.4-	930817 587	1.0-	1.1+	930921 658	0.4-	0.2-
930813 657	0.4-	0.2+	930817 587	0.6-	0.7+	930921 658	0.4-	0.2-
930813 657	0.5-	0.1-	930817 587	1.0+	0.7-	930921 658	0.4-	0.3-
930813 657	0.4-	0.1+	930819 657	0.7-	0.3+	931014 801	(3.2+	1.3+)
930814 010	0.6+	1.3+	930819 657	0.9-	0.1+	931014 801	(6.9+	2.8-)
930814 010	0.0	0.8+	930819 657	0.3-	0.0	941006 658	0.2-	0.2+
930814 010	0.7+	0.2+	930819 657	0.9-	0.1-	941006 658	0.3-	0.1-
930815 010	1.0+	0.9-	930909 657	0.5+	0.2-	941006 658	0.1+	0.1-
930816 587	0.4+	0.5-	930909 657	0.3-	1.3+	941007 658	0.1-	0.0
930816 587	1.4+	1.0-	930909 657	0.2-	0.3-	941007 658	0.1+	0.0
930816 587	0.7-	1.2+	930916 658	0.3-	0.1+	941007 658	0.1+	0.0
930817 657	0.0	0.7-	930916 658	0.3-	0.1+			

1993 PP₅ = 1989 TL₃

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Kobayashi

<i>M</i>	90.87736		(2000.0)	P	Q
<i>n</i>	0.23422073	ω	158.16174	+0.85528782	+0.51795390
<i>a</i>	2.6064686	Ω	170.60375	-0.48747050	+0.81373396
<i>e</i>	0.2365567	<i>i</i>	5.04978	-0.17565666	+0.26374382
<i>P</i>	4.21	<i>H</i>	15.7	<i>G</i>	0.15

Residuals in seconds of arc

891007 809	0.1+	1.3-	891008 809	0.3-	0.3+	930816 010	0.2+	0.6+
891007 809	0.0	0.3-	930815 010	0.3+	0.3+	930819 010	0.7-	0.1-
891007 809	0.5+	0.3+	930815 010	0.6-	0.4-	930819 010	0.1+	0.0
891008 809	0.3-	0.2+	930816 010	0.0	0.5-	930820 010	0.7+	0.7+
891008 809	0.1-	0.6+	930816 010	0.1+	0.6-			

1993 TP₂₄ = 1983 RR₃

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Ichikawa

<i>M</i>	223.89361		(2000.0)	P	Q
<i>n</i>	0.30515311	ω	80.16205	-0.38616232	+0.92226661
<i>a</i>	2.1850306	Ω	167.08050	-0.87389396	-0.35973771
<i>e</i>	0.1131498	<i>i</i>	4.46495	-0.29527616	-0.14146757
<i>P</i>	3.23	<i>H</i>	14.5	<i>G</i>	0.15

Residuals in seconds of arc

830902 809	0.5-	0.0	830904 809	0.2+	0.4+	931011 809	0.8-	0.7-
830902 809	0.1-	0.0	830904 809	0.5+	0.2+	931011 809	0.4-	0.0
830902 809	0.2+	0.1+	830904 809	0.8+	0.3+	931011 809	1.6-	0.6-
830903 809	0.6-	0.3-	931009 809	0.0	0.7-	931020 809	0.5+	0.8+
830903 809	0.5-	0.4-	931009 809	0.7+	0.1+	931020 809	0.7+	0.3+
830903 809	0.0-	0.3-	931009 809	1.0+	0.3+	931020 809	0.0	0.4+

1994 OC

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Nakano

<i>M</i>	310.66885		(2000.0)	P	Q
<i>n</i>	0.18598095	ω	62.81845	+0.88895252	-0.44060739
<i>a</i>	3.0396512	Ω	322.94258	+0.31117859	+0.78132530
<i>e</i>	0.1370957	<i>i</i>	11.97312	+0.33605252	+0.44203609
<i>P</i>	5.30	<i>H</i>	11.5	<i>G</i>	0.15

From 16 observations 1994 July 31-Oct. 22, mean residual 0^u.62.

1994 PL

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams			
<i>M</i>		(2000.0)		P	Q
<i>n</i>	0.28852494	ω	106.89913	+0.79493417	+0.54841879
<i>a</i>	2.2681954	Ω	220.90341	-0.58536975	+0.80570596
<i>e</i>	0.2353731	<i>i</i>	23.34351	+0.15944249	+0.22377385
<i>P</i>	3.42	<i>H</i>	13.5	<i>G</i>	0.15

From 38 observations 1994 Aug. 5–Oct. 29, mean residual 0".55.

1994 PN

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams			
<i>M</i>		(2000.0)		P	Q
<i>n</i>	0.26904191	ω	233.88211	+0.74765774	+0.05713404
<i>a</i>	2.3764176	Ω	113.23807	-0.06264562	+0.99791728
<i>e</i>	0.5401395	<i>i</i>	46.05746	-0.66112286	-0.02994668
<i>P</i>	3.66	<i>H</i>	16.0	<i>G</i>	0.15

From 33 observations 1994 Aug. 7–Oct. 31, mean residual 0".74.

1994 RQ = 1980 BA₆ = 1990 QU₁₀

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Nakano			
<i>M</i>		(2000.0)		P	Q
<i>n</i>	0.25113414	ω	342.92216	+0.93680255	-0.34932441
<i>a</i>	2.4880869	Ω	37.54175	+0.32457982	+0.84717353
<i>e</i>	0.2154267	<i>i</i>	1.81737	+0.13057151	+0.40033669
<i>P</i>	3.92	<i>H</i>	13.8	<i>G</i>	0.15

Residuals in seconds of arc

800123 095	0.1–	0.3–	900914 675	1.3+	0.1–	940906 400	0.3–	2.3+
900827 675	0.7–	1.1–	940901 400	1.2+	0.7+	941002 400	0.4–	1.2–
900827 675	0.5–	1.5–	940901 400	0.4–	0.2+	941002 400	0.1–	0.9–
900914 675	0.9+	0.5+	940906 400	0.7–	0.8+			

1994 RV = 1993 FY₇₉

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams			
<i>M</i>		(2000.0)		P	Q
<i>n</i>	0.26861056	ω	349.23298	+0.77458291	+0.63092411
<i>a</i>	2.3789610	Ω	331.49950	-0.57317680	+0.67068389
<i>e</i>	0.1335771	<i>i</i>	5.31827	-0.26737552	+0.39002294
<i>P</i>	3.67	<i>H</i>	13.5	<i>G</i>	0.15

Residuals in seconds of arc

930326 809	0.2+	1.1+	940901 400	0.5–	0.4–	941003 400	0.3–	0.1+
930418 413	0.1–	0.8–	940906 400	0.6+	0.3+	941003 400	0.1+	0.1–
940901 400	0.4+	0.5+	940906 400	0.4–	0.2–			

1994 RZ = 1986 TW₁₂ = 1992 EW₃₅

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams			
<i>M</i>		(2000.0)		P	Q
<i>n</i>	0.24158348	ω	44.49166	+0.89117399	-0.45347816
<i>a</i>	2.5532376	Ω	342.46272	+0.40337810	+0.80509099
<i>e</i>	0.2629827	<i>i</i>	2.45417	+0.20759342	+0.38234286
<i>P</i>	4.08	<i>H</i>	15.5	<i>G</i>	0.15

Residuals in seconds of arc

861005 095	0.0	0.0	940910 587	0.0	0.1+	940930 474	0.2–	0.2+
920301 809	1.5+	0.6+	940910 587	0.4+	0.4+	940930 474	0.9–	1.2–
920306 809	0.6–	1.3+	940910 587	0.1+	0.1–	941002 474	0.4–	1.4–

940909 587	0.9+	0.8+	940910 046	0.1–	0.2–	941002 474	1.0–	0.1+
940909 046	0.2+	0.6+	940910 046	0.2+	0.1–	941004 587	0.8–	0.0
940909 587	0.5+	0.5+	940910 046	0.2+	0.0	941004 587	0.3+	0.6–
940909 046	0.1–	0.7+	940911 557	0.2+	0.1+	941010 587	0.7+	0.8+
940909 587	0.3+	0.8+	940911 557	0.0	0.5+	941010 587	0.8–	1.0–
940909 046	0.4+	0.7+	940911 557	0.1–	0.1–	941024 587	1.0+	1.2+
940909 557	0.1+	0.1–	940915 587	0.4–	0.8–	941024 587	1.1+	0.0
940909 557	0.0	0.0	940915 587	1.3–	0.7–	941024 587	0.7–	0.2+

1994 RK₁ = 1976 JH₅ = 1987 SA₁₆ = 1989 EC₄

Id. K. Kinoshita, T. Kobayashi

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Kinoshita			
<i>M</i>		(2000.0)		P	Q
<i>n</i>	0.28531161	ω	128.25097	+0.99504013	+0.05785072
<i>a</i>	2.2851940	Ω	228.58814	-0.08151297	+0.94046488
<i>e</i>	0.1440974	<i>i</i>	6.19429	+0.05701553	+0.33493149
<i>P</i>	3.45	<i>H</i>	13.7	<i>G</i>	0.15

Residuals in seconds of arc

760503 809	0.3–	0.6–	890303 809	0.3–	0.1+	940907 111	1.5+	2.2–
870925 095	0.1+	0.4+	890303 809	0.5+	0.9–	940907 111	0.4+	0.1+
890302 809	1.0+	0.2–	890303 809	0.4–	0.4–	940912 108	2.0–	0.3–
890302 809	0.2–	0.2–	940905 098	0.3–	0.0	940912 108	0.1–	0.5+
890302 809	1.0–	0.1+	940905 098	0.5+	0.1–	940912 108	0.5+	0.3+

1994 RN₇ = 1992 FL₂

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams			
<i>M</i>		(2000.0)		P	Q
<i>n</i>	0.21280804	ω	125.14708	-0.31604930	-0.94859535
<i>a</i>	2.7785019	Ω	343.25310	+0.85048630	-0.27546133
<i>e</i>	0.0480101	<i>i</i>	3.32744	+0.42045914	-0.15584584
<i>P</i>	4.63	<i>H</i>	15.0	<i>G</i>	0.15

Residuals in seconds of arc

920326 691	0.0	0.2–	940912 691	0.1+	0.0	940928 691	0.1–	0.5+
920326 691	0.1+	0.1+	940912 691	0.1–	0.0	940928 691	0.1–	0.1–
920326 691	0.3+	0.1–	940912 691	0.1–	0.1–	940928 691	0.3–	0.1–
920407 691	0.1–	0.2–	940914 691	0.0	0.1–	940929 691	0.3+	0.0
920407 691	0.2–	0.2+	940914 691	0.3–	0.2+	940929 691	0.1–	0.2–
920407 691	0.1–	0.1+	940914 691	0.3+	0.2–	940929 691	0.4+	0.0

1994 RO₁₁ = 1964 VF = 1981 RD₄ = 1983 CJ = 1990 SV₃

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Kinoshita			
<i>M</i>		(2000.0)		P	Q
<i>n</i>	0.22762537	ω	65.34105	+0.62885306	-0.77546045
<i>a</i>	2.6565761	Ω	345.26481	+0.60834018	+0.53605709
<i>e</i>	0.1723646	<i>i</i>	12.86024	+0.48421694	+0.33362238
<i>P</i>	4.33	<i>H</i>	12.5	<i>G</i>	0.15

Residuals in seconds of arc

641104 760(70.6+ 17.8–)X	830215 688	0.3–	0.6–	940901 399	1.5+	0.6–		
810905 095	0.4+	0.5–	900922 675	0.1–	0.3+	941001 399	1.3+	1.4–
830211 688	1.2–	1.4–	900924 675	0.4–	0.7+	941001 399	0.6–	0.8–
830211 688	0.3+	0.2+	900924 675	0.5–	1.1+	941002 399	0.9+	0.2–
830215 688	0.3–	0.9–	940901 399	0.0	0.2–	941002 399	0.9–	0.1+

1994 SC = 1980 TO₄ = 1987 SF₁₈

Id. K. Kinoshita, T. Kobayashi

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Kinoshita		P		Q	
<i>M</i>	67.03695	(2000.0)					
<i>n</i>	0.27531541	ω	45.39398	-0.30777070	+0.95103401		
<i>a</i>	2.3401787	Ω	206.71981	-0.88990899	-0.29832533		
<i>e</i>	0.1241429	<i>i</i>	3.63251	-0.33665885	-0.08084746		
<i>P</i>	3.58	<i>H</i>	14.2	<i>G</i>	0.15		

Residuals in seconds of arc

801009 675	0.5+	0.1-	940924 589	0.5-	1.6+	941004 589	0.4-	0.4-
801010 675	0.7-	0.6+	940928 589	0.4-	0.8+	941004 589	0.1+	0.6-
801010 095	(4.9+ 0.5+)		940928 589	0.3-	0.6-	941004 589	0.7+	0.2-
870916 095	0.3+	0.8-	940928 589	0.4+	1.3-	941008 589	0.5-	0.2-
940924 589	0.0	1.7+	941004 589	0.5+	0.5-	941008 589	0.3+	0.1-

1994 SE

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams		P		Q	
<i>M</i>	357.60581	(2000.0)					
<i>n</i>	0.27425209	ω	274.14889	+0.90336996	+0.41056648		
<i>a</i>	2.3462237	Ω	61.65054	-0.31590940	+0.83248360		
<i>e</i>	0.4093433	<i>i</i>	8.09502	-0.29004133	+0.37202987		
<i>P</i>	3.59	<i>H</i>	16.0	<i>G</i>	0.15		

From 17 observations 1994 Sept. 25–Oct. 30, mean residual 0^u.64.**1994 SO₅ = 1992 EX₃₅**

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams		P		Q	
<i>M</i>	65.29929	(2000.0)					
<i>n</i>	0.21197855	ω	163.19907	+0.39867552	+0.91699622		
<i>a</i>	2.7857455	Ω	130.29426	-0.84340136	+0.37228016		
<i>e</i>	0.0406173	<i>i</i>	0.99595	-0.36018325	+0.14326692		
<i>P</i>	4.65	<i>H</i>	15.0	<i>G</i>	0.15		

Residuals in seconds of arc

920306 809	0.0	0.0	940928 691	0.2+	0.1-	941012 691	0.2-	0.1-
920406 809	0.0	0.0	941004 691	0.1-	0.0	941012 691	0.0	0.0
940928 691	0.3-	0.1+	941004 691	0.2+	0.1-	941012 691	0.0	0.2+
940928 691	0.0	0.2-	941004 691	0.1+	0.2+			

1994 TE₁ = 1984 YJ₇ = 1987 SE₁₁ = 1989 CL₆ = 1990 RV₉

Id. K. Ichikawa, K. Kinoshita

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Ichikawa		P		Q	
<i>M</i>	196.07790	(2000.0)					
<i>n</i>	0.27523858	ω	39.78043	-0.99502998	-0.08028947		
<i>a</i>	2.3406143	Ω	135.50483	+0.05550449	-0.93828814		
<i>e</i>	0.0089921	<i>i</i>	4.82069	+0.08267161	-0.33640596		
<i>P</i>	3.58	<i>H</i>	13.4	<i>G</i>	0.15		

Residuals in seconds of arc

841228 010	1.5-	1.0+	900914 675	0.2-	0.3-	941002 400	0.0	0.7-
870930 033	0.7+	0.3-	900916 675	0.8+	0.9-	941003 400	0.4+	0.2+
870930 033	1.2+	0.2+	900916 675	1.5+	0.3-	941003 400	0.8+	0.3+
890204 033	0.1+	1.9-	900918 675	1.1-	0.2+	941007 400	0.5-	0.0
890204 033	0.1+	1.8-	900918 675	0.7-	0.4-	941007 400	1.1-	1.0-
900914 675	0.5-	0.5+	941002 400	0.1+	0.1-			

1994 TD₂ = 1955 OF = 1978 WL₁₆ = 1993 FL₁₆

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams		P		Q	
<i>M</i>	27.70653	(2000.0)					
<i>n</i>	0.30598028	ω	277.55559	+0.92107177	+0.38186544		
<i>a</i>	2.1810909	Ω	60.02249	-0.31350276	+0.84328632		
<i>e</i>	0.1899832	<i>i</i>	5.04636	-0.23096061	+0.37821551		
<i>P</i>	3.22	<i>H</i>	14.0	<i>G</i>	0.15		

Residuals in seconds of arc

550722 839	0.2+	0.6-	941010 596	0.7-	0.3-	941014 596	0.4-	1.4-
781130 675	0.4-	0.2-	941011 596	1.1-	1.3+	941027 596	0.7-	0.4+
781201 675	0.4+	0.2-	941011 596	0.5+	1.1+	941027 596	0.5-	0.2+
930317 809	1.4-	0.4+	941011 596	0.4+	0.6-	941027 596	0.6-	0.0
930318 809	0.1-	0.4-	941012 596	1.1+	0.6+	941031 596	0.3-	0.4+
930319 809	(5.3+ 6.2-)		941012 596	0.9+	0.3+	941031 596	0.2+	0.2-
930323 809	0.7+	1.8-	941012 596	0.0	0.2+	941031 596	0.6-	0.4+
941010 596	0.1-	0.2-	941014 596	0.5+	1.5-			
941010 596	0.5+	0.3-	941014 596	1.3+	1.5-			

1994 TH₂ = 1978 WC₅ = 1991 BS₁

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Ichikawa		P		Q	
<i>M</i>	62.38252	(2000.0)					
<i>n</i>	0.17719334	ω	187.67371	+0.39998052	+0.91554067		
<i>a</i>	3.1393359	Ω	105.91107	-0.83853277	+0.38424249		
<i>e</i>	0.1286173	<i>i</i>	2.52912	-0.36997077	+0.11892431		
<i>P</i>	5.56	<i>H</i>	12.1	<i>G</i>	0.15		

Residuals in seconds of arc

781129 675	0.4-	0.0	910119 511	2.2-	0.0	941002 400	0.2-	0.3-
781130 675	0.4+	0.1+	910119 511	(3.1- 0.0)		941003 400	0.0	0.0
910118 511	1.9+	0.7-	910120 511	1.6-	0.3+	941003 400	1.6-	0.7+
910118 511	0.3-	0.5+	910120 511	0.5+	0.1-	941007 400	1.2+	1.5+
910118 511	1.6+	0.2-	941002 400	1.3+	0.2-	941007 400	0.6-	1.8-

1994 TN₂ = 1971 VL = 1974 HQ₂ = 1977 DM₃ = 1986 PN₅Id. K. Ichikawa, K. Kinoshita; 1985 RK₅ = 1974 HQ₂ (*MPC* 14350) is invalid

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Kinoshita		P		Q	
<i>M</i>	32.52714	(2000.0)					
<i>n</i>	0.25524474	ω	224.76345	+0.75207100	+0.65532025		
<i>a</i>	2.4613017	Ω	94.15880	-0.58322945	+0.71140983		
<i>e</i>	0.1848430	<i>i</i>	4.04290	-0.30697332	+0.25387284		
<i>P</i>	3.86	<i>H</i>	13.5	<i>G</i>	0.15		

Residuals in seconds of arc

711110 029	0.0	0.9-	770219 381	0.9-	0.2-	941003 400	0.5+	0.6+
711110 029	0.3+	0.2-	770219 381	0.8+	0.6+	941007 400	1.7-	0.6+
740424 805	0.4+	0.9+	860808 095	0.7+	3.2-	941007 400	1.9-	0.6+
740425 805	0.4+	1.0+	941002 400	0.4-	1.5+	941011 397	0.5+	0.4-
770218 381	0.1+	1.2-	941002 400	0.9+	1.4+	941011 397	1.0+	0.9-
770218 381	0.9-	1.5-	941003 400	0.0	0.4-			

1994 TY₂ = 1990 SD₁₀

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Ichikawa

<i>M</i>	315.58216	(2000.0)	P	Q
<i>n</i>	0.25779635	ω 63.80857	+0.14663249	-0.98747675
<i>a</i>	2.4450338	Ω 18.04631	+0.82721156	+0.09014009
<i>e</i>	0.2730614	<i>i</i> 10.83077	+0.54242045	+0.12947751
<i>P</i>	3.82	<i>H</i> 13.4	<i>G</i> 0.15	

Residuals in seconds of arc

900917 675	0.0	0.2-	941002 400	0.2+	0.6+	941007 400	0.2-	0.4-
900917 675	0.4+	1.3+	941002 400	1.0-	0.1+	941007 400	1.2+	0.4-
900920 675	0.5+	0.3-	941003 400	0.9-	0.3+	941010 397	0.4+	0.2+
900920 675	0.9-	0.9-	941003 400	0.2-	0.4-	941010 397	0.5+	0.1+

1994 TA₃ = 1982 DF₇ = 1987 SZ₁₁ = 1987 SR₂₀ = 1987 UJ₇

Id. K. Ichikawa, K. Kinoshita

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Ichikawa

<i>M</i>	2.26218	(2000.0)	P	Q
<i>n</i>	0.28437231	ω 354.57690	+0.99767728	-0.06637299
<i>a</i>	2.2902234	Ω 9.27052	+0.06552553	+0.87367276
<i>e</i>	0.2096720	<i>i</i> 5.45668	+0.01861327	+0.48196529
<i>P</i>	3.47	<i>H</i> 13.8	<i>G</i> 0.15	

Residuals in seconds of arc

820220 033	0.9-	0.5+	870917 809	0.0	0.9+	941003 400	0.3+	0.6+
820220 033	0.0	0.3+	870917 809	0.8-	0.2+	941003 400	0.1+	1.3+
820221 033	(8.6-	2.7+)	870917 095	0.5-	1.7-	941007 400	0.4+	1.8-
820221 033	1.7+	0.6-	871023 095	1.1+	0.1-	941007 400	2.4-	0.4-
820221 033	0.5-	0.6+	941002 400	0.4+	0.7-	941010 397	1.0+	0.4+
870917 809	0.0	1.5+	941002 400	0.9+	0.0	941010 397	0.5-	0.5+

1994 TM₁₄ = 1985 CT₂

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Nakano

<i>M</i>	294.15045	(2000.0)	P	Q
<i>n</i>	0.27206555	ω 252.42492	-0.01520622	-0.99931140
<i>a</i>	2.3587777	Ω 198.54502	+0.95299543	-0.00424085
<i>e</i>	0.0670411	<i>i</i> 6.10866	+0.30260286	-0.03686097
<i>P</i>	3.62	<i>H</i> 13.3	<i>G</i> 0.15	

Residuals in seconds of arc

850215 809	0.4-	0.0	850218 809	0.2+	0.7-	941014 691	0.1+	0.1-
850215 809	0.4-	0.1-	941012 691	0.0	0.2+	941014 691	0.2+	0.1+
850215 809	0.9-	0.4-	941012 691	0.1-	0.1+	941025 894	1.8-	0.6-
850217 809	0.7+	0.5+	941012 691	0.1-	0.0	941025 894	0.3+	0.2-
850217 809	0.6+	0.5+	941014 691	0.2+	0.6+	941031 894	0.5+	0.8+
850217 809	0.4+	0.0	941014 691	0.3+	0.1-	941031 894	0.2+	0.6-
850218 809	0.3-	0.4+	941014 691	0.3-	0.2-			
850218 809	0.0	0.1-	941014 691	0.3+	0.1-			

1994 TC₁₅ = 1977 RJ₁ = 1985 DV = 1988 SM₁ = 1992 LZ

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Nakano

<i>M</i>	344.56973	(2000.0)	P	Q
<i>n</i>	0.17926902	ω 309.43784	+0.59675141	-0.78919190
<i>a</i>	3.1150562	Ω 103.32199	+0.77440612	+0.51903586
<i>e</i>	0.1803149	<i>i</i> 8.57753	+0.21019733	+0.32829549
<i>P</i>	5.50	<i>H</i> 12.2	<i>G</i> 0.15	

Residuals in seconds of arc

770907 095	0.6-	1.7-	920601 809	0.3+	0.5-	941025 410	0.3-	0.4+
850220 046	1.7-	2.2-	920603 809	0.0	0.4-	941025 410	0.1+	0.2-
850220 046	0.9+	3.1-	920603 809	0.4-	0.8-	941025 410	0.1-	0.7-
880916 807	1.6+	1.0-	920603 809	1.2-	0.5-	941030 410	0.2-	0.1-
880918 807	1.8+	1.2-	941014 410	0.6-	0.5-	941030 410	0.3+	0.1-
920601 809	0.5-	0.3-	941014 410	0.1-	0.1+	941030 410	0.1-	0.2-
920601 809	0.1+	0.2-	941014 410	0.4+	0.7-			

1994 TG₁₅ = 1978 GK = 1989 RE₁ = 1992 JH₄

Id. K. Ichikawa (k), S. Nakano

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Nakano

<i>M</i>	276.00928	(2000.0)	P	Q
<i>n</i>	0.21016332	ω 112.37524	-0.21130178	-0.97728541
<i>a</i>	2.8017632	Ω 349.78287	+0.85963811	-0.17789032
<i>e</i>	0.0703284	<i>i</i> 5.26363	+0.46516005	-0.11518797
<i>P</i>	4.69	<i>H</i> 12.3	<i>G</i> 0.15	

Residuals in seconds of arc

780413 809	0.2+	0.8+	890909 095	2.0-	0.1+	941013 894	0.2-	1.6+
780413 809	0.5+	0.7+	890909 095	2.0+	0.1-	941024 894	0.2-	0.2+
890903 511	1.6+	0.5+	920501 809	1.4+	0.0	941025 894	0.3+	0.1-
890903 511	0.2+	0.1-	920501 809	0.0	0.1+	941025 894	0.2+	0.3+
890907 511	1.6-	0.9-	920501 809	1.3-	0.2-			
890907 511	(3.4+	0.3+)	941013 894	1.1-	0.3-			

1994 UC = 1970 EL₃ = 1974 DY₁ = 1981 UJ₁₀ = 1990 WB₁₄

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Nakano

<i>M</i>	328.75988	(2000.0)	P	Q
<i>n</i>	0.22710054	ω 70.15112	+0.64147849	-0.76540408
<i>a</i>	2.6606675	Ω 339.67549	+0.63649025	+0.56856726
<i>e</i>	0.1621065	<i>i</i> 8.54242	+0.42823533	+0.30147614
<i>P</i>	4.34	<i>H</i> 12.3	<i>G</i> 0.15	

Residuals in seconds of arc

700310 805	1.1+	0.1+	941029 360	0.2-	0.2+	941031 540	0.3-	0.1+
700310 805	0.4+	0.4+	941029 540	0.2-	0.1+	941031 540	0.3-	0.1-
700310 805	0.2+	0.6-	941029 540	0.2-	0.0	941101 360	0.3-	0.1+
740217 095	2.1-	2.0+	941029 540	0.3-	0.1-	941101 360	0.5-	0.1+
811024 330	1.0+	0.0	941029 540	0.0	0.1+	941101 540	0.2+	0.3+
901120 095	0.4-	0.7-	941030 360	0.4-	0.1-	941101 540	0.0	0.2+
901120 095	2.1+	1.2-	941030 360	0.1+	0.1+	941101 540	0.3+	0.3+
941029 360	0.3-	0.2+	941031 540	0.1-	0.0			
941029 360	0.2-	0.4+	941031 540	0.2-	0.2-			

2648 P-L = 1994 TC₉

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Williams

<i>M</i>	322.74204	(2000.0)	P	Q
<i>n</i>	0.26157073	ω 22.63638	+0.44357930	-0.89598625
<i>a</i>	2.4214562	Ω 41.03950	+0.81727663	+0.39471618
<i>e</i>	0.1644924	<i>i</i> 1.84331	+0.36782648	+0.20348900
<i>P</i>	3.77	<i>H</i> 15.5	<i>G</i> 0.15	

Residuals in seconds of arc

600924 675	0.4-	0.0	601025 675	0.6+	0.3+	941010 691	0.1+	0.1-
600926 675	0.4+	0.0	601026 675	0.0	0.9-	941010 691	0.6-	0.1-
600928 675	1.2-	0.3-	941008 691	0.3+	0.1+	941010 691	0.0	0.1-

600929 675 1.3+ 0.2+ 941008 691 0.2+ 0.0
 601022 675 0.8- 0.8+ 941008 691 0.1- 0.1+

1146 T-1 = 1994 TY₈

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams			
<i>M</i>	89.04425	(2000.0)		P	Q
<i>n</i>	0.23024077	ω	78.77441	+0.14813270	+0.98857140
<i>a</i>	2.6364198	Ω	199.81011	-0.93653204	+0.13112999
<i>e</i>	0.0945266	<i>i</i>	4.73699	-0.31774903	+0.07437414
<i>P</i>	4.28	<i>H</i>	14.5	<i>G</i>	0.15

Residuals in seconds of arc

710324 675	0.3+	0.9-	710416 675	1.1+	1.1-	941010 691	0.2+	0.3-
710325 675	0.7-	1.1+	710513 675	1.0-	0.3-	941010 691	0.6-	0.2-
710325 675	1.1-	0.9+	710514 675	0.7+	1.0+	941010 691	0.0	0.3-
710326 675	1.4+	1.3-	710516 675	0.4+	1.0+	941012 691	0.2-	0.3+
710327 675	1.2-	1.0+	941008 691	0.3+	0.1-	941012 691	0.3-	0.1-
710402 675	0.4+	0.9+	941008 691	0.8+	1.0+	941012 691	0.4-	0.1+
710416 675	0.1-	1.8-	941008 691	0.1+	0.2-			

3306 T-1 = 1994 SD₁₀

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Williams			
<i>M</i>	37.89558	(2000.0)		P	Q
<i>n</i>	0.26746870	ω	136.25524	+0.56137332	+0.82751372
<i>a</i>	2.3857269	Ω	167.88634	-0.77058431	+0.52665773
<i>e</i>	0.2109652	<i>i</i>	2.45852	-0.30176120	+0.19455763
<i>P</i>	3.68	<i>H</i>	15.5	<i>G</i>	0.15

Residuals in seconds of arc

710324 675	0.7+	0.2+	710402 675	0.2+	1.8+	941004 691	0.0	0.0
710325 675	1.1-	0.4-	940928 691	0.3-	0.2-	941012 691	0.0	0.6+
710326 675	0.3-	0.6-	940928 691	0.0	0.3-	941012 691	0.0	0.0
710326 675	0.5+	0.9+	940928 691	0.0	0.2-	941012 691	0.2+	0.1-
710327 675	0.1-	1.9-	941004 691	0.2+	0.2+			

1002 T-2 = 1993 FQ₇₇

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Kobayashi			
<i>M</i>	312.44317	(2000.0)		P	Q
<i>n</i>	0.27879579	ω	17.83395	+0.90174991	-0.43224233
<i>a</i>	2.3206621	Ω	7.77905	+0.39318674	+0.81665754
<i>e</i>	0.1093073	<i>i</i>	1.56545	+0.17958647	+0.38240950
<i>P</i>	3.54	<i>H</i>	15.4	<i>G</i>	0.15

Residuals in seconds of arc

730919 675	0.1+	0.1-	730924 675	0.5+	1.2-	730925 675	0.5-	2.0+
730919 675	0.7+	0.5-	730924 675	(1.4-	3.4+)	730929 675	1.0+	0.9-
730920 675	1.2-	0.8+	730925 675	0.3-	1.5-	730929 675	0.0	0.6-
730924 675	1.4+	0.7-	730925 675	1.6-	2.2+	930321 809	0.4-	0.8-
730924 675	(1.9-	3.6+)	730925 675	0.1-	0.5+	930322 809	0.3+	0.6+

1031 T-2 = 1994 RU₁₀

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Kobayashi			
<i>M</i>	353.99906	(2000.0)		P	Q
<i>n</i>	0.28172018	ω	180.84521	+0.99905571	-0.04331256
<i>a</i>	2.3045745	Ω	181.64891	+0.04052796	+0.95741808
<i>e</i>	0.1265064	<i>i</i>	6.83255	+0.01565826	+0.28543764
<i>P</i>	3.50	<i>H</i>	16.1	<i>G</i>	0.15

Residuals in seconds of arc

730919 675	1.4+	1.1-	730929 675	0.8+	0.7-	731005 675	0.3+	0.8-
730919 675	0.1+	0.0	730929 675	0.1-	2.3+	731005 675	0.4-	1.2-
730920 675	0.5-	1.3-	730930 675	2.0-	0.9+	940912 691	0.5-	0.4+
730924 675	0.2+	1.5-	730930 675	0.6+	1.6+	940912 691	0.0	0.4+
730924 675	1.2-	2.1-	731004 675	0.1+	0.1+	940912 691	0.1-	0.2+
730925 675	0.9+	0.8+	731004 675	0.2+	0.0	940914 691	0.2+	0.4+
730929 675	1.3+	0.1+	731004 675	0.8-	2.2-	940914 691	0.1-	0.5+
730929 675	0.3-	0.3+	731004 675	0.0	2.7+	940914 691	0.3-	0.3+

1197 T-2 = 1994 GR₇

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Kobayashi			
<i>M</i>	346.41003	(2000.0)		P	Q
<i>n</i>	0.27243279	ω	63.19718	+0.13106059	+0.99122466
<i>a</i>	2.3566575	Ω	214.34727	-0.92006542	+0.11514360
<i>e</i>	0.2073573	<i>i</i>	1.74977	-0.36919201	+0.06492786
<i>P</i>	3.62	<i>H</i>	15.3	<i>G</i>	0.15

Residuals in seconds of arc

730919 675	0.8+	0.8-	730929 675	1.6+	0.3+	940412 691	0.7-	0.2-
730919 675	0.7+	0.3+	730929 675	0.7+	0.4-	940412 691	0.5-	0.2-
730920 675	0.4+	1.1+	730930 675	0.7+	1.5+	940412 691	0.4-	0.0
730924 675	1.5-	0.2+	731004 675	1.6+	0.7+	940415 691	0.2+	0.1-
730924 675	1.7-	0.9+	731004 675	0.2+	0.6-	940415 691	0.6+	0.1+
730925 675	1.4-	2.0-	731005 675	0.2-	1.2-	940415 691	0.6+	0.2+
730925 675	1.3-	0.4+	731005 675	0.7-	0.9-			

1237 T-2 = 1993 SP₁₂

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Kobayashi			
<i>M</i>	312.62898	(2000.0)		P	Q
<i>n</i>	0.19691998	ω	130.98603	-0.52133531	-0.85334166
<i>a</i>	2.9260126	Ω	350.43317	+0.77518350	-0.47152495
<i>e</i>	0.0357730	<i>i</i>	1.44223	+0.35679131	-0.22242353
<i>P</i>	5.01	<i>H</i>	14.0	<i>G</i>	0.15

Residuals in seconds of arc

730919 675	0.3-	1.0-	730929 675	1.5+	0.5+	731005 675	0.7-	0.4+
730919 675	0.2+	0.7+	730929 675	1.0+	0.7-	930916 809	1.9+	0.6+
730920 675	0.2+	0.2+	730930 675	0.9+	2.3+	930916 809	0.3+	1.1+
730924 675	0.6-	0.4+	730930 675	1.9+	0.9+	930916 809	0.4-	0.2-
730924 675	0.8-	0.5-	731004 675	0.4+	0.9-	930923 809	0.5+	1.0+
730925 675	1.3-	1.6-	731004 675	0.8-	0.2+	930923 809	0.6-	0.1-
730925 675	0.6-	0.5-	731005 675	0.9-	0.6-	930923 809	1.9-	2.3-

1316 T-2 = 1992 SY₂

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

		Kobayashi			
<i>M</i>	147.69100	(2000.0)		P	Q
<i>n</i>	0.25786960	ω	19.15757	+0.75474021	-0.65595115
<i>a</i>	2.4445708	Ω	21.84342	+0.59841330	+0.68228657
<i>e</i>	0.1857518	<i>i</i>	1.50345	+0.26882846	+0.32282056
<i>P</i>	3.82	<i>H</i>	16.5	<i>G</i>	0.15

Residuals in seconds of arc

730919 675	0.3+	0.1+	730925 675	0.3+	0.7+	731005 675	1.1-	0.3+
730919 675	0.0	1.9+	730925 675	1.4+	1.8-	731005 675	0.1+	1.8+
730919 675	0.1-	0.2+	730925 675	0.8-	0.8-	920924 691	0.1+	0.0
730919 675	1.4-	1.1+	730929 675	0.3+	0.2-	920924 691	0.1+	0.0

730924 675	0.3-	0.1+	730929 675	0.8-	0.3+	920924 691	0.0	0.0
730924 675	0.9-	0.9-	730930 675	(3.4-	1.1-)	920925 691	0.4+	0.1-
730924 675	1.5+	0.1+	730930 675	0.2+	0.7-	920925 691	0.3-	0.0
730924 675	0.5-	0.6-	731004 675	1.0-	0.7-	920925 691	0.1-	0.1+
730925 675	1.4+	1.2-	731004 675	1.6+	0.5+			

1362 T-2 = 1994 TC₄

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Williams

<i>M</i>	312.48229		(2000.0)	P	Q			
<i>n</i>	0.28205748	ω	46.19317	+0.54196166	-0.84014272			
<i>a</i>	2.3027368	Ω	11.04591	+0.73630848	+0.46268406			
<i>e</i>	0.1022798	<i>i</i>	6.26938	+0.40512637	+0.28299057			
<i>P</i>	3.49	<i>H</i>	16.5	<i>G</i>	0.15			

Residuals in seconds of arc

730919 675	1.4-	0.8-	730929 675	1.4+	1.0-	941002 691	0.4+	0.7-
730919 675	0.8+	1.2+	730930 675	0.9-	0.4-	941006 691	0.2+	0.1+
730919 675	0.6+	0.6+	730930 675	0.7+	0.4+	941006 691	0.1-	0.3-
730920 675	2.0-	1.9+	731004 675	0.3+	0.5+	941006 691	0.1-	0.1+
730924 675	1.3+	0.8-	731004 675	0.4-	0.2+	941011 691	0.4-	1.0+
730924 675	0.6-	0.5+	731005 675	1.1+	1.2-	941011 691	0.8-	1.1+
730925 675	1.6-	0.5-	731005 675	1.6+	0.5-	941011 691	0.7-	1.0+
730925 675	0.6-	0.1-	941002 691	0.7+	0.6-			
730929 675	0.2+	0.7-	941002 691	0.3+	0.8-			

1401 T-2 = 1994 AO₅

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Kobayashi

<i>M</i>	253.76758		(2000.0)	P	Q			
<i>n</i>	0.26131579	ω	334.85134	+0.29822716	+0.95417116			
<i>a</i>	2.4230308	Ω	312.48912	-0.86993469	+0.26099737			
<i>e</i>	0.1782114	<i>i</i>	1.93188	-0.39277753	+0.14641643			
<i>P</i>	3.77	<i>H</i>	15.9	<i>G</i>	0.15			

Residuals in seconds of arc

730919 675	0.6+	0.3-	730930 675	1.5-	0.2-	940105 691	1.0+	0.5+
730924 675	1.5+	2.1-	730930 675	1.6-	1.3+	940117 691	0.1-	0.3-
730924 675	0.3+	1.7-	731004 675	1.6+	0.1-	940117 691	0.4+	0.2-
730925 675	1.4-	2.0+	731004 675	0.4+	2.1-	940117 691	0.5-	0.4-
730929 675	0.5+	2.1+	940105 691	0.1+	0.3+			
730929 675	0.3-	1.1+	940105 691	0.7-	0.1+			

2330 T-2 = 1993 SN₁₃

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Kobayashi

<i>M</i>	339.69083		(2000.0)	P	Q			
<i>n</i>	0.24565326	ω	110.59186	-0.42658468	-0.90442493			
<i>a</i>	2.5249592	Ω	4.67411	+0.79777794	-0.37960241			
<i>e</i>	0.0692957	<i>i</i>	4.51048	+0.42611721	-0.19472432			
<i>P</i>	4.01	<i>H</i>	14.9	<i>G</i>	0.15			

Residuals in seconds of arc

730920 675	1.4+	0.0	730930 675	2.5+	1.2-	930916 809	1.3+	0.8-
730924 675	2.1-	0.6+	731004 675	0.0	0.0	930916 809	2.7+	0.1-
730924 675	1.0-	2.0+	731004 675	1.2-	0.7+	930923 809	1.1-	1.0+
730925 675	1.2-	0.4-	731005 675	0.4-	0.5+	930923 809	1.9-	0.2-
730925 675	0.3+	0.3-	731005 675	0.6+	0.3-	930923 809	2.5-	0.7-
730930 675	1.3+	1.8-	930916 809	1.4+	1.0+			

3141 T-2 = 1991 HK₃ = 1994 AU₁₂

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Kobayashi

<i>M</i>	255.23312		(2000.0)	P	Q			
<i>n</i>	0.26224917	ω	274.06678	+0.41241081	+0.91086176			
<i>a</i>	2.4172782	Ω	20.31203	-0.81678544	+0.37736374			
<i>e</i>	0.1787267	<i>i</i>	2.60107	-0.40345862	+0.16711510			
<i>P</i>	3.76	<i>H</i>	15.6	<i>G</i>	0.15			

Residuals in seconds of arc

730919 675	0.1-	1.0-	730929 675	1.6-	2.3-	910419 809	0.7+	0.8-
730919 675	1.1-	0.1-	730929 675	(0.9+	3.1+)	910419 809	0.0	0.7-
730924 675	0.5-	1.2-	730930 675	0.1+	0.7+	910419 809	1.9-	1.2-
730924 675	0.1-	1.1-	730930 675	0.2-	0.2-	940111 691	0.1-	0.0
730925 675	(1.3-	3.4-)	731004 675	1.8+	0.5+	940111 691	0.3+	0.5-
730925 675	0.2+	2.0+	731004 675	1.3+	1.0+	940111 691	0.4+	0.6-
730925 675	(3.8-	2.8-)	731005 675	1.1-	0.1+	940116 691	0.5-	0.1+
730925 675	0.3+	0.1+	731005 675	2.1+	0.9-	940116 691	0.3-	0.1-
730929 675	0.1+	0.9-	731005 675	0.1+	1.0-	940116 691	0.2-	0.3-
730929 675	0.1+	2.5+	731005 675	0.0	1.2-			

3357 T-2 = 1991 EY₂

Id. T. Kobayashi

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Nakano

<i>M</i>	84.37562		(2000.0)	P	Q			
<i>n</i>	0.30389152	ω	49.89425	-0.08012671	-0.99670347			
<i>a</i>	2.1910737	Ω	44.70666	+0.90894108	-0.07829911			
<i>e</i>	0.1141140	<i>i</i>	1.03638	+0.40915256	-0.02124706			
<i>P</i>	3.24	<i>H</i>	14.6	<i>G</i>	0.15			

Residuals in seconds of arc

730919 675	0.4+	1.0-	730924 675	0.7-	0.4+	910313 809	0.1+	0.5-
730919 675	0.2-	0.5+	730925 675	0.1+	1.9-	910313 809	0.4+	0.0
730919 675	0.3-	0.2+	730925 675	0.6-	0.1+	910313 809	0.7+	0.1+
730919 675	0.1+	1.0+	910311 809	1.3-	0.1+	940105 399	0.9-	0.4+
730920 675	1.8+	0.2-	910311 809	0.3-	0.0	940105 399	0.9+	0.3-
730924 675	0.5-	0.7+	910311 809	0.3+	0.0			

4064 T-2 = 1991 XZ₂

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5

Kobayashi

<i>M</i>	239.76259		(2000.0)	P	Q			
<i>n</i>	0.28384652	ω	322.34232	-0.75879947	-0.65127776			
<i>a</i>	2.2930507	Ω	176.98501	+0.62776707	-0.73448910			
<i>e</i>	0.0307584	<i>i</i>	8.51393	+0.17358531	-0.19069096			
<i>P</i>	3.47	<i>H</i>	14.5	<i>G</i>	0.15			

Residuals in seconds of arc

730919 675	0.1-	0.7-	730925 675	1.5+	0.6-	731005 675	1.1-	0.1-
730919 675	0.0	1.7+	730925 675	0.4-	0.3+	911207 809	1.3+	0.3-
730919 675	0.3-	1.1-	730929 675	2.0+	1.6-	911207 809	0.5-	0.0
730919 675	0.0	0.6+	730930 675	0.5+	1.1-	911207 809	1.4-	0.7+
730920 675	0.2+	1.7+	730930 675	0.2+	0.6-	911209 809	1.1+	0.7+
730920 675	0.2-	0.0	731004 675	1.5-	0.6+	911209 809	0.7-	0.3+
730924 675	0.3-	0.3+	731004 675	0.2-	1.3+	911209 809	0.1+	1.3-
730924 675	0.4+	0.8-	731005 675	0.6-	0.0			

3123 T-3 = 1993 RK₁₁

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Kobayashi

<i>M</i>	165.15242	(2000.0)	P	Q
<i>n</i>	0.18081326	ω 59.66905	-0.35667066	+0.93395370
<i>a</i>	3.0972947	Ω 189.51812	-0.89738880	-0.34926826
<i>e</i>	0.0433013	<i>i</i> 7.89979	-0.25976792	-0.07577710
<i>P</i>	5.45	<i>H</i> 13.8	<i>G</i> 0.15	

Residuals in seconds of arc

771007 675	0.3-	1.1-	771016 675	0.3+	0.8+	930914 809	0.2+	2.4-
771011 675	0.8+	0.0	771017 675	0.0	2.1+	930914 809	1.6+	1.0+
771011 675	0.6+	1.1+	771017 675	1.7-	1.4+	930914 809	0.1-	0.8+
771012 675	0.9+	0.8-	771021 675	0.2+	0.4-	930919 809	0.3-	0.2-
771012 675	0.3-	0.5-	771021 675	0.9-	0.1-	930919 809	0.8-	0.1-
771016 675	0.1-	0.7-	771022 675	0.4+	1.7-	930919 809	0.6-	1.1+

3517 T-3 = 1994 TZ₁

Id. G. V. Williams, T. Kobayashi

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Nakano

<i>M</i>	345.72972	(2000.0)	P	Q
<i>n</i>	0.23227058	ω 353.57968	+0.88286803	-0.46918160
<i>a</i>	2.6210376	Ω 34.42505	+0.43245153	+0.79536355
<i>e</i>	0.1096109	<i>i</i> 2.05927	+0.18311118	+0.38375182
<i>P</i>	4.24	<i>H</i> 14.0	<i>G</i> 0.15	

Residuals in seconds of arc

771007 675	0.7+	2.3-	771017 675	1.0-	0.5-	941004 114	1.1-	1.7-
771011 675	0.4-	1.1+	771021 675	0.7+	1.0+	941005 114	(4.0-	1.2-)
771011 675	0.2-	0.5+	771021 675	0.7-	0.2+	941007 114	1.1-	1.9+
771012 675	0.7+	0.5+	771022 675	1.0+	0.6-	941008 114	1.1+	1.4+
771012 675	0.3+	2.1+	771022 675	1.4+	2.2-	941009 114	1.0-	0.7+
771016 675	0.1-	0.2+	941003 114	0.0	1.5-	941010 114	1.3+	1.2+
771016 675	0.8-	1.1-	941003 114	2.6+	1.4+			
771017 675	0.6-	0.9-	941004 114	2.6-	1.3-			

3813 T-3 = 1993 RH₁₃

Epoch 1994 Sept. 5.0 TT = JDT 2449600.5 Kobayashi

<i>M</i>	95.73942	(2000.0)	P	Q
<i>n</i>	0.24431135	ω 316.60246	+0.94913104	+0.31464733
<i>a</i>	2.5341965	Ω 25.06565	-0.28050298	+0.86239178
<i>e</i>	0.1575705	<i>i</i> 1.64176	-0.14306763	+0.39658225
<i>P</i>	4.03	<i>H</i> 16.5	<i>G</i> 0.15	

Residuals in seconds of arc

771007 675	0.2+	1.1+	771016 675	0.8+	0.6+	930914 809	0.5+	1.0-
771011 675	2.0-	0.6+	771016 675	0.7-	1.0-	930914 809	1.9-	0.4+
771011 675	1.0-	0.0	771017 675	0.8+	0.3+	930919 809	0.3-	0.5-
771012 675	0.5+	0.6-	771017 675	0.4+	0.8-	930919 809	1.6-	0.5-
771012 675	0.9+	0.1-	930914 809	1.7+	0.1-	930919 809	1.6+	1.6+

Object	<i>H</i>	Epoch	<i>M</i>	ω	Ω	<i>i</i>	<i>e</i>	<i>a</i>	Obs.	Opp.	Arc	rms	Computer	<i>MPC</i>	Object
1966 CM	12.5	940905	238.56962	356.18597	149.74983	14.03282	0.1103336	2.6414212	6	2	1966-1985	1.16	Bowell	16227	1966 CM
1971 BD ₃	12.8	940905	333.18272	171.65308	249.26947	3.75143	0.1497992	2.5613949	28	5	1971-1994	0.95	Nakano	24116	1971 BD ₃
1971 TY ₂	12.5	940905	289.43141	181.22666	280.70923	8.96644	0.2306306	2.7865316	24	4	1971-1994	0.68	Williams	24116	1971 TY ₂
1971 UN	13.0	940905	23.40743	294.76045	37.52619	7.69765	0.2372904	2.4529592	27	3	1971-1994	0.54	Williams	24116	1971 UN
1973 QG ₂	13.0	940905	318.40079	329.22598	47.54438	2.83870	0.2007332	3.0495447	12	4	1973-1994	0.92	Nakano	24099	1973 QG ₂
1973 SR ₆	13.5	940905	351.91776	27.65166	23.94676	13.24907	0.1807808	2.5854506	9	6	1971-1994	0.94	Williams	22072	1973 SR ₆
1975 RA ₂	13.0	940905	18.48164	314.43180	25.69012	23.67056	0.2247515	2.4234475	27	4	1955-1994	0.41	Williams	24116	1975 RA ₂
1975 TC ₆	12.5	940905	215.78689	134.92811	24.16437	9.26787	0.1749398	2.4437112	20	5	1958-1994	0.75	Williams	21963	1975 TC ₆
1976 GD ₂	13.5	940905	145.74912	22.48416	203.02611	8.36093	0.1377920	2.2484023	28	6	1953-1994	0.78	Williams	22429	1976 GD ₂
1976 WC	14.2	940905	323.31485	292.49294	164.28035	21.78743	0.3495201	2.3566277	30	4	1976-1994	0.90	Bowell	21964	1976 WC
1977 AW ₂	12.8	940905	24.05369	6.07581	346.52642	3.41040	0.1081710	2.7958172	9	4	1970-1994	0.83	Nakano	18413	1977 AW ₂
1977 EZ	12.7	940905	305.21480	154.93364	329.52516	12.49795	0.0989976	2.3872865	13	4	1929-1993	1.79	Nakano	23968	1977 EZ
1978 QC ₃	12.4	940905	49.68022	292.13737	133.73557	12.65121	0.1684746	2.8445193	25	7	1966-1994	0.78	Bowell	23245	1978 QC ₃
1978 SE ₅	13.5	940905	349.93504	145.05640	204.39957	8.97503	0.0592652	2.5555661	18	4	1978-1994	1.02	Williams	21964	1978 SE ₅
1978 TO ₈	12.5	940905	357.83027	164.04148	214.50849	0.87542	0.1972369	3.0621615	29	5	1978-1994	0.71	Williams	24116	1978 TO ₈
1978 UN ₅	14.7	940905	17.75003	301.40696	11.04598	5.16786	0.2559704	2.5381533	21	4	1978-1994	0.82	Bowell	20807	1978 UN ₅
1978 VZ ₂	14.5	940905	280.51008	22.97858	67.45161	1.66587	0.0854604	2.5675717	19	5	1978-1994	0.91	Williams	23787	1978 VZ ₂
1979 MX ₆	13.5	940905	89.47197	1.88001	254.14015	6.39331	0.0877057	2.3676793	28	4	1979-1994	0.89	Williams	24116	1979 MX ₆
1979 US	13.0	940905	81.03319	35.00892	8.59765	3.75563	0.1361682	2.7617766	32	5	1953-1993	0.82	Bowell	22948	1979 US
1980 EB	13.9	940905	241.65824	211.12269	2.77254	2.03816	0.0929726	2.4497674	11	4	1954-1984	1.46	Bowell	22429	1980 EB
1980 FU	14.5	940905	20.61158	241.18370	344.21144	6.83974	0.1143122	2.2920130	24	6	1966-1991	0.81	Williams	22429	1980 FU
1980 PF	13.9	940905	47.72899	17.55491	312.57755	8.30674	0.1612544	2.2625583	28	6	1980-1994	0.95	Bowell	21966	1980 PF
1980 PB ₁	14.0	940905	356.13682	169.28299	169.06743	9.15727	0.1467037	2.3005047	23	4	1976-1994	0.77	Williams	23990	1980 PB ₁
1981 EK ₇	13.0	940905	43.44813	74.44470	221.88537	4.33246	0.1461259	3.1498885	33	6	1978-1994	1.00	Williams	23787	1981 EK ₇
1981 EO ₉	12.5	940905	328.37974	18.34777	324.35482	10.62293	0.1555370	3.2050754	25	5	1949-1994	0.85	Williams	24116	1981 EO ₉
1981 EC ₁₀	14.5	940905	123.28762	32.47922	211.03858	6.95585	0.1334849	3.0894305	25	3	1978-1994	0.65	Williams	22429	1981 EC ₁₀
1981 EY ₁₀	14.5	940905	0.88366	171.16396	210.17998	3.09088	0.1081196	2.4183478	26	3	1981-1994	0.88	Williams	24116	1981 EY ₁₀

1981 EW ₁₃	15.0	940905	223.86275	242.26905	271.51446	1.77127	0.0775817	2.4287105	31	4	1978-1994	0.89	Williams	22696	1981 EW ₁₃
1981 ET ₂₂	14.0	940905	273.34591	88.80755	26.88300	2.58937	0.1586077	2.3962870	34	4	1981-1994	0.89	Williams	23788	1981 ET ₂₂
1981 EH ₂₃	14.5	940905	287.48184	163.93531	274.35666	1.06599	0.1209737	2.4255763	26	4	1977-1994	0.69	Williams	23990	1981 EH ₂₃
1981 EY ₂₇	14.2	940905	18.57476	301.66768	5.91479	11.78250	0.1826168	2.5271462	27	3	1981-1994	0.89	Bowell	23990	1981 EY ₂₇
1981 EY ₃₅	14.1	940905	282.39440	232.19248	2.26537	3.89060	0.1416629	2.2820322	36	5	1953-1989	0.76	Bowell	21967	1981 EY ₃₅
1981 EL ₄₁	15.0	940905	189.40652	167.16044	4.46092	10.32207	0.0106989	3.0702637	14	3	1978-1994	0.95	Williams	22697	1981 EL ₄₁
1981 GP	13.5	940905	302.51036	103.06577	12.24071	22.56437	0.3178357	2.3536418	29	5	1981-1994	0.96	Williams	24116	1981 GP
1981 UR ₂₇	11.8	940905	157.73661	202.67194	13.14488	13.46243	0.1102232	2.6599261	11	3	1949-1994	0.80	Nakano	24100	1981 UR ₂₇
1981 UQ ₂₉	13.4	940905	86.86083	179.11948	251.48624	1.25427	0.2021159	2.4678085	26	6	1956-1994	0.93	Bowell	23347	1981 UQ ₂₉
1982 BA	12.5	940905	308.27409	340.93869	142.58680	14.41013	0.1130954	2.6866481	26	5	1953-1994	0.75	Williams	22271	1982 BA
1982 UM ₂	14.0	940905	337.43722	250.87536	158.92092	2.26224	0.1406815	2.5211585	24	5	1954-1994	1.04	Williams	22492	1982 UM ₂
1982 US ₆	13.5	940905	1.14866	323.61339	46.77192	8.06435	0.1573616	2.5356225	25	5	1982-1994	0.95	Williams	24116	1982 US ₆
1983 AD	12.7	940905	278.73141	64.12171	73.00458	10.01959	0.1228951	2.5627605	20	7	1977-1994	0.84	Bowell	21969	1983 AD
1983 EV	13.0	940905	212.06299	145.61659	11.85920	3.63039	0.1123954	2.7253770	29	5	1981-1994	0.85	Williams	22075	1983 EV
1983 LL	14.0	940905	64.44145	12.14323	276.15866	4.99545	0.1231407	2.2936283	19	6	1970-1994	0.84	Williams	23536	1983 LL
1983 OD	13.7	940905	0.87440	215.36768	132.01877	13.80334	0.2311218	2.3644163	38	4	1983-1994	0.66	Bowell	24117	1983 OD
1983 VN ₇	13.0	940905	11.14572	236.59123	146.35246	1.64614	0.1858654	3.0806642	38	6	1983-1994	0.98	Williams	22824	1983 VN ₇
1983 XG	12.1	940905	5.65713	162.13928	208.99911	4.84064	0.1579683	3.1833594	33	4	1983-1994	0.88	Nakano	24117	1983 XG
1983 XW	12.5	940905	340.02535	10.12023	35.26646	0.40825	0.2058181	3.1940802	43	6	1953-1994	0.81	Williams	24117	1983 XW
1984 SB ₁	14.0	940905	40.59520	330.20647	351.97505	5.98143	0.1862631	2.2115199	17	3	1984-1994	0.73	Williams	24117	1984 SB ₁
1984 WM ₁	14.0	940905	282.31373	121.89678	332.42044	5.76268	0.1109527	2.2678912	19	7	1972-1994	0.91	Williams	22076	1984 WM ₁
1985 BH	13.0	940905	36.66506	261.97052	111.71565	5.66251	0.1551049	2.2525631	26	9	1955-1994	0.95	Williams	23788	1985 BH
1985 CH ₁	13.0	940905	275.78440	116.94391	17.05382	3.74263	0.1186553	2.3032232	35	7	1950-1994	0.88	Williams	23788	1985 CH ₁
1985 CN ₁	13.3	940905	264.29704	143.70850	13.17609	3.17736	0.0993339	2.2994995	64	4	1978-1994	0.57	Nakano	23788	1985 CN ₁
1985 CV ₁	13.0	940905	234.19896	109.60562	44.13894	1.93013	0.1338968	3.2110422	46	3	1985-1994	0.50	Williams	23132	1985 CV ₁
1985 CA ₂	13.5	940905	32.35098	300.50703	125.48711	5.11545	0.0922016	2.2217363	63	5	1954-1992	0.59	Williams	23683	1985 CA ₂
1985 QH ₅	13.5	940905	329.68562	248.25175	176.84953	1.90814	0.2383140	2.6780957	34	5	1954-1994	0.59	Williams	22076	1985 QH ₅
1985 TB ₁	12.7	940905	257.00912	203.34346	238.37503	1.09744	0.0427233	2.8297805	12	4	1978-1994	1.13	Bowell	20012	1985 TB ₁
1986 JC	13.9	940905	89.13910	176.23920	101.83637	8.32394	0.2399193	2.3390593	15	4	1954-1993	0.69	Bowell	22430	1986 JC
1986 PX ₄	13.5	940905	24.93527	313.17917	28.74487	1.15821	0.2125605	2.4434583	30	5	1986-1994	0.93	Williams	24117	1986 PX ₄
1986 TG ₁	13.5	940905	355.00014	357.97858	359.12049	14.93748	0.1257224	2.5651918	13	3	1986-1994	0.69	Williams	21970	1986 TG ₁
1986 TW ₉	13.0	940905	334.37592	70.83637	300.54514	5.81910	0.2308646	2.5738493	17	5	1953-1994	0.74	Williams	23868	1986 TW ₉
1986 XT	14.0	940905	352.58142	18.09618	355.17378	3.30567	0.2952297	2.5610587	34	4	1986-1994	1.02	Nakano	24117	1986 XT
1987 HM ₁	12.0	940905	36.42711	247.87403	35.58891	11.58028	0.0692790	3.2238626	22	5	1981-1994	0.62	Williams	23669	1987 HM ₁
1987 QH ₃	14.0	940905	327.59183	38.95870	356.22508	6.30901	0.1404434	2.2840212	26	4	1984-1994	0.89	Williams	24117	1987 QH ₃
1987 SG ₃	14.3	940905	7.53933	120.93891	187.46461	22.24931	0.3181370	2.3398491	26	3	1951-1994	0.71	Bowell	24117	1987 SG ₃
1987 SV ₃	14.2	940905	2.18693	332.00998	3.90037	9.22127	0.1601195	2.3218176	31	3	1980-1994	0.70	Bowell	24117	1987 SV ₃
1987 SC ₄	14.5	940905	22.81543	72.66266	284.61862	4.76508	0.2307604	2.2539661	18	5	1953-1994	0.80	Williams	22272	1987 SC ₄
1987 SU ₁₇	13.5	940905	6.55996	120.82406	214.74363	6.34012	0.1317484	2.3427702	13	3	1987-1994	0.73	Williams	23990	1987 SU ₁₇
1987 UT	14.9	940905	350.08929	49.09767	296.26264	4.12852	0.2402747	2.3323579	14	2	1987-1994	0.42	Bowell	24117	1987 UT
1987 VQ	14.5	940905	273.39307	261.46702	191.52671	1.61030	0.1755308	2.3817379	22	3	1987-1994	0.74	Williams	24117	1987 VQ
1988 AW ₁	12.5	940905	325.82913	37.84575	311.87321	12.75273	0.1439487	2.5980926	34	4	1986-1994	1.01	Williams	23133	1988 AW ₁
1988 CH ₃	13.0	940905	131.95602	297.38701	291.51766	13.00430	0.1494876	2.6369129	21	1	149 days	0.87	Williams	13468	1988 CH ₃
1988 CX ₃	13.6	940905	304.13908	210.99581	244.34277	5.48162	0.0942043	2.4430527	19	4	1975-1994	0.83	Nakano	17635	1988 CX ₃
1988 CT ₅	12.5	940905	30.87150	1.21233	319.74940	13.28931	0.1733020	2.5798318	42	5	1973-1994	0.82	Williams	24117	1988 CT ₅
1988 EL	13.5	940905	230.53933	191.33800	350.74068	18.55881	0.0468992	1.8245743	28	4	1988-1994	0.66	Williams	21971	1988 EL
1988 GB	16.5	940905	88.69736	222.38984	21.89522	19.27991	0.3328508	1.9747651	33	2	1988-1994	0.97	Williams	23991	1988 GB
1988 LC	12.7	940905	204.31917	50.82094	162.09390	13.28898	0.1803750	2.6152359	22	4	1958-1993	0.90	Nakano	23789	1988 LC
1988 PZ ₁	13.0	940905	24.76136	318.20697	24.37785	0.49030	0.1725152	3.1773340	21	4	1979-1994	0.88	Williams	21971	1988 PZ ₁
1988 RE ₂	13.0	940905	350.55507	284.02524	118.06298	1.99998	0.1961726	3.1197861	37	3	1988-1994	0.76	Williams	22969	1988 RE ₂
1988 RD ₅	12.5	940905	354.17085	330.00509	53.22763	1.93929	0.1764099	3.1381449	51	8	1954-1994	0.86	Williams	24117	1988 RD ₅
1988 VO ₅	14.0	940905	154.12428	48.94760	55.93538	6.82896	0.1689246	2.4090412	23	3	1988-1994	0.78	Williams	23684	1988 VO ₅

1989 BG	13.5	940905	110.36582	279.14207	330.51929	7.57096	0.0643165	2.2891966	23	4	1987-1994	0.93	Williams	24117	1989 BG
1989 CS ₂	14.0	940905	96.29335	50.07681	198.51663	6.54507	0.0647709	2.3392674	17	4	1987-1994	0.48	Williams	23537	1989 CS ₂
1989 OM	13.5	940905	355.27847	288.81726	26.15070	17.09022	0.2847126	2.9392369	20	2	1989-1994	0.34	Williams	23972	1989 OM
1989 SJ ₁	15.5	940905	97.77232	267.03496	74.43800	3.72375	0.2206242	2.5420378	18	3	1981-1993	0.83	Nakano	20504	1989 SJ ₁
1989 SE ₂	13.0	940905	149.58224	163.09300	76.18911	5.25216	0.0471359	2.8107719	35	4	1989-1994	0.97	Williams	24101	1989 SE ₂
1989 SR ₂	13.5	940905	300.50663	342.02043	99.70299	3.37075	0.0436283	2.8948802	32	3	1989-1994	0.78	Williams	22969	1989 SR ₂
1989 TT ₁₁	12.5	940905	354.69377	176.76471	202.59550	1.54448	0.0763695	2.8919185	21	5	1974-1994	0.87	Williams	24118	1989 TT ₁₁
1989 US ₃	13.0	940905	67.35280	128.87259	214.58111	2.08664	0.1018574	2.7510136	24	4	1952-1992	0.93	Williams	24102	1989 US ₃
1989 VA	17.4	940905	85.74091	2.78924	225.66069	28.78666	0.5947643	0.7286701	27	2	1989-1994	0.78	Nakano	24102	1989 VA
1989 WN ₁	12.5	940905	20.52909	287.86331	61.99380	10.20530	0.1219961	2.9959488	19	6	1978-1994	0.74	Williams	18294	1989 WN ₁
1990 BK	12.6	940905	336.13193	347.86424	86.71256	2.67939	0.1744915	3.1506898	17	4	1960-1994	1.02	Nakano	22082	1990 BK
1990 EA ₇	12.9	940905	286.51984	286.66035	351.58811	9.30657	0.0476964	2.5466375	20	6	1953-1994	0.83	Bowell	23237	1990 EA ₇
1990 OE ₂	12.5	940905	333.01518	232.69488	117.95079	14.56317	0.1360618	2.5542221	42	7	1980-1994	0.73	Williams	24118	1990 OE ₂
1990 OJ ₂	13.7	940905	7.68994	328.41445	70.40703	4.48554	0.1449933	2.2558148	24	6	1953-1994	0.71	Bowell	23789	1990 OJ ₂
1990 QD ₂	13.6	940905	56.99448	198.07979	118.37920	1.75148	0.2091991	2.3578801	27	4	1971-1994	0.98	Nakano	22431	1990 QD ₂
1990 QL ₃	14.0	940905	44.82115	325.60526	349.14759	5.66403	0.1448325	2.4290217	25	4	1978-1994	0.64	Bowell	24118	1990 QL ₃
1990 QJ ₄	14.0	940905	68.06889	123.84852	156.20319	2.44522	0.1937113	2.4133955	22	3	1990-1994	0.87	Williams	23514	1990 QJ ₄
1990 RE ₂	14.0	940905	348.50102	193.31483	195.30041	3.53819	0.1978411	2.4579402	37	4	1986-1994	0.81	Williams	24118	1990 RE ₂
1990 SZ	13.5	940905	312.84214	73.31409	347.00846	10.57779	0.1765048	2.5401325	16	4	1986-1994	0.79	Williams	24103	1990 SZ
1990 SN ₄	12.1	940905	295.87235	82.60916	356.81256	12.92919	0.1560683	2.5955930	40	4	1986-1994	0.92	Nakano	23991	1990 SN ₄
1990 SF ₁₁	13.4	940905	253.90876	161.37680	309.26661	1.88309	0.0269465	2.4554036	16	4	1986-1994	0.78	Bowell	24118	1990 SF ₁₁
1990 SK ₂₈	13.0	940905	359.77068	20.80401	347.00047	2.51626	0.1537216	2.5238102	14	2	1990-1994	1.23	Williams	24103	1990 SK ₂₈
1990 TM ₇	13.0	940905	37.09243	287.62828	29.81297	6.55573	0.2132542	2.5534473	30	5	1973-1994	0.63	Williams	24118	1990 TM ₇
1990 TT ₁₂	12.4	940905	4.35418	321.95002	1.13580	1.55759	0.0612321	2.9130431	23	4	1954-1994	0.62	Bowell	23991	1990 TT ₁₂
1990 VB	16.0	940905	8.43525	102.23867	254.63506	14.56469	0.5277195	2.4435468	43	2	1990-1994	0.63	Williams	23991	1990 VB
1990 VN ₁	12.8	940905	338.64199	347.56940	46.09282	8.73321	0.1162354	2.6238521	21	3	1977-1994	1.15	Nakano	24103	1990 VN ₁
1990 VS ₄	14.5	940905	25.17508	138.82498	206.93923	11.91108	0.1926967	2.5687956	14	3	1986-1994	0.86	Williams	18434	1990 VS ₄
1990 WA	15.5	940905	338.98479	11.93864	71.40303	26.02787	0.4674498	2.5063132	44	4	1974-1994	0.74	Williams	23991	1990 WA
1990 YA	13.5	940905	339.34512	127.61988	262.62085	4.39981	0.2758037	2.5614154	27	3	1986-1994	0.82	Williams	23991	1990 YA
1991 AO ₃	13.5	940905	108.90961	250.22158	89.33683	7.28914	0.1169973	2.3930625	30	4	1989-1993	0.79	Williams	22826	1991 AO ₃
1991 BJ	13.1	940905	64.93784	356.62590	60.24017	4.55979	0.0302147	2.3493435	22	6	1950-1994	0.93	Bowell	23247	1991 BJ
1991 BY ₂	14.0	940905	334.98113	75.55583	308.56930	38.02199	0.4671152	2.7235059	53	2	1991-1994	0.71	Williams	24118	1991 BY ₂
1991 CS ₁	13.0	940905	240.91824	9.07860	138.05140	2.00775	0.1305721	3.1102871	28	5	1978-1994	0.97	Williams	22405	1991 CS ₁
1991 GC ₇	14.9	940905	28.54679	138.15217	28.47920	5.18519	0.1083693	2.2668049	15	4	1953-1991	0.72	Bowell	22826	1991 GC ₇
1991 NF	13.5	940905	76.33564	342.57917	285.98200	23.55562	0.0521337	1.9683356	22	3	1991-1994	0.71	Williams	24118	1991 NF
1991 TV ₄	13.9	940905	6.83801	207.00706	126.24312	3.03562	0.1745577	2.1719856	18	4	1977-1994	1.20	Nakano	24106	1991 TV ₄
1991 TO ₁₃	14.0	940905	18.59020	105.96158	220.99663	6.86770	0.1287321	2.2860227	26	4	1987-1994	0.72	Williams	24106	1991 TO ₁₃
1991 UU ₃	13.5	940905	354.68008	336.12106	357.10589	2.23255	0.1604022	2.2819138	13	4	1977-1994	0.80	Williams	23869	1991 UU ₃
1991 VX ₁	13.0	940905	255.89420	298.80333	226.71609	19.78298	0.0710415	1.9328180	18	4	1983-1994	0.68	Williams	22600	1991 VX ₁
1991 VW ₃	14.0	940905	16.03992	101.26092	239.31620	1.09915	0.1906504	2.1580299	28	4	1977-1994	1.07	Williams	24106	1991 VW ₃
1991 VF ₅	13.4	940905	267.62884	304.95771	148.83003	7.10406	0.0321343	2.1985465	27	4	1974-1994	0.76	Nakano	23992	1991 VF ₅
1991 YF	13.0	940905	211.15897	236.13905	295.34840	9.25929	0.1377316	2.3769464	33	7	1952-1994	0.78	Williams	24119	1991 YF
1991 YG	13.5	940905	259.27054	258.90958	236.29472	4.33728	0.1740550	2.2652931	15	4	1980-1994	0.85	Williams	20511	1991 YG
1992 AB ₁	13.5	940905	277.82029	213.57232	252.39298	5.85645	0.0689836	2.3270184	28	4	1983-1994	1.22	Nakano	22084	1992 AB ₁
1992 DA	13.5	940905	224.64930	164.53178	27.79883	3.71372	0.1672512	2.3421583	17	5	1954-1994	0.92	Nakano	22495	1992 DA
1992 ED ₁₁	13.5	940905	312.38495	62.47431	349.97562	8.51906	0.0823363	2.6175361	22	4	1977-1994	0.82	Williams	23992	1992 ED ₁₁
1992 EX ₁₇	13.5	940905	321.18084	230.98757	196.92737	7.83639	0.1740071	2.3523325	25	4	1983-1994	0.76	Williams	23992	1992 EX ₁₇
1992 EV ₂₁	14.5	940905	154.98751	175.18611	122.39881	5.43592	0.1756042	2.2048937	16	3	1986-1992	0.89	Williams	23979	1992 EV ₂₁
1992 FP	12.5	940905	124.29068	174.84763	52.86313	1.92518	0.1687192	3.1970404	20	5	1978-1994	0.66	Williams	22600	1992 FP
1992 FW ₁	15.0	940905	293.83258	267.67695	191.82139	22.61188	0.2676912	2.3337257	22	6	1983-1994	0.85	Williams	22600	1992 FW ₁
1992 TC	17.5	940905	355.36638	275.41696	88.76570	7.08767	0.2924166	1.5660010	72	3	1990-1994	0.72	Williams	24119	1992 TC
1992 WM ₅	12.8	940905	130.51228	18.18963	88.87983	8.30434	0.1274265	2.5314573	20	5	1953-1994	0.90	Bowell	23685	1992 WM ₅

1993 DT	13.4	940905	217.92534	104.94904	308.90970	8.44423	0.1662695	2.5461452	13	4	1954-1993	0.87	Bowell	22239	1993 DT
1993 FR ₂	14.0	940905	164.34482	18.81481	167.24480	3.79394	0.0809378	2.2157279	27	5	1951-1994	0.89	Williams	22700	1993 FR ₂
1993 FT ₄	12.1	940905	53.64961	111.58943	123.40212	2.64705	0.1456457	3.1567935	13	3	1981-1993	0.74	Nakano	23521	1993 FT ₄
1993 FA ₅	14.0	940905	241.22252	280.99195	165.76832	6.13334	0.1138774	2.2239944	12	3	1991-1994	0.84	Nakano	23992	1993 FA ₅
1993 FX ₂₅	15.5	940905	63.83163	311.44587	333.82813	4.11048	0.1312623	2.3337124	14	2	1993-1994	0.57	Williams	24108	1993 FX ₂₅
1993 FU ₂₈	13.5	940905	18.76411	9.34287	311.27373	3.44209	0.1639321	2.4507050	10	4	1971-1994	0.51	Williams	24108	1993 FU ₂₈
1993 FU ₃₃	12.5	940905	154.12817	88.89852	55.11545	4.63838	0.0908205	2.7528645	10	3	1970-1993	0.45	Williams	24109	1993 FU ₃₃
1993 FS ₅₀	15.0	940905	46.04931	315.22511	338.31145	2.09955	0.1207768	2.3968673	15	3	1979-1994	0.57	Williams	23528	1993 FS ₅₀
1993 GD ₁	14.0	940905	99.89650	194.29881	74.14749	6.09162	0.1781064	2.2636269	15	4	1976-1994	0.48	Williams	23863	1993 GD ₁
1993 KD	14.5	940905	157.69060	4.11740	197.76159	11.66231	0.1751561	2.3863235	64	2	1993-1994	0.56	Williams	23981	1993 KD
1993 KL	13.5	940905	145.80349	149.75441	44.58401	25.62396	0.2184441	2.3540863	30	4	1953-1994	0.92	Williams	23992	1993 KL
1993 KM	13.0	940905	81.00450	79.95182	175.10208	20.18212	0.3491032	3.1374106	38	2	1993-1994	0.69	Williams	23992	1993 KM
1993 MS ₁	12.0	940905	182.65136	350.30364	229.09590	11.33516	0.1324770	2.4761757	29	6	1974-1994	0.79	Williams	24119	1993 MS ₁
1993 RO	8.0	940905	356.22785	187.45913	170.30390	3.72113	0.1982056	39.2781661	25	2	1993-1994	0.73	Williams	23982	1993 RO
1994 CP	12.5	940905	131.53740	262.77398	135.73967	2.92464	0.0344605	2.8452114	22	3	1949-1994	0.81	Nakano	23864	1994 CP
1994 JO ₁	14.5	940905	13.59663	223.69778	78.45926	7.59032	0.2814565	2.2402277	16	3	1957-1994	0.70	Williams	23992	1994 JO ₁
1994 LW	17.0	940905	6.47648	54.38935	241.16247	23.01875	0.6194574	3.1620384	156	1	126 days	0.69	Williams	24119	1994 LW
1994 LC ₁	16.5	940905	2.13454	316.10537	15.76613	12.36626	0.5245192	2.8182905	57	1	137 days	0.48	Williams	24119	1994 LC ₁
1994 NO	14.0	940905	356.44160	86.68407	237.72931	20.69411	0.3319219	3.1674251	24	1	99 days	0.58	Williams	24119	1994 NO
1994 PP	12.0	940905	344.54659	53.71081	317.94964	33.38672	0.2957715	2.7652787	33	2	1982-1994	0.68	Williams	24113	1994 PP
1994 QV	13.1	940905	350.45617	6.33490	354.04525	13.66421	0.2880904	2.6454009	26	3	1971-1994	0.77	Nakano	24113	1994 QV
1994 RH	16.0	940905	324.63777	91.81215	331.70457	18.93422	0.4414932	2.2466553	80	1	60 days	0.55	Williams	24113	1994 RH
1994 RX	13.6	940905	332.34264	257.17865	125.88739	8.17867	0.2498261	2.4289379	18	4	1977-1994	0.61	Nakano	23984	1994 RX
1994 RB ₁	13.5	940905	306.33980	187.90360	220.93318	8.56720	0.0237415	2.7105034	17	2	1990-1994	0.90	Williams	24113	1994 RB ₁
1994 RC ₁	12.4	940905	341.87584	192.84388	192.65781	9.38384	0.2228073	3.1523158	12	3	1977-1994	0.76	Nakano	24113	1994 RC ₁
1994 RC ₁₁	13.2	940905	341.88220	335.61742	50.57530	1.08942	0.1956661	3.0871950	25	5	1978-1994	0.83	Nakano	24113	1994 RC ₁₁
2064 P-L	13.5	940905	240.47965	196.89759	299.45884	3.54167	0.1003266	3.1782177	18	3	1960-1994	0.61	Williams	22700	2064 P-L
2563 P-L	12.5	940905	70.68855	112.31387	150.47146	1.72294	0.1407498	3.2026013	20	5	1954-1994	0.75	Williams	23791	2563 P-L
2666 P-L	16.5	940905	344.73335	227.69117	169.07042	5.03772	0.3238788	2.6205626	24	3	1960-1994	0.82	Williams	16034	2666 P-L
2808 P-L	15.0	940905	253.52344	310.19848	180.45736	2.03346	0.1511281	2.4251783	19	4	1960-1994	0.83	Williams	21977	2808 P-L
4026 P-L	13.5	940905	96.36494	248.55347	359.78825	13.28463	0.1239003	2.6254254	13	3	1960-1994	0.45	Williams	18830	4026 P-L
4247 P-L	14.5	940905	156.79202	302.98245	259.32642	1.27505	0.1289980	2.4244924	29	4	1960-1994	0.85	Williams	23791	4247 P-L
4630 P-L	13.6	940905	333.62297	33.13159	10.94189	6.08626	0.1638170	2.4206282	21	4	1960-1994	0.90	Nakano	24114	4630 P-L
6104 P-L	14.5	940905	314.59667	207.53099	199.67041	3.64789	0.0815531	3.1747929	13	3	1960-1994	0.44	Williams	17975	6104 P-L
6547 P-L	14.3	940905	351.74157	319.72859	38.89533	3.08651	0.2075556	2.4274943	18	5	1960-1994	0.67	Nakano	22087	6547 P-L
9511 P-L	13.0	940905	99.81079	101.10302	160.64453	0.85233	0.1294358	3.1629850	36	7	1954-1994	0.89	Williams	22827	9511 P-L
2213 T-1	12.8	940905	295.89486	309.22539	5.62107	8.52660	0.0956138	3.1734125	36	4	1953-1990	0.70	Bowell	21122	2213 T-1
5141 T-2	12.5	940905	37.56558	21.30941	301.49407	9.50345	0.0934599	3.0162775	22	5	1973-1994	0.97	Williams	20517	5141 T-2
1076 T-3	14.5	940905	3.36429	62.99388	308.78741	6.65381	0.1816335	2.2536459	28	7	1953-1994	0.81	Williams	24120	1076 T-3
3109 T-3	13.5	940905	151.00841	211.33447	356.31862	0.30368	0.1089759	3.2127569	26	3	1977-1994	0.85	Williams	22088	3109 T-3
3220 T-3	13.5	940905	103.57037	97.58462	178.54281	0.99849	0.1248330	3.1420413	25	5	1954-1994	0.93	Williams	22088	3220 T-3
3398 T-3	14.5	940905	317.61747	266.84439	151.66620	2.23223	0.1285421	2.2614073	28	5	1950-1994	0.84	Williams	24120	3398 T-3

EPHEMERIDES

1977 QQ ₅		a, e, i = 2.23, 0.47, 25							Elements MPC 22587		1995 01 03	11 03.91	+10 20.9	1.602	2.250	-1.09	-2.4	18.9
Date	TT	α_{2000}	δ_{2000}	Δ	r	Variation	V	1995 01 13	11 02.33	+12 30.6	1.541	2.302	-1.18	-1.7	18.7			
								1995 01 23	10 57.39	+15 04.1	1.498	2.353	-1.28	-1.0	18.6			
								1995 02 02	10 49.34	+17 52.4	1.478	2.403	-1.37	-0.3	18.4			
								1995 02 12	10 38.93	+20 41.5	1.486	2.451	-1.44	+0.0	18.3			
								1995 02 22	10 27.36	+23 15.9	1.525	2.498	-1.48	+0.1	18.3			
								1995 03 04	10 16.02	+25 23.3	1.594	2.544	-1.46	-0.1	18.6			
								1995 03 14	10 06.26	+26 57.4	1.691	2.588	-1.41	-0.3	18.9			
								1995 03 24	09 58.99	+27 58.2	1.812	2.630	-1.33	-0.6	19.2			

1995 04 03	09 54.64	+28 29.7	1.952	2.672	-1.23	-0.8	19.5
1995 04 13	09 53.24	+28 37.1	2.106	2.711	-1.13	-0.9	19.8

1992 AA							
$a, e, i = 1.98, 0.39, 8$							
Date TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1994 11 14	11 10.78	+07 43.2	1.247	1.234	65.8	47.0	18.8
1994 11 24	11 42.20	+05 41.7	1.231	1.256	67.9	46.8	18.8
1994 12 04	12 11.73	+03 48.0	1.215	1.285	70.6	46.3	18.8
1994 12 14	12 39.25	+02 06.7	1.196	1.319	73.7	45.8	18.8
1994 12 24	13 04.64	+00 41.1	1.174	1.358	77.5	45.0	18.8
1995 01 03	13 27.74	-00 26.1	1.147	1.401	81.8	44.0	18.8
1995 01 13	13 48.28	-01 12.5	1.116	1.447	86.9	42.7	18.8
1995 01 23	14 05.96	-01 37.1	1.081	1.495	92.6	41.1	18.8
1995 02 02	14 20.40	-01 38.6	1.043	1.545	99.2	39.0	18.7
1995 02 12	14 31.09	-01 17.1	1.003	1.595	106.6	36.4	18.6
1995 02 22	14 37.59	-00 33.6	0.964	1.647	114.9	33.0	18.5
1995 03 04	14 39.42	+00 29.7	0.929	1.699	124.3	28.8	18.4
1995 03 14	14 36.37	+01 47.4	0.903	1.750	134.5	23.9	18.2
1995 03 24	14 28.73	+03 10.9	0.890	1.801	145.3	18.4	18.1
1995 04 03	14 17.39	+04 28.6	0.895	1.852	155.6	12.9	18.0
1995 04 13	14 04.03	+05 28.0	0.922	1.902	162.6	9.1	17.9
1995 04 23	13 50.67	+06 00.0	0.971	1.951	161.5	9.4	18.1
1995 05 03	13 39.09	+06 01.2	1.044	1.999	153.9	12.8	18.5
1995 05 13	13 30.50	+05 33.6	1.137	2.045	144.4	16.7	18.8
1995 05 23	13 25.35	+04 42.8	1.248	2.091	135.0	20.0	19.2
1995 06 02	13 23.54	+03 34.7	1.375	2.135	126.0	22.6	19.5
1995 06 12	13 24.77	+02 14.2	1.512	2.177	117.6	24.4	19.8
1995 06 22	13 28.57	+00 45.7	1.659	2.218	109.7	25.5	20.1
1995 07 02	13 34.52	-00 48.0	1.811	2.258	102.3	26.1	20.3
1995 07 12	13 42.27	-02 24.6	1.968	2.296	95.3	26.2	20.6
1995 07 22	13 51.47	-04 02.4	2.127	2.333	88.5	25.8	20.8
1995 08 01	14 01.91	-05 40.0	2.285	2.368	82.0	25.1	20.9
1995 08 11	14 13.39	-07 16.5	2.442	2.402	75.7	24.1	21.1

1993 MO							
$a, e, i = 1.63, 0.22, 23$							
Date TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1994 11 14	11 12.78	+14 13.9	2.007	1.878	68.1	29.3	20.2
1994 11 24	11 33.54	+13 53.4	1.882	1.859	73.4	30.6	20.0
1994 12 04	11 54.28	+13 44.7	1.756	1.839	78.8	31.7	19.9
1994 12 14	12 14.94	+13 51.4	1.629	1.817	84.2	32.6	19.7
1994 12 24	12 35.48	+14 17.2	1.505	1.794	89.7	33.3	19.5
1995 01 03	12 55.83	+15 06.6	1.384	1.769	95.2	33.6	19.3
1995 01 13	13 15.80	+16 23.8	1.269	1.743	100.7	33.7	19.1
1995 01 23	13 35.21	+18 12.7	1.160	1.716	106.0	33.4	18.9
1995 02 02	13 53.71	+20 36.3	1.061	1.689	111.2	33.0	18.7
1995 02 12	14 10.85	+23 35.4	0.972	1.660	115.9	32.3	18.4
1995 02 22	14 26.08	+27 07.5	0.894	1.631	119.9	31.7	18.2
1995 03 04	14 38.64	+31 06.0	0.828	1.601	123.0	31.3	17.9
1995 03 14	14 47.63	+35 17.5	0.775	1.570	124.8	31.3	17.8
1995 03 24	14 52.21	+39 24.2	0.732	1.540	125.2	32.0	17.6
1995 04 03	14 51.55	+43 03.9	0.700	1.509	124.3	33.2	17.5
1995 04 13	14 45.52	+45 51.8	0.676	1.479	122.3	34.9	17.4
1995 04 23	14 35.03	+47 26.9	0.659	1.450	119.7	37.0	17.4

1995 05 03	14 22.14	+47 33.3	0.645	1.421	116.8	39.3	17.4
1995 05 13	14 09.81	+46 04.2	0.635	1.394	113.9	41.5	17.4
1995 05 23	14 00.56	+43 03.3	0.626	1.368	111.0	43.7	17.3
1995 06 02	13 55.81	+38 38.7	0.620	1.345	108.3	45.7	17.3
1995 06 12	13 56.02	+33 01.7	0.616	1.324	105.9	47.6	17.3
1995 06 22	14 00.83	+26 25.5	0.615	1.305	103.5	49.2	17.4
1995 07 02	14 09.74	+19 03.2	0.620	1.290	101.3	50.6	17.4
1995 07 12	14 22.31	+11 11.3	0.632	1.279	99.1	51.7	17.4
1995 07 22	14 38.11	+03 08.1	0.651	1.271	96.9	52.5	17.5
1995 08 01	14 56.99	-04 47.6	0.679	1.267	94.8	53.0	17.6
1995 08 11	15 18.87	-12 18.2	0.716	1.268	92.6	53.0	17.7
1995 08 21	15 43.74	-19 09.0	0.762	1.272	90.5	52.7	17.9

1992 HE							
$a, e, i = 2.24, 0.57, 37$							
Date TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1994 11 14	12 01.29	+35 33.8	3.213	3.035	70.8	17.9	19.9
1994 11 24	12 13.57	+35 21.5	3.059	2.996	77.0	18.7	19.8
1994 12 04	12 24.96	+35 23.7	2.900	2.956	83.5	19.4	19.6
1994 12 14	12 35.22	+35 42.3	2.739	2.913	90.2	19.7	19.5
1994 12 24	12 44.06	+36 18.9	2.578	2.870	97.0	19.9	19.3
1995 01 03	12 51.12	+37 15.1	2.420	2.824	104.0	19.7	19.2
1995 01 13	12 55.89	+38 31.2	2.268	2.777	111.0	19.3	19.0
1995 01 23	12 57.80	+40 06.0	2.125	2.728	117.8	18.6	18.8
1995 02 02	12 56.11	+41 56.1	1.995	2.677	124.3	17.7	18.6
1995 02 12	12 50.08	+43 53.8	1.880	2.624	129.9	16.8	18.4
1995 02 22	12 39.13	+45 47.3	1.784	2.570	133.8	16.1	18.2
1995 03 04	12 23.14	+47 20.0	1.709	2.513	135.4	16.1	18.0
1995 03 14	12 02.98	+48 13.4	1.657	2.455	134.1	16.9	17.9
1995 03 24	11 40.72	+48 12.9	1.627	2.395	130.2	18.5	17.9
1995 04 03	11 19.12	+47 12.4	1.619	2.333	124.2	20.8	17.9
1995 04 13	11 00.75	+45 16.3	1.630	2.269	117.1	23.2	17.9
1995 04 23	10 47.08	+42 36.7	1.655	2.203	109.4	25.5	18.0
1995 05 03	10 38.46	+39 26.6	1.691	2.135	101.6	27.5	18.0
1995 05 13	10 34.54	+35 57.4	1.733	2.066	94.0	29.2	18.0
1995 05 23	10 34.62	+32 16.8	1.778	1.994	86.6	30.5	18.1
1995 06 02	10 37.99	+28 29.1	1.823	1.921	79.6	31.3	18.1

1994 PN							
$a, e, i = 2.38, 0.54, 46$							
Date TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1994 11 14	19 51.93	-68 45.6	1.080	1.123	65.6	53.3	18.4
1994 11 24	21 23.64	-69 23.1	1.078	1.156	67.9	52.3	18.4
1994 12 04	22 54.34	-66 50.6	1.075	1.199	71.0	51.0	18.4
1994 12 14	00 06.40	-61 28.8	1.076	1.251	74.6	49.4	18.5
1994 12 24	00 58.94	-54 10.3	1.089	1.309	78.1	47.4	18.6
1995 01 03	01 38.03	-45 44.4	1.118	1.372	81.2	45.1	18.7
1995 01 13	02 08.90	-36 53.4	1.170	1.438	83.3	42.8	18.8
1995 01 23	02 34.79	-28 12.6	1.247	1.507	84.1	40.5	19.0
1995 02 02	02 57.67	-20 07.5	1.348	1.578	83.5	38.4	19.2
1995 02 12	03 18.71	-12 52.9	1.472	1.649	81.7	36.3	19.4
1995 02 22	03 38.61	-06 33.9	1.613	1.721	78.8	34.3	19.6
1995 03 04	03 57.81	-01 08.5	1.770	1.792	75.1	32.3	19.9
1995 03 14	04 16.59	+03 27.8	1.936	1.863	70.8	30.3	20.1

1995 03 24	04 35.08	+07 21.3	2.108	1.933	66.1	28.1	20.3
1995 04 03	04 53.41	+10 38.0	2.283	2.002	61.1	25.9	20.5

1994 TW₁ $a, e, i = 2.58, 0.58, 36$ Elements *MPC* 24218

Date TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1994 11 14	21 20.41	-06 08.4	0.824	1.278	89.1	50.7	16.7
1994 11 24	21 25.17	+00 45.2	0.857	1.222	82.6	53.3	16.8
1994 12 04	21 33.06	+07 29.1	0.886	1.173	77.4	55.1	16.8
1994 12 14	21 43.58	+14 07.6	0.910	1.135	73.5	56.2	16.8
1994 12 24	21 56.57	+20 44.9	0.927	1.109	70.9	56.9	16.8
1995 01 03	22 12.32	+27 24.9	0.937	1.097	69.6	57.2	16.8
1995 01 13	22 31.70	+34 11.0	0.940	1.098	69.6	57.1	16.8
1995 01 23	22 56.28	+41 03.8	0.938	1.113	70.7	56.6	16.8
1995 02 02	23 28.94	+47 58.1	0.935	1.142	72.9	55.6	16.9
1995 02 12	00 14.43	+54 36.2	0.935	1.182	75.8	54.1	16.9
1995 02 22	01 19.35	+60 13.4	0.943	1.231	79.1	52.1	16.9
1995 03 04	02 47.34	+63 31.2	0.967	1.289	82.3	49.7	17.0
1995 03 14	04 25.82	+63 16.0	1.010	1.352	84.9	47.1	17.2
1995 03 24	05 50.81	+59 41.4	1.075	1.421	86.5	44.5	17.3
1995 04 03	06 53.58	+54 15.1	1.164	1.492	86.8	42.0	17.5
1995 04 13	07 39.07	+48 14.8	1.275	1.565	85.9	39.7	17.8
1995 04 23	08 13.51	+42 22.6	1.405	1.640	84.0	37.6	18.0
1995 05 03	08 41.14	+36 55.3	1.551	1.715	81.2	35.5	18.3
1995 05 13	09 04.46	+31 57.8	1.708	1.790	77.7	33.5	18.5
1995 05 23	09 24.93	+27 28.9	1.874	1.865	73.8	31.4	18.8

1994 SE $a, e, i = 2.35, 0.41, 8$ Elements *MPC* 24234

Date TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1994 11 14	22 54.80	-17 23.7	0.875	1.496	106.6	39.3	18.1
1994 11 24	23 16.31	-13 17.2	0.968	1.531	103.1	38.9	18.4
1994 12 04	23 37.50	-09 20.7	1.072	1.570	99.4	38.3	18.7
1994 12 14	23 58.46	-05 36.0	1.185	1.612	95.6	37.4	18.9
1994 12 24	00 19.19	-02 04.0	1.306	1.656	91.6	36.4	19.2
1995 01 03	00 39.76	+01 15.0	1.435	1.703	87.4	35.2	19.4
1995 01 13	01 00.25	+04 21.2	1.570	1.750	83.2	33.9	19.6
1995 01 23	01 20.69	+07 14.5	1.710	1.799	78.8	32.5	19.8
1995 02 02	01 41.13	+09 55.3	1.853	1.849	74.3	30.9	20.0

1994 PC $a, e, i = 1.57, 0.32, 9$ Elements *MPC* 23993

Date TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1994 11 14	00 40.04	-45 51.9	0.251	1.089	106.9	60.4	16.3
1994 11 24	01 20.67	-37 18.2	0.261	1.109	111.4	55.9	16.3
1994 12 04	01 54.09	-27 38.3	0.280	1.136	116.0	51.2	16.4
1994 12 14	02 22.72	-17 49.2	0.310	1.169	119.6	47.1	16.6
1994 12 24	02 48.37	-08 41.8	0.353	1.206	121.4	44.1	16.8
1995 01 03	03 12.35	-00 45.4	0.409	1.246	121.4	42.3	17.2
1995 01 13	03 35.68	+05 51.0	0.478	1.289	119.8	41.5	17.6
1995 01 23	03 58.83	+11 11.3	0.558	1.334	117.0	41.1	18.0
1995 02 02	04 22.08	+15 25.2	0.650	1.379	113.4	41.0	18.4
1995 02 12	04 45.64	+18 43.3	0.750	1.425	109.5	40.8	18.7
1995 02 22	05 09.44	+21 14.5	0.859	1.471	105.3	40.4	19.1
1995 03 04	05 33.46	+23 06.5	0.975	1.516	100.9	40.0	19.4
1995 03 14	05 57.62	+24 25.2	1.097	1.561	96.4	39.3	19.7

1994 TA $a, e, i = 17.47, 0.39, 5$ Elements *MPC* 24218

Date TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	V
1994 11 14	01 08.52	+01 52.3	14.304	15.123	144.7	2.2	23.4
1994 11 24	01 07.19	+01 46.1	14.433	15.140	134.4	2.7	23.5
1994 12 04	01 06.18	+01 42.3	14.583	15.158	124.1	3.1	23.5
1994 12 14	01 05.55	+01 41.1	14.751	15.175	113.8	3.4	23.6
1994 12 24	01 05.32	+01 42.7	14.931	15.193	103.6	3.6	23.6
1995 01 03	01 05.51	+01 46.9	15.118	15.210	93.6	3.7	23.7
1995 01 13	01 06.12	+01 53.7	15.306	15.228	83.6	3.7	23.7
1995 01 23	01 07.12	+02 02.8	15.492	15.245	73.7	3.6	23.7

Comet Machholz (1994r)Elements *MPC* 24216

Date TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	m_1
1994 11 14	06 21.04	+47 59.4	1.112	1.922	132.2	22.4	11.1
1994 11 19	05 50.69	+44 44.6	1.061	1.940	142.4	18.1	11.0
1994 11 24	05 20.74	+40 35.8	1.028	1.960	153.2	13.1	11.0
1994 11 29	04 52.76	+35 41.2	1.015	1.982	163.9	7.9	11.0
1994 12 04	04 27.87	+30 18.9	1.025	2.005	171.4	4.2	11.1
1994 12 09	04 06.60	+24 51.9	1.058	2.030	167.1	6.2	11.2
1994 12 14	03 48.96	+19 41.1	1.113	2.057	157.5	10.5	11.4
1994 12 19	03 34.68	+15 00.3	1.185	2.085	147.8	14.6	11.6
1994 12 24	03 23.34	+10 55.8	1.273	2.114	138.7	17.9	11.8
1994 12 29	03 14.49	+07 28.1	1.372	2.144	130.4	20.5	12.0
1995 01 03	03 07.74	+04 34.2	1.481	2.176	122.7	22.4	12.2
1995 01 08	03 02.77	+02 09.8	1.597	2.209	115.7	23.7	12.5
1995 01 13	02 59.26	+00 10.3	1.717	2.242	109.2	24.5	12.7
1995 01 18	02 56.97	-01 28.5	1.841	2.277	103.2	24.9	12.9
1995 01 23	02 55.71	-02 50.5	1.967	2.312	97.6	25.0	13.1
1995 01 28	02 55.31	-03 58.5	2.093	2.349	92.3	24.8	13.3
1995 02 02	02 55.66	-04 55.4	2.219	2.386	87.3	24.4	13.5
1995 02 07	02 56.63	-05 43.1	2.344	2.424	82.6	23.8	13.7
1995 02 12	02 58.15	-06 23.5	2.467	2.462	78.1	23.1	13.9

Periodic Comet Tuttle-Giacobini-KresákElements *MPC* 20122

Date TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	m_2
1994 12 04	05 43.38	+10 57.4	1.786	2.738	161.3	6.6	21.9
1994 12 14	05 31.95	+10 45.4	1.696	2.666	167.4	4.6	21.7
1994 12 24	05 19.37	+10 43.6	1.636	2.592	162.7	6.5	21.6
1995 01 03	05 06.89	+10 53.6	1.606	2.517	152.0	10.6	21.7
1995 01 13	04 55.85	+11 16.0	1.602	2.441	140.2	14.9	21.8
1995 01 23	04 47.35	+11 50.4	1.620	2.363	128.6	19.0	21.9
1995 02 02	04 42.08	+12 35.6	1.654	2.284	117.6	22.5	22.0
1995 02 12	04 40.39	+13 29.6	1.697	2.203	107.4	25.3	22.0

Periodic Comet Kushida (1994a)Elements *MPC* 23322

Date TT	α_{2000}	δ_{2000}	Δ	r	ϵ	ϕ	m_1
1994 12 24	15 36.49	-20 28.3	4.411	3.653	35.3	9.0	19.8
1995 01 03	15 47.09	-21 00.5	4.370	3.711	43.0	10.4	19.9
1995 01 13	15 56.87	-21 27.8	4.312	3.769	50.8	11.7	19.9
1995 01 23	16 05.67	-21 50.5	4.238	3.825	58.9	12.7	20.0
1995 02 02	16 13.36	-22 08.7	4.153	3.880	67.3	13.5	20.0
1995 02 12	16 19.75	-22 22.5	4.057	3.935	75.9	14.1	20.0
1995 02 22	16 24.70	-22 32.1	3.954	3.989	84.9	14.3	20.0
1995 03 04	16 28.04	-22 37.6	3.847	4.042	94.1	14.2	20.0

1995 03 14	16 29.63	-22 38.9	3.742	4.094	103.8	13.6	20.0
1995 03 24	16 29.40	-22 36.1	3.642	4.145	113.8	12.7	20.0
1995 04 03	16 27.30	-22 29.0	3.552	4.196	124.2	11.4	20.0
1995 04 13	16 23.41	-22 17.3	3.478	4.246	134.9	9.6	20.0
1995 04 23	16 17.93	-22 01.1	3.424	4.295	146.0	7.5	20.0
1995 05 03	16 11.19	-21 40.6	3.396	4.343	157.3	5.1	20.0
1995 05 13	16 03.65	-21 16.4	3.395	4.390	168.8	2.6	20.1
1995 05 23	15 55.83	-20 49.8	3.425	4.437	179.5	0.1	20.1
1995 06 02	15 48.26	-20 22.5	3.486	4.483	168.3	2.6	20.2
1995 06 12	15 41.44	-19 56.2	3.576	4.529	157.0	5.0	20.3
1995 06 22	15 35.76	-19 32.9	3.694	4.573	146.1	7.1	20.4
1995 07 02	15 31.45	-19 13.8	3.836	4.617	135.5	8.9	20.6

OPPOSITION DATA

Planet	Opposition	α_{2000}	δ_{2000}	V	$\dot{\alpha}$	$\dot{\delta}$	ϕ_{MIN}	MPC
1981 DE	94 10 18.1	01 31.24	+16 06.6	16.1	-0.91	- 7.6	2.7/20.3	24116
4197 T-3	94 10 18.1	01 31.27	+03 11.6	16.6	-0.91	- 3.3	2.5/16.4	23989
5140 T-2	94 10 18.1	01 31.38	+23 28.0	15.7	-0.83	- 5.3	4.3/22.7	24120
1991 DT	94 10 18.2	01 31.51	+05 41.6	16.9	-0.76	- 4.3	1.1/17.0	22431
1994 TY ₂	94 10 18.2	01 31.66	+12 34.2	15.0	-1.19	+ 2.7	1.5/18.9	24235
1981 EC ₁₀	94 10 18.2	01 31.71	+10 42.2	19.1	-0.73	- 5.9	0.3/18.6	24238
2203 T-3 (6126)	94 10 18.3	01 32.11	+12 46.6	17.9	-0.71	- 7.3	0.9/19.4	22702
	94 10 18.4	01 32.13	+09 47.8	14.7	-1.03	- 3.6	0.1/18.5	24093
1993 OV ₁₀	94 10 18.5	01 32.84	+12 10.4	18.1	-0.67	- 4.3	0.7/19.4	22959
1992 JP	94 10 18.6	01 33.22	-14 25.3	16.6	-0.71	- 4.3	6.4/10.7	22600
1990 WN ₂	94 10 18.6	01 33.31	-12 49.2	16.2	-0.97	- 0.9	8.5/12.4	20022
1977 RF ₂ (6117)	94 10 18.6	01 33.32	+15 13.8	16.0	-1.11	- 3.6	2.5/20.2	24116
	94 10 18.7	01 33.43	+21 20.9	15.9	-1.03	- 4.7	4.7/22.1	24091
2116 T-2	94 10 19.1	01 34.93	+09 33.3	17.4	-1.01	- 5.6	0.1/19.0	23987
1981 EF ₂ (6077)	94 10 19.4	01 36.02	+21 39.4	16.7	-1.00	- 5.1	4.4/23.0	22074
	94 10 19.4	01 36.06	+10 15.6	15.5	-0.90	- 3.2	0.1/19.5	23961
1981 EP ₃₈	94 10 19.4	01 36.17	+06 29.9	18.8	-0.72	- 7.8	1.1/18.3	21967
1986 SC ₂	94 10 19.7	01 37.32	+18 15.1	16.1	-0.90	-10.1	3.0/23.0	22430
3300 T-1	94 10 19.9	01 37.74	+14 29.8	16.7	-1.08	- 5.4	2.0/21.1	22701
1981 ER ₃₅	94 10 19.9	01 38.12	+23 46.7	17.7	-0.84	- 4.7	4.7/24.2	22823
1992 FA ₂	94 10 20.0	01 38.25	+01 54.3	15.7	-0.88	- 3.2	3.0/17.7	24230
1994 TA ₃ (5579)	94 10 20.1	01 38.52	-36 03.5	16.5	-1.47	+10.2	23.2/12.9	22208
	94 10 20.1	01 38.60	+15 26.2	16.4	-1.04	- 3.7	1.9/21.5	21963
1983 XW	94 10 20.1	01 38.93	+10 10.4	15.5	-0.77	- 4.2	0.0/20.2	24239
1990 OK ₃	94 10 20.3	01 39.25	+03 59.4	16.4	-0.90	- 5.2	2.9/18.5	24102
1988 RD ₅	94 10 20.3	01 39.46	+08 48.4	15.7	-0.79	- 3.7	0.5/19.9	24239
1981 UZ ₆	94 10 20.3	01 39.54	+05 22.5	14.8	-1.08	+ 1.9	2.8/19.3	24227
1978 VW ₈	94 10 20.3	01 39.64	+06 44.3	16.3	-0.79	- 3.9	1.3/19.3	23968
1975 RA ₂	94 10 20.5	01 40.09	+11 49.0	14.6	-1.60	+10.1	0.7/20.7	24238
1993 HQ ₁	94 10 20.5	01 40.51	+26 18.5	17.9	-1.62	+ 3.2	7.2/23.5	23539
2121 P-L	94 10 20.6	01 40.77	+21 29.4	18.1	-1.19	+ 2.6	4.8/22.9	22432
1128 T-3	94 10 20.7	01 40.88	+25 19.8	17.7	-0.94	- 1.4	4.7/24.9	22432
1991 YG	94 10 20.8	01 41.32	+14 22.1	16.1	-1.00	- 7.5	1.5/22.0	24240
1990 TM ₇	94 10 20.8	01 41.52	+09 57.0	15.4	-1.03	- 1.9	0.2/20.7	24240
2208 P-L	94 10 20.9	01 41.76	+13 18.3	18.0	-0.82	- 7.7	1.2/21.8	22432

1966 CM	94 10 21.0	01 42.06	-08 13.3	16.5	-0.81	- 6.9	6.1/14.8	24238
1988 ST ₂	94 10 21.0	01 42.13	+07 41.6	16.9	-0.78	- 3.9	0.9/20.2	19864
7604 P-L	94 10 21.0	01 42.19	+04 28.2	16.8	-0.96	- 4.4	2.3/19.4	24120
1992 AB ₁	94 10 21.1	01 42.53	+18 15.3	16.2	-0.96	- 7.5	3.1/23.5	24240
1990 UO ₁	94 10 21.2	01 42.99	+00 37.9	15.8	-0.84	- 5.1	4.3/18.3	24103
1981 EO ₂₁	94 10 21.5	01 44.19	+14 14.3	16.8	-0.88	- 4.4	1.7/22.6	22598
1978 TO ₈	94 10 21.8	01 45.28	+11 03.0	15.3	-0.78	- 4.8	0.1/21.9	24238
1988 PZ ₁	94 10 22.0	01 46.03	+11 00.6	16.4	-0.79	- 4.2	0.0/22.1	24239
1986 QR ₁	94 10 22.1	01 46.27	+15 44.5	17.1	-1.02	- 4.0	1.8/23.5	17819
1971 UN	94 10 22.2	01 46.62	+08 23.0	14.8	-1.08	+ 0.1	1.2/21.7	24238
5200 T-2 (5685)	94 10 22.3	01 46.87	+23 09.1	17.4	-0.85	- 4.2	3.6/26.0	21978
	94 10 22.5	01 47.58	+22 18.7	16.0	-0.87	- 5.3	3.4/25.9	22583
1989 SR ₂	94 10 22.6	01 47.97	+05 50.2	17.3	-0.82	- 4.2	1.8/21.1	24240
2785 P-L	94 10 22.6	01 48.00	+07 33.4	18.3	-0.89	- 4.4	1.4/21.6	16034
1990 QN ₇	94 10 22.6	01 48.05	+10 23.8	17.6	-1.01	- 4.5	0.3/22.4	24228
1971 UD ₁	94 10 22.7	01 48.52	+07 53.5	16.0	-0.97	- 4.9	1.6/21.8	24116
2666 P-L	94 10 22.8	01 48.94	+03 31.7	17.6	-0.58	- 7.8	3.9/20.1	24241
1146 T-1	94 10 22.8	01 49.01	+09 56.8	17.9	-0.86	- 6.6	0.4/22.5	24236
1982 US ₆	94 10 22.8	01 49.03	+06 07.3	15.7	-1.01	- 0.2	2.3/21.7	24239
1980 VG	94 10 22.8	01 49.16	+26 19.9	15.5	-0.95	- 3.2	6.3/27.4	20010
2768 P-L	94 10 22.9	01 49.33	+06 46.2	18.6	-0.88	- 5.0	1.4/21.7	15902
2648 P-L (5945)	94 10 23.1	01 49.88	+10 32.7	17.3	-0.95	- 3.9	0.3/22.9	24235
	94 10 23.3	01 50.75	+12 46.7	14.9	-1.12	- 2.7	0.6/23.7	23501
3100 T-1	94 10 23.4	01 50.99	+11 44.1	15.9	-0.83	- 8.9	0.1/23.5	22087
1990 QQ	94 10 23.4	01 51.01	+27 00.6	17.2	-1.10	- 5.2	5.4/28.0	21974
1981 EN ₁₆	94 10 23.5	01 51.41	+23 05.2	20.3	-1.04	- 4.1	3.9/26.7	21967
1981 EE ₄₆	94 10 23.5	01 51.43	+19 04.2	18.9	-0.84	- 4.2	2.5/25.8	22430
1981 EC ₁₄	94 10 23.5	01 51.43	+18 05.8	19.4	-0.99	- 4.8	2.4/25.4	22270
1990 RR ₂	94 10 23.5	01 51.50	+07 52.2	15.4	-0.82	- 8.9	1.5/22.4	22600
1981 EX ₃₈	94 10 23.7	01 52.34	+23 02.8	17.5	-0.98	- 7.1	4.4/27.4	21967
1989 WN ₁ (6108)	94 10 23.7	01 52.54	+01 50.9	16.2	-0.89	- 1.1	3.4/21.4	24240
	94 10 23.7	01 52.58	+16 29.0	16.0	-1.03	- 7.3	2.3/25.3	24089
1983 WF ₁	94 10 23.8	01 52.59	-26 37.2	15.1	-0.86	+ 3.9	15.9/13.5	22430
1981 QV ₂	94 10 23.9	01 53.14	-04 30.5	16.0	-0.83	- 5.2	6.4/19.1	23788
1987 SK ₁	94 10 24.0	01 53.40	+15 41.0	15.3	-1.08	- 0.9	2.0/25.0	24228
1991 GE ₉	94 10 24.0	01 53.44	+08 04.3	16.6	-0.79	- 4.4	1.2/23.0	22431
9073 P-L	94 10 24.0	01 53.51	+17 41.2	16.6	-0.84	- 3.1	2.1/25.8	24120
2110 P-L	94 10 24.0	01 53.55	+15 06.7	17.9	-0.92	- 5.1	1.3/25.1	22700
1989 SW ₂	94 10 24.1	01 53.69	+04 28.7	17.9	-0.82	- 3.6	2.0/22.1	20017
1976 GD ₂	94 10 24.1	01 53.76	+09 50.1	16.6	-0.96	- 8.7	0.7/23.6	24238
1990 RE ₂	94 10 24.1	01 53.77	+09 42.3	15.6	-0.80	- 7.4	0.9/23.5	24240
1982 JD ₁	94 10 24.2	01 54.41	+12 51.5	17.3	-0.93	- 8.3	0.4/24.6	22492
1978 VJ ₈	94 10 24.4	01 55.03	+11 14.1	18.0	-0.76	- 4.4	0.2/24.3	24226
1983 XG	94 10 24.5	01 55.18	+11 31.7	15.5	-0.74	- 6.1	0.1/24.4	24239
1989 GC ₁	94 10 24.9	01 56.73	+17 13.3	17.1	-0.97	- 5.5	2.1/26.4	22080
4064 T-2	94 10 24.9	01 56.74	+03 19.7	17.3	-0.91	- 8.7	3.4/22.2	24237
1988 FM	94 10 25.0	01 57.08	+18 55.2	17.0	-1.07	- 1.2	2.3/26.7	19863
1990 TO ₄	94 10 25.1	01 57.67	-03 59.0	17.4	-0.98	- 1.7	6.5/21.0	21974
1078 T-3	94 10 25.2	01 58.13	+21 52.1	17.9	-0.87	- 9.3	3.3/28.5	22702
1979 YN	94 10 25.3	01 58.32	-06 08.3	17.3	-0.78	- 3.8	5.7/19.9	22429
6297 P-L	94 10 25.5	01 59.03	+27 34.4	19.4	-1.17	+ 0.4	5.9/29.1	16035

1992 AO ₂	94 10 25.5	01 59.34	-02 03.1	18.3	-0.93	- 4.6	4.8/21.6	23783	1980 RD ₁	94 10 30.6	02 18.97	+20 33.8	15.5	-0.91	- 4.9	2.6/01.5	24116
1988 RW ₃	94 10 25.6	01 59.55	+12 39.4	18.0	-0.80	- 3.8	0.1/25.8	21972	1991 GH ₁₁	94 10 31.1	02 20.77	+10 26.0	18.6	-0.81	- 4.3	1.1/30.2	20638
1984 DQ	94 10 25.6	01 59.58	+27 50.1	18.6	-1.02	- 3.5	4.6/30.0	22076	1981 EU ₁₈	94 10 31.1	02 20.81	+13 46.4	18.2	-0.81	- 4.0	0.1/31.1	22968
1991 AC	94 10 25.9	02 00.57	+10 12.8	16.4	-0.85	- 3.7	0.7/25.3	17830	6245 P-L	94 10 31.2	02 21.20	+05 53.8	18.4	-0.84	- 8.1	2.7/28.8	22701
(6092)	94 10 25.9	02 00.69	-07 29.3	15.7	-0.88	- 3.7	9.4/20.5	23964	1992 EM ₁₈	94 10 31.3	02 21.77	+12 15.0	17.7	-0.87	- 7.1	0.7/30.8	24106
(5547)	94 10 26.0	02 01.14	+21 30.7	16.4	-0.88	- 7.9	2.9/28.9	22041	2582 P-L	94 10 31.5	02 22.52	+15 02.8	18.3	-1.00	- 2.5	0.4/31.8	24114
1993 LC	94 10 26.1	02 01.68	+17 34.1	16.4	-0.86	- 8.6	1.7/28.0	24231	(5568)	94 10 31.8	02 23.46	+09 08.7	15.8	-1.07	- 3.2	2.3/30.6	22203
1993 FB ₁₈	94 10 26.4	02 02.66	+04 41.2	16.0	-1.04	- 3.9	3.3/24.5	23523	1988 SW ₂	94 10 31.8	02 23.65	+13 11.0	16.1	-0.83	- 3.3	0.4/31.6	24117
1992 DZ ₂	94 10 26.4	02 02.88	+11 40.1	16.7	-0.97	- 4.6	0.3/26.3	23790	1984 SB ₁	94 10 31.8	02 23.85	+23 20.0	16.1	-1.20	- 3.1	4.2/03.1	24239
1993 OB ₁₃	94 10 26.6	02 03.66	+10 27.0	18.0	-0.81	- 4.8	0.7/26.1	24232	1991 FF	94 10 31.9	02 23.92	+38 38.0	18.1	-0.99	- 1.4	6.7/07.4	22700
1982 DC ₂	94 10 26.8	02 04.26	+06 08.8	17.9	-0.99	- 6.9	2.5/25.0	17432	1992 EB ₇	94 10 31.9	02 24.16	+05 13.5	17.2	-0.92	- 2.9	3.1/29.8	23783
1994 TM ₁₄	94 10 26.9	02 04.68	+09 47.2	15.8	-0.91	- 8.3	1.2/26.1	24235	1076 T-3	94 11 01.1	02 24.52	+29 05.0	16.2	-1.05	- 5.0	7.3/05.2	24241
2574 P-L	94 10 27.0	02 04.85	+27 26.2	17.9	-1.08	+ 1.3	4.6/30.3	22086	1990 KB ₁	94 11 01.3	02 25.36	-04 38.9	15.5	-1.05	- 2.9	7.9/28.0	24118
5174 T-3	94 10 27.1	02 05.55	-02 44.7	17.7	-0.78	- 2.1	4.0/23.1	23686	(5452)	94 11 01.5	02 26.27	+24 45.5	16.7	-1.13	- 5.7	3.7/04.2	21765
(6140)	94 10 27.3	02 06.03	+01 10.2	15.4	-0.94	- 3.9	5.3/24.3	24096	1988 DE ₂	94 11 01.7	02 27.24	+09 41.9	16.6	-1.00	- 4.2	1.8/31.6	23789
1981 GP	94 10 27.3	02 06.08	+33 56.2	15.6	-1.81	+11.0	10.5/28.0	24239	1981 QR ₃	94 11 01.8	02 27.72	+31 57.8	17.0	-1.18	- 1.2	6.4/06.0	24227
1989 TZ ₁₅	94 10 27.3	02 06.22	+21 52.6	17.0	-0.94	- 2.9	2.8/29.8	20636	1982 UM ₂	94 11 01.9	02 27.66	+10 48.1	16.3	-0.90	- 5.2	1.6/31.9	24239
1992 EX ₁₇	94 10 27.4	02 06.36	+08 10.2	15.3	-0.82	-10.6	2.1/25.9	24240	1977 FT	94 11 02.0	02 28.25	+10 51.4	15.4	-0.90	-26.0	1.8/31.6	24116
1978 VV ₉	94 10 27.4	02 06.47	+15 55.8	16.8	-0.77	- 4.3	0.8/28.3	22696	4511 P-L	94 11 02.0	02 28.45	+04 43.4	19.0	-0.87	- 7.1	4.9/30.2	15904
1990 UG ₄	94 10 27.7	02 07.57	+05 43.7	16.9	-0.84	- 9.0	2.4/25.5	17965	1989 CV	94 11 02.0	02 28.47	+16 24.4	17.2	-0.67	- 2.4	0.4/02.6	22699
1993 KQ	94 10 27.7	02 07.86	-01 30.5	17.4	-1.01	- 3.6	4.9/24.1	22413	1973 RF	94 11 02.1	02 28.85	+32 30.3	15.4	-1.28	+ 2.1	7.4/05.7	24116
1981 EF ₄₅	94 10 27.8	02 07.86	+11 56.1	19.8	-0.78	- 3.7	0.3/27.5	21968	(5711)	94 11 02.2	02 29.07	+18 40.2	16.4	-0.72	- 2.3	1.0/03.3	22671
4636 P-L	94 10 27.9	02 08.48	+21 37.7	18.2	-0.92	- 1.0	2.6/30.1	22701	1990 KO	94 11 02.3	02 29.29	+25 57.4	16.1	-1.05	-18.1	4.4/07.0	24102
1296 T-2	94 10 28.1	02 09.13	+10 28.4	18.4	-0.90	- 5.1	0.8/27.4	22597	6053 P-L	94 11 02.3	02 29.38	+13 56.6	17.7	-0.93	- 5.8	0.3/02.1	22701
4831 P-L	94 10 28.2	02 09.67	+23 02.3	17.8	-1.15	+ 0.3	3.8/30.4	22432	1988 RZ ₁₁	94 11 02.3	02 29.44	+19 56.0	16.0	-0.91	- 2.2	2.0/03.6	24228
1989 EM	94 10 28.2	02 09.67	+15 15.4	17.0	-0.99	- 5.2	0.7/28.8	18116	1981 EH ₃	94 11 02.4	02 29.89	+23 54.8	17.5	-0.96	- 7.8	3.8/05.1	21966
1981 EL ₂₀	94 10 28.3	02 09.96	+24 48.3	18.6	-0.90	- 2.8	3.6/31.5	15407	6012 P-L	94 11 02.5	02 30.10	+17 06.1	18.7	-0.80	- 4.9	0.7/03.1	16035
1990 KX	94 10 28.4	02 10.55	+03 35.4	16.3	-1.06	- 4.2	3.9/26.1	22053	1978 SN ₇	94 11 02.9	02 31.72	+15 00.6	16.0	-0.78	- 7.5	0.0/03.0	21964
(5655)	94 10 28.5	02 10.63	+04 52.0	16.5	-0.82	- 9.4	2.8/25.9	22481	1990 QH ₁	94 11 02.9	02 31.73	+23 40.2	16.3	-1.10	- 3.4	3.6/05.0	24118
3289 T-2	94 10 28.5	02 10.64	+02 28.1	16.7	-0.76	- 6.0	3.3/25.3	22701	1985 RH	94 11 02.9	02 31.81	+32 33.4	17.3	-1.12	- 2.0	5.6/07.2	22076
1977 AW ₂	94 10 28.6	02 10.93	+17 40.9	16.0	-0.91	- 3.7	1.6/29.8	24238	1982 VB ₄	94 11 02.9	02 31.89	+12 51.7	17.1	-1.00	- 3.2	0.8/02.5	21103
2796 P-L	94 10 28.6	02 10.94	+06 42.6	17.7	-0.81	- 4.8	3.0/26.8	15902	(6125)	94 11 03.0	02 32.02	+12 21.5	15.0	-1.01	- 5.1	1.2/02.4	24093
1978 VG ₅	94 10 28.8	02 11.79	+14 05.3	16.8	-0.81	- 4.1	0.2/29.0	23245	1977 DS ₄	94 11 03.0	02 32.24	+14 53.4	16.8	-0.89	- 3.1	0.0/03.0	22807
5148 T-2	94 10 28.8	02 11.80	+27 08.8	16.3	-1.05	- 5.3	6.7/02.0	24120	1978 VZ ₇	94 11 03.6	02 34.50	+15 39.9	18.0	-0.86	- 3.7	0.2/03.8	22270
1982 FA	94 10 28.9	02 12.32	+11 19.9	17.0	-1.05	- 4.9	0.7/28.4	22075	6608 P-L	94 11 03.9	02 35.95	+22 07.0	17.3	-0.94	+ 1.8	3.6/05.3	22432
1989 FA	94 10 29.0	02 12.52	+07 00.5	16.3	-1.00	- 6.0	2.6/27.3	19864	1983 TR ₂	94 11 04.0	02 36.14	+24 04.1	15.9	-1.05	+ 0.1	3.0/05.9	24117
1979 QB ₁₀	94 10 29.0	02 12.60	+15 45.6	16.1	-1.02	- 4.6	1.1/29.7	24116	1987 RV ₃	94 11 04.1	02 36.51	+15 03.0	16.4	-1.02	- 7.3	0.1/04.1	23536
1985 PT	94 10 29.1	02 13.16	-09 21.2	16.0	-0.82	- 4.4	9.2/22.7	23779	1990 RN ₃	94 11 04.1	02 36.78	+09 17.5	16.8	-0.98	- 6.1	2.2/02.7	22494
1981 EC ₂₆	94 10 29.2	02 13.30	+14 13.2	20.0	-0.98	- 4.6	0.3/29.4	21967	1991 BM ₁	94 11 04.2	02 36.99	+12 38.3	16.9	-0.85	- 4.5	0.9/03.6	23781
1975 NC	94 10 29.2	02 13.45	+20 44.0	17.2	-0.89	- 5.5	2.3/31.3	21782	(5471)	94 11 04.2	02 37.04	+22 03.4	16.1	-0.83	- 6.1	2.0/06.2	21772
1985 QH ₅	94 10 29.3	02 13.69	+11 02.2	15.5	-0.83	- 5.5	1.1/28.6	24239	1993 HW ₁	94 11 04.2	02 37.04	+02 38.7	16.6	-1.10	- 1.1	4.6/01.7	22489
1981 ES ₈	94 10 29.3	02 13.96	+11 12.7	16.0	-0.75	- 7.7	0.8/28.7	24116	1986 PX ₄	94 11 04.3	02 37.13	+15 52.1	15.4	-1.01	- 3.9	0.2/04.4	24239
1494 T-2	94 10 29.4	02 14.18	+11 48.2	19.2	-0.93	- 4.3	0.6/29.0	23867	1993 FH ₄₃	94 11 04.5	02 38.08	+15 19.4	16.5	-1.08	- 4.8	0.0/04.5	24231
1981 EO ₁₉	94 10 29.7	02 15.36	+05 47.1	17.3	-0.76	- 6.5	2.6/27.4	22270	1985 DC ₁	94 11 04.6	02 38.60	+14 35.9	17.7	-0.77	- 3.7	0.2/04.4	23246
1971 RA	94 10 29.9	02 16.02	+05 42.0	15.9	-1.09	- 2.6	3.7/28.1	24116	1990 SK ₈	94 11 04.9	02 39.51	+07 20.9	17.9	-0.93	- 2.7	3.9/03.0	23859
1988 LE	94 10 29.9	02 16.19	-06 48.6	17.4	-0.90	- 2.0	6.4/24.8	22400	(5697)	94 11 04.9	02 39.79	+00 05.3	16.7	-0.73	- 5.4	4.4/31.7	22585
1980 FY	94 10 30.1	02 16.84	+17 12.4	16.6	-1.10	- 5.3	1.5/31.0	22074	1981 EY ₁₀	94 11 05.1	02 40.58	+14 21.4	16.6	-0.94	- 6.3	0.5/04.8	24238
4806 P-L	94 10 30.4	02 18.14	+10 07.2	18.6	-0.90	- 5.2	1.3/29.5	22701	1989 GH ₄	94 11 05.2	02 40.83	+22 49.0	17.3	-1.11	- 3.3	2.9/06.9	22699
1993 KY ₁	94 10 30.5	02 18.62	+05 41.4	17.3	-0.99	- 5.1	3.0/28.4	22495	3236 T-2	94 11 05.3	02 41.53	+16 33.3	16.5	-1.13	- 2.4	0.3/05.6	22088
1987 UU ₄	94 10 30.6	02 18.69	+11 13.3	15.5	-1.12	- 1.1	1.2/30.0	22079	1989 GF ₁	94 11 05.4	02 41.57	+22 06.7	16.5	-1.12	- 3.8	2.7/06.9	19864
1979 WX ₃	94 10 30.6	02 18.79	+09 48.8	15.3	-0.90	- 4.4	1.9/29.6	24116	1990 WE ₂	94 11 05.4	02 41.85	+08 25.1	16.5	-0.89	- 8.5	2.5/03.4	22404

3220 T-3	94 11 05.5	02 41.97	+14 41.1	18.0	-0.79	- 3.8	0.3/05.3	24241	4077 P-L	94 11 10.3	03 01.20	+19 26.5	17.2	-1.05	- 4.3	0.9/10.8	23791
1993 NJ	94 11 05.7	02 42.98	+09 33.6	15.8	-0.89	- 7.4	2.1/04.1	24231	1993 RX ₃	94 11 10.3	03 01.47	+36 31.1	15.9	-0.91	- 4.8	5.5/15.6	24119
1994 TD ₂	94 11 05.8	02 43.48	+12 38.3	15.6	-1.16	- 1.0	1.6/05.3	24234	1979 QX ₂	94 11 10.4	03 01.99	+21 58.0	17.6	-1.11	- 4.3	1.8/12.0	17955
1991 FH	94 11 06.0	02 44.10	+08 27.7	17.9	-0.73	- 7.5	2.0/03.9	18826	1982 UC ₁₁	94 11 10.5	03 02.18	+19 04.5	16.3	-0.91	- 6.4	0.9/11.0	21969
1993 JJ	94 11 06.0	02 44.11	+08 24.1	15.9	-1.06	- 2.4	3.3/04.5	24119	1979 ML ₁	94 11 10.6	03 02.50	+25 28.8	16.7	-1.07	- 6.8	3.4/12.7	21965
1979 MZ ₆	94 11 06.0	02 44.22	+19 17.6	16.5	-0.97	- 7.3	1.6/07.0	24226	1981 EQ ₄₃	94 11 10.9	03 04.01	+16 03.7	20.5	-1.00	- 4.5	0.4/10.7	22697
1993 GD ₁	94 11 06.1	02 44.70	+10 23.0	17.1	-1.10	- 2.7	2.1/05.0	24241	(6159)	94 11 11.0	03 04.08	+21 31.0	15.1	-1.18	- 0.6	1.9/11.8	24225
(5573)	94 11 06.2	02 44.67	+03 29.6	17.1	-0.91	- 6.2	4.2/03.0	22205	1978 VD ₅	94 11 11.0	03 04.17	+15 56.9	18.2	-0.84	- 3.8	0.5/10.7	24249
1990 VS ₄	94 11 06.2	02 44.87	+09 48.8	17.0	-0.85	-10.4	2.5/04.4	24240	4192 T-1	94 11 11.1	03 04.44	+16 14.0	16.8	-1.09	- 2.3	0.5/10.9	22432
1971 SN ₂	94 11 06.2	02 44.88	+13 29.4	15.7	-0.83	- 3.1	0.8/05.7	22491	1990 VQ ₅	94 11 11.2	03 04.98	+03 13.9	17.9	-0.91	- 3.4	4.9/08.1	20022
1173 T-2	94 11 06.4	02 45.51	+26 46.4	18.7	-0.98	- 1.5	3.7/08.8	22701	1992 GA	94 11 11.3	03 05.45	+35 25.0	18.2	-1.08	- 4.0	5.9/15.6	22700
4854 T-1	94 11 06.4	02 45.56	+19 51.4	17.6	-0.94	- 1.0	1.2/07.2	19881	(6160)	94 11 11.4	03 06.01	+20 08.2	15.7	-1.08	- 6.8	1.1/12.1	24226
1992 BM	94 11 06.4	02 45.66	+26 13.9	16.1	-1.12	- 1.4	5.1/08.6	21977	1988 CC ₂	94 11 11.5	03 06.15	+26 20.8	14.7	-1.01	- 4.2	4.3/13.6	24117
1990 QZ ₈	94 11 06.5	02 46.09	+09 40.3	17.3	-1.00	- 4.4	2.8/05.0	21974	4882 P-L	94 11 11.6	03 06.79	+25 43.2	18.7	-1.09	- 1.0	2.9/13.2	21978
1980 GO	94 11 06.8	02 47.45	+13 35.1	17.8	-0.78	- 3.6	0.7/06.3	23347	1993 FX ₇₇	94 11 11.7	03 06.95	+18 53.7	17.1	-1.12	- 5.6	0.5/12.0	24109
(6147)	94 11 06.9	02 47.46	+19 34.9	15.6	-0.92	-10.1	1.3/07.9	24098	1988 CX ₃	94 11 11.8	03 07.49	+20 07.2	16.1	-0.98	- 6.9	1.1/12.5	24239
1993 FA ₄₅	94 11 07.0	02 47.85	+20 28.7	17.8	-1.13	- 3.7	1.6/08.0	23528	1992 AF ₁	94 11 11.8	03 07.59	+21 18.3	15.5	-1.14	- 1.4	1.7/12.6	24119
1993 OS ₁₀	94 11 07.0	02 47.88	+21 11.1	17.2	-0.92	- 5.0	1.7/08.3	23676	1981 EB ₂₃	94 11 11.9	03 07.74	+19 48.3	16.0	-1.06	- 2.6	1.0/12.4	21967
(6149)	94 11 07.0	02 47.93	+28 02.9	16.5	-1.12	- 3.4	5.3/09.8	24223	1975 UE	94 11 11.9	03 08.08	+14 32.9	16.4	-1.02	- 4.8	1.3/11.3	22072
1989 SE ₂	94 11 07.1	02 48.45	+11 44.8	17.0	-0.90	- 2.6	1.4/06.1	24240	1990 RW ₃	94 11 12.0	03 08.44	+18 13.5	15.7	-1.07	- 3.2	0.3/12.2	24118
1991 PN ₁₀	94 11 07.1	02 48.69	-18 41.5	17.0	-1.03	- 9.1	15.0/27.0	22055	1981 EZ ₃₂	94 11 12.1	03 08.78	+08 12.5	18.4	-0.80	- 6.0	3.1/09.8	22271
1971 BD ₃	94 11 07.2	02 48.83	+19 10.6	15.1	-0.91	- 6.2	1.3/08.0	24238	1992 DF ₁	94 11 12.2	03 08.94	-32 08.6	16.8	-0.51	- 3.1	26.4/28.0	23978
(5627)	94 11 07.2	02 49.06	-19 21.8	16.9	-1.65	+11.1	17.5/04.9	22394	2527 P-L	94 11 12.4	03 09.75	-00 43.3	15.9	-0.67	- 8.7	7.5/07.0	24120
4127 P-L	94 11 07.5	02 50.08	+16 22.6	17.9	-0.83	- 3.8	0.0/07.6	22086	1981 EG ₃₄	94 11 12.5	03 10.04	+09 53.3	19.0	-0.92	- 7.2	3.3/10.6	23857
6837 P-L	94 11 07.7	02 50.94	+12 46.2	18.8	-0.89	- 2.9	1.3/06.9	15905	1990 SK ₆	94 11 12.5	03 10.11	+22 26.3	17.0	-1.15	- 1.3	1.8/13.4	19866
3226 T-3	94 11 07.9	02 51.45	+21 13.5	16.7	-1.13	+ 1.3	2.0/08.7	22088	(6155)	94 11 12.7	03 11.02	+23 15.2	15.0	-1.07	- 2.7	2.3/13.9	24224
1993 HT ₁	94 11 07.9	02 51.70	+12 52.9	16.7	-1.07	- 6.6	1.4/07.1	22410	2053 T-3	94 11 12.7	03 11.18	+21 59.1	18.0	-0.85	- 4.3	1.3/13.7	22491
9099 P-L	94 11 08.0	02 51.87	+04 25.6	18.3	-0.75	- 5.8	3.6/04.8	16036	1975 SE ₂	94 11 12.7	03 11.24	+20 05.4	17.5	-1.12	+ 0.1	1.0/13.2	22072
1976 SA	94 11 08.0	02 51.96	+07 22.4	16.3	-0.87	- 4.9	3.4/05.8	22429	2799 P-L	94 11 12.8	03 11.36	-13 47.1	18.5	-0.76	- 9.1	10.7/03.3	22495
3538 P-L	94 11 08.0	02 52.29	+25 15.9	16.3	-1.00	- 6.6	4.5/10.4	24120	(6054)	94 11 13.0	03 12.34	+19 53.2	17.1	-1.04	- 5.0	0.8/13.5	23776
6573 P-L	94 11 08.1	02 52.51	+10 28.0	17.0	-0.93	- 3.9	2.2/06.7	22971	1994 TC ₁₅	94 11 13.0	03 12.54	+06 02.9	15.6	-0.85	- 0.9	4.4/10.8	24235
1988 RE ₂	94 11 08.3	02 53.48	+13 16.8	16.1	-0.82	- 3.3	1.2/07.6	24239	1990 QB ₆	94 11 13.2	03 12.89	+35 58.3	16.6	-1.34	- 1.3	7.3/17.0	22229
1990 TM ₅	94 11 08.5	02 53.96	+20 25.0	17.1	-1.01	- 7.6	1.6/09.5	22082	5332 T-2	94 11 13.3	03 13.67	+20 11.4	18.3	-0.84	- 6.7	0.7/13.9	20517
1980 TE ₄	94 11 08.6	02 54.32	+19 13.1	16.7	-0.99	- 3.6	0.9/09.2	13056	(5694)	94 11 13.4	03 13.96	+16 56.1	16.5	-0.93	- 8.4	0.4/13.2	22585
6612 P-L	94 11 08.6	02 54.63	+11 09.9	17.7	-0.92	- 4.9	2.1/07.4	18303	1988 CT ₂	94 11 13.5	03 14.22	+13 17.0	17.5	-1.00	- 3.5	1.7/12.6	22079
1989 GR ₄	94 11 08.7	02 54.93	+11 50.9	17.1	-1.02	- 6.4	2.1/07.6	20334	1977 VL ₁	94 11 14.0	03 16.17	+18 23.0	15.3	-1.02	+ 0.4	0.1/14.1	24116
1993 PB ₇	94 11 08.8	02 55.19	+16 07.7	17.8	-0.79	- 3.5	0.2/08.7	24110	1976 YR ₁	94 11 14.0	03 16.54	+11 45.5	16.0	-1.07	- 1.1	2.9/12.9	22491
(5662)	94 11 09.0	02 55.90	+29 43.1	16.7	-0.92	- 3.9	4.0/12.2	22578	1992 EJ ₂₄	94 11 14.2	03 17.08	-03 08.9	16.3	-0.87	- 0.1	10.9/10.3	23979
1992 FK ₁	94 11 09.1	02 56.63	+44 47.2	17.6	-1.33	- 9.4	11.1/17.2	21580	1986 JC	94 11 14.3	03 17.64	+07 21.1	17.4	-1.08	- 1.8	4.0/12.4	24239
4203 T-3	94 11 09.1	02 56.68	+03 41.7	18.5	-0.86	- 6.9	4.3/05.7	22702	1992 HZ ₃	94 11 14.4	03 18.11	+20 53.1	17.0	-0.94	- 2.9	0.8/15.0	22085
1990 WU ₅	94 11 09.2	02 56.83	+09 42.8	17.8	-0.93	- 3.9	2.7/07.6	22826	6513 P-L	94 11 14.5	03 18.43	+33 51.2	18.3	-1.14	- 1.5	5.0/17.6	23786
1988 RM ₇	94 11 09.2	02 56.89	+18 47.1	18.6	-0.86	- 3.8	0.6/09.7	22969	1988 RW ₁₀	94 11 15.0	03 20.32	+19 07.6	17.9	-0.87	- 3.2	0.3/15.2	22825
1991 AX ₁	94 11 09.5	02 57.93	+12 09.6	15.9	-0.87	- 3.5	1.6/08.4	22494	1993 JH	94 11 15.0	03 20.74	+19 09.8	17.3	-1.07	- 2.7	0.3/15.2	22495
2678 P-L	94 11 09.6	02 58.28	+13 22.5	18.9	-1.02	- 4.1	1.4/08.8	22086	1980 KD	94 11 15.2	03 21.48	+06 10.5	16.9	-0.75	- 2.7	3.1/12.7	21965
1991 GB ₃	94 11 09.6	02 58.47	+17 28.5	17.7	-0.80	- 3.2	0.1/09.8	23349	1990 QN ₂	94 11 15.3	03 21.73	+30 15.3	17.1	-1.20	- 2.9	4.8/17.7	18121
1992 HK ₁	94 11 09.7	02 58.90	+17 32.3	17.0	-0.90	- 2.9	0.2/09.9	20933	1993 OA ₄	94 11 15.4	03 21.98	+13 44.1	18.1	-0.89	- 2.9	1.7/14.5	22958
1991 GM ₉	94 11 09.9	02 59.53	+13 57.5	17.8	-0.79	- 3.3	0.8/09.2	24104	1990 QB ₂	94 11 15.5	03 22.28	+15 11.6	16.5	-1.06	- 4.3	1.4/14.8	22229
1993 KP	94 11 10.1	03 00.51	+13 08.8	17.3	-1.00	- 5.1	1.4/09.2	22827	6555 P-L	94 11 15.5	03 22.32	+13 57.8	16.3	-0.89	- 3.0	1.5/14.6	22601
1991 FN ₂	94 11 10.2	03 00.70	+11 33.1	17.0	-0.83	- 4.0	1.8/08.9	23976	1980 VX ₁	94 11 15.5	03 22.42	+29 28.0	15.9	-1.04	- 0.7	4.7/17.5	22967
1989 TJ ₁	94 11 10.2	03 00.88	+19 56.7	16.2	-0.92	- 3.9	1.0/10.9	22969	1990 ON ₂	94 11 15.5	03 22.48	+22 56.3	16.7	-1.15	- 3.2	1.8/16.4	22592
1980 FF ₁₂	94 11 10.2	03 00.92	+21 29.0	17.6	-1.17	- 4.0	1.8/11.2	22270	1983 YK	94 11 15.6	03 22.96	+04 48.8	17.2	-0.75	- 3.5	4.0/12.6	23348

1981 EO ₂₂	94 11 15.6	03 23.07	+19 32.4	20.5	-1.03	- 4.0	0.3/15.9	22697	1971 TF	94 11 22.3	03 50.60	+24 02.3	14.9	-1.05	- 2.8	1.8/23.0	24116
(5700)	94 11 16.0	03 24.70	-00 17.5	17.4	-0.90	- 4.2	6.4/12.1	22586	1983 VN ₇	94 11 22.7	03 52.53	+17 29.9	16.2	-0.87	- 2.6	1.0/22.3	24239
4528 P-L	94 11 16.2	03 25.41	+15 40.9	16.7	-0.96	- 4.9	1.4/15.6	18131	1981 EY ₄₂	94 11 22.9	03 53.30	+19 46.6	20.4	-1.05	- 3.4	0.2/22.9	21968
2777 P-L	94 11 16.3	03 25.94	+14 14.2	17.6	-1.01	- 3.9	1.6/15.5	22601	1990 BK	94 11 22.9	03 53.55	+18 18.1	15.9	-0.87	- 1.6	0.7/22.7	24240
1981 EV ₁₈	94 11 16.4	03 26.05	+15 57.8	18.8	-0.83	- 4.0	0.8/15.8	22492	1981 EG ₂₇	94 11 23.0	03 53.78	+23 33.5	19.3	-0.90	- 2.8	1.0/23.6	21967
1990 OV	94 11 16.5	03 26.58	+14 06.4	16.8	-1.05	- 6.5	1.9/15.5	22402	1976 GL ₈	94 11 23.1	03 54.34	+25 33.7	16.2	-1.02	- 4.7	1.7/24.2	22696
1990 QM ₄	94 11 16.5	03 26.68	+10 01.6	17.2	-1.05	- 3.5	3.3/14.9	22600	1989 LT	94 11 23.4	03 55.36	+22 42.3	17.1	-1.08	- 2.9	0.8/23.8	22485
(5633)	94 11 16.7	03 27.42	+20 33.9	16.5	-1.15	- 5.2	0.7/17.1	22476	1989 YB ₆	94 11 23.6	03 56.31	+01 13.3	17.8	-0.81	- 1.0	5.4/20.5	18817
1981 EJ ₂₅	94 11 16.7	03 27.49	+15 48.2	20.7	-1.00	- 4.1	1.0/16.1	22697	1984 HR ₁	94 11 23.7	03 56.45	+24 26.5	16.5	-1.04	- 1.6	1.3/24.3	23788
1993 OM ₁₀	94 11 16.9	03 28.07	+16 22.4	17.5	-0.84	- 3.1	0.9/16.4	22959	1992 HA ₄	94 11 24.3	03 59.18	+20 42.4	17.9	-0.95	- 2.8	0.1/24.4	22594
4611 P-L	94 11 16.9	03 28.18	+35 37.6	17.0	-1.32	+ 1.1	6.9/19.3	22086	(5484)	94 11 24.3	03 59.46	+25 50.8	15.3	-1.26	+ 2.5	2.2/24.9	21778
1981 EK ₃₅	94 11 17.0	03 28.75	+19 51.2	17.6	-0.89	- 3.4	0.3/17.2	22682	1978 SP ₄	94 11 24.5	03 59.99	+32 47.8	15.9	-1.06	+ 0.2	4.3/26.2	24116
(5480)	94 11 17.2	03 29.51	+09 52.6	15.9	-0.81	- 2.2	2.6/15.5	21776	1992 DC ₁₁	94 11 24.6	04 00.51	+14 19.1	17.6	-1.05	- 3.2	2.9/23.6	24230
1993 GB ₁	94 11 17.4	03 30.12	+15 58.3	16.5	-1.14	- 4.5	1.2/16.8	24231	1981 ET ₈	94 11 24.7	04 00.67	+17 31.3	17.7	-1.04	- 4.4	1.2/24.2	23535
1990 OF ₂	94 11 17.5	03 30.77	+27 45.0	17.1	-1.19	- 2.8	4.0/19.2	20018	1980 FW ₂	94 11 24.7	04 01.04	+21 04.8	18.2	-0.84	- 2.4	0.1/24.8	23787
1978 PW ₃	94 11 17.7	03 31.65	+09 14.1	17.3	-0.98	- 4.3	3.8/15.8	22429	1990 WR ₂	94 11 24.8	04 01.27	+10 17.7	15.3	-0.98	+ 4.2	5.3/23.9	24229
1989 YO ₅	94 11 17.7	03 31.85	+16 43.9	16.8	-0.82	- 2.4	0.7/17.3	22970	1942 CG	94 11 24.8	04 01.37	+10 27.0	14.6	-1.03	+ 1.4	4.5/23.7	22598
1991 AA ₁	94 11 18.0	03 32.62	+14 57.5	16.2	-0.95	- 1.4	1.6/17.3	17832	1988 PX ₂	94 11 24.9	04 01.89	+06 26.3	16.5	-0.82	- 4.0	4.9/22.4	23133
1981 GO ₁	94 11 18.0	03 32.98	+22 09.9	17.1	-1.11	- 2.9	1.2/18.6	24100	1983 AD	94 11 25.0	04 02.24	+17 26.9	15.6	-1.10	+ 1.4	1.3/24.7	24239
1992 DA ₆	94 11 18.1	03 33.10	+16 09.2	16.8	-1.03	- 3.6	1.1/17.5	23861	1990 VL ₂	94 11 25.1	04 02.38	+14 56.6	16.0	-1.00	- 2.1	2.5/24.2	22970
1990 SL	94 11 18.1	03 33.45	+00 40.8	16.8	-1.33	+ 6.4	7.4/17.0	22431	1992 DA	94 11 25.1	04 02.73	+24 17.2	16.7	-1.16	- 1.9	1.4/25.7	24240
(5692)	94 11 18.2	03 33.71	+05 08.1	16.7	-0.87	- 4.8	4.3/15.3	22584	1980 UL ₁	94 11 25.4	04 03.75	+19 30.4	15.9	-0.95	- 5.7	0.4/25.2	22696
1989 GP ₄	94 11 18.3	03 33.98	+13 31.2	17.7	-1.02	- 5.8	2.2/17.1	22431	1993 SG ₅	94 11 25.8	04 05.35	+17 58.7	17.4	-0.86	- 2.2	0.9/25.4	23342
2541 P-L	94 11 18.3	03 34.10	+20 05.7	17.0	-1.07	- 3.1	0.4/18.5	21977	1979 KQ	94 11 25.8	04 05.59	+13 11.5	17.6	-0.94	- 3.2	2.7/24.6	20141
1980 PF	94 11 18.3	03 34.33	+34 10.3	16.5	-1.24	- 5.4	6.4/22.0	24238	1990 SW	94 11 25.9	04 05.96	+12 20.6	16.7	-1.03	- 5.5	3.3/24.5	19305
1981 RB ₂	94 11 18.6	03 35.43	+26 05.8	16.6	-1.02	- 7.9	2.4/20.3	22492	(5647)	94 11 26.1	04 06.89	+18 25.7	12.4	-0.99	-22.8	1.2/25.4	22479
1993 MS ₁	94 11 18.8	03 36.20	+17 08.3	15.6	-0.97	- 7.0	0.8/18.4	24241	4327 T-3	94 11 26.2	04 07.32	+22 56.4	18.0	-1.09	+ 0.3	0.7/26.5	22702
(6121)	94 11 19.0	03 36.96	+18 00.6	15.0	-1.03	- 6.1	0.7/18.8	24092	1969 GC	94 11 26.3	04 07.79	+32 29.6	16.2	-0.93	- 3.8	3.4/28.4	24099
6328 P-L	94 11 19.2	03 37.73	+23 03.4	18.1	-1.03	- 2.6	1.3/19.9	22087	1987 SB ₃	94 11 26.4	04 08.22	+27 04.0	17.4	-1.28	- 0.2	2.8/27.2	18112
7633 P-L	94 11 19.4	03 38.44	+15 19.7	17.3	-0.91	- 2.4	1.4/18.7	22495	1985 QX ₄	94 11 26.7	04 09.25	+10 06.4	16.5	-0.68	- 2.4	2.7/24.9	22824
1982 YQ	94 11 19.5	03 38.92	+06 45.8	16.9	-1.02	+ 0.6	4.4/17.7	21969	4226 P-L	94 11 26.8	04 10.11	+22 05.7	18.0	-1.09	- 3.7	10.3/07.0	16439
1981 EZ ₂₇	94 11 19.5	03 38.93	+19 24.1	17.6	-1.06	- 3.0	0.0/19.5	23132	1989 OL	94 11 27.0	04 10.67	+27 45.1	17.6	-1.18	+ 1.3	2.4/27.7	22825
(5837)	94 11 19.7	03 40.13	+17 13.5	17.7	-0.82	- 2.4	0.6/19.4	22946	1990 OT ₃	94 11 27.2	04 11.74	+27 12.5	15.5	-1.21	- 3.9	2.6/28.2	22494
(5679)	94 11 19.8	03 40.09	+17 00.0	16.6	-0.89	- 3.3	0.8/19.3	22582	1982 FG ₃	94 11 27.4	04 12.35	+24 12.0	14.5	-1.08	- 3.5	1.5/27.9	22430
1987 SQ ₁₇	94 11 20.0	03 40.98	+29 53.6	15.2	-1.23	- 3.2	4.8/22.0	16026	1991 EY ₃	94 11 27.5	04 13.10	+23 05.6	17.6	-0.94	- 2.5	0.6/27.9	24104
1976 QL ₂	94 11 20.0	03 41.40	+25 40.3	16.2	-0.96	+ 0.1	2.0/21.0	22696	1181 T-1	94 11 27.6	04 13.18	+26 27.2	17.3	-0.94	- 2.4	1.7/28.4	24120
1992 HD	94 11 20.2	03 41.85	+15 00.3	16.5	-0.95	- 2.7	1.5/19.4	22085	1992 EE ₁	94 11 27.7	04 13.45	+50 49.7	17.2	-1.88	+ 6.2	11.3/28.9	21977
1985 CH ₁	94 11 20.3	03 42.19	+24 16.1	15.4	-1.16	- 1.9	2.0/21.0	24239	(5621)	94 11 27.7	04 13.79	+25 58.4	17.5	-1.20	- 4.4	1.6/28.5	22392
1990 VN ₅	94 11 20.3	03 42.37	+06 30.6	17.5	-1.12	+ 4.1	5.5/19.1	23975	1991 GQ	94 11 27.8	04 13.98	+11 25.0	16.5	-0.80	- 5.8	2.9/26.0	22593
(5680)	94 11 20.6	03 43.55	+20 16.8	15.6	-0.87	- 2.1	0.2/20.7	22582	1981 ED ₁₁	94 11 27.9	04 14.43	+32 50.8	20.5	-1.16	- 3.2	3.9/29.7	22270
1981 FG	94 11 20.6	03 43.66	+18 07.1	17.7	-1.09	- 2.2	0.6/20.4	24226	1990 BW	94 11 27.9	04 14.62	-19 09.4	16.7	-1.28	+ 5.6	18.6/25.7	22431
1979 MB ₄	94 11 20.7	03 44.02	+11 18.0	19.3	-1.04	- 3.8	3.2/19.2	18803	2078 T-3	94 11 28.1	04 15.63	+32 26.0	17.0	-1.13	- 2.1	3.8/29.7	22088
1988 CO ₁	94 11 21.0	03 45.25	+12 32.2	16.1	-1.01	- 2.3	3.4/19.8	24228	1991 AN ₂	94 11 28.2	04 15.75	-07 12.8	16.3	-0.96	- 0.2	10.5/25.1	23781
1988 JW	94 11 21.0	03 45.53	+04 07.2	18.5	-0.92	- 1.1	4.5/18.6	22079	1992 FS	94 11 28.2	04 15.93	+25 36.5	16.3	-1.02	- 1.1	1.4/28.8	22827
3854 T-3	94 11 21.1	03 45.63	+16 28.1	17.9	-0.84	- 2.6	1.0/20.5	19332	2164 P-L	94 11 28.3	04 16.38	+24 02.4	17.1	-1.12	- 3.7	1.2/28.8	22086
1988 RK ₉	94 11 21.3	03 46.37	-01 56.3	15.9	-0.83	- 1.8	7.0/17.6	22599	(5838)	94 11 28.5	04 17.24	+02 47.8	16.7	-0.92	- 4.2	6.1/25.6	22946
1990 QD ₂	94 11 21.4	03 46.88	+17 15.3	16.3	-1.11	- 3.0	1.1/21.0	24240	2291 T-1	94 11 28.7	04 17.77	+20 45.7	16.4	-1.06	- 1.1	0.2/28.6	23791
1991 AD	94 11 21.5	03 47.64	+25 14.7	15.1	-0.95	- 7.1	2.2/22.8	22494	1990 QJ ₅	94 11 29.2	04 20.17	+25 30.7	16.7	-1.12	- 1.3	2.0/29.8	23859
1992 DP ₈	94 11 21.8	03 48.90	+11 56.8	17.9	-0.92	- 4.5	2.7/20.4	23861	1985 TY ₁	94 11 29.2	04 20.20	+21 54.9	16.5	-0.99	- 5.8	0.2/29.3	22493
1991 GQ ₂	94 11 22.0	03 49.47	+17 25.2	17.3	-0.86	- 3.0	0.8/21.6	23247	1988 LC	94 11 29.2	04 20.30	+01 40.4	17.1	-0.91	- 2.6	6.3/26.4	24239
1972 HL ₁	94 11 22.2	03 50.19	+23 32.3	17.6	-1.15	- 2.7	1.3/22.8	17953	1973 SR ₆	94 11 29.3	04 20.41	+38 59.3	16.1	-1.30	+ 3.6	8.0/30.7	24238

(5464)	94 11 29.3	04 20.48	+34 50.6	16.2	-1.26	+ 4.0	5.8/30.3	21770	1990 VS ₂	94 12 05.1	04 45.69	+13 39.6	16.5	-1.03	- 0.4	3.4/04.4	24118
1985 SM ₂	94 11 29.5	04 21.32	+18 03.4	15.8	-0.98	- 6.4	1.2/28.9	23971	1981 EV ₂₈	94 12 05.1	04 45.88	+12 18.3	18.3	-0.86	- 3.6	3.2/04.0	22271
1990 SG ₈	94 11 29.5	04 21.59	+18 41.4	15.3	-1.10	- 0.3	1.4/29.3	24118	1977 QT ₂	94 12 05.3	04 46.47	+25 50.2	15.9	-1.18	- 3.0	1.7/05.7	20921
1992 LQ	94 11 29.6	04 21.65	+18 54.3	16.8	-0.94	+ 0.8	0.8/29.3	20827	1981 RQ ₂	94 12 05.3	04 46.66	+16 21.9	16.5	-1.01	- 5.0	2.2/04.6	22697
1981 EO ₄	94 11 29.6	04 22.08	+31 55.6	18.5	-0.99	- 4.4	3.5/01.4	22696	4805 P-L	94 12 05.4	04 47.12	+25 17.8	18.5	-1.14	- 1.4	1.1/05.7	23791
1993 PJ ₇	94 11 29.7	04 22.51	+24 49.2	17.2	-0.92	- 2.2	1.0/30.2	23350	(5650)	94 12 05.5	04 47.58	+22 58.0	15.0	-1.04	- 6.4	0.2/05.7	22480
1989 GE ₈	94 11 29.7	04 22.53	+13 32.7	16.3	-1.12	- 1.4	3.7/28.9	23780	1990 TF ₄	94 12 05.6	04 47.74	+23 39.6	16.2	-1.10	- 2.6	0.6/05.8	23684
1989 XM	94 11 29.9	04 23.10	+22 16.0	16.4	-0.94	- 1.3	0.2/30.0	22813	1990 ST ₈	94 12 05.6	04 47.75	+24 37.7	18.7	-1.20	- 0.6	0.9/05.8	21974
(5666)	94 11 30.0	04 23.61	+21 02.6	15.8	-1.05	- 4.2	0.2/30.0	22579	1989 RD ₁	94 12 05.6	04 47.89	+16 57.7	16.7	-1.10	+ 3.8	2.1/05.5	16030
3232 T-2	94 11 30.1	04 24.09	+15 22.6	18.5	-1.12	- 1.6	2.4/29.4	23988	(5702)	94 12 05.9	04 49.19	+31 14.7	16.6	-1.26	- 1.5	3.5/06.7	22669
1991 FG	94 11 30.3	04 25.02	+07 05.9	16.7	-0.97	- 6.4	5.2/27.7	22826	1992 OZ ₉	94 12 06.0	04 49.65	+24 16.8	17.3	-0.73	- 0.8	0.4/06.2	23674
1981 EN	94 11 30.3	04 25.03	+04 55.8	17.4	-1.03	- 3.3	7.0/27.9	23990	1989 NM	94 12 06.1	04 49.85	+16 38.9	16.1	-1.06	+ 1.0	2.1/05.8	23789
1987 YD	94 11 30.5	04 25.67	+23 05.9	14.7	-1.20	+ 4.1	0.7/30.6	24117	1988 RO ₄	94 12 06.2	04 50.49	+04 54.1	16.8	-0.85	- 1.1	6.4/04.6	23991
3332 T-1	94 11 30.6	04 25.93	+23 44.5	15.2	-1.01	- 3.5	1.1/30.9	24120	1981 EP ₁₀	94 12 06.4	04 51.29	+30 23.3	20.0	-1.17	- 3.0	2.9/07.3	22696
1989 NE ₁	94 11 30.7	04 26.44	+31 53.5	17.6	-1.20	+ 0.5	3.4/02.0	22699	1990 TG ₁₁	94 12 06.5	04 51.85	+24 10.2	18.0	-1.15	- 2.8	0.6/06.7	22953
1987 SC ₄	94 12 01.1	04 28.32	+27 18.6	16.3	-1.20	- 5.9	2.7/02.0	24239	1976 WC	94 12 06.5	04 51.94	-28 39.1	15.8	-0.58	- 2.5	27.9/17.0	24238
1990 SY ₈	94 12 01.4	04 29.62	+23 18.9	18.6	-1.18	- 0.9	0.6/01.6	22486	(5757)	94 12 06.6	04 52.41	+34 17.3	16.9	-1.05	+ 0.8	3.4/07.6	22799
1989 KA	94 12 01.5	04 29.80	+18 44.8	17.0	-1.10	- 3.9	1.1/01.1	22699	1979 MA ₆	94 12 06.8	04 52.92	+13 02.5	17.0	-1.08	- 0.2	4.2/06.1	23787
1993 PY ₅	94 12 01.5	04 29.86	+30 49.0	17.8	-1.15	- 3.5	3.1/02.7	23981	1978 VO ₈	94 12 06.8	04 53.02	+20 16.2	16.8	-0.92	- 0.8	0.8/06.6	22270
(5661)	94 12 01.6	04 30.26	+38 06.1	16.4	-0.85	- 2.4	3.8/04.1	22578	1992 HH	94 12 07.0	04 53.72	+14 57.3	16.4	-1.03	+ 1.8	2.6/06.6	22085
1992 LM	94 12 01.6	04 30.48	+20 48.5	15.6	-1.05	+ 0.5	0.4/01.6	20827	1987 BS ₁	94 12 07.1	04 54.47	+36 33.8	15.8	-1.16	- 6.8	6.0/09.2	17959
1981 EL ₃₆	94 12 01.8	04 31.40	+23 58.9	19.6	-1.09	- 3.0	0.7/02.1	22697	1988 UP	94 12 07.2	04 54.64	+21 44.5	16.2	-0.90	- 0.8	0.3/07.1	22080
1978 SR ₄	94 12 02.0	04 32.28	+20 43.2	16.7	-1.18	- 3.0	0.6/01.9	21964	1990 OT	94 12 07.3	04 55.01	+27 32.5	15.9	-1.20	- 5.5	2.2/07.9	21974
1993 KD ₂	94 12 02.2	04 32.96	+16 16.3	16.0	-1.17	+ 2.0	2.5/01.9	22495	1988 DJ ₂	94 12 07.4	04 55.50	+24 59.7	16.7	-1.14	- 2.2	1.2/07.6	23789
1978 XW	94 12 02.2	04 33.08	+20 07.5	16.4	-0.92	- 1.3	0.7/02.1	20140	1988 HA	94 12 07.5	04 56.25	+21 13.7	17.0	-1.05	- 1.9	0.5/07.4	23991
1991 FJ	94 12 02.3	04 33.68	+35 15.0	17.0	-1.01	- 1.4	4.1/04.0	24118	6647 P-L	94 12 07.6	04 56.42	+26 04.4	16.7	-1.20	- 0.8	1.4/07.9	22087
1991 GT ₅	94 12 02.4	04 33.87	+20 46.9	17.8	-0.85	- 1.8	0.3/02.3	23976	1982 BM	94 12 07.6	04 56.56	+27 07.3	16.4	-1.05	- 2.3	1.7/08.1	22808
1984 YY ₁	94 12 02.4	04 34.11	+26 25.8	16.9	-1.15	- 1.2	2.3/03.0	22698	2218 T-3	94 12 07.7	04 56.88	+34 57.0	16.6	-1.21	- 0.2	6.5/08.7	23867
1987 QW ₂	94 12 02.5	04 34.37	+22 53.9	17.3	-0.87	- 1.5	0.3/02.7	23132	(5658)	94 12 07.7	04 57.25	+24 56.0	15.9	-1.01	- 2.5	0.8/08.0	22577
1981 EB ₁₁	94 12 02.8	04 35.41	+23 53.5	18.8	-1.12	- 3.2	0.7/03.0	22429	5111 T-3	94 12 07.8	04 57.23	+33 49.3	18.2	-1.26	+ 3.0	4.1/08.3	16040
1981 ET ₂₅	94 12 02.9	04 36.04	+12 51.9	18.0	-1.03	- 2.9	3.4/01.9	22398	1990 SW ₄	94 12 07.8	04 57.67	+14 56.5	16.6	-1.08	- 0.8	3.4/07.3	22082
(5691)	94 12 03.0	04 36.37	-17 30.1	16.9	-0.99	- 3.9	14.1/26.0	22584	(5770)	94 12 07.9	04 57.85	+22 47.7	16.8	-0.87	- 1.2	0.0/08.0	22802
1981 ET ₁₉	94 12 03.1	04 36.88	+19 20.3	20.1	-1.07	- 1.9	1.0/02.8	21967	4224 T-2	94 12 08.0	04 58.16	+15 31.0	20.5	-1.14	- 0.6	3.2/07.5	22414
5104 T-2	94 12 03.2	04 37.47	+22 31.0	18.5	-0.92	- 4.3	0.1/03.3	22701	1987 RB ₆	94 12 08.2	04 58.96	+24 05.0	16.9	-1.24	- 0.5	0.6/08.3	21971
3036 T-1	94 12 03.3	04 37.80	+07 48.1	17.7	-0.94	- 3.5	4.8/01.6	22495	1978 PO ₃	94 12 08.2	04 59.06	+23 50.9	16.8	-1.11	- 1.4	0.4/08.3	23787
1981 SA ₇	94 12 03.3	04 38.03	+25 32.2	14.8	-1.09	+ 1.9	1.5/03.6	22074	1981 EJ ₂₂	94 12 08.3	04 59.37	+14 25.2	18.9	-1.04	- 2.0	2.9/07.6	22492
3123 T-3	94 12 03.4	04 38.41	+12 06.9	18.4	-0.83	- 2.6	3.0/02.2	24238	1981 ED ₂₄	94 12 08.6	05 01.15	+08 24.9	18.3	-0.87	- 1.2	4.9/07.5	23132
1952 SW ₁	94 12 03.4	04 38.50	+34 58.0	17.4	-1.22	+ 1.7	4.5/04.4	22696	6615 P-L	94 12 08.7	05 01.23	+29 40.4	16.8	-1.27	- 0.3	2.9/09.2	22827
(5665)	94 12 03.5	04 38.69	+30 00.3	16.6	-1.24	- 3.2	3.2/04.5	22579	1985 CN ₁	94 12 08.8	05 02.02	+27 52.8	15.8	-1.21	- 0.7	2.2/09.2	24239
1987 DN ₆	94 12 03.5	04 38.79	+24 44.0	16.9	-1.02	- 3.0	1.1/03.9	22078	1992 HK	94 12 08.9	05 02.45	+18 44.4	17.7	-0.98	- 1.1	1.3/08.7	20345
1987 RC ₁	94 12 03.7	04 39.75	+23 10.1	16.4	-0.86	- 1.4	0.3/03.9	23132	5137 T-2	94 12 09.0	05 02.69	+07 28.7	19.3	-0.97	- 5.1	5.5/07.2	20833
1993 NO	94 12 04.0	04 41.07	+23 10.7	16.3	-1.05	- 2.0	0.4/04.2	24231	1993 QZ ₅	94 12 09.1	05 03.00	+19 32.2	17.2	-0.94	- 1.4	1.1/08.9	23350
1981 EK ₂₅	94 12 04.3	04 41.94	+24 50.0	17.8	-1.11	- 2.4	0.9/04.6	23132	1984 SH	94 12 09.2	05 03.55	+19 52.9	16.4	-1.22	- 0.7	1.2/09.1	22430
1981 KJ	94 12 04.3	04 42.19	+35 25.4	17.5	-1.03	+ 0.9	3.8/05.5	22697	1990 OQ ₃	94 12 09.2	05 03.69	+27 06.5	16.5	-1.24	- 3.2	1.7/09.7	22600
1136 T-2	94 12 04.3	04 42.32	+17 14.0	17.2	-1.02	- 2.2	1.9/03.8	22972	(5614)	94 12 09.5	05 04.90	+15 47.6	16.7	-0.99	- 2.6	2.5/09.0	22389
1993 KC	94 12 04.4	04 42.42	+06 59.7	20.3	-1.11	- 7.4	4.9/02.1	22700	1981 RC ₅	94 12 09.6	05 05.46	+01 05.5	15.9	-0.96	- 1.3	7.7/08.2	23858
3252 T-1	94 12 04.5	04 42.81	+22 38.0	18.5	-1.13	- 3.1	0.1/04.6	22701	1981 ES ₁₀	94 12 09.7	05 05.61	+24 50.9	18.4	-1.10	- 3.8	0.9/09.9	22270
1988 RX ₁₂	94 12 04.8	04 44.15	+09 41.0	17.4	-0.85	- 3.1	4.3/03.3	22969	1990 TN	94 12 09.7	05 06.05	+33 59.0	15.5	-1.27	+ 3.2	5.0/10.1	24118
1993 PK ₇	94 12 04.8	04 44.21	+22 13.0	18.5	-0.87	- 1.5	0.0/04.8	24110	1990 UJ	94 12 09.9	05 06.53	+12 25.7	16.3	-1.06	- 0.6	4.3/09.3	22486
6217 P-L	94 12 05.0	04 44.98	+03 45.3	19.6	-0.80	- 3.5	5.3/02.5	15905	1990 SS ₉	94 12 10.1	05 07.76	+21 04.8	15.8	-1.05	+ 1.5	0.9/10.1	23974
1978 RR ₈	94 12 05.1	04 45.53	+01 10.7	16.4	-0.97	- 2.9	9.9/02.3	22598	3241 T-3	94 12 10.2	05 07.95	+26 01.2	16.0	-1.20	- 0.2	1.6/10.4	21978

4084 P-L	94 12 10.3	05 08.13	+20 56.6	18.5	-1.02	- 1.7	0.6/10.2	24114	1992 EE	94 12 13.7	05 23.29	+33 45.6	17.4	-1.27	- 0.7	4.1/14.2	23790
1979 FD ₃	94 12 10.3	05 08.49	+19 11.5	17.3	-1.17	- 0.7	1.5/10.1	22491	1993 TM ₁₆	94 12 13.8	05 23.83	+22 55.9	16.9	-0.87	- 0.2	0.1/13.8	24111
1983 RW ₃	94 12 10.3	05 08.52	+45 21.5	18.3	-1.50	- 1.5	8.9/12.4	21969	1993 MG ₁	94 12 13.9	05 24.03	+28 55.0	18.3	-1.07	- 3.6	1.6/14.4	22827
1988 RO ₁₁	94 12 10.4	05 08.76	+24 37.6	17.7	-0.96	- 0.9	0.6/10.6	19022	1955 EH	94 12 13.9	05 24.34	+10 20.9	15.1	-1.01	+ 1.1	6.2/13.6	22491
1981 VN	94 12 10.5	05 09.33	+40 21.3	16.1	-1.33	+ 4.7	7.2/10.7	21564	1991 AK	94 12 13.9	05 24.43	+26 10.3	16.0	-1.05	- 1.1	1.1/14.1	17967
1988 VZ ₁	94 12 10.6	05 09.57	+23 20.6	15.8	-0.91	- 1.1	0.1/10.7	24101	1985 HS ₁	94 12 14.0	05 24.57	-12 38.6	17.5	-1.02	- 2.6	12.9/10.5	23788
1992 DL ₄	94 12 10.7	05 10.06	+35 01.8	17.1	-1.31	- 0.3	5.8/12.0	20342	1981 EK ₂₂	94 12 14.0	05 24.66	+23 20.9	18.3	-0.96	- 1.0	0.1/14.1	15407
(5715)	94 12 10.8	05 10.62	+25 33.7	15.9	-0.92	- 2.3	0.9/11.1	23497	1993 QL ₇	94 12 14.2	05 25.68	+18 54.3	17.9	-0.94	- 0.2	1.5/14.1	23784
1981 EK ₃₄	94 12 10.8	05 10.87	+24 05.6	18.1	-1.11	- 1.3	0.4/11.0	22271	1988 GL	94 12 14.3	05 26.13	+29 17.8	17.1	-1.24	+ 4.1	2.2/14.3	22698
1211 T-2	94 12 11.0	05 11.74	+35 05.5	17.6	-1.31	- 1.1	5.4/11.8	23867	1993 RY ₁	94 12 14.4	05 26.53	+08 16.7	16.8	-0.81	- 1.2	4.5/13.7	23247
4311 T-2	94 12 11.1	05 12.09	+17 55.2	18.7	-1.14	- 0.6	2.0/10.9	21126	1988 PL ₁	94 12 14.5	05 27.18	+12 46.0	15.9	-1.34	-14.8	5.1/12.9	22493
1993 OH ₁₂	94 12 11.1	05 12.18	+22 28.0	18.3	-1.05	- 2.1	0.2/11.2	22959	1981 ET ₂₇	94 12 14.7	05 27.53	+19 57.7	19.0	-0.92	- 0.7	1.1/14.6	23132
1176 T-2	94 12 11.2	05 12.27	+25 37.4	18.7	-1.20	- 1.9	1.0/11.4	23987	7639 P-L	94 12 14.9	05 28.45	+21 54.1	17.1	-1.09	+ 1.0	0.5/14.9	18131
1993 OY ₆	94 12 11.2	05 12.33	+16 29.8	18.3	-1.11	+ 0.1	2.3/10.9	24110	1981 EF ₄₇	94 12 14.9	05 28.58	+28 10.8	19.1	-1.00	- 0.4	1.8/15.1	18421
1269 T-2	94 12 11.2	05 12.40	+23 51.8	17.6	-0.95	- 1.3	0.3/11.3	23135	9002 P-L	94 12 14.9	05 28.59	+03 57.9	17.7	-0.95	- 3.0	6.8/13.5	23680
1981 EV ₁₇	94 12 11.2	05 12.57	+21 49.3	20.0	-1.09	- 1.8	0.4/11.2	22697	(6088)	94 12 14.9	05 28.73	+18 32.7	16.4	-0.89	- 1.3	1.5/14.7	23963
1990 TU ₈	94 12 11.3	05 12.64	+26 38.8	16.9	-1.21	- 1.2	1.5/12.0	19307	1990 QN ₉	94 12 15.0	05 29.34	+17 06.1	16.4	-1.10	+ 1.4	3.0/15.0	23859
1990 VV ₁	94 12 11.4	05 13.23	+10 26.7	16.0	-0.99	- 5.1	5.8/10.2	17460	2314 T-2	94 12 15.3	05 30.35	+17 28.9	17.7	-1.14	- 0.5	2.4/15.1	15906
1041 T-2	94 12 11.4	05 13.24	+19 57.3	17.5	-0.93	- 1.1	1.0/11.3	22274	(5749)	94 12 15.4	05 30.83	+23 50.7	14.9	-0.93	- 3.1	0.2/15.5	22679
1990 UR	94 12 11.5	05 13.62	+26 32.0	16.3	-1.17	- 1.7	1.6/12.0	23859	1985 JY	94 12 15.5	05 31.52	+25 09.0	17.2	-0.88	0.0	0.5/15.7	23246
1992 HX	94 12 11.6	05 14.32	+24 06.2	18.3	-0.94	- 0.7	7.3/32.0	20825	(5704)	94 12 15.6	05 31.59	+07 24.4	16.5	-0.82	+ 0.4	4.8/15.1	22669
2127 T-2	94 12 11.7	05 14.37	+25 56.6	18.8	-1.08	- 1.5	1.1/11.9	22088	4722 P-L	94 12 15.7	05 32.14	+21 18.8	17.0	-1.13	- 1.2	0.8/15.7	22086
1988 RD ₁	94 12 11.7	05 14.72	+35 36.6	16.6	-1.05	- 2.7	4.2/12.9	23991	4100 P-L	94 12 16.0	05 33.70	+43 07.0	19.1	-1.30	- 0.5	6.9/16.7	19317
1992 FY ₁	94 12 11.7	05 14.77	+30 58.6	15.7	-1.26	+ 3.1	3.5/11.9	20343	1992 JQ	94 12 16.2	05 34.55	+05 29.5	18.0	-0.93	- 1.3	5.7/15.5	23992
1992 EW ₇	94 12 11.8	05 14.85	+22 24.5	17.1	-1.08	- 1.5	0.2/11.8	23862	1001 T-2	94 12 16.2	05 34.55	+19 45.0	16.9	-0.93	- 0.7	1.3/16.1	23351
2642 P-L	94 12 11.8	05 14.89	+12 10.3	17.8	-1.11	- 1.9	4.2/11.1	22601	1987 DF ₆	94 12 16.2	05 34.67	+40 39.2	17.1	-1.22	- 2.0	5.9/17.0	18286
1982 Uz ₂	94 12 11.9	05 15.30	-04 48.8	18.0	-0.76	- 1.9	7.3/09.8	23121	4668 P-L	94 12 16.4	05 35.27	+34 36.4	17.5	-1.24	+ 1.7	5.1/16.6	17651
1984 MQ	94 12 12.1	05 16.09	+09 10.8	17.3	-0.96	+ 0.4	4.6/11.6	22492	1990 VK ₅	94 12 16.5	05 36.01	+14 29.6	17.7	-1.06	+ 1.1	3.2/16.5	23860
1993 NS ₁	94 12 12.1	05 16.17	+14 03.0	16.5	-0.92	+ 2.8	3.6/12.0	24232	1989 CQ ₂	94 12 16.6	05 36.25	+08 30.0	17.8	-0.76	- 1.1	4.4/16.1	23991
1993 PZ ₆	94 12 12.1	05 16.24	+25 35.7	17.5	-0.98	- 1.6	0.8/12.3	24110	1989 US ₃	94 12 16.7	05 36.78	+20 51.2	16.6	-0.99	- 1.0	0.9/16.7	24240
1980 RX ₁	94 12 12.3	05 17.35	+15 08.4	15.5	-1.10	+ 0.6	3.8/12.1	22397	1989 TB ₅	94 12 16.7	05 36.87	+13 23.8	17.8	-0.96	- 0.1	3.5/16.5	22591
1986 QT ₁	94 12 12.4	05 17.39	+27 30.7	15.7	-1.11	- 0.4	2.2/12.6	22077	2244 T-2	94 12 16.8	05 37.10	+21 48.1	19.1	-1.06	- 0.6	0.6/17.0	17977
(6151)	94 12 12.4	05 17.82	+31 44.9	15.4	-1.28	+ 2.7	4.1/12.6	24224	1991 JB ₁	94 12 16.9	05 37.35	+23 52.8	16.7	-0.88	+ 0.6	6.6/27.0	23538
1986 PU ₁	94 12 12.5	05 18.02	+25 50.3	17.6	-1.18	- 0.7	1.2/12.7	23788	1982 XQ ₁	94 12 17.1	05 38.57	+21 09.1	17.2	-0.86	- 0.3	0.6/17.1	22968
1988 TX ₁	94 12 12.8	05 19.26	+12 26.3	16.6	-0.85	- 2.1	3.2/12.1	22685	3111 T-2	94 12 17.2	05 38.77	+00 58.4	17.7	-0.96	- 1.1	9.0/16.3	17978
1981 FL	94 12 12.8	05 19.59	+10 03.5	17.6	-1.07	- 2.3	5.4/11.9	23788	1988 EB ₁	94 12 17.2	05 38.91	+25 56.5	17.3	-1.16	+ 0.7	1.0/17.3	22484
(5435)	94 12 12.8	05 19.59	+08 38.3	15.2	-0.92	+ 4.8	5.2/13.0	21552	1988 RO ₂	94 12 17.2	05 39.10	+35 19.8	17.5	-1.06	- 2.5	4.1/18.0	23991
1991 TG ₄	94 12 12.8	05 19.63	-02 30.5	14.8	-1.18	-14.8	13.1/07.6	22494	1992 DB	94 12 17.4	05 39.50	+18 19.1	15.6	-1.14	+ 1.1	2.2/17.3	23790
1989 FH	94 12 12.9	05 19.73	+22 58.5	17.2	-1.20	+ 0.1	0.1/12.9	21973	1978 RD ₁₀	94 12 17.4	05 39.86	+20 07.3	17.3	-0.94	- 0.3	1.2/17.4	22823
1990 RH ₂	94 12 13.0	05 20.07	+35 05.8	17.5	-1.27	- 1.8	5.4/13.8	23789	1989 GQ ₁	94 12 17.6	05 40.88	+22 23.8	18.2	-1.15	- 1.3	0.4/17.7	16235
1992 EF ₂	94 12 13.0	05 20.07	+04 55.1	18.1	-1.01	- 0.1	6.3/12.1	23979	1981 EM ₃₁	94 12 17.8	05 41.59	+21 19.3	19.3	-1.11	- 0.4	0.8/17.8	22074
1987 SG ₁₃	94 12 13.0	05 20.15	+31 05.4	16.4	-1.25	+ 0.6	3.9/13.3	22078	1986 EQ ₂	94 12 17.9	05 42.22	+20 38.1	17.0	-0.95	- 0.4	1.0/17.9	22698
1992 LU	94 12 13.2	05 20.99	+00 48.8	16.9	-0.94	- 1.4	8.0/11.7	22971	2040 T-2	94 12 18.0	05 42.15	+12 38.3	18.6	-0.89	- 0.8	3.6/17.7	24120
1992 CF ₃	94 12 13.2	05 21.09	+14 22.3	18.4	-1.11	- 1.4	3.3/12.7	23992	1984 SG ₁	94 12 18.0	05 42.58	+25 17.9	16.1	-1.02	- 1.6	0.7/18.2	22824
1981 EG ₅	94 12 13.3	05 21.63	+35 32.9	16.8	-1.26	- 3.1	4.9/14.4	23856	1992 OC ₅	94 12 18.1	05 42.86	+22 44.8	17.0	-0.88	- 0.4	0.2/18.1	24107
1992 CA ₂	94 12 13.3	05 21.86	+16 24.2	16.3	-1.12	+ 0.3	3.1/13.1	22970	(5760)	94 12 18.1	05 43.05	+11 57.3	17.2	-0.87	- 1.7	3.6/17.8	22800
1979 MR ₃	94 12 13.4	05 21.85	+14 51.7	17.3	-1.12	+ 1.3	3.2/13.2	22598	2224 T-2	94 12 18.1	05 43.11	+25 55.4	17.3	-0.98	+ 0.1	0.9/18.2	22432
1987 RJ	94 12 13.5	05 22.42	+23 49.9	16.1	-1.22	+ 0.6	0.3/13.6	22824	1990 XF	94 12 18.6	05 45.08	+32 12.7	14.7	-1.20	- 5.5	3.8/19.3	22826
1981 EO ₁₈	94 12 13.5	05 22.68	+27 11.5	16.5	-1.15	- 1.5	1.8/13.8	22483	4082 P-L	94 12 18.7	05 45.74	+25 29.1	17.3	-1.15	- 0.7	0.8/18.8	24114
1987 DH ₆	94 12 13.5	05 22.69	+23 15.7	17.4	-1.00	- 1.3	0.0/13.6	24117	1989 GZ ₁	94 12 18.9	05 46.33	+22 37.9	18.2	-1.17	- 1.3	0.3/18.9	22969
1993 TA ₂₄	94 12 13.7	05 23.27	+21 59.3	17.3	-0.86	- 0.3	0.3/13.7	23125	1993 PW ₇	94 12 18.9	05 46.60	+27 06.0	18.2	-1.02	- 0.7	1.2/19.1	24119

1993 HK ₁	94 12 19.0	05 47.10	+02 28.1	16.3	-1.11	- 4.2	7.6/18.2	22488	1986 RW	94 12 23.1	06 05.23	+31 29.3	14.9	-1.20	- 5.2	3.9/23.6	24117
(5880)	94 12 19.3	05 48.27	+22 56.1	16.7	-0.88	- 0.3	0.1/19.4	23233	1978 UW ₇	94 12 23.3	06 05.97	+09 10.8	17.6	-1.01	- 1.7	4.7/23.2	23667
1987 SE ₇	94 12 19.4	05 48.45	+27 48.5	17.3	-1.29	- 3.0	2.0/19.6	22078	(5678)	94 12 23.5	06 06.59	+60 23.9	17.3	-2.03	+ 5.9	12.2/21.7	22581
1989 UL	94 12 19.4	05 48.77	+16 33.1	16.1	-0.96	- 1.8	2.7/19.3	22599	4409 T-1	94 12 23.6	06 07.48	+16 52.6	17.6	-1.11	+ 1.9	2.9/23.9	24115
1986 CG	94 12 19.6	05 49.50	+23 26.6	16.0	-1.00	- 4.0	0.0/19.7	22077	1975 XH	94 12 23.9	06 08.44	+22 27.9	15.9	-1.13	+ 8.4	0.5/24.0	22072
1989 SF ₁	94 12 19.6	05 49.71	+11 59.5	18.2	-0.96	+ 0.5	3.8/19.6	22685	1978 SB ₃	94 12 23.9	06 08.59	+29 38.3	16.2	-1.20	- 1.2	2.7/24.0	20495
1988 FE	94 12 19.7	05 49.92	+34 38.4	16.6	-1.30	+ 3.7	4.6/19.4	21569	1992 BO	94 12 23.9	06 08.66	+31 03.2	16.5	-1.28	+ 1.0	3.1/23.8	23673
1990 SL ₂	94 12 19.7	05 50.02	+25 54.4	17.0	-1.22	+ 2.1	1.0/19.7	23781	1985 QP ₅	94 12 23.9	06 08.67	+45 11.6	17.3	-1.35	- 0.3	7.6/23.9	22698
7581 P-L	94 12 19.7	05 50.09	+31 06.0	17.2	-1.29	+ 1.3	3.3/19.8	18831	1981 EB ₃₉	94 12 24.0	06 09.27	+10 09.1	20.6	-1.03	+ 0.1	4.5/24.2	24116
1952 QW	94 12 19.8	05 50.50	+18 20.0	15.4	-1.17	+ 5.2	2.6/20.1	23787	1988 EL	94 12 24.1	06 09.60	+60 47.0	15.6	-2.39	- 2.0	19.1/24.3	24239
1992 GZ	94 12 19.9	05 50.97	+26 39.6	17.3	-1.06	- 0.2	1.0/20.0	22970	1982 OF	94 12 24.2	06 09.81	+26 46.1	16.4	-1.20	- 1.3	1.4/24.2	23788
6605 P-L	94 12 20.0	05 51.18	+17 30.6	16.4	-1.00	+ 1.0	2.7/20.1	23986	1991 VX ₁	94 12 24.2	06 10.10	-05 52.4	15.1	-1.25	-10.9	14.7/20.9	24240
1981 EA ₃₉	94 12 20.2	05 52.34	+25 05.0	20.0	-1.14	- 0.6	0.6/20.3	23778	1977 QG ₂	94 12 24.3	06 10.46	+37 40.5	16.4	-1.05	+ 0.5	4.3/24.1	22682
1985 UO ₃	94 12 20.5	05 53.62	+53 39.6	17.4	-1.60	+ 4.1	11.0/19.5	20813	6188 P-L	94 12 24.3	06 10.54	+20 25.0	16.5	-1.16	- 0.8	1.4/24.4	23867
1990 QK ₃	94 12 20.6	05 53.76	+13 07.5	16.9	-1.09	+ 2.0	4.7/20.8	23789	4848 P-L	94 12 24.4	06 10.58	+19 14.6	18.6	-1.09	+ 0.4	1.5/24.5	23791
1991 GZ ₉	94 12 20.7	05 54.11	+26 51.8	16.3	-1.08	- 3.7	1.4/20.8	22700	1981 EH ₃₄	94 12 24.6	06 11.61	+26 02.2	16.8	-0.98	+ 0.1	0.9/24.6	23132
1992 HL	94 12 20.7	05 54.58	-00 39.7	17.7	-0.92	- 0.9	7.5/20.3	22688	1983 RL	94 12 24.7	06 11.96	+59 03.2	16.7	-2.25	- 6.9	17.8/28.2	21969
1990 QT ₉	94 12 20.8	05 54.75	+22 12.2	18.4	-1.21	+ 0.4	0.5/20.8	20335	3070 T-2	94 12 24.7	06 12.24	+18 30.9	15.7	-1.13	+ 2.2	2.3/24.9	23792
1992 DG ₁	94 12 20.8	05 54.98	+32 17.3	16.9	-1.24	- 0.4	3.4/20.9	24119	1992 HM	94 12 25.0	06 13.27	+51 43.0	17.5	-1.70	+ 7.0	10.1/22.1	23339
3197 T-3	94 12 20.9	05 55.22	+24 47.9	16.7	-0.95	+ 0.8	0.5/20.9	22088	1231 T-2	94 12 25.0	06 13.58	+26 17.1	17.7	-0.98	+ 0.4	1.0/25.0	24115
1981 EX ₂₆	94 12 20.9	05 55.49	+19 17.3	19.1	-1.06	- 0.4	1.4/21.0	24116	(5750)	94 12 25.1	06 13.82	+36 36.3	15.3	-1.08	- 1.3	4.5/25.1	22679
1265 T-2	94 12 21.1	05 56.08	+21 14.2	17.5	-1.05	- 0.5	0.9/21.1	22695	1978 RL ₇	94 12 25.1	06 14.10	+22 04.9	17.2	-0.96	+ 0.1	0.5/25.2	22967
1979 MX ₅	94 12 21.1	05 56.17	+19 20.4	17.3	-1.15	+ 0.1	1.7/21.1	23778	1985 UC	94 12 25.1	06 14.18	+47 25.0	18.1	-1.39	+ 0.6	7.6/24.8	22698
1992 EQ ₉	94 12 21.1	05 56.26	+18 28.4	15.2	-1.10	- 0.6	2.5/21.1	23979	1993 SD	94 12 25.3	06 14.65	+08 13.1	17.4	-0.86	- 0.2	4.9/25.6	22971
(5729)	94 12 21.2	05 56.45	+09 11.6	16.1	-0.86	- 1.4	4.9/21.0	22674	5041 T-3	94 12 25.4	06 15.49	+09 13.3	17.5	-0.84	+ 1.7	4.1/26.0	16039
1990 YX	94 12 21.2	05 56.47	+32 46.8	17.0	-1.14	+ 0.4	4.2/21.2	22083	1981 EP ₂₅	94 12 25.5	06 15.71	+21 54.2	18.5	-0.96	- 0.1	0.5/25.6	22271
2144 T-2	94 12 21.2	05 56.83	+30 12.6	18.4	-1.13	- 0.1	2.3/21.3	23792	1979 MR ₅	94 12 25.5	06 15.93	+23 01.7	18.1	-1.18	- 0.5	0.2/25.6	21965
1991 FA ₃	94 12 21.3	05 57.07	+37 05.3	16.7	-1.00	+ 0.7	3.8/21.3	23247	4118 T-3	94 12 25.8	06 16.77	+06 22.8	18.1	-0.84	+ 0.8	5.3/26.4	15425
1992 FP ₁	94 12 21.5	05 57.74	+06 34.3	17.6	-0.93	- 0.1	5.0/21.4	22827	1993 OZ ₄	94 12 25.8	06 17.13	+20 11.0	17.7	-1.16	+ 1.6	1.2/26.0	24110
(5643)	94 12 21.5	05 58.05	+15 38.3	17.8	-1.16	+ 0.5	3.0/21.6	22478	1990 VD ₃	94 12 26.0	06 18.09	+23 43.0	16.4	-1.14	- 1.2	0.1/26.1	21575
1988 CF ₆	94 12 21.6	05 58.65	+22 19.9	15.5	-1.12	- 2.4	0.5/21.7	21568	1992 EB ₁₃	94 12 26.1	06 18.15	+26 57.2	16.5	-1.18	- 0.9	1.4/26.1	23979
3523 P-L	94 12 21.8	05 59.22	+36 00.8	16.4	-1.19	- 1.9	4.8/22.1	22086	1990 UE ₁	94 12 26.1	06 18.32	+21 16.8	15.5	-1.08	- 0.2	1.0/26.2	17456
1981 ES ₂₅	94 12 21.8	05 59.23	+26 28.4	18.6	-1.15	+ 0.2	1.1/21.8	23857	1988 FB	94 12 26.2	06 18.54	+27 06.1	15.1	-1.14	+ 1.7	1.7/26.1	22079
1990 OJ ₂	94 12 21.9	05 59.91	+26 21.5	15.5	-1.20	+ 3.0	1.4/22.0	24240	1237 T-2	94 12 26.3	06 19.21	+25 30.7	17.7	-0.98	+ 0.3	0.7/26.3	24236
1982 BA	94 12 22.0	06 00.19	+04 14.8	15.8	-0.94	+ 3.9	7.7/22.8	24239	(5722)	94 12 26.4	06 19.94	+17 31.7	16.5	-1.16	+ 2.5	2.2/26.8	22673
1971 UT ₁	94 12 22.0	06 00.29	+20 01.7	17.2	-0.91	+ 0.2	1.1/22.1	22696	1992 FX ₁	94 12 26.7	06 20.87	+10 59.8	16.8	-1.09	+ 0.7	4.9/27.0	24107
1992 JB ₂	94 12 22.1	06 00.51	+09 31.4	15.1	-0.97	- 2.5	5.2/21.8	22956	1993 RD	94 12 26.7	06 21.24	+33 23.5	17.2	-1.15	- 0.4	3.3/26.6	23539
1992 EL ₁₇	94 12 22.1	06 00.72	+20 53.2	18.2	-1.15	+ 2.6	1.1/22.2	24106	1982 RZ	94 12 26.8	06 21.71	+07 33.4	17.4	-1.04	+ 3.2	5.6/27.8	23778
1993 TP ₂₆	94 12 22.2	06 01.12	+20 51.9	16.9	-0.88	+ 0.7	0.8/22.3	23125	4171 T-3	94 12 26.9	06 21.70	+29 52.8	16.2	-1.25	+ 3.8	3.0/26.5	22088
1975 RP	94 12 22.3	06 01.26	+22 15.0	16.9	-0.86	0.0	0.3/22.3	23245	1986 RS ₂	94 12 26.9	06 21.88	+16 03.3	16.7	-1.10	+ 1.1	3.1/27.2	22077
(5714)	94 12 22.4	06 02.01	+24 51.3	15.8	-0.95	+ 0.2	0.5/22.5	22671	1971 UM	94 12 27.0	06 22.13	+27 30.4	16.0	-1.19	+ 1.0	1.7/26.9	22822
1980 PB ₃	94 12 22.5	06 02.41	+41 20.2	15.6	-1.13	+ 4.7	5.5/21.5	22823	1981 QT ₃	94 12 27.0	06 22.57	+31 40.1	16.8	-0.95	+ 0.4	2.4/26.8	22823
1985 CM ₁	94 12 22.6	06 02.92	+17 48.5	16.3	-1.13	+ 1.7	2.3/22.8	23788	1979 HW ₆	94 12 27.1	06 22.74	+23 15.6	17.4	-1.19	+ 0.5	0.0/27.1	14780
1992 DB ₉	94 12 22.6	06 03.00	+35 03.7	16.4	-1.26	+ 0.5	4.4/22.6	23861	1990 MG	94 12 27.1	06 22.74	+23 59.8	17.5	-1.24	+ 2.1	0.3/27.1	21974
1980 TV ₂	94 12 22.7	06 03.19	+36 32.4	16.1	-1.26	- 0.4	6.9/22.9	23787	1981 EO ₁₁	94 12 27.1	06 23.07	+23 47.2	17.8	-1.18	- 0.3	0.2/27.2	22270
1979 SU ₂	94 12 22.7	06 03.38	+18 06.9	15.8	-1.10	- 2.5	2.4/22.7	21965	1982 SM ₇	94 12 27.3	06 23.79	+26 33.1	16.8	-0.93	+ 0.7	1.0/27.3	22075
1987 VB	94 12 22.8	06 03.43	+24 45.0	14.6	-1.17	- 2.2	0.7/22.8	23788	1992 GA ₁	94 12 27.4	06 24.32	-13 46.1	18.6	-1.03	- 2.1	13.2/26.9	20344
1990 RO ₂	94 12 22.8	06 03.56	+27 20.0	18.3	-1.25	- 1.1	1.5/22.9	23338	(5667)	94 12 27.4	06 24.35	+17 24.6	16.8	-1.15	+ 1.7	2.3/27.8	22579
2110 T-3	94 12 22.8	06 03.90	+37 30.1	18.6	-1.22	- 0.1	4.8/22.8	24115	1977 EA ₆	94 12 27.5	06 24.48	+27 17.8	16.8	-1.16	- 1.5	1.8/27.5	22823
2558 P-L	94 12 22.9	06 04.35	+31 13.9	16.5	-0.99	+ 0.7	2.9/22.9	22061	1988 RQ ₅	94 12 27.8	06 25.65	+18 08.3	17.0	-0.94	+ 0.5	1.7/28.0	21972
1992 EM ₇	94 12 23.0	06 04.49	+34 15.3	16.9	-1.25	+ 1.4	4.2/22.8	23783	1977 EZ	94 12 27.8	06 26.00	+41 40.5	15.4	-1.38	- 3.5	8.2/28.0	24238